

# memo



ASiantaeth yr  
AMGYLCHEDD CYMRU  
ENVIRONMENT  
AGENCY WALES

1

I/To S E Area Management Team  
RCC,  
Stuart Rees, Finance  
Oddi wrth/From C Wright

Estyniad/Ext. Number 7-26-2238

Ein Cyf/Our ref:

Eich Cyf/Your ref


Dyddiad/Date 2 June 2006

**Name: .Chris Wright - SCHEME OF DELEGATION**

I will be on out of the office on leave and in meetings between Monday 5 June and Friday 9 June 2006.

During this time, Tyrone Ward, will cover the above period. He will have full delegated authority for the purposes of Non Financial Scheme of Delegation and/or Financial Scheme of Delegation during their period of acting duty.

**CHRIS WRIGHT**  
Team Leader – Waste Regulation



creu lle gwell  
creating a better place



Asiantaeth yr  
Amgylchedd Cymru  
Environment  
Agency Wales

## ENVIRONMENTAL PROTECTION ACT 1990 WASTE MANAGEMENT LICENCE.

**LICENCE REF No:** EAWML30385

**FACILITY TYPE:** Transfer Station

The Environment Agency Wales, in pursuance of Part II of the Environmental Protection Act 1990, hereby grant a waste management licence authorising keeping and treating of controlled waste on the land specified in schedule 1 to this licence to **SILENT VALLEY WASTE DISPOSAL LIMITED**, Beechwood House, Cwm, Ebbw Vale, Blaenau Gwent, NP23 6PZ, (Company Registration No. 02674212) those persons being in occupation of the said land, the said licence being subject to the conditions specified in schedule 2 to this licence.

### SCHEDULE 1 - SPECIFIED LAND.

The licence relates to the land at **New Vale Civic Amenity Site, Waun-Y-Pound Industrial Estate, Ebbw Vale, Blaenau Gwent, NP23 6PL** (hereinafter called "the site") shown edged red on Drawing Reference Number **TS0029/1/P**, and attached to this licence.

Signed

**TYRONE WARD**

*Acting Team Leader – Regulatory Waste*

Dated

6th June 2006

FOR ENVIRONMENT AGENCY WALES OFFICIAL USE ONLY.

**YOUR ATTENTION IS DRAWN TO THE RIGHTS OF APPEAL IN THE NOTES OVERLEAF**

Environment Agency Wales  
Rivers House  
St. Mellons Business Park  
St. Mellons  
CARDIFF  
CF3 0EY  
DX Address 121375  
Telephone: - 08708 506 506  
Fax: - 02920 362197

Asiantaeth yr Amgylchedd Cymru  
Plas-yr-Afon,  
Parc Busnes Llaneirwg  
Llaneirwg  
CAERDYDD  
CF3 0EY  
Cyfeiriad DX 121375  
Ffon:- 08708 506 506  
Ffacs:- 02920 362197



## EXPLANATORY NOTES - including rights of appeal.

### **RIGHTS OF APPEAL**

Section 43(1) of the Environmental Protection Act 1990 provides that:

Where, except in pursuance of a direction given by the National Assembly for Wales, a licence is granted subject to conditions, the applicant may appeal from the decision to the National Assembly for Wales.

Therefore, if you feel aggrieved by the decision detailed on the attached notice, you may obtain the appropriate form on which to give written notice of an appeal from:-


The Planning Inspectorate  
National Assembly for Wales  
Environmental Protection Division  
Crown Buildings  
Cardiff  
CF10 3NQ

Tel: 02920 823859  
Fax: 02920 825150

This notice of appeal should be accompanied by the following information:

- a statement of the grounds of appeal;
- a copy of the licence;
- a copy of any correspondence relevant to the appeal;
- a copy of any other document relevant to the appeal including, in particular, any relevant consent, determination, notice, planning permission, established use certificate or certificate of lawful use or development and
- a statement indicating whether you wish the appeal to be in the form of a hearing or on the basis of written representations.

You are also required to serve a copy of your notice of appeal, together with copies of any the above documents that have accompanied your notice of appeal, on the Environment Agency Wales (at the address overleaf). You should appeal within 6 months of the date that this notice takes effect but the National Assembly for Wales may allow notice of appeal to be given after the expiry of this time period.



Proposed Extension/ Alterations  
 New Vale Civic Amenity Site  
 Waunypound Ind. Est., Ebbw Vale

CYNGOR BWRDEISDREF SIROL  
 BLAENAU GWENT  
 COUNTY BOROUGH COUNCIL



AM.SAUNDERS, B.Sc. (Hons) M.Sc. C.Eng. ECS M.A.T.C.

## SCHEDULE 2 – CONDITIONS RELATED TO THIS LICENCE

### 1 General considerations

#### 1.1 Specified waste management operations

1.1.1 No waste management operations shall be authorised by this licence unless:

- a** specified in and undertaken in accordance with the limitations of the working plan and in the following table; or
- b** otherwise required by the conditions of this licence as being an integral part of those operations.

1.1.2 Where discharge to surface water is taking place as part of the site operations the Discharge shall consist solely of surface run off (site drainage) from the treatment and storage areas within the licensed area. The discharge shall be made in the manner and at the place specified as:

- a) discharging via a Class 1 full-retention oil interceptor;
- b) discharging to an unnamed channel;
- c) at National Grid Reference SO 15633 10824 being a reasonable conversion from the largest scale Admiralty chart including the waters described in paragraph (b) above;
- d) shown marked SW Discharge Point on Drawing Reference Number TS/ attached to this licence.

**Table 1.1 Specified waste management operations**

<b>Specified Waste Management Operation</b>	<b>Permitted Waste Types which may be subject to the Specified Operation</b>	<b>Limits on Specified Waste Management Operations</b>
<p><b>D15:</b> Storage pending, on this site any of the category "D" operations authorised under this column, or elsewhere than on this site, any of the operations listed in Part III of Schedule 4 of the 1994 Regulations, (excluding temporary storage, pending collection, on the site where it is produced).</p> <p><b>R13:</b> Storage of waste consisting of materials intended for submission, on this site to any of the category "R" operations authorised under this column, or elsewhere than on this site, to any of the operations listed in Part IV of Schedule 4 of the 1994 Regulations, (excluding temporary storage, pending collection, on the site where it is produced).</p> <p><b>D14:</b> Repackaging of waste prior to waste being submitted on this site to any of the category "D" operations authorised under this column, or elsewhere than on this site, by means of any of the operations listed in Part III of Schedule 4 of the 1994 Regulations.</p> <p><b>R12:</b> Exchange of waste for submission to any of the operations numbered R1 to R11.</p>	All	<p>Maximum storage capacity 30 tonnes at any one time of which:</p> <ul style="list-style-type: none"><li>• 50 refrigeration equipment units prior to and post pre-treatment;</li><li>• <b>no more than 10 tonnes shall be hazardous waste for disposal.</b></li></ul>

(Table continued overleaf)

**Table 1.1 Specified waste management operations (continued)**

<b>Specified Waste Management Operation</b>	<b>Permitted Waste Types which may be subject to the Specified Operation</b>	<b>Limits on Specified Waste Management Operations</b>
<p><b>D9:</b> Physico-chemical treatment of waste not listed elsewhere in this table which results in final compounds or mixtures which are disposed of on this site by means of any of the category "D" operations authorised under this column, or elsewhere than on this site, by means of any of the operations listed in Part III of Schedule 4 of the 1994 Regulations.</p>	<p>All solid wastes, excluding refrigeration equipment units.</p>	<p>Treatment for disposal (<b>no more than 50 tonnes per day</b>), recycling and reclamation consisting only of:</p> <ul style="list-style-type: none"> <li>• Compaction of waste.</li> <li>• Physical sorting or separation of waste into different components</li> </ul>
<p><b>D14:</b> Repackaging of waste prior to waste being submitted on this site to any of the category "D" operations authorised under this column, or elsewhere than on this site, by means of any of the operations listed in Part III of Schedule 4 of the 1994 Regulations.</p>		<ul style="list-style-type: none"> <li>• Repackaging includes repackaging of the same waste types without sorting or mixing, including compaction and baling of the same waste types where the wastes are dry and the compaction or baling does not give rise to any emissions or exudates from the waste.</li> </ul>
<p><b>R2:</b> Recycling or reclamation of organic substances which are not used as solvents.</p>		
<p><b>R3:</b> Recycling or reclamation of metals and metal compounds.</p>		
<p><b>R4:</b> Recycling or reclamation of other inorganic materials.</p>		

(Table continued overleaf)

**Table 1.1 Specified waste management operations**

(continued)

<b>Specified Waste Management Operation</b>	<b>Permitted Waste Types which may be subject to the Specified Operation</b>	<b>Limits on Specified Waste Management Operations</b>
<b>R13:</b> Storage of wastes pending any of the operations numbered R 1 to R 12 (excluding temporary storage, pending collection, on the site where it is produced).	Waste refrigeration equipment units pending inspection and processing, and waste refrigeration equipment which has been processed in accordance with condition 4.4.2.	<ul style="list-style-type: none"> <li>i) Maximum storage capacity of 50 refrigeration equipment units prior to pre-treatment.</li> <li>ii) Waste refrigeration units shall be stored prior to pre-treatment on impermeable pavement provided in accordance with condition 2.1.</li> <li>iii) Only the pre-treatment of refrigeration units is permitted.</li> </ul>
<b>R2:</b> Recycling or reclamation of organic substances which are not used as solvents.		<ul style="list-style-type: none"> <li>iv) The pre-treatment of refrigeration equipment shall be undertaken on impermeable pavement provided in accordance with condition 2.1.</li> </ul>
<b>R3:</b> Recycling or reclamation of metals and metal compounds.		<ul style="list-style-type: none"> <li>v) Maximum storage capacity of 50 pre-treated refrigeration equipment units awaiting collection for either disposal, recycling or reclamation.</li> </ul>
<b>R4:</b> Recycling or reclamation of other inorganic materials.		<ul style="list-style-type: none"> <li>vi) Pre-treated waste refrigeration units shall be stored on areas of hardstanding or impermeable pavement provided in accordance with condition 2.1.</li> <li>vii) Free storage of refrigeration units shall not exceed a maximum storage height of 3.5 metres or 2 fridge upright units high.</li> <li>viii) Palletised or racked storage individual storage of pre-treated refrigeration units shall not exceed a maximum height of 3.5 metres or 2 fridge units high per pallet or shelf.</li> </ul>

(Table continued overleaf)

Table 1.1 Specified waste management operations		(continued)
Specified Waste Management Operation	Permitted Waste Types which may be subject to the Specified Operation	Limits on Specified Waste Management Operations
DISCHARGE TO SURFACE WATER	Surface run off from the treatment and storage areas within the licensed area	As far as it is reasonably practicable the works shall be operated so as to prevent the discharge from containing any significant trace of visible oil or grease

*Specified Waste Management Operations and Exempt Waste Management Operations*

- 1.1.3 Where wastes are being brought onto the site for waste management operations which are exempt from licensing under the 1994 Regulations, then the wastes which are subject to the specified waste management operations shall be kept clearly segregated and identified from those wastes which are being kept on the site for the exempt waste management operations.

1.2 **Permitted wastes**

*Permitted categories and types of wastes*

- 1.2.1 No wastes other than those, which are categorised below in Table 1.2 and specified in detail in Appendix A to these conditions shall be accepted at the site.

**Table 1.2 Permitted quantities of waste**

<b>Permitted Waste Categories (Classified using European Waste Catalogue see list Appendix A)</b>	<b>Maximum Permitted Quantities for each waste category (subject to maximum permitted total quantity in condition 1.2.2) (tonnes/year)</b>
<b>Inert wastes</b>	No limit subject to maximum storage capacities detailed in Table 1.1.
<b>Metal wastes (non-hazardous)</b>	No limit subject to maximum storage capacities detailed in Table 1.1.
<b>Hazardous waste</b> (excluding asbestos and cement resin that has been produced and delivered to the site by a householder)	No limit subject to maximum storage capacities detailed in Table 1.1.
<b>Degradable Household wastes</b>	No limit subject to maximum storage capacities detailed in Table 1.1.
<b>Industrial and Commercial Waste</b>	Not Permitted

*Permitted quantities of wastes*

- 1.2.2 The total quantity of waste accepted at the site per year shall not exceed 4,999 tonnes.

1.3 **Staffing and understanding of requirements of licence conditions**

*Minimum staffing and supervision*

- 1.3.1 Whenever the site is open to receive or dispatch wastes, or is carrying out any of the specified waste management operations, it shall be supervised by at least one member of staff who is suitably trained and fully conversant with the requirements of the licence regarding:
- a** waste acceptance and control procedures;
  - b** operational controls;
  - c** maintenance;
  - d** record-keeping;
  - e** emergency action plans;
  - f** notifications to the Agency.

*Availability of licence*

- 1.3.2 A copy of this licence shall be kept available on site for reference when required by all site staff carrying out work under the requirements of the licence.

#### *Understanding of licence*

- 1.3.3 All site staff shall be, or shall work under the direct supervision of a member of staff who is, fully conversant with those aspects of the licence conditions which are relevant to their specific duties.

#### *Attendance of Technically Competent Persons*

- 1.3.4 Attendance of the technically competent person(s) at the site shall be recorded in the site diary on arrival and departure.

### 1.4 **Changes in technically competent persons**

- 1.4.1 Any changes in the technically competent management of the site and the name of any incoming person [together with evidence that such person has the required technical competence] shall be submitted to the Agency in writing within 5 working days of the change in management. Technically competent management and technical competence shall be as defined under section 74 of the Environmental Protection Act 1990 and Regulations 4 and 5 of the 1994 Regulations.

### 1.5 **Relevant convictions**

#### *Notification of relevant convictions*

- 1.5.1 In the event of the Licence Holder and/or any relevant person being convicted of any relevant offence and which is in addition to any already notified to the Agency, then full details shall be provided to the Agency within 14 days following sentencing, whether or not the conviction or sentence is subsequently appealed. Such details shall include, in respect of each relevant person (as defined in section 74(7) of the Environmental Protection Act 1990 or any subsequent amendments to that section), the nature of the offence, the place and date of conviction, and any fine or other penalty imposed.

#### *Notifications of appeals against convictions*

- 1.5.2 In the event that the Licence Holder and/or any relevant person lodges an appeal against any such conviction or sentence, the Licence Holder shall notify the Agency of this within 14 days of the lodging. The Licence Holder shall notify the Agency of the results of that appeal, within 14 days of the appeal being decided.

### 1.6 **Notification of change of operator's or holder's details**

- 1.6.1 The following information shall be notified in writing within 5 working days to the Agency:

where the Licence Holder is a registered company:

- i any change in the Licence Holder's trading name, registered name or registered office address;

- ii any steps taken with a view to the Licence Holder going into administration, entering into a company voluntary arrangement or being wound up;
- iii the operator at the time of issue of the licence and of any change in the operator or in the operator's trading name, address, registered name or registered office address (if different from the Licence Holder).

**1.7 Notification of preparatory works**

- 1.7.1 No preparatory works shall be undertaken until at least 7 days prior notice in writing has been given to the Agency of the intention to do so. The notification shall include details of what work is being done and when.

**1.8 Notification of commencement, cessation and recommencement of waste storage operations**

*Specified waste management operations*

- 1.8.1 No specified waste management operation shall be carried out until at least 7 days prior notice in writing has been given to the Agency of the intention to commence carrying out the specified waste management operation.

*Cessation and recommencement of specified waste management operations*

- 1.8.2 In the event that the site ceases receiving wastes for longer than 21 days then within 7 days following the elapse of that time, the Licence Holder shall inform the Agency in writing of the date of cessation and of the planned date of recommencement. In the event that it is intended that the site shall recommence receiving wastes sooner than the notified date then the Licence Holder shall give the Agency not less than 7 days prior notice in writing.

**1.9 Notifications and submissions to Agency**

- 1.9.1 Except where otherwise specified, all notifications and submissions to the Agency under the requirements of these licence conditions:
- a** shall be made in writing to the address specified by the Agency in writing at the time of issue of this licence, or as subsequently specified by written notification to the Licence Holder;
  - b** shall quote the licence reference number and the name of the Licence Holder.

## 2 Site engineering for pollution prevention and control

### 2.1 **Engineering site containment and drainage systems**

#### *Provision and maintenance of site containment and drainage systems*

2.1.1 No waste shall be deposited, stored, treated or otherwise handled in any area of the site until the engineered site containment and drainage system for that area has been constructed and completed in accordance with this condition and condition 2.1.2.

2.1.2 The engineered site containment and drainage systems shall be designed, constructed, inspected, validated and maintained, and shall be fully documented and recorded, to be fit for purpose and meet the standards specified in Table 2.1 below.

**Table 2.1 Site containment and drainage standards**

Type of Site Surface and Drainage	Minimum Specified Standards of Design, Construction and Maintenance
a) Hardstanding	<p>Areas of hardstanding shall be constructed of granular material (e.g. crushed stone, aggregate, road planings or other similar material) and maintained such that the working surface:</p> <ul style="list-style-type: none"> <li>i) shall remain even;</li> <li>ii) shall not be subject to settlement or differential settlement;</li> <li>iii) shall not be subject to rutting by vehicles even when wet;</li> <li>iv) shall have sufficient durability to allow cleaning for example by scraping;</li> <li>v) shall remain free of standing water.</li> </ul>
b) Impermeable pavement, bunding and sills	<p>Areas of impermeable pavement, bunding and sills shall be constructed and maintained so as to prevent fluids running off the pavement and the transmission of fluids through the pavement or joints.</p> <p>Where there is a risk of chemical corrosion, areas of impermeable pavement, kerbs, bunds and sills shall be provided with suitable resistance to minimise such corrosion.</p>
c) Sealed drainage systems	<p>Drainage to areas of impermeable pavement shall be provided by a sealed drainage system, that is comprised of a drainage system with impermeable components which does not leak and which will ensure that:</p> <ul style="list-style-type: none"> <li>• no liquid will run off the pavement other than via the system; and</li> <li>• except where they may be lawfully discharged, all liquids entering the system are collected in a sealed sump.</li> <li>• Where the discharge is to surface water and is permitted as part of this waste management licence the discharge shall pass through a Class 1 oil interceptor which shall be operated and maintained in accordance with good operational practice.</li> </ul> <ul style="list-style-type: none"> <li>i) Sealed sumps shall be inspected no less frequently than daily and after rain, emptied when the collected liquids reach 80% of the capacity of the sump as measured using a dipstick or equivalent gauge, and constructed and maintained so as to collect and contain all liquids which run off the pavement;</li> <li>ii) Inspections and emptying of any sealed sump and the Class 1 interceptor shall be recorded in the site diary;</li> <li>iii) Uncontaminated drainage from clean yard areas shall be kept separate and discharged to either surface water or sewer or watercourse or soakaway.</li> </ul>

(Table continued overleaf)

Table 2.1 Site containment and drainage standards

(continued)

Type of Site Surface and Drainage	Minimum Specified Standards of Design, Construction and Maintenance
d) Storage areas for tanks, skips, drums and other containers	<p>All tanks (and their associated inlet and outlet pipes and valves), skips, drums and other containers which are used for the storage or treatment of wastes shall:</p> <ul style="list-style-type: none"> <li>• be constructed and maintained so that they do not leak any liquids contained in them; and</li> <li>• be stored within a bunded or silled area with impermeable pavement, which shall be isolated from the drainage system and shall meet the following specifications: <ul style="list-style-type: none"> <li>i) The bunded or silled area shall be designed and constructed to contain 110% of the volume of the largest container or tank;</li> <li>ii) The bunded or silled area shall be inspected no less frequently than weekly and after rain and shall be emptied so as to maintain a capacity of 110% of the volume of the largest container or tank;</li> <li>iii) Rainwater shall be removed by bailing or pumping and shall be treated as contaminated water and disposed of to either an approved discharge or a suitably licensed or permitted facility.</li> </ul> </li> </ul>
e) Inspection and maintenance of engineered containment	<p>All areas of hardstanding, impermeable pavement, sealed drainage systems, covered buildings, roofed areas, fixed bays and other containers, and storage areas for skips, drums and other mobile tanks and containers:</p> <ul style="list-style-type: none"> <li>i) shall be inspected no less frequently than monthly, to ensure the continuing integrity and fitness for purpose of their construction, and the inspection and any necessary maintenance shall be recorded in the site diary; and</li> <li>ii) in the event of any damage occurring which breaches the integrity of the engineered containment so that it no longer meets the specified standards, the Licence Holder shall cease importing waste into or treating waste in the affected area, shall notify the Agency immediately, and shall not recommence importing waste into or treating waste in the affected area until it has been repaired to a standard at least as good as the original specification.</li> </ul>

### *Construction quality assurance of new site containment and drainage systems*

#### 2.1.3

No wastes shall be deposited, stored, treated or otherwise handled in any area for which an engineered site containment and drainage system is to be newly constructed to meet the requirements of this condition unless:

- a** details of the identities, relevant experience and relevant qualifications of the personnel who will be providing Quality Assurance of the engineered site containment and drainage systems have been submitted in writing to the Agency and acknowledged in writing by the Agency;
- b** the engineered site containment and drainage system has been constructed in accordance with the other requirements of condition 2.1;

- c** the Validation Report on the construction of the engineered site containment and drainage system has been submitted in writing to the Agency, and the Agency has confirmed in writing that it has no objection to the placement of wastes on that containment area.

*Construction quality assurance of existing site containment and drainage systems*

2.1.4

No wastes shall be deposited, stored, treated or otherwise handled in any area for which a previously constructed and existing engineered site containment and drainage system is being used to meet the requirements of this condition unless:

- a** details of the identities, relevant experience and relevant qualifications of the suitably qualified Engineer who will be providing inspection and validation of the existing engineered site containment and drainage systems have been submitted in writing to the Agency and acknowledged in writing by the Agency;
- b** the engineered site containment and drainage system for that area has been inspected by the designated Engineer and has been maintained or improved, in accordance with their recorded advice, to be fit for purpose in that :
  - i** areas of impermeable pavement are laid to take weight of relevant vehicles, plant and equipment without cracking or breaking; and
  - ii** areas of impermeable pavement are free from cracks which could increase permeability; and
  - iii** areas of impermeable pavement are resistant to mechanical, physical and chemical stresses to which they may be subjected; and
  - iv** areas of impermeable pavement fall towards the drainage system to prevent ponding; and
  - v** no liquid will run off areas of impermeable pavement other than via the drainage system; and
  - vi** the drainage system is sealed so that it does not leak and is capable of collecting and containing liquids draining from the impermeable pavement ; and
  - vii** liquid from the drainage system is disposed of to an approved discharge.

2.1.5

The existing engineered site containment and drainage system shall be maintained in accordance with the recommendations of the designated Engineer and the requirements of Table 2.1.

2.1.6

All discharges from the impermeable pavements shall pass through a Class 1 oil interceptor which shall be operated and maintained in accordance with good operational practice such that

- a** it remains fully operational except at times of unavoidable mechanical or electrical breakdown which shall be attended to, and the Agency informed of the failure, as soon as possible after the failure;
- b** Following a failure all equipment shall be returned to normal operation as soon as practicable.

## Site infrastructure

### 3.1 **Provision of site identification board**

- 3.1.1 No wastes shall be received at the site until an identification board has been provided at or near the site entrance.
- 3.1.2 The identification board shall be inspected at least once per week. In the event of damage or defect, the board shall be repaired or replaced within 3 working days.
- 3.1.3 The board shall be easily readable from outside the site entrance in daylight hours, and shall display the following information:
- a** Site name and address;
  - b** Licence Holder name (company name, not individual name unless justified as necessary);
  - c** Operator name (company name, not individual name unless justified as necessary);
  - d** Licence number;
  - e** Emergency contact name and telephone number (for security reasons, personal names and home phone numbers should not be used except where no alternative is practicable);
  - f** Statement that the site is licensed by the Environment Agency;
  - g** Agency national numbers: General Enquiries 08708 506506, Emergency Contact 0800 807060 (or any other number subsequently notified in writing by the Agency);
  - h** Days and hours site is open to receive waste.

### 3.2 **Site security**

- 3.2.1 Site security systems shall be provided at all times during the subsistence of this licence, the objective of which shall be to prevent access by humans, and livestock, which is not authorised either by the Licence Holder or under legal powers of entry. These shall be installed, operated and maintained, and shall be fully documented and recorded, in accordance with the requirements specified in Table 3.2:

**Table 3.2 Site security system standards**

<b>Site security system</b>	<b>Specified standards</b>
Timetable of provision	Site security shall be provided prior to commencement of the specified operations.
Design standards	Unless otherwise agreed in writing by the Agency, this shall consist of a chainlink security fence at least 1.8 metres high around the perimeter of the site, which shall meet the standards specified in British Standard BS1722 or an agreed alternative, and shall have a lockable gate to at least the same height and standard at the site access.
Operational standards	The site shall be kept closed and secure at all times when unattended.
Maintenance standards	The site security shall be fully inspected at the commencement of each working day. Any defects or damage shall be made secure by temporary repair by the end of the working day, and shall be repaired within 7 working days of the damage being detected. All inspections, defects, damage and repairs shall be recorded in the site diary.

## Site operations

### 4.1 **Control of mud and debris and loose waste**

#### *Prevention of mud and debris on road*

- 4.1.1 Whenever the site is receiving or despatching wastes, measures shall be provided, operated and maintained with the objective of preventing the deposit or tracking of mud or debris arising from the site onto public areas outside the site, which shall include public highways and areas of public access.
- 4.1.2 All vehicles leaving areas of the site which are operational or upon which engineering works are being carried out shall, before leaving the site, be cleaned as necessary and shall be checked to ensure that they are clear of loose waste and that any waste is secure.

#### *Remediation of mud and debris on road*

- 4.1.3 In the event that mud, debris or waste arising from the site is deposited onto public areas outside the site, the following remedial measures shall be implemented immediately:
- a** the affected public areas outside the site shall be cleaned;
  - b** traffic shall be isolated from sources of mud and debris within the site to prevent further tracking of mud and debris, and measures shall be taken to clear any such sources as soon as practicable.

### 4.2 **Leaks and spillages**

#### *Potentially polluting leaks and spillages from vehicles, plant and equipment*

- 4.2.1 All vehicles used on the site by the operator, and all plant and all equipment used on the site in connection with specified waste management operations, shall be operated and maintained with the objective of preventing potentially polluting leaks and spillages of wastes [or other potentially polluting materials which are to be used in combination with those wastes in the specified waste management operations].

#### *Potentially polluting leaks and spillages from skips, drums and other mobile containers*

- 4.2.2 Each skip, drum or other mobile container used to hold wastes which consist of or contain potentially polluting liquids, sludges or powders, [or other potentially polluting materials which are to be used in combination with those wastes in the specified waste management operations] shall be:
- a** loaded and unloaded in accordance with the handling procedures specified in Table 4.2;
  - b** filled and emptied in accordance with the filling and emptying procedures specified in Table 4.2;

- c** clearly and unambiguously labelled regarding its contents, unless the contents are clearly identifiable by visual inspection;
- d** inspected and maintained according to the maintenance schedules and procedures specified in Table 4.2, which shall be fully documented and recorded;
- e** in the event of damage or deterioration to a container that is, or is likely to cause, a leak, that container shall be repaired or replaced immediately.

*Control and remediation of leaks and spillages*

4.2.3

In the event of any potentially polluting leak or spillage occurring on site, documented control and remediation procedures shall be implemented immediately and recorded, and shall meet the standards specified in Table 4.2 below.

**Table 4.2 Standards for prevention and control of leaks and spillages**

<b>Action</b>	<b>Specified standards</b>
a) Loading and unloading skips, drums and other mobile containers	<ul style="list-style-type: none"> <li>i) Loading and unloading of containers shall be supervised at all times by a member of staff.</li> <li>ii) Lids/ caps/ bungs or other closures shall be in place during loading/ unloading.</li> <li>iii) Loading/ unloading shall be carried out in an area provided with engineered containment of the type required for that waste under condition 4.6, and of the standard of containment specified under condition 2.1.</li> <li>iv) Loading and unloading of waste refrigeration equipment shall be undertaken in a manner to prevent damage.</li> </ul>
b) Filling and emptying drums and other mobile containers	<ul style="list-style-type: none"> <li>i) Filling and emptying of containers shall be supervised at all times by a member of staff.</li> <li>ii) Lids/ caps/ bungs or other closures shall be in place at the end of filling.</li> <li>iii) Containers shall not be filled beyond their operational capacity.</li> <li>iv) Filling and emptying shall be carried out in a bunded area maintained in accordance with condition 2.1.2.</li> <li>v) Measurement of level/ void space shall be by physical dipping prior to loading.</li> </ul>
c) Inspection, maintenance and repair of drums and other mobile containers	<ul style="list-style-type: none"> <li>i) Containers shall be inspected daily for leaks.</li> <li>ii) Containers found to be leaking either shall be immediately transferred to a larger over-container or shall have their contents immediately transferred to an alternative container.</li> </ul>
d) Control and remediation of leaks and spillages	<ul style="list-style-type: none"> <li>i) Minor spillages shall be cleaned up immediately, using sand or proprietary absorbent to clean up liquids and placed in alternative containers.</li> <li>ii) Major spillages, which are causing or are likely to cause polluting emissions to the environment: <ul style="list-style-type: none"> <li>• immediate action shall taken to contain the spillage and prevent liquid from entering surface water drains, water courses and unsurfaced ground;</li> <li>• the spillage shall be cleared immediately and placed in alternative containers;</li> <li>• the Agency shall be informed immediately.</li> </ul> </li> </ul>

### 4.3 **Fires on the site**

#### *Prohibition of fires on site*

4.3.1 No wastes shall be burned on the site.

#### *Actions to be taken in the event of a fire*

4.3.2 In the event of a fire on the site, notwithstanding the implementation of actions to suppress and extinguish the fire, the following actions shall be implemented immediately and recorded in the site diary:

- a** the Agency shall be informed immediately of the fire; and
- b** so far as practicable, contaminated site drainage shall be prevented from entering any surface water drain or water course or unsurfaced ground.

4.4      **Waste acceptance and control procedures**

*Waste acceptance procedures*

- 4.4.1      All wastes shall be received, inspected, accepted or rejected, and recorded in accordance with the standards specified in Table 4.4 below.

*Waste control procedures*

- 4.4.2      All wastes accepted at the site shall be handled, kept and recorded in accordance with the standards specified in Table 4.4 below.

*Waste despatch procedures*

- 4.4.3      All outgoing wastes shall be inspected, despatched and recorded in accordance with the standards specified in Table 4.4 below.

**Table 4.4 Standards for waste acceptance and control procedures**

<b>Stage of Waste Handling</b>	<b>Specified standards</b>
a) Waste inspection	<ul style="list-style-type: none"> <li>• Wastes stored at the site shall be regularly checked during the working day to ensure they comply with the permitted waste types detailed in condition 1.2.1 and that they are stored in the appropriate container and location within the site.</li> <li>• All waste refrigeration equipment received at the site:               <ul style="list-style-type: none"> <li>i) shall be inspected on receipt to confirm their description and composition against the relevant waste transfer note and other accompanying documentation;</li> <li>ii) shall be kept separate from and shall not be mixed with other waste refrigeration equipment until they have:                   <ul style="list-style-type: none"> <li>• been confirmed and recorded for acceptance at the site;</li> <li>• been processed in accordance with (b) below.</li> </ul> </li> </ul> </li> </ul>
b) Refrigeration unit pre-treatment.	<p>Unless previously undertaken, all waste refrigeration equipment received at the site,:</p> <ul style="list-style-type: none"> <li>i) shall be pre-treated within 48 hours of acceptance; and</li> <li>ii) cleansed of any residual food materials prior to acceptance at the site;</li> <li>iii) unless stored in an enclosed building, shall have the door removed; or</li> <li>iv) the door seal and latch removed or rendered inoperative and the door adequately secured to prevent unauthorised opening.</li> </ul>
c) Waste control procedures: quarantine storage and rejection of wastes	<ul style="list-style-type: none"> <li>i) Any items of non-permitted waste which are detected after acceptance at the site, shall be placed immediately in a designated quarantine container, and, where these are or appear to be hazardous wastes, the Agency shall be informed immediately;</li> <li>ii) In the quarantine area, wastes shall be kept segregated from other wastes which are or are likely to be incompatible;</li> <li>iii) Quarantined wastes shall be removed from site within 14 days if consisting of refrigeration equipment, whereas within 7 days if consisting of any other waste;</li> <li>iv) The maximum quantity of wastes kept in the quarantine storage area shall be 4.6m<sup>3</sup> at any one time.</li> <li>v) A record shall be kept in the site diary of all rejected wastes and all wastes kept in quarantine storage.</li> </ul>

(Table continued overleaf)

**Table 4.4 Standards for waste acceptance and control procedures (continued)**

<b>Stage of Waste Handling</b>	<b>Specified standards</b>
d) Identification of wastes	i) Areas, bays and containers shall be clearly defined and labelled to identify the wastes stored within them; ii) Containers for hazardous household waste shall be appropriately labelled
e) Waste despatch procedures	All wastes despatched from the site shall be inspected prior to despatch to confirm their description and composition.
f) Incompatible wastes	Incompatible wastes that are likely, in combination with each other or with other material at the facility, to give rise to pollution of the environment or harm to human health outside the site, shall be clearly identified and kept physically separate in designated areas.

#### 4.5 **Waste quantity measurement systems**

##### *Means of measurement*

4.5.1 All waste despatched from the site shall be measured in accordance with either of the following requirements:

- a** The weight of all wastes despatched from the site shall be determined by means of a public weighbridge, or a weighbridge or scales located within the site. The weighbridge or scales used shall record quantities of wastes in tonnes to an accuracy of 0.01 tonnes; or
- b** The following conversion factors shall be used:

Waste quantities shall be recorded in cubic metres and measured on the basis of the capacity of the vehicles or containers used for transport. This shall be converted into tonnes on the basis of conversion factors, which have been agreed in writing with the Agency.

#### 4.6 **Storage of wastes with specified hazardous properties or forms**

4.6.1 Notwithstanding the specification of permitted waste types under condition 1.2, wastes displaying any of the hazardous properties or forms specified in Table 4.6 shall only be handled and/or stored on the site in accordance with the standards specified in Table 4.6 below.

**Table 4.6 Standards for handling and/or storage of wastes with specified characteristics**

<b>Storage requirement</b>	<b>Specified standards</b>
a) Solid wastes which when handled or stored are likely to generate significant quantities of dusts, fibres or particulates	i) buildings or containers providing containment of aerial emissions of dusts and particulates; or ii) roofed areas provided with a permanent water supply and water spraying or misting equipment, and with an impermeable pavement and a sealed drainage system; and the water spraying or misting equipment is used at all times when significant quantities of dusts, fibres or particulates are likely to be, or are being generated.
b) Odorous wastes, including wastes which are likely to be odour producing during storage	i) These wastes only permitted if : <ul style="list-style-type: none"> <li>• stored in sealed containers and in areas provided with impermeable pavement and sealed drainage; or</li> <li>• stored in covered buildings providing containment of aerial emissions.</li> </ul> ii) These wastes shall be subject to monitoring in accordance with condition 5.2 and shall in any case not be stored for longer than 48 hours, unless otherwise agreed in writing with the Agency.
c) Solid wastes which are likely to produce polluting or contaminating run-off	i) Inert wastes only permitted if stored in skips with: <ul style="list-style-type: none"> <li>• hardstanding and drainage that prevents run-off from the waste into adjacent surface water bodies or storm water drains; or</li> <li>• an impermeable pavement and sealed drainage.</li> </ul> ii) Degradable Household wastes only permitted if stored in areas with impermeable pavement and sealed drainage and: <ul style="list-style-type: none"> <li>• stored in sealed containers; or</li> <li>• stored in roofed areas.</li> </ul>
d) Wastes which are in a form which is either sludge or liquid	These wastes only permitted if: <ul style="list-style-type: none"> <li>• stored in liquid-retaining, covered containers; and</li> <li>• stored in areas provided with impermeable pavement and sealed drainage.</li> </ul>
e) Combustible wastes	These wastes only permitted if stored in bays provided with an impermeable pavement and sealed drainage, and with access to fire fighting equipment.
f) Wastes which are likely to attract pests	These wastes shall be subject to monitoring in accordance with condition 5.3, and shall in any case not be stored for longer than 48 hours, unless otherwise agreed in writing with the Agency.

(Table continued overleaf)

**Table 4.6 Standards for handling and/or storage of wastes with specified characteristics (continued)**

<b>Storage requirement</b>	<b>Specified standards</b>
g) Wastes which are likely to attract scavengers	i) These waste only permitted if <ul style="list-style-type: none"> <li>• stored in closed or secure containers; or</li> <li>• stored in covered buildings providing security against scavengers.</li> </ul> ii) These wastes shall be subject to monitoring in accordance with condition 5.4.
h) Hazardous household waste	Shall only be stored in secure and sealed containers within a designated storage area for hazardous waste. <ul style="list-style-type: none"> <li>• Lead acid batteries shall be stored in a covered area with an impermeable acid resistant base or acid resistant leak proof container with a close fitting lid to prevent ingress of surface water.</li> <li>• Bonded asbestos shall be stored in secure lockable containers/skips.</li> </ul>
i) Wastes which include light wastes or other wastes liable to give rise to litter	These wastes only permitted if: <ul style="list-style-type: none"> <li>• stored in sealed containers and in areas provided with impermeable pavement and sealed drainage; or</li> <li>• stored in covered buildings providing containment of aerial emissions of litter.</li> </ul>

#### 4.7 **Removal of residual wastes from site**

- 4.7.1 In the event that no wastes are received on the site for 3 months and the Agency has reasonable grounds to believe that the importation of wastes will not be resumed, then, notwithstanding any operational limits on storage times of wastes specified in the other conditions of this licence, the licence holder shall ensure that all wastes remaining on the site shall be removed by the date specified by the Agency in writing. This shall include, where required by the Agency, cleaning of plant, equipment and engineered containment used in the specified waste management operations, and emptying of any sealed sumps or interceptors.

## Amenity management and reporting

### 5.1 **Control, monitoring and reporting of dusts, fibres and particulates**

- 5.1.1 Measures shall be implemented and maintained throughout the operational life of the site to control and monitor emissions of dusts, fibres and particulates from the site in accordance with the standards specified in Table 5.1 below:

**Table 5.1 Standards for monitoring and control of aerial emissions of dusts, fibres and particulates**

a)	Monitoring of aerial emissions	Site staff supervising individual waste handling operations shall, during the carrying out of those operations, undertake visual monitoring of aerial emissions.
b)	Remedial action	<p>i) On detection or notification of visible aerial emissions that are likely to be transported beyond the site boundary, immediate action shall be taken to stop the waste handling operations giving rise to the emission and to suppress the aerial emission from the waste.</p> <p>ii) The incident and the remedial action shall be recorded in the site diary.</p>

- 5.1.2 All emissions to air from the specified waste management operations on the site shall be free from visible concentrations of dusts, fibres or particulates as are likely to cause pollution of the environment or harm to human health or serious detriment to the amenity of the locality outside the site boundary, as perceived by an authorised officer of the Agency.

### 5.2 **Monitoring and control of odorous emissions**

- 5.2.1 Measures shall be implemented and maintained throughout the operational life of the site to control and monitor emissions of odours from the site, in accordance with the standards specified in Table 5.2.
- 5.2.2 All emissions to air from the specified waste management operations on the site shall be free from odours at levels as are likely to cause pollution of the environment or harm to human health or serious detriment to the amenity of the locality outside the site boundary, as perceived by an authorised officer of the Agency.

**Table 5.2 Standards for monitoring and control of emissions of odours**

a) Monitoring of odorous emissions	<p>Olfactory monitoring of aerial emissions from the site shall be carried out:</p> <ul style="list-style-type: none"><li>• by the site manager or supervisor, at least twice a day, at the site boundary situated downwind of the waste operations, and shall be recorded in the site diary; and</li><li>• by site staff supervising individual waste handling operations, during the carrying out of those operations.</li></ul>
b) Odorous emissions action plan	<p>i) On detection or notification of aerial emissions of odour that are or are likely to be transported beyond the site boundary at such levels that they are likely to cause pollution of the environment or harm to human health or serious detriment to the amenity of the locality, immediate action shall be taken to stop the waste handling operations giving rise to the emission and to suppress the aerial emission from the waste.</p> <p>ii) The incident and the remedial action shall be recorded in the site diary.</p>

### 5.3

#### **Monitoring and control of pest infestations**

##### 5.3.1

Measures shall be implemented and maintained throughout the operational life of the site to control and monitor the presence of pests on the site, in accordance with the standards specified in Table 5.3. The objective of these measures shall be to prevent pest infestations that are likely to cause pollution of the environment or harm to human health or serious detriment to the amenity of the locality.

**Table 5.3 Standards for monitoring and control of pest infestations**

a) Monitoring of pest infestations	<p>An inspection of stored wastes for pest infestations shall be carried out at least at weekly intervals by the site supervisor, and shall be recorded in the site diary.</p>
b) Pest infestations action plan	<p>i) On detection or notification of pest infestations, immediate action shall be taken to secure the attendance of a professional pest control contractor, to eliminate the pest infestation.</p> <p>ii) The incident and the remedial action shall be recorded in the site diary.</p>

## 5.4 **Control of scavenging birds and other scavengers**

- 5.4.1 Measures shall be implemented and maintained throughout the operational life of the site to control and monitor the presence of scavenging birds and other scavengers on the site, in accordance with the standards specified in Table 5.4. The objective of these measures shall be to prevent scavenging birds and other scavengers from gathering on operational areas or scavenging wastes in such numbers that are likely to cause harm to human health or serious detriment to the amenity of the locality.

**Table 5.4 Standards for monitoring and control of scavenging birds and other scavengers**

a) Monitoring of scavengers	Stored wastes which are likely to attract scavengers shall be routinely monitored for the presence of scavenging animals or flocks of scavenging birds, throughout the working day by the site supervisor.
b) Scavengers action plan	<p>i) On detection or notification of scavenging animals or flocks of scavenging birds, immediate action shall be taken to:</p> <ul style="list-style-type: none"><li>• remove or deter them from the site, and</li><li>• isolate and secure the wastes attracting the scavengers against further scavenging.</li></ul> <p>ii) The incident and the remedial action shall be recorded in the site diary.</p>

## 5.5 **Control of litter**

- 5.5.1 Measures shall be implemented and maintained throughout the operational life of the site to prevent the escape of litter from the confines of the site.
- 5.5.2 In the event that litter does escape from the site, it shall be retrieved as soon as practicable and no later than 1 hour after the end of the working day.

## Sampling point requirements

**note:** use where sample is to be taken other than at the outlet

An appropriately labelled sample point shall be provided by agreed date and maintained at National Grid Reference SO 15634 21824, as shown marked SW Discharge Point on the attached Plan TS/, or some other point as agreed in writing with the Agency, so that a representative spot sample of the Discharge may be obtained. The licence holder shall ensure that all constituents of the Discharge pass through the said sampling point at all times and in any legal proceedings it shall, for the purposes of Section 10 of the Rivers (Prevention of Pollution) Act 1961, be presumed, until the contrary is shown, that any sample of the Discharge taken at the said sampling point is a sample of what was being discharged into controlled waters.

## 7 Site records

### 7.1 Security and availability of records

#### *Security of records*

- 7.1.1 All records which are required to be made under the conditions of this licence shall be maintained and kept secure from loss, damage or deterioration, and shall be kept in accordance with the requirements specified in Table 7.1 below.

#### *Availability of records*

- 7.1.2 All records which are required to be made under the other conditions of this licence shall be made available for inspection at the place where they are kept immediately when required by an authorised officer of the Agency.

**Table 7.1 Standards for keeping of site records**

Site records	Specified standards
Hazardous household Wastes stored at the site; Wastes rejected.; Wastes despatched from the site; Site diaries.	a) All records shall be stored either: <ul style="list-style-type: none"><li>• on paper in a secure cabinet or cupboard; or</li><li>• on computer disc with a back up copy.</li></ul> b) Records shall be kept for a minimum of two years.

### 7.2 Records of waste movements

#### *Recording of wastes accepted and removed*

- 7.2.1 A record shall be kept of all wastes received [other than those wastes delivered by private householders] and of all wastes removed from the site. The records shall include the following for each vehicle load of waste:

for waste received:

- a** origin of waste;
- b** date received;
- c** quantities in tonnes/or units received and waste type;
- d** nature of the waste (solid, liquid or sludge);

for waste removed:

- e** date removed;
- f** quantities in tonnes/or units removed and waste type;
- g** destination of waste removed;
- h** nature of the waste (solid, liquid or sludge).

*Summary records of wastes accepted and removed*

- 7.2.2 A summary record of the waste types and quantities accepted and removed from the site shall be made for each quarter of the financial year and shall be submitted to the Agency within one month of the end of that quarter. The summary record shall be in the format detailed in Appendix C or otherwise subsequently specified by the Agency in writing.

*Recording of hazardous household waste storage*

- 7.2.3 At all times a record shall be maintained of the types and quantities of hazardous household waste stored on site.

7.3 **Site diary**

- 7.3.1 A site diary shall be kept secure and shall be available for inspection at the site when required by an authorised officer of the Agency. This shall include a record of the following events, in accordance with the other conditions of this licence:

- a** construction work;
- b** maintenance;
- c** breakdowns;
- d** emergencies;
- e** problems with waste received and action taken;
- f** site inspections and consequent actions carried out by the operator;
- g** technically competent management attendance on site: the date and the time onto site and the time left site;
- h** despatch of records to the Agency;
- i** severe weather conditions;
- j** complaints about site operations and actions taken;
- k** environmental problems and remedial actions.

- 7.3.2 Each record shall be completed within 24 hours of the relevant event.

## Interpretation

In these conditions and their interpretation, unless the context otherwise requires, the following terms have the specified meanings:

*“accepted”*

for waste being delivered to the site, shall mean accepted as waste input to the site for storage and/or processing and/or disposal under the specified waste management operations;

*“authorised officer of the Agency”*

means any person(s) authorised in writing by the Agency pursuant to section 108(1) of the 1995 Act to exercise any of the powers specified in subsection (4) of that section;

*“consequences”*

for **risk assessments** carried out within these conditions, means the adverse effects of harm as a result of realising a **hazard** which causes the quality of human health (other than health and safety of site staff or visitors to the site covered under the Health and Safety at Work Act 1974) or the environment to be impaired in the short or longer term;

*“engineered”*

for works specified in these conditions, means carried out and completed using the relevant engineering process specified in these conditions;

*“engineering”*

for engineering works specified in these conditions, means the relevant process of design, construction or installation, quality assurance or validation or commissioning specified in these conditions;

*“environmental targets or receptors”*

for **risk assessments** carried out within these conditions, shall mean identified human and environmental populations or components, as specified in these conditions or otherwise agreed by the Agency within these conditions;

*“European Waste Catalogue (EWC)”*

means commission Decision 2000/532/EC (as amended) or its subsequent replacement;

*“groundwater”*

means any water contained in underground strata;

*“hazard”*

means a property that in particular circumstances could lead to harm;

*hazardous waste”*

means any waste which is covered by Article 1(4) of the Directive 91/689/EEC or subsequent legislation;

*"immediately"*

for carrying out of actions under the conditions, shall mean without delay and within a reasonable time, taking into account any more immediate direct action necessary to prevent or minimise risk to human health and the environment. For carrying out notifications to the Agency, shall also mean by the fastest effective means available (for example, telephone) and confirmed in writing within 1 working day (or such other time as may be agreed by the Agency within the conditions);

*"inert waste"*

means wastes which will not undergo any significant physical, chemical or biological transformations. Inert waste will not dissolve, burn or otherwise physically or chemically react, biodegrade or adversely affect other matter with which it comes into contact in a way likely to give rise to environmental pollution or harm to human health. The total leachability and pollutant content of the waste and the ecotoxicity of the leachate must be insignificant and in particular not endanger the quality of surface water and/or groundwater.

*"maintenance"*

for engineering maintenance specified in these conditions, means the process of inspection, testing, repair of the relevant engineering works specified in these conditions;

*"non-hazardous waste"*

means any waste which is **not** covered by Article 1(4) of Directive 91/689/EEC or subsequent legislation;

*"probability"*

means the quantified expression of chance, denoted either as:

- the ratio or percentage of the occurrence of a particular event as one among a number of possible events;
- or as the frequency of occurrence of a particular event in a given period of time;

*"received"*

for waste being delivered to the site, shall mean delivered to the site and undergoing the waste acceptance procedures, including storage of those wastes during those procedures prior to acceptance of the waste;

*"release pathways"*

for **risk assessments** carried out within these conditions, shall mean the routes by which defined **hazards** may potentially realise their **consequences**, defined in terms of releases or emissions from the site that go beyond the site containment or boundary via one or more of the following routes, either directly or indirectly: **Land; Groundwater, Surface water; Atmosphere;**

*"relevant offences"*

are offences within the meaning of regulation 3 of the Waste Management Licensing Regulations 1994 or any statutory provisions or regulations amending or replacing them;

*"risk"*

means a combination of the **probability** and **consequences** of occurrence of a defined **hazard**;

*"risk assessment"*

means the systematic identification, analysis, estimation and evaluation within a defined **scope** of the defined **risks** of a particular activity, operation, process or design, carried out and reported by suitably qualified or competent persons, using recognised quantified or semi-quantified methods and techniques.

Unless otherwise agreed by the Agency within these conditions, a risk assessment shall include and record the following:

- definition of the **hazards** associated with an activity, operation, process or design;
- assessment of the **probability** of those **hazards** occurring;
- determination of the potential **consequences** of those hazards for defined **environmental targets or receptors**, taking into account defined **release pathways** and defined protective measures;
- evaluation of the potential **magnitude** of those consequences and the **probability** of their occurrence;

*"sealed container"*

means a container which does not permit either the ingress or egress of liquids, or the escape of dusts or wastes contained within it;

*"scope of risk assessment"*

means the boundaries of the **risk assessment** and the **risks** to be assessed within those boundaries, as defined in the conditions or otherwise agreed by the Agency within the conditions;

*"specified waste management operations"*

means the waste management operations authorised by condition 1.1 of this licence;

*"surface water"*

means any lake, pond, river or watercourse whether natural or artificial;

*"the 1994 Regulations"*

means the Waste Management Licensing Regulations 1994 and any statutory provisions or regulations amending or replacing them.

*"the Agency"*

means the Environment Agency;

*"the Licence Holder"*

means the Licence Holder specified in this licence or other person to whom the licence has been transferred in accordance with section 40 of the Environmental Protection Act 1990;

*"the operator"*

means a person who is in occupation of the site and has responsibility for carrying out day to day activities at the site;

*"the site"*

means the land, structures, plant and equipment to which this licence relates;

*"time periods, e.g. annually, quarterly, monthly, per year, etc. "*

Where periods are referred to in conditions, they shall be calculated in the following way:

- annually or per year: 1 April to 31 March;

- quarterly: 1 April to 30 June, 1 July to 30 September, 1 October to 31 December, 1 January to 31 March;
- monthly: calendar month;
- weekly: Monday to Sunday.

Where the issue of the licence does not coincide with the start of any of these periods, then any relevant limits for the first period shall apply pro rata;

*“waste”*

means controlled waste as defined in section 75(4) of the 1990 Act and the Controlled Waste Regulations 1992 or any statutory provisions or regulations amending or replacing them;

# Appendices to conditions

## Appendix A Permitted Wastes (Condition 1.2.1)

### Permitted Categories of waste

Permitted waste categories are indicated using the European Waste Catalogue (EWC), these are subject to maximum total quantity stipulated.

Table 1.2 A Permitted quantity of waste	
20	MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS
20 01	Separately collected fractions (except 15 01)
20 01 01	Paper and cardboard
20 01 02	Glass
20 01 08	Biodegradable kitchen and canteen waste
20 01 10	Clothes
20 01 11	Textiles
20 01 13*	Solvents
20 01 14*	Acids
20 01 15*	Alkalines
20 01 17*	Photochemicals
20 01 19*	Pesticides
20 01 21*	Fluorescent tubes and other mercury containing waste
20 01 23*	Discarded equipment containing chlorofluorocarbons
20 01 25	Edible oil and fat
20 01 26*	Oil and fat other than those mentioned in 20 01 25
20 01 27*	Paint, inks, adhesives and resins containing dangerous substances
20 01 28	Paint, inks, adhesives and resins other than those mentioned in 20 01 27
20 01 29*	Detergents containing dangerous substances
20 01 30	Detergents other than those mentioned in 20 01 29
20 01 33*	Batteries and accumulators included in 16 06 01, 16 06 02 or 16 06 03 and unsorted batteries and accumulators containing these batteries
20 01 34	Batteries and accumulators other than those mentioned in 20 01 33
20 01 35*	Discarded electrical and electronic equipment other than those mentioned in 20 01 21 and 20 01 23 containing hazardous components <sup>(6)</sup>
20 01 36	Discarded electrical and electronic equipment other than those mentioned in 20 01 21, 20 01 23 and 20 01 35
20 01 37*	Wood containing dangerous substances
20 01 38	Wood other than that mentioned in 20 01 37
20 01 39	Plastics
20 01 40	Metals
20 01 41	Wastes from chimney sweeping


(Table continued overleaf)

<b>EWC</b>	<b>Description</b>	<b>(continued)</b>
<b>20 02</b>	<b>Garden and park wastes (including cemetery waste)</b>	
20 02 01	Biodegradable waste	
20 02 02	Soil and stones	
20 02 03	Other non-biodegradable wastes	
<b>20 03</b>	<b>Other municipal wastes</b>	
20 03 01	Mixed municipal waste	
20 03 07	Bulky waste	
<b>13</b>	<b>OIL WASTES AND WASTES OF LIQUID FUELS (except edible oils, and those in chapters 05, 12 and 19)</b>	
<b>13 02</b>	<b>Waste engine, gear and lubricating oils</b>	
13 02 05*	Mineral-based non chlorinated engine, gear and lubricating oils	
13 02 06*	Synthetic engine, gear and lubricating oils	
13 02 07*	Readily biodegradable engine, gear and lubricating oils	
<b>16</b>	<b>WASTES NOT OTHERWISE SPECIFIED IN THE LIST</b>	
<b>16 05</b>	<b>Gases in pressure containers and discarded chemicals</b>	
16 05 05	Gasses in pressure containers other those mentioned in 16 05 04	
<b>17</b>	<b>CONSTRUCTION AND DEMOLITION WASTES (INCLUDING EXCAVATED SOIL FROM CONTAMINATED SITES)</b>	
<b>17 06</b>	<b>Insulation materials and asbestos-containing construction materials</b>	
17 06 01*	Insulation materials containing asbestos	
17 06 05*	Construction materials containing asbestos	

Any waste marked with an asterisk (\*) is considered as a hazardous waste

(6) Hazardous components from electrical and electronic equipment may include accumulators and batteries mentioned in 16 06 and marked as hazardous; mercury switches, glass from cathode ray tubes and other activated glass etc.

General Notes



**Blaenau Gwent**  
Cyngor Swyddfa'r Sir  
County Borough Council

A.M. Saunders, B.Sc. (Hons), C.Geol., F.G.S., M.A.A.P.G.  
Head of Technical Services  
Environment Directorate  
Baldwin House  
Victoria Business Park  
Ebbw Vale, NP23 8ED

**Appendix C: Format for summary records of wastes  
accepted and removed (Condition 7.2.2)**