

Mr Martin Price  
Bronllys  
Bryn Awel Avenue  
Abergele  
Conwy  
LL22 7AS

**Our ref: PAN-001085**

**Your ref:**

**Date: 6 December 2016**

Dear Mr Price,

**We need more information about your application**

**Application reference:** PAN-001085

**Operator:** G B Jones Limited

**Facility:** Fron Bella Poultry Unit

Thank you for your application for an environmental permit, received on 21/11/2016. Unfortunately I need to ask you for some more details before I can decide whether it's duly made or not.

Please would you provide us with more information as detailed below:

- Please submit an updated and corrected application form B2, this type of facility does not qualify as low impact.
- Please submit an updated and corrected application form B3, Add directly associated activities of heat exchangers and storage tanks for effluents. Also add appropriate detail to tables of emission points to cover all point source emissions including from the biomass boiler, the backup boiler, the backup generator, the vent from a diesel tank for the backup generator etc.
- Please supply details of where condensate (effluent) from the heat exchangers will be collected and stored.
- Please provide details of the capacities of the proposed effluent storage tanks
- Please provide details of the proposed litter storage on site, including volumes, timescales and any odour controls.
- Please update and re-submit the risk assessments/management plans (noise, odour and dust) to include "farm owned" dwellings or other sensitive receptors.
- Please supply the conclusions of the "SCAIL Analysis" and ensure that it constitutes an adequate environmental risk assessment. You may find that the SCAIL does not demonstrate that there is not likely to be an adverse impact and that you need to investigate further with modelling.

Canolfan Trwyddedu Cymru (Caerdydd), Cyfoeth Naturiol Cymru, Tŷ Cambria, 29 Heol Casnewydd, Caerdydd. CF24 0TP  
Wales Permitting Centre (Cardiff), Natural Resources Wales, Cambria House, 29 Newport Road, Cardiff. CF24 0TP

Gwefan/Website [www.cyfoethnaturiolcymru.gov.uk](http://www.cyfoethnaturiolcymru.gov.uk)  
[www.naturalresourceswales.gov.uk](http://www.naturalresourceswales.gov.uk)

Croesewir gohebiaeth yn y Gymraeg a'r Saesneg  
Correspondence welcomed in Welsh and English

- Please supply details of the proposed water abstraction, including the proposed maximum volume to be abstracted per day.
- Please submit a summary of your environmental management system (as requested in application form question 3d3).
- Please review the outline on the map showing the site boundary, this appears to be a different shape and to a different orientation to the site layout drawing, and re-submit if it is incorrect. Please note that this plan will be used to specify the extent of any facility should a permit be issued and as such it needs to accurately define the site perimeter.

Please reply within 10 working days from the date of this letter. If we don't hear from you we may return your application.

If you email or write to us please quote the application reference on any correspondence and send it to the relevant address.

When we receive the missing items we will continue to check the details in your application. If there's enough for us to begin the process of deciding whether or not we can grant your application we say the application is 'duly made' and we'll let you know this by letter.

If you have any questions please contact me.

Yours sincerely



Paul Williams  
Permitting Officer – Regulated Industry

Ffôn/Tel: 03000 654514

Ffacs/Fax: 029 2046 8874

Ebost/Email [paul.c.williams@cyfoethnaturiolcymru.gov.uk](mailto:paul.c.williams@cyfoethnaturiolcymru.gov.uk)

[paul.c.williams@naturalresourceswales.gov.uk](mailto:paul.c.williams@naturalresourceswales.gov.uk)