



Consent no	NRWWIA147
------------	-----------

WATER INDUSTRY ACT 1991

SECTION 165 / 166

CONSENT TO DISCHARGE

**TO: Dŵr Cymru Cyfyngedig
Pentwyn Road
Nelson
Treharris
Mid Glamorgan
CF46 6LY**

The **NATURAL RESOURCES BODY FOR WALES** ("Natural Resources Wales") in pursuance of its powers under the Water Industry Act 1991 **HEREBY CONSENTS** to the making of a discharge as follows:

De-chlorinated water

FROM: HIRWAUN WTW, HIRWAUN INDUSTRIAL ESTATE, HIRWAUN, CF44 9YN

AT: NATIONAL GRID REFERENCE SN 94000 06996

TO: UNNAMED TRIBUTARY OF THE AFON CAMNANT

SUBJECT TO: the conditions set out in the following schedule:

De-chlorinated water

Schedule No. NRWWIA147

This consent is issued on the 28th day of November 2018
This consent takes effect on the 29th day of November 2018
This consent shall cease to have effect on the day of 27th December 2018

Signed: Emily Roe

CONSENT NO:	NRWWIA147
SCHEDULE NO:	NRWWIA147-01
DATE ISSUED:	28th November 2018

CONDITIONS OF CONSENT TO DISCHARGE DE-CHLORINATED WATER (“the Discharge”)

NATURE OF THE DISCHARGE

1. The Discharge shall consist solely of de-chlorinated water.

SOURCE OF THE DISCHARGE

2. The Discharge shall be derived from Hirwaun WTW.

LOCATION OF DISCHARGE

3. The location of the Discharge shall be at NGR SN 94000 06996, marked ‘Discharge Point’ on the site plan in Annex 1.

SAMPLE POINT

4. A sample point shall be provided and maintained so that a representative sample of the Discharge may be obtained.

VOLUME

5. The total volume of the Discharge shall not exceed 800 cubic metres.
6. The total daily volume of the Discharge shall not exceed 432 cubic metres.
7. The rate of the Discharge shall not exceed 5 litres per second.

COMPOSITION

8. The consent holder shall take all necessary steps to secure that any water discharged by it under this consent is as free as may be reasonably practicable from —
 - (a) mud and silt;
 - (b) solid, polluting, offensive or injurious substances;
and
 - (c) any substances prejudicial to fish or spawn, or to spawning beds or food of fish.

CONSENT NO:	NRWWIA147
SCHEDULE NO:	NRWWIA147-01
DATE ISSUED:	28th November 2018

SCOURING

9. The rate of discharge shall be controlled to prevent any significant scouring of the bed or bankside of the receiving water.

FLOODING

10. The discharge shall not cause or significantly contribute to flooding in the downstream catchment.

PERIOD OF DISCHARGE


11. The Discharge shall only be made between 29th day of November 2018 and the 27th day of December 2018.

CONSENT NO:	NRWWIA147
DATE ISSUED:	28th November 2018

ANNEX 1- PLAN No. NRWWIA147



CONSENT NO:	NRWWIA147
DATE ISSUED:	28th November 2018



© Crown Copyright and database right 2018. Ordnance Survey licence number 100019741.