

Miss Amanda McCabe
WYG, Geneva Building
Lake View Drive
Sherwood Business Park
Annesley
Nottingham
NG15 0ED

Our ref: PAN-002124

Date: 05 December 2017

Dear Miss McCabe

We need more information about your application

Application reference: PAN-002124

Operator: 2 Agriculture Limited

Facility: Llay Feed Mill, Miners Road, Llay Industrial Estate, Wrexham, LL12 0PJ

Thank you for your application received on 23 November 2017. Unfortunately we need more information from you before we can continue working on it.

The OPRA profile provided is an old Environment Agency version. The current NRW version is available on our website at the link below. Please can you provide an updated profile.

<http://naturalresources.wales/about-us/what-we-do/how-we-regulate-you/our-charges/?lang=en>

The Opra score and relevant charge multiplier have not been used when calculating the application fee. These will be shown in the OPRA profile once updated. The installation is a tier 3 facility so the fee should be calculated in this way. This will result in a change in the fee to that already paid. If a refund is required this will be arranged once your application has been duly made. Information about our charges is available at the link provided above.

The site plan provided ref A103882/LAY01 does not clearly show which area of land is being added to the permit through the variation. It also does not illustrate things such as the new silos, and the existing emissions points that are referenced throughout the application as being illustrated on the plan. Please can you provide an updated plan showing all of the necessary detail.

The Site Condition Report refers to the areas of land to be included in the proposed site boundary as detailed in drawing no. CCF/A103882/LAY/01. As mentioned above this plan does not clearly show which are of land is to be added

Section 9.0.3 of the Operating Techniques document says that a report summarising the management system is provided within the application. This document has not been provided. Can you please confirm if there are any additional documents.

Ffôn/Tel 03000 65 3031
Ebst/Email jacqui.collier@cyfoethnaturiolcymru.gov.uk
jacqui.collier@naturalresourceswales.gov.uk

Canolfan Trwyddedu, Cyfoeth Naturiol Cymru, Tŷ Cambria, 29 Heol Casnewydd, Caerdydd. CF24 0TP
Permitting Centre, Natural Resources Wales, Cambria House, 29 Newport Road, Cardiff. CF24 0TP

Gwefan/Website www.cyfoethnaturiolcymru.gov.uk
www.naturalresourceswales.gov.uk

Croesewir gohebiaeth yn y Gymraeg a'r Saesneg
Correspondence welcomed in Welsh and English

It is noted from the application that there are no new point source emissions to air. Dust will however be a by-product of the new extrusion plant and will be emitted through an existing emission point (A12). There is currently a limit in the permit for total particulate. Can you please confirm if as a result of the proposed changes on site the operator will still be able to meet the current limit or if it needs to be increased? If it does need to be increased, a H1 assessment will be required and a full Habitats assessment including the protected sites within the relevant screening distances, that are not currently referred to in Table 2 of the Environmental Risk Assessment including SACs and a RAMSAR.

Can you please provide a drainage plan showing the proposed drainage on the new area of site and the proposed emission point which is not shown on the site plan provided.

If you email or write to us please quote the application reference PAN-002124 on any correspondence and send it to the relevant address below. If you have any questions please phone me on 03000 65 3031 or email jacqui.collier@naturalresourceswales.gov.uk

If you need advice about how to complete the form, or work out what your fee is, please contact your local area office. Call 03000 65 3000 and ask to speak to your local area office or your site officer.

Please reply within 10 working days from the date of this email. If we don't hear from you we must return your application and fee.

When we receive the missing items we'll continue to check the details in your application. If there's enough there for us to begin the process of deciding whether or not we can grant your application we say the application is 'duly made' and we'll let you know this by letter.

Yours sincerely



Jacqui Collier
Permitting Officer – Installations