



Standard Permit for the Landfill Sector

Permit with introductory note

Pollution Prevention and Control Regulations 2000
Landfill Regulations 2002

Brookhill Landfill Site
A D Waste Limited
Brookhill Way
Pinfold Industrial Estate
BUCKLEY
Flintshire
CH7 3PL

Permit number

BV7273

Contents

Introductory note	ii
Permit	1
Conditions	2
1 General	2
2 Operating conditions	5
3 Records	20
4 Reporting	21
5 Notifications	22
6 Interpretation	244
Schedule 1 - Notification of abnormal emissions	266
Schedule 2 - Reporting of monitoring data	288
Schedule 3 - Forms to be used	299
Schedule 4 - Reporting of performance data	33
Schedule 5 - Site Plan	34

Introductory note

This introductory note does not form a part of the Permit

The following Permit is issued under Regulation 6 of the Landfill (England and Wales) Regulations 2002 (S.I.2002 No.1559) ("the Landfill Regulations") and Regulation 10 of the Pollution Prevention and Control (England and Wales) Regulations 2000 (S.I.2000 No.1973), as amended, ("the PPC Regulations") to operate an installation carrying out activities covered by the description in Section 5.2 A(1)(a) in Part 1 to Schedule 1 of the PPC Regulations, to the extent authorised by the Permit: i.e.

- (a) The disposal of waste in a landfill receiving more than 10 tonnes of waste in any day or with a total capacity of more than 25,000 tonnes, excluding disposals in landfills taking only inert waste.
- (b) The disposal of waste in any other landfill to which the Landfill Regulations apply.

There may be some activities on the installation to which BAT applies because they are not Landfill activities. Therefore, in some sections of the Permit conditions require the Operator to use Best Available Techniques (BAT), in each of the aspects of the management of the installation, to prevent and where that is not practicable to reduce emissions. The conditions do not explain what is BAT. In determining BAT, the Operator should pay particular attention to the appropriate Horizontal guidance (H1 to H4) and other relevant guidance.

A non-technical description of the installation is given in the Application, but the main features of the installation are as follows:

Brookhill Landfill is located near Buckley, North Wales. It has operated under the auspices of Waste Management Licence EAWML37207 which was granted by the Environment Agency in 1997. The landfill receives around 120,000 tonnes waste per annum. The application was originally for an interim hazardous landfill until the 16th July 2004 and thereafter non-hazardous landfill. This meant that hazardous waste and non hazardous waste could be disposed of together until the 16th July 2004. This is the date for end of co-disposal which has now passed and hence the permit has been issued as a non-hazardous landfill only. The landfill is expected to be completed in 2007.

The site occupies an area of approximately 5 hectares. It was initiated in the 19th Century when it was a clay pit forming part of the Brookhill Brickworks. From the late 1980's, the pit was reworked for stone and limited opencast coal extraction.

The landfill is divided into six phases, with operations having commenced in all phases except phase 6. Phases 1 and 2 have reached final level and are due to be restored. All of the phases have been constructed on a containment basis utilising in-situ reworked clays. Groundwater levels are considered to lie at least 2 metres below the lowest level, although perched groundwater is present in adjacent strata. Leachate levels are maintained below a maximum level of 2 metres depth through abstraction and subsequent treatment on-site in a small-scale treatment plant. Similarly, landfill gas is abstracted and burnt through a flare. The flare is due to be replaced and measures put in place to produce electricity.

Note that the Permit requires the submission of certain information to the Agency (see Sections 4 and 5). In addition, the Agency has the power to seek further information at any time under regulation 28 to the PPC Regulations provided that it acts reasonably.

Status Log

Detail	Date	Comment
Application BV7273	Received 8 October 2003	
Response to request for information	Request in e-mail dated 17 October 2003	Response in letter dated 20 October 2003
	Request in letter dated 17 October 2003	Response in letter dated 20 October 2003
	Request in letter dated 27 February 2004	Response in letter dated 25 March 2004
	Revised Drawing ESID 11 Revision A Local Hydrogeology and Hydrology.	Surface water monitoring points added
	Revised Drawing ESID 2 Revision B Environmental Site Setting	Legend changed to include Installation boundary.
Permit determined	See page 1 for date	

End of introductory Note.

Other PPC Permits relating to this installation		
Permit holder	Permit Number	Date of issue
None		
Other existing Licences/Authorisations/Registrations relating to this installation		
Holder	Reference Number	Date of issue
None		
Superseded Licences/Authorisations/Consents relating to this installation		
Holder	Reference Number	Date of issue
AD Waste Limited	EAWML37207	7 September 1997

Public Registers

Considerable information relating to Permits including the Application is available on public registers in accordance with the requirements of the PPC Regulations. Certain information may be withheld from public registers where it is commercially confidential or contrary to national security.

Variations to the Permit

This Permit may be varied in the future (by the Agency serving a Variation Notice on the Operator). If the Operator itself wants any of the Conditions of the Permit to be changed, it must submit a formal Application. The Status Log within the Introductory Note to any such Variation Notice will include summary details of this Permit, variations issued up to that point in time and state whether a consolidated version of the Permit has been issued.

Surrender of the Permit

Before this Permit can be wholly or partially surrendered, an Application to surrender the Permit has to be made by the Operator. For the application to be successful, the Operator must be able to demonstrate to the Agency that there is no pollution risk and that no further steps are required to return the site to a satisfactory state.

Transfer of the Permit or part of the Permit

Before the Permit can be wholly or partially transferred to another person, an Application to transfer the Permit has to be made jointly by the existing and proposed holders. A transfer will be allowed unless the Agency considers that the proposed holder will not be the person who will have control over the operation of the installation or will not comply with the conditions of the transferred Permit. As the Permit authorises the carrying out of a specified waste management activity, the transfer will only be allowed if the proposed holder is also considered to be "a fit and proper person" as required by the PPC Regulations.

Talking to us

Please quote the Permit Number if you contact the Agency about this Permit.

To give a Notification under condition 5.1.2, the Operator should use the Incident Hotline telephone number (0800 80 70 60) or any other number notified in writing to the Operator by the Agency for that purpose.

Permit

Pollution Prevention and Control
Regulations 2000
Landfill Regulations 2002



**ENVIRONMENT
AGENCY**

Permit

Permit number

BV7273

The Environment Agency (the Agency) in exercise of its powers under Regulation 10 of the Pollution Prevention and Control (England and Wales) Regulations 2000 (SI 2000 No 1973), and Regulation 6 of the Landfill (England and Wales) Regulations 2002 (S.I.2002 No.1559) hereby authorises

A D Waste Limited ("the Operator"),

whose Registered Office is

5/7 Grosvenor Court

Foregate Street

CHESTER

Cheshire

CH1 1HG

Company registration number 2630477

to operate an installation at

Brookhill Landfill Site

Pinfold Industrial Estate

BUCKLEY

Flintshire


CH7 3PL

to the extent authorised by and subject to the conditions of this Permit.

The landfill authorised by this permit is for the disposal of non-hazardous waste.

Signed

Date

	
---	--

Sean Puce

Manager

Strategic Permitting Group – Bristol

Authorised to sign on behalf of the Agency

Conditions

1 General

1.1 Permitted Activities

- 1.1.1 The Operator is authorised to carry out the activities and the associated activities specified in Table 1.1.1.

Table 1.1.1

Activity listed in Schedule 1 of the PPC Regulations / Associated Activity	Description of specified activity	Limits of specified activity
Section 5.2Part A(1)(a), The disposal of waste in a landfill.	Landfill for non-hazardous waste (landfill classification under the Landfill Regulations 2002)	Non-hazardous and inert wastes consisting of the types and quantities specified in condition 2.1.2, as an integral part of landfilling.
Leachate management	Storage and treatment of leachate pre-discharge	Leachate arising from the Permitted landfill and Standard Landfill Reference WML 37207
Landfill gas management	Flaring and/or utilisation of landfill gas for energy recovery	Landfill gas arising from the Permitted landfill
Leachate discharges to foul sewers	Discharge of leachate from the landfill.	From leachate management system to point of entry to sewer
Water discharges to controlled waters	Discharge of site drainage from the landfill.	From surface water management system to point of entry to controlled waters

- 1.1.2 Where waste on site is subjected to activities that are exempt from control under the Waste Management Licensing Regulations 1994, then the wastes controlled under condition 1.1.1, above, shall be clearly identified and kept separate from such exempt waste activities and a record shall be kept of where such exempt activities are conducted.

1.2 Site

- 1.2.1 The activities authorised under condition 1.1.1 shall not extend beyond the Site, being the land shown edged in red on the Site Plan at Schedule 5 to this Permit.

1.3 Overarching Management Condition

- 1.3.1 Without prejudice to the other conditions of this Permit, the Operator shall implement and maintain a management system, organisational structure and allocate resources that are sufficient to achieve compliance with the limits and conditions of this Permit.

1.4 Improvement Programme

- 1.4.1 The Operator shall complete the improvements specified in Table 1.4.1 by the dates specified in that table, and shall send written notification of the date of completion of each requirement to the Agency within 14 days of the completion of each such requirement.

Table 1.4.1: Improvement programme requirements		
Reference	Requirement	Date
1a	Install additional groundwater monitoring boreholes at nominal 100 metre spacing around northern and eastern landfill boundary and replace boreholes GW2 and GW3 which are blocked.	Within 2 months of issue date of permit
1b	Commence background groundwater quality monitoring in line with Table 2.2.9a.	Within 2 months of issue date of permit
2	Review and establish groundwater trigger levels for all existing and new groundwater monitoring boreholes. Once established the application will be read as if it contained these figures as appropriate.	Within 14 months of issue date of permit
3	Install landfill gas abstraction infrastructure, enclosed high temperature gas flare and associated waste to energy plant	By 31 October 2005
4a	Submit arrangements for surface water management infrastructure and monitoring program.	By 30 September 2004
4b	Establish and maintain arrangements for surface water management infrastructure and monitoring program.	By 31 st July 2005
5	Introduce routine six monthly analysis for a representative range of List 1 substances including cadmium, toluene, mecoprop in respect of leachate and groundwater monitoring	Immediately following issue of permit
6	Replace gas monitoring boreholes BH2.	Within 2 months of issue date of permit
7	Review and establish landfill gas trigger levels for all existing and new landfill gas monitoring boreholes. Once established the application will be read as if it contained these figures as appropriate.	Within 6 months of issue date of permit
8	Establish at least one leachate abstraction point and 2 remote monitoring points in all new cells.	Immediately following issue of permit

1.4.2 Where the Operator fails to comply with any requirement by the date specified in Table 1.4.1 it shall send written notification of such failure to the Agency within 14 days of such date.

1.5 Minor Operational Changes

- 1.5.1 The Operator shall seek the Agency's written agreement to any minor operational changes under condition 2.1.1 of this Permit by sending to the Agency: written notice of the details of the proposed change including an assessment of its possible effects (including waste production) on risks to the environment from the Permitted Installation; any relevant supporting assessments and drawings; and the proposed implementation date.
- 1.5.2 Any such change shall not be implemented until agreed in writing by the Agency. As from the agreed implementation date, the Operator shall operate the Permitted Installation in accordance with that change, and relevant provisions in the Application shall be deemed to be amended.
- 1.5.3 When the qualification "unless otherwise agreed in writing" is used elsewhere in this Permit, the Operator shall seek such agreement by sending to the Agency written notice of the details of the proposed method(s) or techniques.
- 1.5.4 Any such method(s) or techniques shall not be implemented until agreed in writing by the Agency. As from the agreed implementation date, the Operator shall operate the Permitted Installation using that method or technique, and relevant provisions in the Application shall be deemed to be amended.

1.6 Pre-Operational Conditions

- 1.6.1 No disposal of wastes shall take place in any area of the Permitted Installation where waste deposit commences after the issue of this Permit unless:
 - 1.6.1.1 prior to the commencement of construction of that area the operator has submitted to the Agency in writing the detailed design and the construction quality assurance (CQA) programme for the pre-operational engineering of the barriers, liners and leachate collection layer for that area and that it is confirmed in writing by the Agency that these are in conformance with the relevant specifications set out in section 2 of Part B of the Application; and
 - 1.6.1.2 the operator has notified the Agency in writing of any changes in the detailed design and the CQA programme that are made during the construction, and within 5 working days of those changes having been made and that the Agency has agreed in writing that these are in conformance with the relevant specifications set out in Part B of the Application ; and
 - 1.6.1.3 the pre-operational engineering and infrastructure of the barriers and liners and the leachate collection layer have been completed and validated in accordance with the documented CQA procedures, and
 - 1.6.1.4 the operator has submitted the validation report in writing to the Agency; and
 - 1.6.1.5 the Agency has inspected the area to ensure that it complies with the relevant conditions of the landfill permit, and has confirmed in writing that it has no objection to that area becoming operational.

1.7 Off-site Conditions

- 1.7.1 There are no off-site conditions

2 Operating conditions

2.1 Landfilling Controls

- 2.1.1 The Permitted Installation shall, subject to the conditions of this Permit, be operated using the techniques and in the manner described in the documentation specified in Table 2.1.1, or as otherwise agreed in writing by the Agency in accordance with conditions 1.5.1 and 1.5.2 of this Permit.

Table 2.1.1: Operating techniques		
Description	Parts	Date Received
Application	The response to questions 1.2, 2.1, 2.2, 2.3, 2.4 and 2.5 in part B of the Application Form	Application: 8 October 2003
Letter from Egniol detailing monitoring sections of the application form and amended drawing references.	All	21 October 2003
Letter from Egniol, detailing clarification on points raised in our letter of 27 February 2004.	All	29 March 2004
Revised Drawing ESID 11 Revision A Local Hydrogeology and Hydrology. Surface water monitoring points added.	All	13 July 2004
Revised Drawing ESID 2 Revision B Environmental Site Setting. Legend changed to include Installation boundary.	All	Dated 6 February 2004 Received 17 June 2004

- 2.1.2 Wastes shall only be accepted for disposal on the site if :

- 2.1.2.1 they are as specified in table 2.1.2 below:

Table 2.1.2 : Wastes accepted for disposal	
Waste Category or Type	Re-permitted Landfill
	Permitted or not Permitted
Hazardous	Not Permitted
Non-hazardous	Permitted Excluding any wastes coded with the EWC "xx.xx.99" codes
Stable non-reactive hazardous	Not Permitted
Inert	Permitted Excluding any wastes coded with the EWC "xx.xx.99" codes
Liquid wastes (including waste waters but excluding sludge).	Permitted until a date to be specified in Regulations and if no date so specified no later than 31 st March 2007
Waste which in the conditions of landfill is explosive, corrosive, oxidising, highly flammable or flammable.	Not permitted unless non-hazardous when permitted until a date to be specified in Regulations and if no date so specified no later than 31 st March 2007
Hospital and other clinical infectious wastes from medical or veterinary establishments.	Not permitted unless non-hazardous when permitted until a date to be specified in Regulations and if no date so specified no later than 31 st March 2007
Chemical substances from research and development or teaching activities, for example laboratory residues, which are unidentified and/or which are new and whose effects on man and/or the environment are unknown.	Not permitted unless non-hazardous when permitted until a date to be specified in Regulations and if no date so specified no later than 31 st March 2007
Whole used tyres (other than tyres used as engineering materials, bicycle tyres and tyres with an outside diameter of more than 1400mm.	Permitted until a date to be specified in Regulations and if no date so specified no later than 31 st March 2007
Shredded used tyres (other than bicycle tyres and tyres with an outside diameter of more than 1400mm.	Permitted until 16 th July 2006.
Any waste which does not fulfil the relevant waste acceptance criteria.	Permitted until a date to be specified in Regulations and if no date so specified no later than 31 st March 2007
Waste which has been diluted or mixed solely to meet the relevant waste acceptance criteria.	Permitted until a date to be specified in Regulations and if no date so specified no later than 31 st March 2007
Wastes which have not been treated, except for: inert wastes for which treatment is not technically feasible; or it is waste other than inert waste and treatment would not reduce its quantity or the hazards which it poses to human health or the environment.	Permitted until a date to be specified in Regulations and if no date so specified no later than 31 st March 2007

And

- 2.1.2.2 they are in accordance with the list of waste types and quantities, as described in the application.

- 2.1.2.3 The operator of the landfill shall visually inspect the waste at the entrance to the landfill and at the point of the deposit and shall satisfy himself that it conforms to the description provided in the documentation submitted by the holder.
- 2.1.2.4 The operator shall ensure that if representative samples are taken for analysis, the operator shall retain the samples and results of any analysis for at least one month.
- 2.1.2.5 The operator on accepting each delivery of waste shall provide a written receipt to the person delivering it.
- 2.1.2.6 The operator shall ensure that the landfill is secured to prevent free access to the site and the gates of the landfill must be locked outside operating hours.
- 2.1.3 The total quantity of waste that shall be deposited in the landfill shall not exceed 1.2 million cubic metres.
- 2.1.4 The quantity of waste that is deposited in the landfill in any year shall not exceed the limits in Table 2.1.3 below.
And in any case the total quantity deposited in any year shall not exceed 200,000 tonnes

Table 2.1.3 Annual Waste Input Limits	
Category	Limit Tonnes/ Year
Hazardous Waste	0
Non-hazardous Waste	190,000
Stable, non-reactive hazardous waste	0
Inert Waste	10,000
Inert Waste for restoration of closed areas	Within limit specified for inert waste above

- 2.1.5 The Operator shall maintain and implement a system which ensures that a record is made of the quantity, characteristics, origin, date of delivery, the identity of the producer (or in the case of municipal waste, the collector) of any waste that is received for disposal or recovery at the Permitted Installation.
- 2.1.6 The Operator shall record the quantity of waste deposited within the landfill and the precise disposal location of any hazardous waste

2.2 Emissions

2.2.1 Emissions to Air, (excluding Odour, Noise or Vibration) from Specified Points

- 2.2.1.1 Part 2.2.1 of this Permit shall not apply to releases of odour, noise or vibration.
- 2.2.1.2 Emissions to air from the emission points in Table 2.2.1 shall only arise from the source(s) specified in that Table.

Table 2.2.1 : Emission points to air		
Emission point reference or description	Source	Location of emission point
Landfill gas flare	Deposited wastes	To be determined and agreed with the Agency in writing
Landfill gas engine(s)	Deposited wastes	To be determined and agreed with the Agency in writing

2.2.1.3 The limits for emissions to air for the parameter(s) and emission point(s) set out in Table 2.2.2 shall not be exceeded.

Table 2.2.2 : Emission limits to air and monitoring				
Emission point reference	Parameter	Limit (mg/m³)	Monitoring frequency	Monitoring method
Flare	Nitrogen oxides (NOx)	150	Annually	Chemiluminescence
Flare	Carbon Monoxide (CO)	100	Annually	Non-dispersive infra red analysis
Flare	Total Volatile Organic Compounds (VOC's)	10	Annually	Extractive sampling and FID analysis
Flare	Non Methane Volatile Organic Compounds (NMVOC's)	5	Annually	Extractive sampling onto sorbent, extraction by CS ₂ , analysis by GC with appropriate detector
Engine(s)	Nitrogen oxides (NOx)	650	Annually	Extractive sampling and Chemiluminescence
Engine(s)	Carbon Monoxide (CO)	1500	Annually	Extractive sampling and non-dispersive Infra red analysis
Engine(s)	Total Volatile Organic Compounds (VOC's)	1750	Annually	Extractive sampling and FID analysis
Engine(s)	Non Methane Volatile Organic Compounds (NMVOC's)	150	Annually	Extractive sampling onto sorbent, extraction by CS ₂ , analysis by GC with appropriate detector

2.2.2 Emissions to water (other than groundwater), from specified points

2.2.2.1 Part 2.2.2 of this Permit shall not apply to releases of odour, noise or vibration or to releases to groundwater.

Emissions to Water (other than to Sewer)

2.2.2.2 Conditions 2.2.2.3-6 shall not apply to emissions to sewer.

2.2.2.3 Emissions to water from the emission points in Table 2.2.4 shall only arise from the source(s) specified in that Table.

Table 2.2.4: Emission point to water		
Emission Point Reference and/or location description	Source	Receiving Water
To be determined and approved in writing with the Agency upon satisfactory completion of Improvement Programme Condition No.4	Surface water drainage	Un-named watercourse

- 2.2.2.4 The limits for the emissions to water for the parameter(s) and emission point(s) set out in Table 2.2.5 shall not be exceeded.

Table 2.2.5 : Surface water monitoring point trigger levels		
Parameters with frequency of monitoring	Monitoring Points	
Reference Plan ESID 11 Revision A		
	SW1	SW2
Ammoniacal Nitrogen (mg/l) – monthly	3.0	3.0
COD (mg/l) - monthly	500	200
Chloride (mg/l) – monthly	100	100
pH - monthly	6-9	6-9

- 2.2.2.5 No condition applies.

Emissions to sewer

- 2.2.2.6 Emissions to sewer from the specified emission points in Table 2.2.7 shall only arise from the emission points specified in that Table.

Table 2.2.7 Emission points to sewer		
Emission point reference or description	Source	Sewer
At existing point of entry to sewer at NGR 327831 365429	Discharge from leachate effluent treatment plant	Welsh Water

- 2.2.2.7 The limits for the emissions to sewer for the parameter(s) and emission point(s) set out in Table 2.2.8 shall not be exceeded.

Table 2.2.8 : Emission limits and monitoring frequency to sewer				
Emission point reference	Parameter	Limit (including Reference Period)	Monitoring frequency	Monitoring method
Entry to sewer	Suspended solids	500mg/l	Weekly	To be agreed in writing with the Agency
	COD	1000mg/l	Weekly	To be agreed in writing with the Agency
	Ammoniacal Nitrogen	50 mg/l	Weekly	To be agreed in writing with the Agency
	Copper	2 mg/l	Weekly	To be agreed in writing with the Agency
	Zinc	2 mg/l	Weekly	To be agreed in writing with the Agency
	Lead	2 mg/l	Weekly	To be agreed in writing with the Agency
	Chromium	2 mg/l	Weekly	To be agreed in writing with the Agency
	Nickel	2 mg/l	Weekly	To be agreed in writing with the Agency
	pH	5 to 10	Weekly	To be agreed in writing with the Agency
	Volume	150m ³ /day	Weekly	To be agreed in writing with the Agency
	Temperature	43 ° C	Weekly	To be agreed in writing with the Agency

- 2.2.2.8 Where a substance is specified in Table 2.2.8 but no limit is set for it, the concentration of such substance in emissions to sewer from the relevant emission point shall be no greater than the background concentration.

2.2.3 Emissions to groundwater

- 2.2.3.1 No emission from the Permitted Installation shall give rise to the introduction into groundwater of any substance in List I (as defined in the Groundwater Regulations 1998 (S.I. 1998 No. 2746)).
- 2.2.3.2 No emission from within the Permitted Installation shall give rise to the introduction into groundwater of any substance in List II (as defined in the Groundwater Regulations 1998 (S.I. 1998 No. 2746)) so as to cause pollution (as defined in the Groundwater Regulations 1998 (S.I. 1998 No. 2746)).
- 2.2.3.3 For substances other than those in List I or II (as defined in the Groundwater Regulations 1998 (SI 1998 No.2746)), the Operator shall ensure that all appropriate measures are taken to prevent or where that is not practicable to reduce emissions to groundwater from the Permitted Installation provided always that the techniques used by the Operator shall be no less effective than those described in the Application, where relevant.
- 2.2.3.4 The Operator shall carry out monitoring of the parameters listed in Table 2.2.9a, at the specified monitoring points and at least at the frequencies specified in that Table.
- 2.2.3.5 The trigger levels for emissions into groundwater for the parameter(s) and monitoring point(s) set out in Table 2.2.9a shall not be exceeded.

Table 2.2.9a: The trigger levels for emissions into groundwater						
Parameters with frequency of monitoring	Monitoring Point as shown on drawing ESID10					
	GW1.1	GW2.1 replacement	GW3.1 replacement	GW4.1	GW5.1	GW6.1
Ammoniacal Nitrogen (mg/l) – quarterly	1.7	1.7	1.7	1.7	10	1.7
Chloride (mg/l) – quarterly	60	60	60	60	60	60
Nickel (mg/l) – quarterly	0.15	0.15	0.15	0.15	0.15	0.15
Zinc (mg/l) – quarterly	0.254	0.254	0.254	0.254	0.254	0.254
Total Xylenes (mg/l) – quarterly	0.003	0.003	0.003	0.003	0.003	0.003
Toluene (mg/l) - quarterly	0.004	0.004	0.004	0.004	0.004	0.004

- 2.2.3.6 Subject to the terms of this condition, the activities of disposal, or tipping for the purpose of disposal, of waste, that are authorised by this landfill permit shall cease 3½ years from date of issue of this Permit, unless by that date the operator has submitted to the Agency a written review of the Hydrogeological Risk Assessment submitted as part of the original Application for the permit.

The Risk Assessment review shall include a review of the responses in Section 1.2.1 to 1.2.10 of Part B of that original application. The written review shall show whether at the specified date, the level of risk to groundwater meets the terms of the Groundwater Regulations 1998.

Within six months of receipt of the written review the Agency shall reply in writing to the operator either confirming that the above requirements have been met and authorising continuation of disposal activities or that activities of disposal or tipping for the purpose of disposal of waste authorised by this permit shall cease until the operator can show that, the level of risk to groundwater meets the terms of the Groundwater Regulations 1998.

In the event that the continuation of activities is authorised in accordance with this condition beyond 4 years following the date of granting of this Permit, they shall cease on every fourth anniversary thereafter, unless, by each of those dates, the operator has submitted to the Agency a further written review of the Hydrogeological Risk Assessment which shows that, at the specified dates, the level of risk to groundwater meets the terms of the Groundwater Regulations.

The reviews submitted to the Agency shall include the results of any investigations and reviews carried out, and, in particular, reviews of the following aspects of the Hydrogeological Risk Assessment:

Recommendations of the essential technical precautions which must be taken, paying particular attention to the nature and concentration of the substances present in the matter being disposed of or tipped, the characteristics of the receiving environment and the proximity of the water catchment areas, in particular those for drinking, thermal and mineral water;

Recommendations of the technical precautions necessary:

- i In the case where groundwater is considered to be permanently unsuitable for other uses, to ensure that no substance in list I can reach other aquatic ecosystems or harm other ecosystems, to ensure that the presence of any list I substance once discharged into the groundwater will not impede exploitation of ground resources and to prevent pollution of groundwater by list II substances; and
- ii in the case where groundwater is not considered to be permanently unsuitable for other uses, to prevent any discharges into groundwater of substances in list I and to prevent any pollution of groundwater by substances in list II.

2.2.4 Fugitive emissions of substances to air

2.2.4.1 The Operator shall ensure that all appropriate measures are taken to prevent or where that is not practicable to reduce fugitive emissions of substances to air from the Permitted Installation in particular from:

- open surfaces, unfilled, operational and filled landfill surfaces
- storage areas
- buildings
- pipes, valves and other transfer systems

provided always that the techniques used by the Operator shall be no less effective than those described in the Application, where relevant.

- 2.2.4.2 The Operator shall use all appropriate measures so as to prevent or where that is not practicable to reduce emissions of litter and dust from the Permitted Installation provided always that the techniques used by the Operator shall be no less effective than those described in the Application, where relevant.

- 2.2.4.3 No condition applies

Aerial emissions of particulate matter

- 2.2.4.4 The operator shall carry out monitoring of the parameters listed in Table 2.2.11 below, at the specified monitoring points and at least at the frequencies specified in that Table.

- 2.2.4.5 The limits for particulate matter emissions into air for the parameter(s) and monitoring point(s) set out in Table 2.2.11 shall not be exceeded.

Table 2.2.11 Dust emission limits into air		
Parameters and frequency of monitoring	Emission limit	Monitoring Points
Gross dust depositional rate - quarterly	200 mg/m ² /day	Dust 1 – Mobile (Location determined by operations) Dust 2 – Oak Cottages / Oaks Farm Dust 3 – Cattlalls / Pinfold Industrial Estates

2.2.5 Fugitive emissions of substances to water and sewer

- 2.2.5.1 Subject to condition 2.2.5.2 below, the Operator shall ensure that all appropriate measures are taken to prevent or where that is not practicable to reduce fugitive emissions of substances to water (other than Groundwater) and sewer from the Permitted Installation in particular from:

- all structures under or over ground
- surfacing
- bunding
- storage areas

provided always that the techniques used by the Operator shall be no less effective than those described in the Application, where relevant.

- 2.2.5.2 There shall be no release to water that would cause a breach of an EQS established by the UK Government to implement the Dangerous Substances Directive 76/464/EEC.

- 2.2.5.3 The leachate levels within the installation shall be monitored from the date of issue of this permit at monthly intervals at the abstraction point and two additional points within each cell. **The head of leachate shall not be permitted to exceed 2.0 metres above the base of each cell throughout the operational and post-operational phases.** The leachate quality shall be assessed quarterly in accordance with EA Guidance for a representative range of List 1 and List 2 substances. The following control levels shall apply:

Table 2.2.12 Leachate Control Levels	
Substance	Control Level – mg/l
Ammoniacal nitrogen	4300
Chloride	5000
Nickel	3
Zinc	5
Total Xylenes	1
Toluene	1.3

2.2.6 Odour

2.2.6.1 The Operator shall ensure that all appropriate measures are taken to prevent or where that is not practicable to reduce odorous emissions from the Permitted Installation, in particular by:

- controlling operational activities to minimise the generation of odour
- limiting the use of odorous materials
- restricting odorous activities
- controlling the storage conditions of odorous materials
- optimising the performance of abatement systems
- timely monitoring, inspection and maintenance
- employing, where appropriate, an approved odour management plan

provided always that the techniques used by the Operator shall be no less effective than those described in the Application, where relevant.

2.2.6.2 All emissions to air from the installation shall be free from offensive odour as perceived by an Authorised Officer of the Agency outside the installation boundary except that the Operator shall not be taken to have breached this condition if the Operator has ensured that all appropriate measures are taken or where that is not practicable, to reduce, such odorous emissions.

2.2.7 Emissions to Land

2.2.7.1 Part 2.2.7 of this Permit shall not apply to emissions to groundwater.

2.2.7.2 No emission from the Permitted installation shall be made to land

2.2.7.3 Subsurface landfill gas emissions shall be controlled and monitored weekly at the peripheral locations specified in Table 2.2.13

Table 2.2.13 Landfill gas trigger levels		
Emission point reference/description	Parameter	Trigger
BH1, BH3, BH4, BH5, BH6, BH7, BH10, BH11, BH12, BH13, BH14, BH15, BH16, BH17, BH19, BH23, BH24, BH25	Methane	1.0%
BH8	Methane	32.2%
BH9	Methane	29.6%
BH18	Methane	6.8%
BH1	Carbon Dioxide	8.8%
BH3	Carbon Dioxide	3.1%
BH4	Carbon Dioxide	5.1%
BH5	Carbon Dioxide	1.5%
BH6	Carbon Dioxide	1.5%
BH7	Carbon Dioxide	10%
BH8	Carbon Dioxide	3.6%
BH9	Carbon Dioxide	10.4%
BH10	Carbon Dioxide	3.9%
BH11	Carbon Dioxide	6.5%
BH12	Carbon Dioxide	6.6%
BH13	Carbon Dioxide	9.4%
BH14	Carbon Dioxide	3.5%
BH15	Carbon Dioxide	17.6%
BH16	Carbon Dioxide	11.4%
BH17	Carbon Dioxide	12.9%
BH18	Carbon Dioxide	21.2%
BH19	Carbon Dioxide	11.2%
BH23	Carbon Dioxide	7.3%
BH24	Carbon Dioxide	1.5%
BH25	Carbon Dioxide	9.9%

- 2.2.7.4 Subject to the other conditions of this Permit, there shall be no other emissions to land from the Permitted Installation.
- 2.2.7.5 The Operator shall notify the Agency, as soon as reasonably practicable, of any information concerning the state of the Site which affects or updates that provided to the Agency as part of the Site Report submitted with the application for this Permit.

2.3 Management and Fit and Proper Person

- 2.3.1 A copy of this Permit and those parts of the application referred to in this Permit shall be available, at all times, for reference by all staff carrying out work subject to the requirements of the Permit.

Training

- 2.3.2 The Permitted Installation shall be supervised by staff who are suitably trained and fully conversant with the requirements of this Permit.

- 2.3.3 All staff shall be fully conversant with those aspects of the Permit conditions which are relevant to their duties and shall be provided with adequate professional technical development and training and written operating instructions to enable them to carry out their duties.
- 2.3.4 The Operator shall maintain a record of the skills and training requirements for all staff whose tasks in relation to the Permitted Installation may have an impact on the environment and shall keep records of all relevant training.

Maintenance

- 2.3.5 All plant and equipment used in operating the Permitted Installation, the failure of which could lead to an adverse impact on the environment, shall be maintained in good operating condition.
- 2.3.6 The Operator shall maintain a record of relevant plant and equipment covered by condition 2.3.5 and for such plant and equipment:
- 2.3.6.1 a written or electronic maintenance programme; and
- 2.3.6.2 records of its maintenance.

Incidents and Complaints

- 2.3.7 The Operator shall maintain and implement written procedures for:
- 2.3.7.1 taking prompt remedial action, investigating and reporting actual or potential non-compliance with operating procedures or emission limits and if such event occur;
- 2.3.7.2 investigating incidents, (including any malfunction, breakdown or failure of plant, equipment or techniques, down time, any short term and long term remedial measures and near misses) and prompt implementation of appropriate actions; and
- 2.3.7.3 ensuring that detailed records are made of all such actions and investigations.
- 2.3.8 The Operator shall record and investigate complaints concerning the Permitted Installation's effects or alleged effects on the environment. The record shall give the date and nature of complaint, time of complaint, name of complainant (if given), a summary of any investigation and the results of such investigation and any actions taken.

Fit and Proper Person

- 2.3.9.1 Any changes in technically competent management and the name of any incoming person together with evidence that such person has the required technical competence shall be submitted to the Agency in writing within 5 working days of the change in management. Technically competent management and technical competence shall be as prescribed under Section 74 of the Environmental Protection Act 1990.
- 2.3.9.2 In the event of the Operator and/or any relevant person being convicted of any relevant offence and which is in addition to any already notified to the Agency, then full details shall be provided to the Agency within 14 days of conviction, whether or not the conviction is subsequently appealed. Such details shall include, in respect of each relevant person (as defined in section 74(7) of the Environmental Protection Act 1990 or any subsequent amendments to that section), the nature of the offence, the place and date of conviction, any sentence, and any fine or other penalty imposed; and
- 2.3.9.3 In the event that the Operator and/or any relevant person lodges an appeal against any such conviction, the Operator shall notify the Agency of this within 14 days of the lodging. The Operator shall notify the Agency of the results of that appeal, within 14 days of the appeal being decided; and

- 2.3.9.4 The financial provision for meeting the obligations under this Permit set out in the Agreement made between the Operator and the Agency on the date of this permit shall be maintained by the Operator throughout the subsistence of this Permit and the Operator shall produce evidence of such provision whenever required by the Agency.
- 2.3.9.5 The operator shall ensure that the charges it makes for the disposal of waste in the landfill covers all of the following
- (a) the costs of setting up and operating the landfill;
 - (b) the costs of the financial provision required by condition 2.3.9.4; and
 - (c) the estimated costs for the closure and after-care of the landfill site for a period of at least 30 years from its closure.

2.4 Efficient use of raw materials

- 2.4.1 The Operator shall:
- 2.4.1.1 maintain the raw materials table or description submitted in response to Section 2.4 of the Application and in particular consider on a periodic basis whether there are suitable alternative materials to reduce environmental impact;
 - 2.4.1.2 carry out periodic waste minimisation audits and water use efficiency audits. If such an audit has not been carried out in the 2 years prior to the issue of this Permit, then the first such audit shall take place within 2 years of its issue. The methodology used and an action plan for increasing the efficiency of the use of raw materials or water shall be submitted to the Agency within 2 months of completion of each such audit and a review of the audit and a description of progress made against the action plan shall be submitted to the Agency at least every 4 years thereafter; and
 - 2.4.1.3 ensure that incoming water use is directly measured and recorded.

2.5 Waste Storage and Handling

- 2.5.1 No condition applies except as covered by the requirements in 2.2.1.1

2.6 Waste recovery or disposal

- 2.6.1 Waste produced at the Permitted Installation shall be recycled or recovered unless technically and/or economically impossible.
- 2.6.2 The Operator shall maintain and implement a system which ensures that a record is made of the quantity, composition, origin, destination (including whether this is a recovery or disposal operation) and where relevant removal date of any waste that is produced at the Permitted Installation.

2.7 Energy Efficiency

- 2.7.1 The Operator shall produce a report on the energy consumed at the Permitted Installation over the previous calendar year, by 31 January each year, providing the information listed in Table S4.1 at Schedule 4.
- 2.7.2 The Operator shall maintain and update annually an energy management system which shall include, in particular, the monitoring of energy flows and targeting of areas for improving energy efficiency.

- 2.7.3 The Operator shall design, maintain and operate the Permitted Installation so as to secure energy efficiency, taking into account relevant guidance including the Agency's Energy Efficiency Horizontal Guidance Note H2 as from time to time amended. Energy efficiency shall be secured in particular by:
- 2.7.3.1 ensuring that the appropriate operating and maintenance systems are in place;
 - 2.7.3.2 ensuring that all plant is adequately insulated to minimise energy loss or gain;
 - 2.7.3.3 ensuring that all appropriate containment methods, (e.g. seals and self-closing doors) are employed and maintained to minimise energy loss;
 - 2.7.3.4 ensuring employing appropriate basic controls, such as simple sensors and timers, to avoid unnecessary discharge of heated water or air;
 - 2.7.3.5 where building services constitute more than 5% of the total energy consumption of the installation, identifying and employing the appropriate energy efficiency techniques for building services, having regard in particular to the Building services part of the Agency's Energy Efficiency Horizontal Guidance Note H2; and
 - 2.7.3.6 maintaining and implementing an energy efficiency plan which identifies energy saving techniques that are applicable to the activities and their associated environmental benefit and prioritises them, having regard to the appraisal method in the Agency's Energy Efficiency Horizontal Guidance Note H2.

2.8 Accident prevention and control

- 2.8.1 The Operator shall maintain and implement when necessary the accident management plan submitted or described in response to Section 2.4.4 of the Application. The plan shall be reviewed at least every 2 years or as soon as practicable after an accident, whichever is the earlier, and the Agency notified of the results of the review within 2 months of its completion.

2.9 Noise and Vibration

- 2.9.1 The Permitted Installation shall be designed, operated and maintained so as to avoid reasonable cause for annoyance from noise or vibration, in particular by:
- equipment maintenance e.g. fans, pumps, motors, conveyors and mobile plant;
 - use and maintenance of appropriate attenuation e.g. silencers, barriers, enclosures;
 - timing and location of noisy activities and vehicle movements;
 - periodic checking of noise emissions, either qualitatively or quantitatively; and
 - maintenance of building fabric.

Provided always that the techniques used by the operator shall be no less effective than those described in the application, where relevant

2.10 On Site Monitoring

- 2.10.1 The Operator shall maintain and implement an emissions monitoring programme which ensures that emissions are monitored from the specified points, for the parameters listed in and to the frequencies and methods described in Tables 2.2.2, 2.2.5, 2.2.8, 2.2.9a, 2.2.11, 2.2.12, 2.2.13 unless otherwise agreed in writing, and that the results of such monitoring are assessed. The programme shall ensure that monitoring is carried out under an appropriate range of operating conditions.
- 2.10.2 The Operator shall notify the Agency at least 14 days in advance of undertaking monitoring and/or spot sampling, where such notification has been requested in writing by the Agency.
- 2.10.3 The Operator shall maintain records of all monitoring taken or carried out (this includes records of the taking and analysis of samples instrument measurements (periodic and continual), calibrations, examinations, tests and surveys) and any assessment or evaluation made on the basis of such data.
- 2.10.4 There shall be provided:
- 2.10.4.1 safe and permanent means of access to enable sampling/monitoring to be carried out in relation to the emission points specified in Schedule 2 to this Permit, unless otherwise specified in that Schedule; and
- 2.10.4.2 safe means of access to other sampling/monitoring points when required by the Agency.

2.11 Closure, Aftercare and Decommissioning

- 2.11.1 The Permitted Installation shall, subject to the conditions of this Permit, be managed and controlled as described in the documentation specified in Table 2.11.1, or as otherwise agreed in writing by the Agency.

Table 2.11.1: Closure, Aftercare and Decommissioning techniques

Description	Parts	Date Received
Application	The response to questions 2.5 In Part B of the application form	8 October 2003

- 2.11.2 Where the above Table refers to the whole or parts of different documents, in the event of any conflict between the wording of such documents, the wording of the later document(s) shall prevail to the extent of such conflict.
- 2.11.3 In respect of activities on the installation which are not Listed in Section 5.2 Part 1 A(1))a) or (b) of Schedule 1 of the PPC Regulations, the Operator shall maintain and operate these activities so as to prevent or minimise any pollution risk, including the generation of waste, on closure and decommissioning in particular by:
- 2.11.3.1 attention to the design of new plant or equipment;
- 2.11.3.2 the maintenance of a record of any events which have, or might have, impacted on the condition of the site along with any further investigation or remediation work carried out.; and
- 2.11.3.3 the maintenance of a site closure plan to demonstrate that the installation can be decommissioned avoiding any pollution risk and returning the site of operation to a satisfactory state.
- 2.11.4 Notwithstanding condition 2.11.1 of this Permit, the Operator shall carry out a full review of the Site Closure Plan at least every 4 years.
- 2.11.5 The Operator shall implement the site closure plan on receipt of a notice from the Agency approving definitive closure of the landfill or part thereof.

- 2.11.6 The Operator shall give at least 30 days written notice to the Agency before implementing the site closure plan in respect of any non-landfill activities.

2.12 Multiple Operator installations

- 2.12.1 This is not a multi-Operator installation

2.13 Transfer to effluent treatment plant

- 2.13.1 Transfers to effluent treatment plant(s) shall occur only from the point(s) specified in Table 2.13.1 and transfers from those points shall arise only from the source(s) and shall be released only to the treatment plant(s) specified in that Table.

Table 2.13.1 Transfer point(s) to effluent treatment plant(s)

Transfer point description/identifier	Source	Destination
Leachate collection sumps LC1, LC2, LC3, LC4, LC5, LC6 as identified on drawing number ESID7	Landfill cells 1 to 6	Leachate treatment plant

3 Records

- 3.1.1 The Operator shall ensure that all records required to be made by this Permit and any other records made by it in relation to the operation of the Permitted Installation shall:-
 - 3.1.1.1 be made available for inspection by the Agency at any reasonable time
 - 3.1.1.2 be supplied to the Agency on demand and without charge
 - 3.1.1.3 be legible
 - 3.1.1.4 be made as soon as reasonably practicable
 - 3.1.1.5 indicate any amendments which have been made and shall include the original record wherever possible; and
 - 3.1.1.6 be retained at the Permitted Installation, or other location agreed by the Agency in writing, for a minimum period of 4 years from the date when the records were made, unless otherwise agreed in writing.

4 Reporting

- 4.1.1 All reports and written and or oral notifications required by this Permit and notifications required by Regulation 16 of the PPC Regulations shall be made or sent to the Agency using the contact details notified in writing to the Operator by the Agency.
- 4.1.2 The Operator shall, unless otherwise agreed in writing, submit reports of the monitoring and assessment carried out under condition 2.10, as follows:
 - 4.1.2.1 in respect of the parameters and emission points specified in Table S2 to Schedule 2.
 - 4.1.2.2 for the reporting periods specified in Table S2 to Schedule 2 and using the forms specified in Table S3 to Schedule 3;
 - 4.1.2.3 giving the information from such results and assessments as may be required by the forms specified in those Tables; and
 - 4.1.2.4 to the Agency within 28 days of the end of the reporting period.
- 4.1.3 No condition applies
- 4.1.4 The Operator shall review fugitive emissions, having regard to the application of the most appropriate measures to prevent pollution, on an annual basis, or such other period as shall be agreed in writing by the Agency, and a summary report on this review shall be sent to the Agency detailing such releases and the measures taken to reduce them within 3 months of the end of such period.
- 4.1.5 Where the Operator has a formal environmental management system applying to the Permitted Installation which encompasses annual improvement targets the Operator shall, not later than 31 January in each year, provide a summary report of the previous year's progress against such targets.
- 4.1.6 The Operator shall, within 6 months of receipt of written notice from the Agency, submit to the Agency a report assessing whether all appropriate preventive measures continue to be taken against pollution at the installation. The report shall consider any relevant published technical guidance current at the time of the notice which is either supplied with or referred to in the notice, and shall assess the costs and benefits of applying techniques described in that guidance, or otherwise identified by the Operator, that may provide environmental improvement
- 4.1.7 The Operator shall submit to the Agency an interpretation report of the monitoring results for landfill gas, leachate, surface and groundwater against the relevant emission limits, assessment limits, control and trigger levels specified in the permit on a three monthly basis, and shall submit a summary report of these interpretations to the Agency within one month of the end of each three month period.
- 4.1.8 The Operator shall review all monitoring data required by this permit on an annual basis and shall submit a summary report to the Agency within three months of the end of each year.
- 4.1.9 The Operator shall submit to the Agency a report setting out the types and quantities of waste disposed of at the landfill on a three monthly basis i.e. for the periods 1 April - 30 June; 1 July - 30 September; 1 October - 31 December and 1 January - 31 March, such report to be received within 1 month from the end of each period.

5 Notifications

- 5.1.1 The Operator shall notify the Agency **without delay** of:-
- 5.1.1.1 the detection of an emission of any substance which exceeds any limit or criterion in this Permit specified in relation to the substance;
- 5.1.1.2 the detection of any fugitive emission which has caused, is causing or may cause significant adverse environmental effect; unless the quantity emitted is so trivial that it would be incapable of causing significant adverse environmental effect;
- 5.1.1.3 the detection of any malfunction, breakdown or failure of plant or techniques which has caused, is causing or has the potential to cause significant pollution;
- 5.1.1.4 any accident which has caused, is causing or has the potential to cause significant pollution;
- 5.1.1.5 the refusal to accept or rejection of incoming waste at the landfill, and
- 5.1.1.6 the detection of any significant adverse environmental effects
- 5.1.2 The Operator shall submit written confirmation to the Agency of any notification under condition 5.1.1, by sending:-
- 5.1.2.1 information listed in Part A of Schedule 1 to this Permit within 24 hours of such notification; and
- 5.1.2.2 the more detailed information listed in Part B of that Schedule as soon as practicable thereafter; and such information shall be in accordance with that Schedule.
- 5.1.3 The Operator shall give prior written notification to the Agency of the following events and in the specified timescales:
- 5.1.3.1 as soon as practicable prior to the permanent cessation of the landfill disposal operations,
- 5.1.3.2 as soon as practicable prior to the cessation of the operation of the landfill disposal operations, for a period likely to exceed 1 month
- 5.1.3.3 at least 14 days prior to the resumption of the landfill disposal operations after a cessation
- 5.1.4 The Operator shall notify the Agency, as soon as practicable, of any information concerning the state of the site which affects or updates that provided to the Agency as part of the Site Report submitted with the application for this Permit.
- 5.1.5 The Operator shall notify the following matters to the Agency in writing within 14 days of their occurrence:
- 5.1.5.1 where the Operator is a registered company:
- any change in the Operator's trading name, registered name or registered office address;
 - any change to particulars of the Operator's ultimate holding company (including details of an ultimate holding company where an Operator has become a subsidiary)
 - any steps taken with a view to the Operator going into administration, entering into a company voluntary arrangement or being wound up;
- 5.1.5.2 where the Operator is a corporate body other than a registered company:
- any change in the Operator's name or address;
 - any steps taken with a view to the dissolution of the Operator.
- 5.1.5.3 In any other case:
- the death of any of the named Operators (where the Operator consists of more than one named individual);
 - any change in the Operator's name(s) or address(es);
 - any steps taken with a view to the Operator, or any one of them, going into bankruptcy, entering into a composition or arrangement with creditors, or, in the case them being in a partnership, dissolving the partnership;
- 5.1.6 Where the Operator has entered into a Climate Change Agreement with the Government, the Operator shall notify the Agency within one month of:
- 5.1.6.2 a decision by the Secretary of State not to re-certify that Agreement
- 5.1.6.3 a decision by either the Operator or the Secretary of State to terminate that agreement

- 5.1.6.4 any subsequent decision by the Secretary of State to re-certify such an Agreement
- 5.1.7 Where the Operator has entered into a Direct Participant Agreement in the Emissions Trading Scheme which covers emissions relating to the energy consumption of the activities, the Operator shall notify the Agency within one month of:
 - 5.1.7.1 a decision by the Operator to withdraw from or the Secretary of State to terminate that agreement
 - 5.1.7.2 a failure to comply with an annual target under that Agreement at the end of the trading compliance period

6 Interpretation

6.1.1 In this Permit, the following expressions shall have the following meanings:

"Application" means the application for this Permit, together with any response to a notice served under Schedule 4 to the PPC Regulations and any operational change agreed under the conditions of this Permit.

"Authorised Officer" means any person authorised by the Agency under section 108(1) of The Environment Act 1995 to exercise, in accordance with the terms of any such authorisation, any power specified in Section 108(4) of that Act.

"background concentration" means such concentration of that substance as is present in:

- water supplied to the site; or
- where more than 50% of the water used at the site is directly abstracted from ground or surface water on site, the abstracted water; or
- where the Permitted Installation uses no significant amount of supplied or abstracted water, the precipitation onto the site.

"BAT" means best available techniques means the most effective and advanced stage of development of activities and their methods of operation which indicates the practical suitability of particular techniques to prevent and where that is not practicable to reduce emissions and the impact on the environment as a whole. For these purposes: *"available techniques"* means *"those techniques which have been developed on a scale which allows implementation in the relevant industrial sector, under economically and technically viable conditions, taking into consideration the cost and advantages, whether or not the techniques are used or produced inside the United Kingdom, as long as they are reasonably accessible to the operator"*; *"best"* means *"in relation to techniques, the most effective in achieving a high general level of protection of the environment as a whole"* and *"techniques"* *"includes both the technology used and the way in which the installation is designed, built, maintained, operated and decommissioned."*. In addition, Schedule 2 of the PPC Regulations has effect in relation to the determination of BAT.

"Fugitive emission" means an emission to air or water (including sewer) from the Permitted Installation which is not controlled by an emission or background concentration limit under conditions 2.2.1.3, 2.2.2.4, 2.2.2.5, 2.2.2.8 or 2.2.2.9 of this Permit

"Groundwater" means all water which is below the surface of the ground in the saturation zone and in direct contact with the ground or subsoil.

"Interim Hazardous" means a landfill classified as hazardous until 16th July 2004

" $L_{Aeq,T}$ " means the equivalent continuous A-weighted sound pressure level in dB determined over time period, T

" $L_{A90,T}$ " means the A weighted sound pressure level in dB exceeded for 90% of the time period, T

" L_{AFmax} " means the maximum A weighted sound level measurement in dB measured with a fast time weighting

"The Landfill Regulations" means the Landfill (England and Wales) Regulations SI 2002 No. 1559 and words and expressions defined in the Landfill Regulations shall have the same meanings when used in this Permit, save to the extent that they are specifically defined in this Permit. It shall include future amendments or superseding legislation

"Monitoring" includes the taking and analysis of samples, instrumental measurements (periodic and continual), calibrations, examinations, tests and surveys.

"Permitted Installation" means the activities and the limits to those activities described in Table 1.1.1 of this Permit.

"PPC Regulations" means the Pollution, Prevention and Control (England and Wales) Regulations SI 2000

No.1973 (as amended) and words and expressions defined in the PPC Regulations shall have the same meanings when used in this Permit save to the extent they are specifically defined in this Permit. It shall include any future amendments or superseding legislation

"Sewer" means sewer within the meaning of section 219(1) of the Water Industry Act 1991.

"Staff" includes employees, directors or other officers of the Operator, and any other person under the Operator's direct or indirect control, including contractors.

"Year" means calendar year ending 31 December.

- 6.1.2 Where a minimum limit is set for any emission parameter, for example pH, reference to exceeding the limit shall mean that the parameter shall not be less than that limit.
- 6.1.3 Unless otherwise stated, any references in this Permit to concentrations of substances in emissions into air means;
 - 6.1.3.1 in relation to gases from combustion processes, the concentration in dry air at a temperature of 273K, at a pressure of 101.3 kPa and with an oxygen content of 3% dry for liquid and gaseous fuels, 6% dry for solid fuels; and/or
 - 6.1.3.2 in relation to gases from non-combustion sources, the concentration at a temperature of 273K and at a pressure of 101.3 kPa, with no correction for water vapour content.
- 6.1.4 Where any condition of this Permit refers to the whole or parts of different documents, in the event of any conflict between the wording of such documents, the wording of the document(s) with the most recent date shall prevail to the extent of such conflict.

Schedule 1 - Notification of abnormal emissions and significant adverse environmental effects

This page outlines the information that the Operator must provide to satisfy conditions 5.1.1 and 5.1.2 of this Permit.

Units of measurement used in information supplied under Part A and B requirements shall be appropriate to the circumstances of the emission. Where appropriate, a comparison should be made of actual emissions and authorised emission limits.

Part C refers specifically to the requirement to notify the Agency of any significant environmental effect as required by the Landfill Regulations and should be used instead of Part B to report such to the Agency.

If any information is considered commercially confidential, it should be separated from non-confidential information, supplied on a separate sheet and accompanied by an application for commercial confidentiality under the provisions of the PPC Regulations.

Part A

Permit Number	
Name of Operator	
Location of Installation	
Location of the emission/ significant adverse environmental effect	
Time and date of the emission/ significant adverse environmental effect	

Substance[s] emitted	Media	Best estimate of the quantity or the rate of emission	time during which the emission took place
	e.g. air		
	e.g. groundwater		

Measures taken, or intended to be taken, to stop the emission	
--	--

Part B

Any more accurate information on the matters for notification under Part A.	
Measures taken, or intended to be taken, to prevent a recurrence of the incident	
Measures taken, or intended to be taken, to rectify, limit or prevent any pollution of the environment or harm which has been or may be caused by the emission	
The dates of any unauthorised emissions from the installation in the preceding 24 months.	

Name*	
Post	

Signature	
Date	

* authorised to sign on behalf of **A D Waste Limited**

PART C

Nature of significant adverse environmental effect (e.g. Groundwater Pollution, LFG escape)	
Immediate measures taken to prevent further effects from this source	
Further measures taken , or intended to be taken, to rectify, limit or prevent any pollution of the environment or harm which has been or may be caused by the significant adverse environmental effect	
Measures taken, or intended to be taken, to prevent a recurrence of the incident	

Name*	
Post	
Signature	
Date	

* authorised to sign on behalf of **A D Waste Limited**

Schedule 2 - Reporting of monitoring data

Parameters, for which reports shall be made, in accordance with conditions 4.1.2 and 4.1.3 of this Permit, are listed below.

Table S2: Reporting of monitoring data

Parameter	Emission point	Reporting period	Period begins
Nitrogen Oxides mg/m ³ /day	Flare & Engine(s)	Annually	From date of issue of permit
Carbon Monoxide mg/m ³ /day	Flare & Engine(s)	Annually	From date of issue of permit
Total VOC's mg/m ³ /day	Flare & Engine(s)	Annually	From date of issue of permit
Non Methane VOC's mg/m ³ /day	Flare & Engine(s)	Annually	From date of issue of permit
Ammoniacal Nitrogen mg/l	SW1 & SW2	Monthly	From date of issue of permit
COD mg/l	SW1 & SW2	Monthly	From date of issue of permit
Chloride mg/l	SW1 & SW2	Monthly	From date of issue of permit
pH	SW1 & SW2	Monthly	From date of issue of permit
Suspended solids mg/l	Entry to sewer	Weekly	From date of issue of permit
COD mg/l	Entry to sewer	Weekly	From date of issue of permit
Ammoniacal Nitrogen mg/l	Entry to sewer	Weekly	From date of issue of permit
Copper mg/l	Entry to sewer	Weekly	From date of issue of permit
Zinc mg/l	Entry to sewer	Weekly	From date of issue of permit
Lead mg/l	Entry to sewer	Weekly	From date of issue of permit
Chromium mg/l	Entry to sewer	Weekly	From date of issue of permit
Nickel mg/l	Entry to sewer	Weekly	From date of issue of permit
pH	Entry to sewer	Weekly	From date of issue of permit
Temperature ° C	Entry to sewer	Weekly	From date of issue of permit
Volume m ³	Entry to sewer	Weekly	From date of issue of permit
Ammoniacal Nitrogen mg/l	GW1-6	Quarterly	From date of issue of permit
Chloride mg/l	GW1-6	Quarterly	From date of issue of permit
Nickel mg/l	GW1-6	Quarterly	From date of issue of permit
Zinc mg/l	GW1-6	Quarterly	From date of issue of permit
Total Xylenes mg/l	GW1-6	Quarterly	From date of issue of permit
Toluene mg/l	GW1-6	Quarterly	From date of issue of permit
Methane %	BH1, BH3-19, BH23-25	Weekly	From date of issue of permit
Carbon dioxide %	BH1, BH3-19, BH23-25	Weekly	From date of issue of permit
Ammoniacal nitrogen	Leachate Abstraction point plus two other (See condition 2.2.5.3)	Quarterly	From date of issue of permit
Chloride		Quarterly	From date of issue of permit
Nickel		Quarterly	From date of issue of permit
Zinc		Quarterly	From date of issue of permit
Total Xylenes		Quarterly	From date of issue of permit
Toluene		Quarterly	From date of issue of permit
Total inhaleable dust		Quarterly	From date of issue of permit
	Dust 1 – Mobile (Location determined by operations)		
	Dust 2 – Oak Cottages / Oaks Farm		
	Dust 3 – Cattieralls / Pinfold Industrial Estates		

Schedule 3 - Forms to be used

Table S3:Reporting Forms		
Media/parameter	Form Number	Date of Form
Controlled Water	W1	25/04/03
Surface Water	None provided. Reporting format to be agreed in writing with the Agency	
Groundwater	None provided. Reporting format to be agreed in writing with the Agency	
Landfill Gas	None provided. Reporting format to be agreed in writing with the Agency	
Waste/Raw Material Return	R1	25/04/03
Waste Summary	WMS1	25/04/03
Landfill Body	None provided. Reporting format to be agreed in writing with the Agency	

Schedule 3 - Form W1

Releases to Controlled Waters

Operator: A D Waste Limited

Permitted Installation: Brookhill Landfill Site

Results for month.....

Reporting Form W1		
Substance	Measured Release	Emission limit
Suspended solids mg/l (measured after drying at 105°C)		-
Visible oil and/or grease		-
Ammoniacal Nitrogen		-
Chloride		-
Cadmium		-
Sulphate		-

Schedule 3 – Form R1

Waste/Raw Material Return

Return for Year.....

Operator: A D Waste Limited

Permitted Installation: Brookhill Landfill Site

Reporting Form R1

Parameter	Raw Materials Used	Quantity Used on Permitted Installation	Quantity to Waste
Clay (cubic metres or tonnes)			
HDPE Pipework (tonnes)			
Gravel/Aggregate (tonnes)			
Water (litres)			

Reporting Form R1, Part B: Wastes leaving permitted installation for DISPOSAL

Waste Description	Site	County	Tonnes

Reporting Form R1, Part C: Wastes leaving permitted installation for RECYCLING/RECLAMATION

Waste Description	Site	County	Tonnes

Schedule 3 – Form WS1

Waste Summary Return – Separate Sheet

Schedule 4 - Reporting of performance data

Data required to be recorded and reported by Condition 2.7.1.

Table S4.1: Energy consumption			
	Delivered, MWh	Primary, MWh	% of total
Electricity*			
Gas			
Oil			
Other			

*specify conversion factor of primary source to delivered energy

Schedule 5 - Site Plan

["Reproduced from the Ordnance Survey map with the permission of the Controller of Her Majesty's Stationery Office © Crown Copyright 2000. Unauthorised reproduction infringes Crown Copyright and may lead to prosecution or civil proceedings."]

Plan reference: ESID2 Revision B Amended 6 February 2004 Received 17 June 2004.

END OF PERMIT