



Schedule 6 - Notification

These pages outline the information that the operator must provide.

Units of measurement used in information supplied under Part A and B requirements shall be appropriate to the circumstances of the emission. Where appropriate, a comparison should be made of actual emissions and authorised emission limits.

If any information is considered commercially confidential, it should be separated from non-confidential information, supplied on a separate sheet and accompanied by an application for commercial confidentiality under the provisions of the PPC Regulations.

Part A

Permit Number	EPR/BJ9703IM
Name of operator	Kimberly-Clark Limited
Location of Installation	Flint Paper Mill, Aber Road, Flint, Flintshire, CH6 5EX
Time and date of the detection	1 st March 2013 at 13:12pm

(a) Notification requirements for any malfunction, breakdown or failure of equipment or techniques, accident, or fugitive emission which has caused, is causing or may cause significant pollution	
To be notified within 24 hours of detection	
Date and time of the event	
Reference or description of the location of the event	
Description of where any release into the environment took place	
Substances(s) potentially released	
Best estimate of the quantity or rate of release of substances	
Measures taken, or intended to be taken, to stop any emission	
Description of the failure or accident.	

(b) Notification requirements for the breach of a limit	
To be notified within 24 hours of detection unless otherwise specified below	
Emission point reference/ source	W2
Parameter(s)	Suspended Solids
Limit	80mg/l
Measured value and uncertainty	95mg/l
Date and time of monitoring	Samples from tidal discharge (auto sampler) 1/3/13 at 13:12 hours
Measures taken, or intended to be taken, to stop the emission	The current issue is related to poor settlement at the clarifier which appears turbid. Microscopy indicates a high sludge age and steps are being taken to reduce the sludge age. This in

OK FOR PUBLIC REGISTER	INITIALS	DATE
	AS	7-3-13
COPIED TO PUBLIC REGISTER	JB	EORM

	conjunction with the other measures previously stated in the response to IC1 are expected to allow the process to recover.
Time periods for notification following detection of a breach of a limit	
Parameter	Notification period
Suspended Solids	Without delay
(c) Notification requirements for the detection of any significant adverse environmental effect	
To be notified within 24 hours of detection	
Description of where the effect on the environment was detected	
Substances(s) detected	
Concentrations of substances detected	
Date of monitoring/sampling	

Part B - to be submitted as soon as practicable

Any more accurate information on the matters for notification under Part A.	
Measures taken, or intended to be taken, to prevent a recurrence of the incident	
Measures taken, or intended to be taken, to rectify, limit or prevent any pollution of the environment which has been or may be caused by the emission	
The dates of any unauthorised emissions from the installation in the preceding 24 months.	25/11/11, 7/12/11, 20/12, 21/12, 1/2/12, 12/2/12, 13/2/12, 27/6/12, 3/7/12 13/8/12, 19/8/12, 23/9/12, 19/11/12, 27/11/12, 7/2/13.

Name*	Andrew Linkman
Post	Safety and Environmental Coordinator
Signature	
Date	4/3/12

* authorised to sign on behalf of Kimberley Clark