

This form will report compliance with your permit as determined by an NRW officer

Site	PADESWOOD CEMENT WORKS		Permit Ref	BL1096IB	
Operator/ Permit holder	Castle Cement Limited				
Date	09/05/2013	Time in	10:00	Out	13:00
What parts of the permit were assessed	Various				
Assessment	Site Inspection	EPR Activity:	Installation	X	Waste Op
Recipient's name/position	Gary Young (Plant Manager)				
Officer's name	Stuart Ross		Date issued	21/05/2013	

Section 1 - Compliance Assessment Summary

This is based on the requirements of the permit under the Environmental Permitting Regulations. A detailed explanation and any action you may need to take are given in the "Detailed Assessment of Compliance" (section 3). This summary details where we believe any non-compliance with the permit has occurred, the relevant condition and how the non-compliance has been categorised using our Compliance Classification Scheme (CCS). CCS scores can be consolidated or suspended, where appropriate, to reflect the impact of some non-compliances more accurately. For more details of our CCS scheme, contact your local office.

Permit Conditions and Compliance Summary

Condition(s) breached

Permit Conditions and Compliance Summary	Condition(s) breached
a) Permitted activities	
1. Specified by permit	N
b) Infrastructure	
1. Engineering for prevention & control of pollution	A
2. Closure & decommissioning	N
3. Site drainage engineering (clean & foul)	N
4. Containment of stored materials	A
5. Plant and equipment	N
c) General management	
1. Staff competency/ training	N
2. Management system & operating procedures	N
3. Materials acceptance	N
4. Storage handling, labelling, segregation	N
d) Incident management	
1. Site security	N
2. Accident, emergency & incident planning	N
e) Emissions	
1. Air	N
2. Land & Groundwater	N
3. Surface water	N
4. Sewer	N
5. Waste	N
f) Amenity	
1. Odour	N
2. Noise	N
3. Dust/fibres/particulates	A
4. Pests, birds & scavengers	N
5. Deposits on road	N
g) Monitoring and records, maintenance and reporting	
1. Monitoring of emissions & environment	N
2. Records of activity, site diary, journal & events	N
3. Maintenance records	N
4. Reporting & notification	N
h) Resource efficiency	
1. Efficient use of raw materials	N
2. Energy	N

KEY: C1, C2, C3, C4 = CCS breach category (* suspended scores are marked with an asterisk), A = Assessed (no evidence of non-compliance), N = Not assessed, NA = Not Applicable

Number of breaches recorded	0	Total compliance score (see section 5 for scoring scheme)	0
------------------------------------	---	---	---

If the Total No Breaches is greater than zero, then please see Section 3 for details of our proposed enforcement response

Section 2 – Compliance Assessment Report Detail

This section contains a report of our findings and will usually include information on:

- the part(s) of the permit that were assessed (e.g. maintenance, training, combustion plant, etc)
- where the type of assessment was 'Data Review' details of the report/results triggering the assessment
- any non-compliances identified
- any non-compliances with directly applicable legislation
- details of any multiple non-compliances
- information on the compliance score accrued inc. details of suspended or consolidated scores.
- details of advice given
- any other areas of concern
- all actions requested
- any examples of good practice.
- a reference to photos taken

This report should be clear, comprehensive, unambiguous and completed within 14 days of an assessment.

During the inspection actions from the Water OMA and Fugitive Dust audits were reviewed.

Cladding has been installed above a door on the crane store replacing a temporary repair.

During the inspection it was reported that the cement line replacement work programme has recently been completed. This represents a significant reduction in the risk of fugitive dust emissions from the plant. Please formally confirm in writing the extent of the works completed compared to those detailed in the original proposal.

OMA Water audit actions have been tracked via recent correspondence. A separate site meeting is to be arranged to review new surface water sampling / monitoring procedures.

A brief house keeping inspection of hard standing areas around the pre-heater tower, kiln, clinker conveyer and crane store building was undertaken. The ground was wet due to heavy rain and in places was partially covered with fine debris particularly near the reject silo (which was being emptied) and to the rear of the pre-heater tower. There was no potential for fugitive emissions due to wet weather but the areas were not as clean as normally seen. Please ensure hard standing areas are kept clean to prevent and minimise potential dust emissions. No other issues noted.

Noise Management

It was observed and discussed that the kiln shell fans are not running due to the kiln refractory lining having been replaced in Nov / Jan. The kiln was running normally during the inspection.

During the week prior to this inspection I made a number of informal off site noise assessments on Padeswood Lake Road and identified very little if any noise from the site at this location - normally the site is audible particularly during lulls in local road traffic noise. Also no noise complaints have been made during the current campaign. This suggests that kiln shell fan operation may in part be responsible for noise complaints by local residents.

Options are being considered for minimising noise from kiln shell fans - please keep me informed of your plans and the detail of intended abatement options.

A number of other improvements have been made aimed at reducing noise from the plant, these include new cladding / insulation on a column of the raw mill fan building, re-lagging/cladding of the raw mill chute and re-balancing a number of filter fans & screw conveyer bearings.

Noise Management Plan - FFT noise data collected during routine monitoring exercises has been analysed and an acoustic camera survey is due to be completed imminently. The data sets will be compared to identify priority noise sources for abatement. As discussed, by the start of the next operating campaign we expect all noise data to have been assessed and a draft improvement plan to be available for discussion with NRW.



This form will report compliance with your permit as determined by an NRW officer

Site	PADESWOOD CEMENT WORKS	Permit	BL1096IB
Operator/ Permit	Castle Cement Limited	Date	09/05/2013

Section 3- Enforcement Response

Only one of the boxes below should be ticked

You must take immediate action to rectify any non-compliance and prevent repetition. Non-compliance with your permit conditions constitutes an offence and can result in criminal prosecutions and/or suspension or revocation of a permit. Please read the detailed assessment in Section 2 and the steps you need to take in Section 4 below.

Other than the provision of advice and guidance, at present we do not intend to take further enforcement action in respect of the non-compliance identified above. This does not preclude us from taking enforcement action if further relevant information comes to light or advice isn't followed.

In respect of the above non-compliance you have been issued with a warning. At present we do not intend to take further enforcement action. This does not preclude us from taking additional enforcement action if further relevant information comes to light or offences continue.

We will now consider what enforcement action is appropriate and notify you, referencing this form.

Section 4- Action(s)

Where non-compliance has been detected and an enforcement response has been selected above, this section summarises the steps you need to take to return to compliance and also provides timescales for this to be done.

Criteria Ref.	CCS Category	Action Required/Advised	Due Date
See Section 1 above			

Section 5 - Compliance notes for the Operator

To ensure you correct actual or potential non-compliance we may

- advise on corrective actions verbally or in writing
- require you to take specific actions in writing
- issue a notice
- require you to review your procedures or management system
- change some of the conditions of your permit
- decide to undertake a full review of your permit

Any breach of a permit condition is an offence and we may take legal action against you.

● We will normally provide advice and guidance to assist you to come back into compliance either after an offence is committed or where we consider that an offence is likely to be committed. This is without prejudice to any other enforcement response that we consider may be required.

● Enforcement action can include the issue of a formal caution, prosecution, the service of a notice and or suspension or revocation of the permit.

See our Enforcement and Civil Sanctions guidance for further information

This report does not relieve the site operator of the responsibility to

- ensure you comply with the conditions of the permit at all times and prevent pollution of the environment
- ensure you comply with other legislative provisions which may apply.

Non-compliance scores and categories

CCS category	Description	Score
C1	A non-compliance which could have a major environmental effect	60
C2	A non-compliance which could have a significant environmental effect	31
C3	A non-compliance which could have a minor environmental effect	4
C4	A non-compliance which has no potential environmental effect	0.1

Operational Risk Appraisal (Opra) - Compliance assessment findings may affect your Opra score and/or your charges. This score influences the resource we use to assess permit compliance.

Section 6 – General Information

Data protection notice

The information on this form will be processed by the Natural Resources Wales (NRW) to fulfill its regulatory and monitoring functions and to maintain the relevant public register(s). The NRW may also use and/or disclose it in connection with:

- offering/providing you with its literature/services relating to environmental matters
- consulting with the public, public bodies and other organisations (e.g. Health and Safety Executive, local authorities) on environmental issues
- carrying out statistical analysis, research and development on environmental issues
- providing public register information to enquirers
- investigating possible breaches of environmental law and taking any resulting action
- preventing breaches of environmental law
- assessing customer service satisfaction and improving its service
- Freedom of Information Act/Environmental Information Regulations request.

The NRW may pass it on to its agents/representatives to do these things on its behalf. You should ensure that any persons named on this form are informed of the contents of this data protection notice.

Disclosure of information

The NRW will provide a copy of this report to the public register(s). However, if you consider that any information contained in this report should not be released to the public register(s) on the grounds of commercial confidentiality, you must write to your local area office within twenty working days of receipt of this form indicating which information it concerns and why it should not be released, giving your reasons in full.

Customer charter

What can I do if I disagree with this compliance assessment report?

If you are unable to resolve the issue with your site officer, you should firstly discuss the matter with the officer's line managers. If you wish to raise your dispute further through our official Complaints and Commendations procedure, phone our general enquiry number 0300 065 3000 (Mon to Fri 08.00–18.00) and ask for the Customer Contact team or send an email to enquiries@naturalresourceswales.gov.uk. If you are still dissatisfied you can make a complaint to the Public Services Ombudsman for Wales. For advice on how to complain to the Ombudsman phone their helpline on 0845 607 0987.