MORGANITE ELECTRICAL CARBON
PPC PERMIT VP3339PD

ANNUAL GROUNDWATER REPORT

NOVEMBER 2007

Prepared for:

MORGANITE ELECTRICAL CARBON

ExCAL Limited
ExCAL House
Capel Hendre Industrial Estate
Ammanford
Carmarthenshire
SA18 3SJ

Tel No: 01269 831606
Fax No: 01269 841867

A

DOCUMENT CONTROL SHEET

PROJECT: **Morganite Electrical Carbon** JOB NUMBER: **48-01-01-06**

TITLE: **ANNUAL GROUNDWATER REPORT**

	Prepared by	**Reviewed by**	**Approved by**
ORIGINAL	**Name** **R Lewis**	**Name** **S Burley**	**Name** **S Richards**
DATE	**Signature**	**Signature**	**Signature**

REVISION	**Name**	**Name**	**Name**
DATE	**Signature**	**Signature**	**Signature**

REVISION	**Name**	**Name**	**Name**
DATE	**Signature**	**Signature**	**Signature**

REVISION	**Name**	**Name**	**Name**
DATE	**Signature**	**Signature**	**Signature**

MORGANITE ELECTRICAL CARBON

ANNUAL GROUNDWATER REPORTING

Contents **Page**

1.0 INTRODUCTION....1

2.0 GROUNDWATER MONITORING PROGRAMME....2
2.1 Introduction....2
2.2 Staff Responsibility....2
2.3 Site Equipment....2
2.4 Well Purging....2
2.5 Sample Collection....3

3.0 RECORD FORMS....5

4.0 RESULTS OF LABORATORY ANALYSIS....13

1.0 INTRODUCTION

ExCAL Limited has been commissioned to undertake groundwater monitoring on behalf of Morganite Electrical Carbon in accordance with their Site Protection and Monitoring Program.

The groundwater monitoring commenced in October 2006 and this report provides the sampling methodology, record forms and results of monitoring to date. Sampling was undertaken in April 2007 and September 2007.

All laboratory analysis was undertaken by the UKAS accredited STL Laboratories, Bridgend.

2.0 GROUNDWATER MONITORING PROGRAMME

2.1 Introduction

This procedure provides guidance that is followed by all ExCAL staff when monitoring groundwater and taking samples.

2.2 Staff Responsibility

The project manager will ensure all personnel are proficient in groundwater sampling and are familiar with these procedures.

2.3 Site Equipment

The following site equipment is required to undertake groundwater monitoring: -

- Log Book
- Well Construction Details
- Site/monitoring well location Plan
- Dip Meter
- Bailers
- Decontamination Equipment
- Sampling Equipment (Bottles, Fixing Agents (if necessary) labels, chain of custody forms, icepacks).

2.4 Well Purging

Monitoring wells are always to be purged prior to sampling on each and every occasion. Purging involves the removal of 'stagnant' water that has been in contact with atmospheric gases and the well casing and screen materials. This contact can affect the water chemistry and oxygen can diffuse into the water and dissolved gases can volatilise or oxidise.

Organics may be sorbed by the well casing and trace elements may be leached from the well casing. Purging ensures a representative sample is obtained from the aquifer.

2.4.1 Purging Procedure

1. Dip water Level and Well Depth and Measure Internal Well Diameter.

2. Calculate Well Volume (50mm well: 0.5m = 1L and 35mm well : 1m = 1L)

3. Remove 3 x well volume using either dedicated bailer or submersible pump positioned at the TOP of the water column[*1].

([*1]If the water level is above the screened area and the pump intake is within the screened area, it is possible for a section of stagnant water to remain within the well. It is good practice, in such cases, to commence pumping at the top of the water table and slowly lower the pump during the purging process until the pump is within the screened section, when purging will be complete).

4. If the well purges dry, the water should be allowed to recover 90% of the pre-purge water level (or for two hours, which ever occurs first) prior to sampling.

5. In the case of sampling from domestic, industrial or public supply wells where a pump is permanently fixed within the well, the well should be pumped long enough to flush any pipework. If well construction details are available, the well should be purged of three well volumes. If this information is not available, the well should be pumped for approx. 15 minutes prior to sampling or until pH, temperature and specific conductivity stabilise. Care should be taken to adjust the pumping rate if necessary to avoid pumping the well dry[*2].

([*2]Pumping a well dry would lead to aeration of the well, resulting in volatile loss or change in the chemical characteristics of the aquifer nearest to the well. This will prevent a representative sample being collected).

2.5 Sample Collection

Groundwater samples should be collected immediately on completion of purging, unless significant drawdown has occurred in which case the well should be allowed to recover. Sampling must be undertaken within 2 hours of purging to ensure a representative sample is obtained.

All samples are collected using a dedicated bailer, which can be either Teflon or polyethylene (or stainless steel).

2.5.1 Sampling Procedure

The following procedure should be followed during sample collection (following purging): -

1. Lower bailer into well using nylon cord. Nylon cord should be knotted or marked in meter lengths and the bailer should be lowered to the mid point of the screened well section. Care should be taken to minimise agitation and exposure to the atmosphere.

2. Dispose of water from the first two bailers.

3. When sampling for volatiles take from the third bailer (ensure volatiles are placed in 60ml water vials with Teflon lid).

4. Sample for other determinants thereafter (ensure use of appropriate sample containers).

5. Record date and time of sample collection, the collection method, parameters to be analysed, the number and type of sample containers and any other information that may be relevant to interpretation.

6. Ensure all sample bottles are correctly labelled with the site reference number and borehole location.

7. All samples submitted to the laboratory must be accompanied by the laboratories chain of custody form.

3.0 RECORD FORMS

Sample Collection Form		Sheet …1… of ……2
Site Name Morriston	**EA Permit Number** VP3339PD	**Survey Reference** Groundwater Survey – April 2007
Site Operator Morganite Electrical Carbon	**Weather Conditions** 2/8 Cloud Cover, Dry	**Survey Personnel** Richard Lewis

		Monitoring Point or Sample Reference No.				
		BH5CH2M	BHD	BHA	BH7CH2M	WS11
Strategy and Equipment Used						
Sample type	GW/L/S/O	GW	GW	GW	GW	GW
Sample objective	(Use Code)	PC	PC	PC	PC	PC
Sample equipment	(State type)	BALER	BALER	BALER	BALER	BALER
Dedicated pump?	(Y/N)	N	N	N	N	N
Purge record?	(Y/N)	Y	Y	Y	Y	Y
Sample Collection Information						
Date of sample	dd/mm/yy	12/04/2007	12/04/2007	12/04/2007	12/04/2007	12/04/2007
Time of sample	hh:min	11:01	11:15	11:23	09:47	09:59
Time since purge	min	1	1	1	1	1
Depth to water:	(mbd)	3.1	2.85	3.20	3.10	
Pumping rate	(l/min)	Manual	Manual	Manual	Manual	Manual
Odour	-					
Colour/appearance	-					
Sediment	-					
Comments	-		Blockage at 2.9m			No access

Sample Containers and Field Treatment

Ref	Type	Vol	Filt	Prsv	Label Ref No or Sample Taken (Tick Box)				
1	Glass	1l	No	No	✓		✓	✓	
2	Plastic	1l	No	No	✓		✓	✓	

QC Sample Information					
Tick if QC sample					
QC sample type					
Main samples referred to					
QC sample referring to main sample					

Water Quality Measurements (if applicable)						
Use flow through cell	(Y/N)					
Temp	(deg C)					
pH	-					
EC	(S/cm)					
DO	(mg/l or %)					
Eh	mV					

Quality Assurance				**Data Processing Trail**		
	Name	Date	Initials		Date	Initials
Survey:	R Lewis	30/04/2007	RL	**Schedule Completed:**	30/04/2007	RL
QC Manager:	M Izzard	30/04/2007	MI	**Data Validated:**	30/04/2007	MI
Manager:	S Burley	30/04/2007	SB	**Computer Updated:**	30/04/2007	SB

Sample Collection Form		Sheet …2… of ……2
Site Name Morriston	**EA Permit Number** VP3339PD	**Survey Reference** Groundwater Survey – April 2007
Site Operator Morganite Electrical Carbon	**Weather Conditions** 2/8 cloud cover, dry	**Survey Personnel** Richard Lewis

	Monitoring Point or Sample Reference No.				
	BH6CH2M				

Strategy and Equipment Used						
Sample type	GW/L/S/O	GW				
Sample objective	(Use Code)	PC				
Sample equipment	(State type)	BALER				
Dedicated pump?	(Y/N)	N				
Purge record?	(Y/N)	Y				

Sample Collection Information						
Date of sample	dd/mm/yy	30/04/2007				
Time of sample	hh:min	10:10				
Time since purge	min	1				
Depth to water:	(mbd)	4.4				
Pumping rate	(l/min)	Manual				
Odour	-					
Colour/appearance	-					
Sediment	-					
Comments	-					

Sample Containers and Field Treatment

Ref	Type	Vol	Filt	Prsv	Label Ref No or Sample Taken (Tick Box)				
1	Glass	1l	No	No	✓				
2	Plastic	1l	No	No	✓				

QC Sample Information						
Tick if QC sample						
QC sample type						
Main samples referred to						
QC sample referring to main sample						

Water Quality Measurements (if applicable)						
Use flow through cell	(Y/N)					
Temp	(deg C)					
pH	-					
EC	(S/cm)					
DO	(mg/l or %)					
Eh	mV					

Quality Assurance				Data Processing Trail		
	Name	Date	Initials		Date	Initials
Survey:	R Lewis	30/04/2007	RL	**Schedule Completed:**	30/04/2007	RL
QC Manager:	M Izzard	30/04/2007	MI	**Data Validated:**	30/04/2007	MI
Manager:	S Burley	30/04/2007	SB	**Computer Updated:**	30/04/2007	SB

Borehole Purging Record Form						Sheet …1… of ……2
Site Name Morriston		**EA Permit Number** VP3339PD			**Survey Reference** Groundwater Survey – April 2007	
Site Operator Morganite Electrical Carbon		**Weather Conditions** 2/8 cloud cover, dry			**Survey Personnel** Richard Lewis	
		Monitoring Point or Sample Reference No.				
		BH5CH2M	BHD	BHA	BH7CH2M	WS11

Strategy and Equipment Used						
Purge Strategy	(Use code)	MANUAL	MANUAL	MANUAL	MANUAL	MANUAL
Purge equipment	(State type)	BALER	BALER	BALER	BALER	BALER
Dedicated pump?	(Y/N)	N	N	N	N	N
Flow measurement	(Method)	VOLUME	VOLUME	VOLUME	VOLUME	VOLUME

Monitoring Point Measurements and Well Volume Estimate						
Date of measurement	dd/mm/yy	12/04/2007	12/04/2007	12/04/2007	12/04/2007	12/04/2007
Liner ID:	(mm)	50	50	50	50	50
Datum point	-	GL	GL	GL	GL	GL
Depth of water:	(mbd)	1.80	2.05	1.6	1.50	-
Depth to base:	(mbd)	4.90	4.90	4.80	4.60	-
Depth to water:	(metres)	3.10	2.85	3.20	3.10	-
Well volume	(litres)	3.5	4.0	3.1	2.9	-
3 x well volume	(litres)	10.6	12.1	9.4	8.8	-

Purging Record						
Start time of purging	hh:min	11:01	11:15	11:23	09:47	-
End time of purging	(hh:min)	-	-	-	-	-
Purge duration	(min)	-	-	-	-	-
Purging rate	(l/min)	MANUAL	MANUAL	MANUAL	MANUAL	-
Volume purged	Litres	11	12	10	9	-
No of well volume	No.	3	3	3	3	-
Depth to water after purge	(mbd)	0.46	2.80	0.50	2.75	-
Pumped dry?	(Y/N)	N	N	N	N	-

Water Quality Measurements (if applicable)						
Use flow through cell	(Y/N)					
Temp	(deg C)					
pH	-					
EC	(S/cm)					
DO	(mg/l or %)					
Eh	mV					

Quality Assurance				**Data Processing Trail**		
	Name	Date	Initials		Date	Initials
Survey:	Richard Lewis	12/04/2007	RL	**Schedule Completed:**	12/04/2007	RL
QC Manager:	Mark Izzard	01/05/2007	MI	**Data Validated:**	01/05/2007	MI
Manager:	Sarah Burley	01/05/2007	SB	**Computer Updated:**	01/05/2007	SB

Borehole Purging Record Form		Sheet …2… of ……2
Site Name Morriston	**EA Permit Number** VP3339PD	**Survey Reference** Groundwater Survey – April 2007
Site Operator Morganite Electrical Carbon	**Weather Conditions** 2/8 cloud cover, dry	**Survey Personnel** Richard Lewis
	Monitoring Point or Sample Reference No.	
	BH6CH2M	

Strategy and Equipment Used						
Purge Strategy	(Use code)	MANUAL				
Purge equipment	(State type)	BALER				
Dedicated pump?	(Y/N)	N				
Flow measurement	(Method)	VOLUME				

Monitoring Point Measurements and Well Volume Estimate						
Date of measurement	dd/mm/yy	12/04/2007				
Liner ID:	(mm)	50				
Datum point	-	GL				
Depth of water:	(mbd)	1.70				
Depth to base:	(mbd)	6.10				
Depth to water:	(metres)	4.40				
Well volume	(litres)	3.3				
3 x well volume	(litres)	10.0				

Purging Record						
Start time of purging	hh:min	-				
End time of purging	(hh:min)	-				
Purge duration	(min)	-				
Purging rate	(l/min)	-				
Volume purged	Litres	-				
No of well volume	No.	-				
Depth to water after purge	(mbd)	-				
Pumped dry?	(Y/N)	-				

Water Quality Measurements (if applicable)						
Use flow through cell	(Y/N)					
Temp	(deg C)					
pH	-					
EC	(S/cm)					
DO	(mg/l or %)					
Eh	mV					

Quality Assurance				Data Processing Trail		
	Name	Date	Initials		Date	Initials
Survey:	Richard Lewis	12/04/2007	RL	**Schedule Completed:**	01/05/2007	TR
QC Manager:	Mark Izzard	01/05/2007	MI	**Data Validated:**	01/05/2007	MI
Manager:	Sarah Burley	01/05/2007	SB	**Computer Updated:**	01/05/2007	SB

Sample Collection Form		Sheet …1… of ……2
Site Name Morriston	**EA Permit Number** VP3339PD	**Survey Reference** Groundwater Survey – September 2007
Site Operator Morganite Electrical Carbon	**Weather Conditions** Showers, Wet	**Survey Personnel** Terrence Roberts

	Monitoring Point or Sample Reference No.				
	BH5CH2M	BHD	BHA	BH7CH2M	WS11

Strategy and Equipment Used

Sample type	GW/L/S/O	GW	GW	GW	GW	GW
Sample objective	(Use Code)	PC	PC	PC	PC	PC
Sample equipment	(State type)	BALER	BALER	BALER	BALER	BALER
Dedicated pump?	(Y/N)	N	N	N	N	N
Purge record?	(Y/N)	Y	Y	Y	Y	Y

Sample Collection Information

Date of sample	dd/mm/yy	25/09/2007	Blocked	Dry	25/09/2007	Dry
Time of sample	hh:min	10.40	-	-	10.00	-
Time since purge	min	1	-	-	1	-
Depth to water:	(mbd)	3.1	3.0	-	3.0	-
Pumping rate	(l/min)	Manual	Manual	Manual	Manual	Manual
Odour	-					
Colour/appearance	-					
Sediment	-					
Comments	-		Blockage at 2.9m			

Sample Containers and Field Treatment

Ref	Type	Vol	Filt	Prsv	Label Ref No or Sample Taken (Tick Box)				
1	Glass	1l	No	No	✓			✓	
2	Plastic	1l	No	No	✓			✓	

QC Sample Information

Tick if QC sample					
QC sample type					
Main samples referred to					
QC sample referring to main sample					

Water Quality Measurements (if applicable)

Use flow through cell	(Y/N)					
Temp	(deg C)					
pH	-					
EC	(S/cm)					
DO	(mg/l or %)					
Eh	mV					

Quality Assurance				Data Processing Trail		
	Name	Date	Initials		Date	Initials
Survey:	T Roberts	26/09/2007	TR	**Schedule Completed:**	26/09/2007	TR
QC Manager:	M Izzard	26/09/2007	MI	**Data Validated:**	26/09/2007	MI
Manager:	S Burley	26/09/2007	SB	**Computer Updated:**	26/09/2007	SB

Sample Collection Form		Sheet …2… of ……2
Site Name Morriston	**EA Permit Number** VP3339PD	**Survey Reference** Groundwater Survey – September 2007
Site Operator Morganite Electrical Carbon	**Weather Conditions** Showers, Wet	**Survey Personnel** Terrence Roberts

	Monitoring Point or Sample Reference No.				
	BH6CH2M				

Strategy and Equipment Used

Sample type	GW/L/S/O	GW				
Sample objective	(Use Code)	PC				
Sample equipment	(State type)	BALER				
Dedicated pump?	(Y/N)	N				
Purge record?	(Y/N)	Y				

Sample Collection Information

Date of sample	dd/mm/yy	25/09/2007				
Time of sample	hh:min	11.10				
Time since purge	min	1				
Depth to water:	(mbd)	4.25				
Pumping rate	(l/min)	Manual				
Odour	-					
Colour/appearance	-					
Sediment	-					
Comments	-					

Sample Containers and Field Treatment

Ref	Type	Vol	Filt	Prsv	Label Ref No or Sample Taken (Tick Box)				
1	Glass	1l	No	No	✓				
2	Plastic	1l	No	No	✓				

QC Sample Information

Tick if QC sample						
QC sample type						
Main samples referred to						
QC sample referring to main sample						

Water Quality Measurements (if applicable)

Use flow through cell	(Y/N)					
Temp	(deg C)					
pH	-					
EC	(S/cm)					
DO	(mg/l or %)					
Eh	mV					

Quality Assurance				Data Processing Trail		
	Name	Date	Initials		Date	Initials
Survey:	T Roberts	26/09/2007	TR	**Schedule Completed:**	26/09/2007	TR
QC Manager:	M Izzard	26/09/2007	MI	**Data Validated:**	26/09/2007	MI
Manager:	S Burley	26/09/2007	SB	**Computer Updated:**	26/09/2007	SB

Borehole Purging Record Form						Sheet …1… of ……2
Site Name Morriston		**EA Permit Number** VP3339PD				**Survey Reference** Groundwater Survey – September 2007
Site Operator Morganite Electrical Carbon		**Weather Conditions** Showers, wet				**Survey Personnel** Terrence Roberts
		Monitoring Point or Sample Reference No.				
		BH5CH2M	BHD	BHA	BH7CH2M	WS11

Strategy and Equipment Used						
Purge Strategy	(Use code)	MANUAL	MANUAL	MANUAL	MANUAL	MANUAL
Purge equipment	(State type)	BALER	BALER	BALER	BALER	BALER
Dedicated pump?	(Y/N)	N	N	N	N	N
Flow measurement	(Method)	VOLUME	VOLUME	VOLUME	VOLUME	VOLUME

Monitoring Point Measurements and Well Volume Estimate						
Date of measurement	dd/mm/yy	25/09/2007	25/09/2007	25/09/2007	25/09/2007	25/09/2007
Liner ID:	(mm)	50	50	50	50	50
Datum point	-	GL	GL	GL	GL	GL
Depth of water:	(mbd)	1.80	1.90	Dry	1.5	Dry
Depth to base:	(mbd)	4.90	4.90	-	4.5	4.90
Depth to water:	(metres)	3.10	3.00	-	3.0	-
Well volume	(litres)	3.50	3.75	-	3.0	-
3 x well volume	(litres)	11.0	11.0	-	9.0	-

Purging Record						
Start time of purging	hh:min	10.30	-	-	9.50	-
End time of purging	(hh:min)	-	-	-	-	-
Purge duration	(min)	-	-	-	-	-
Purging rate	(l/min)	MANUAL	MANUAL	MANUAL	MANUAL	-
Volume purged	Litres	14	-	-	11	-
No of well volume	No.	4	-	-	3	-
Depth to water after purge	(mbd)	-	-	-	-	-
Pumped dry?	(Y/N)	N	N	N	N	-

Water Quality Measurements (if applicable)						
Use flow through cell	(Y/N)					
Temp	(deg C)					
pH	-					
EC	(S/cm)					
DO	(mg/l or %)					
Eh	mV					

Quality Assurance				Data Processing Trail		
	Name	Date	Initials		Date	Initials
Survey:	Terrence Roberts	25/09/2007	TR	**Schedule Completed:**	29/09/2007	TR
QC Manager:	Mark Izzard	01/10/2007	MI	**Data Validated:**	01/10/2007	MI
Manager:	Sarah Burley	01/10/2007	SB	**Computer Updated:**	01/10/2007	SB

Borehole Purging Record Form		Sheet …2… of ……2
Site Name Morriston	**EA Permit Number** VP3339PD	**Survey Reference** Groundwater Survey – September 2007
Site Operator Morganite Electrical Carbon	**Weather Conditions** Showers, Wet	**Survey Personnel** Terrence Roberts
	Monitoring Point or Sample Reference No.	
	BH6CH2M	

Strategy and Equipment Used						
Purge Strategy	(Use code)	MANUAL				
Purge equipment	(State type)	BALER				
Dedicated pump?	(Y/N)	N				
Flow measurement	(Method)	VOLUME				

Monitoring Point Measurements and Well Volume Estimate						
Date of measurement	dd/mm/yy	17/09/2007				
Liner ID:	(mm)	50				
Datum point	-	GL				
Depth of water:	(mbd)	1.95				
Depth to base:	(mbd)	6.20				
Depth to water:	(metres)	4.25				
Well volume	(litres)	3.8				
3 x well volume	(litres)	11.5				

Purging Record						
Start time of purging	hh:min	11.00				
End time of purging	(hh:min)	-				
Purge duration	(min)	-				
Purging rate	(l/min)	-				
Volume purged	Litres	14				
No of well volume	No.	3.5				
Depth to water after purge	(mbd)	-				
Pumped dry?	(Y/N)	N				

Water Quality Measurements (if applicable)						
Use flow through cell	(Y/N)					
Temp	(deg C)					
pH	-					
EC	(S/cm)					
DO	(mg/l or %)					
Eh	mV					

Quality Assurance				Data Processing Trail		
	Name	Date	Initials		Date	Initials
Survey:	Terrence Roberts	25/09/2007	TR	**Schedule Completed:**	29/09/2007	TR
QC Manager:	Mark Izzard	01/10/2007	MI	**Data Validated:**	01/10/2007	MI
Manager:	Sarah Burley	01/10/2007	SB	**Computer Updated:**	01/10/2007	SB

4.0 RESULTS OF LABORATORY ANALYSIS

The results for April 2007 are shown in Table 1 below.

Table 1

Test Description	Units	BH5 CH2M	BHD	BHA	BH7CH2M	WS11	BH6CH2M
pH	pH units	6.8	NS	7	7.4	NS	7.2
Chloride	mg/l	25	NS	24	14	NS	14
Alkalinity as CaCO3	mg/l	255	NS	627	455	NS	535
Ammoniacal Nitrogen as N	mg/l	<0.3	NS	<0.3	2	NS	0.6
Nitrate	mg/l	<0.3	NS	<0.3	<0.3	NS	<0.3
Iron	mg/l	29.59	NS	7.67	10.71	NS	8.48
Calcium	mg/l	209	NS	138	155	NS	279
Magnesium	mg/l	18	NS	15	21	NS	17
Sodium	mg/l	28	NS	12	21	NS	24
Potassium	mg/l	15	NS	9.1	13	NS	22
Total Organic Carbon	mg/l	9.9	NS	12.8	9	NS	5.2
TPH	ug/l	470	NS	786	241	NS	<50
PAH,Total	ug/l	NR	NS	1.64	0.25	NS	0.03
Acenaphthene	ug/l	NR	NS	0.52	0.1	NS	<0.01
Anthracene	ug/l	NR	NS	0.02	<0.01	NS	<0.01
Acenaphthylene	ug/l	NR	NS	0.15	0.02	NS	<0.01
Benzo-a-anthracene	ug/l	NR	NS	0.01	<0.01	NS	<0.01
Dibenz-a-h-anthracene	ug/l	NR	NS	<0.01	<0.01	NS	<0.01
Benzo-k-fluoranthene	ug/l	NR	NS	<0.01	<0.01	NS	<0.01
Benzo-a-pyrene	ug/l	NR	NS	<0.01	<0.01	NS	<0.01
Benzo-g,h,i perylene	ug/l	NR	NS	<0.01	<0.01	NS	<0.01
Chrysene	ug/l	NR	NS	0.02	<0.01	NS	<0.01
Fluorene	ug/l	NR	NS	0.53	<0.01	NS	<0.01
Fluoranthene	ug/l	NR	NS	0.03	0.02	NS	0.01
Indeno 1,2,3-cd pyrene	ug/l	NR	NS	<0.01	<0.01	NS	<0.01
Benzo-b-fluoranthene	ug/l	NR	NS	0.01	<0.01	NS	<0.01
Naphthalene	ug/l	<1.0	NS	0.2	0.08	NS	<0.01
Phenanthrene	ug/l	NR	NS	0.06	<0.01	NS	<0.01
Pyrene	ug/l	NR	NS	0.08	0.02	NS	0.02
Dibromofluoromethane	% Recovery	96.9	NS	99.4	98.2	NS	97.8
Toluene-d8	% Recovery	98.4	NS	99.3	98.4	NS	98.8
4-bromofluorobenzene	% Recovery	101.5	NS	107.4	105.7	NS	104.3
Dichlorodifluoromethane	ug/l	<1.0	NS	<1.0	<1.0	NS	<1.0
Chloromethane	ug/l	<1.0	NS	<1.0	<1.0	NS	<1.0
Chloroethane	ug/l	<1.0	NS	<1.0	<1.0	NS	<1.0
Bromomethane	ug/l	<1.0	NS	<1.0	<1.0	NS	<1.0
Vinyl Chloride	ug/l	<1.0	NS	<1.0	<1.0	NS	<1.0
Trichlorofluoromethane	ug/l	<1.0	NS	<1.0	<1.0	NS	<1.0
1,1-Dichloroethene	ug/l	<1.0	NS	<1.0	<1.0	NS	<1.0
Dichloromethane	ug/l	<1.0	NS	<1.0	<1.0	NS	<1.0
Trans-1,2-dichloroethene	ug/l	<1.0	NS	<1.0	<1.0	NS	<1.0
1,1-Dichloroethane	ug/l	<1.0	NS	<1.0	<1.0	NS	<1.0
Cis-1,2-dichloroethene	ug/l	<1.0	NS	<1.0	<1.0	NS	<1.0

Test Description	Units	BH5 CH2M	BHD	BHA	BH7CH2M	WS11	BH6CH2M
2,2-Dichloropropane	ug/l	<1.0	NS	<1.0	<1.0	NS	<1.0
Chloroform	ug/l	<1.0	NS	<1.0	<1.0	NS	<1.0
Bromochloromethane	ug/l	<1.0	NS	<1.0	<1.0	NS	<1.0
1,1,1-Trichloroethane	ug/l	<1.0	NS	<1.0	<1.0	NS	<1.0
1,1-Dichloropropene	ug/l	<1.0	NS	<1.0	<1.0	NS	<1.0
1,2-Dichloroethane	ug/l	<1.0	NS	<1.0	<1.0	NS	<1.0
Benzene	ug/l	<1.0	NS	<1.0	<1.0	NS	<1.0
Carbon Tetrachloride	ug/l	<1.0	NS	<1.0	<1.0	NS	<1.0
1,2-Dichloropropane	ug/l	<1.0	NS	<1.0	<1.0	NS	<1.0
Trichloroethene	ug/l	<1.0	NS	<1.0	<1.0	NS	<1.0
Bromodichloromethane	ug/l	<1.0	NS	<1.0	<1.0	NS	<1.0
Dibromomethane	ug/l	<1.0	NS	<1.0	<1.0	NS	<1.0
Cis-1,3-dichloropropene	ug/l	<1.0	NS	<1.0	<1.0	NS	<1.0
Toluene	ug/l	<1.0	NS	<1.0	<1.0	NS	<1.0
Trans-1,3-dichloropropene	ug/l	<1.0	NS	<1.0	<1.0	NS	<1.0
1,1,2-trichloroethane	ug/l	<1.0	NS	<1.0	<1.0	NS	<1.0
1,3-dichloropropane	ug/l	<1.0	NS	<1.0	<1.0	NS	<1.0
Tetrachloroethene	ug/l	<1.0	NS	<1.0	<1.0	NS	<1.0
Dibromochloromethane	ug/l	<1.0	NS	<1.0	<1.0	NS	<1.0
1,2-dibromoethane	ug/l	<1.0	NS	<1.0	<1.0	NS	<1.0
Chlorobenzene	ug/l	<1.0	NS	<1.0	<1.0	NS	<1.0
1,1,1,2-tetrachloroethane	ug/l	<1.0	NS	<1.0	<1.0	NS	<1.0
Ethyl Benzene	ug/l	<1.0	NS	<1.0	<1.0	NS	<1.0
m,p-xylene	ug/l	<1.0	NS	<1.0	<1.0	NS	<1.0
o-xylene	ug/l	<1.0	NS	<1.0	<1.0	NS	<1.0
Styrene	ug/l	<1.0	NS	<1.0	<1.0	NS	<1.0
Bromoform	ug/l	<1.0	NS	<1.0	<1.0	NS	<1.0
Isopropylbenzene	ug/l	<1.0	NS	<1.0	<1.0	NS	<1.0
1,1,2,2-tetrachloroethane	ug/l	<1.0	NS	<1.0	<1.0	NS	<1.0
1,2,3-trichloropropane	ug/l	<1.0	NS	<1.0	<1.0	NS	<1.0
n-propylbenzene	ug/l	<1.0	NS	<1.0	<1.0	NS	<1.0
Bromobenzene	ug/l	<1.0	NS	<1.0	<1.0	NS	<1.0
2-chlorotoluene	ug/l	<1.0	NS	<1.0	<1.0	NS	<1.0
1,3,5-trimethylbenzene	ug/l	<1.0	NS	<1.0	<1.0	NS	<1.0
4-chlorotoluene	ug/l	<1.0	NS	<1.0	<1.0	NS	<1.0
tert-butylbenzene	ug/l	<1.0	NS	<1.0	<1.0	NS	<1.0
1,2,4-trimethylbenzene	ug/l	<1.0	NS	<1.0	<1.0	NS	<1.0
sec-butylbenzene	ug/l	<1.0	NS	<1.0	<1.0	NS	<1.0
p-isopropyltoluene	ug/l	<1.0	NS	<1.0	<1.0	NS	<1.0
1,3-dichlorobenzene	ug/l	<1.0	NS	<1.0	<1.0	NS	<1.0
1,4-dichlorobenzene	ug/l	<1.0	NS	<1.0	<1.0	NS	<1.0
n-butylbenzene	ug/l	<1.0	NS	<1.0	<1.0	NS	<1.0
1,2-dichlorobenzene	ug/l	<1.0	NS	<1.0	<1.0	NS	<1.0
1,2-dibromo-3-chloropropane	ug/l	<2.0	NS	<2.0	<2.0	NS	<2.0
1,2,4-trichlorobenzene	ug/l	<1.0	NS	<1.0	<1.0	NS	<1.0
Hexachlorobutadiene	ug/l	<1.0	NS	<1.0	<1.0	NS	<1.0
Naphthalene	ug/l	<1.0	NS	<1.0	<1.0	NS	<1.0
1,2,3-trichlorobenzene	ug/l	<1.0	NS	<1.0	<1.0	NS	<1.0
MTBE	ug/l	<1.0	NS	<1.0	<1.0	NS	<1.0

NR = Sample analysis not required NS = Not Sampled

The results for September 2007 are shown in Table 2 below.

Table 2

Test Description	Units	BH5 CH2M	BHD	BHA	BH7CH2M	WS11	BH6CH2M
pH	pH units	6.3	NS	NS	7.4	NS	7.2
Chloride	mg/l	18	NS	NS	12	NS	13
Alkalinity as CaCO3	mg/l	211	NS	NS	434	NS	373
Ammoniacal Nitrogen as N	mg/l	2.9	NS	NS	2.1	NS	0.9
Nitrate	mg/l	<0.3	NS	NS	0.4	NS	0.6
Iron	mg/l	129	NS	NS	24	NS	0.81
Calcium	mg/l	311	NS	NS	86	NS	144
Magnesium	mg/l	27	NS	NS	13	NS	105
Sodium	mg/l	19	NS	NS	13	NS	721
Potassium	mg/l	21	NS	NS	13	NS	216
Total Organic Carbon	mg/l	17.2	NS	NS	9.4	NS	3.5
TPH	ug/l	1610	NS	NS	320	NS	396
PAH,Total	ug/l	NR	NS	NS	0.35	NS	36.9
Acenaphthene	ug/l	NR	NS	NS	0.11	NS	0.23
Anthracene	ug/l	NR	NS	NS	<0.01	NS	1.08
Acenaphthylene	ug/l	NR	NS	NS	0.02	NS	0.55
Benzo-a-anthracene	ug/l	NR	NS	NS	<0.01	NS	4.46
Dibenz-a-h-anthracene	ug/l	NR	NS	NS	<0.01	NS	0.20
Benzo-k-fluoranthene	ug/l	NR	NS	NS	<0.01	NS	1.80
Benzo-a-pyrene	ug/l	NR	NS	NS	<0.01	NS	3.59
Benzo-g,h,i perylene	ug/l	NR	NS	NS	<0.01	NS	1.12
Chrysene	ug/l	NR	NS	NS	<0.01	NS	5.24
Fluorene	ug/l	NR	NS	NS	0.01	NS	0.27
Fluoranthene	ug/l	NR	NS	NS	0.02	NS	6.10
Indeno 1,2,3-cd pyrene	ug/l	NR	NS	NS	<0.01	NS	1.54
Benzo-b-fluoranthene	ug/l	NR	NS	NS	<0.01	NS	3.96
Naphthalene	ug/l	NR	NS	NS	0.16	NS	0.05
Phenanthrene	ug/l	NR	NS	NS	0.01	NS	0.64
Pyrene	ug/l	NR	NS	NS	0.02	NS	6.07
Dibromofluoromethane	% Recovery	101.1	NS	NS	101.0	NS	99.7
Toluene-d8	% Recovery	61.0	NS	NS	62.5	NS	93.1
4-bromofluorobenzene	% Recovery	96.8	NS	NS	96.6	NS	94.0
Dichlorodifluoromethane	ug/l	<1.0	NS	NS	<1.0	NS	<1.0
Chloromethane	ug/l	<1.0	NS	NS	<1.0	NS	<1.0
Chloroethane	ug/l	<1.0	NS	NS	<1.0	NS	<1.0
Bromomethane	ug/l	<1.0	NS	NS	<1.0	NS	<1.0
Vinyl Chloride	ug/l	<1.0	NS	NS	<1.0	NS	<1.0
Trichlorofluoromethane	ug/l	<1.0	NS	NS	<1.0	NS	<1.0
1,1-Dichloroethene	ug/l	<1.0	NS	NS	<1.0	NS	<1.0
Dichloromethane	ug/l	<1.0	NS	NS	<1.0	NS	<1.0
Trans-1,2-dichloroethene	ug/l	<1.0	NS	NS	<1.0	NS	<1.0
1,1-Dichloroethane	ug/l	<1.0	NS	NS	<1.0	NS	<1.0
Cis-1,2-dichloroethene	ug/l	<1.0	NS	NS	<1.0	NS	<1.0
2,2-Dichloropropane	ug/l	<1.0	NS	NS	<1.0	NS	<1.0
Chloroform	ug/l	<1.0	NS	NS	<1.0	NS	<1.0
Bromochloromethane	ug/l	<1.0	NS	NS	<1.0	NS	<1.0
1,1,1-Trichloroethane	ug/l	<1.0	NS	NS	<1.0	NS	<1.0

Test Description	Units	BH5 CH2M	BHD	BHA	BH7CH2M	WS11	BH6CH2M
1,1-Dichloropropene	ug/l	<1.0	NS	NS	<1.0	NS	<1.0
1,2-Dichloroethane	ug/l	<1.0	NS	NS	<1.0	NS	<1.0
Benzene	ug/l	<1.0	NS	NS	<1.0	NS	<1.0
Carbon Tetrachloride	ug/l	<1.0	NS	NS	<1.0	NS	<1.0
1,2-Dichloropropane	ug/l	<1.0	NS	NS	<1.0	NS	<1.0
Trichloroethene	ug/l	<1.0	NS	NS	<1.0	NS	<1.0
Bromodichloromethane	ug/l	<1.0	NS	NS	<1.0	NS	<1.0
Dibromomethane	ug/l	<1.0	NS	NS	<1.0	NS	<1.0
Cis-1,3-dichloropropene	ug/l	<1.0	NS	NS	<1.0	NS	<1.0
Toluene	ug/l	<1.0	NS	NS	<1.0	NS	<1.0
Trans-1,3-dichloropropene	ug/l	<1.0	NS	NS	<1.0	NS	<1.0
1,1,2-trichloroethane	ug/l	<1.0	NS	NS	<1.0	NS	<1.0
1,3-dichloropropane	ug/l	<1.0	NS	NS	<1.0	NS	<1.0
Tetrachloroethene	ug/l	<1.0	NS	NS	<1.0	NS	<1.0
Dibromochloromethane	ug/l	<1.0	NS	NS	<1.0	NS	<1.0
1,2-dibromoethane	ug/l	<1.0	NS	NS	<1.0	NS	<1.0
Chlorobenzene	ug/l	<1.0	NS	NS	<1.0	NS	<1.0
1,1,1,2-tetrachloroethane	ug/l	<1.0	NS	NS	<1.0	NS	<1.0
Ethyl Benzene	ug/l	<1.0	NS	NS	<1.0	NS	<1.0
m,p-xylene	ug/l	<1.0	NS	NS	<1.0	NS	<1.0
o-xylene	ug/l	<1.0	NS	NS	<1.0	NS	<1.0
Styrene	ug/l	<1.0	NS	NS	<1.0	NS	<1.0
Bromoform	ug/l	<1.0	NS	NS	<1.0	NS	<1.0
Isopropylbenzene	ug/l	<1.0	NS	NS	<1.0	NS	<1.0
1,1,2,2-tetrachloroethane	ug/l	<1.0	NS	NS	<1.0	NS	<1.0
1,2,3-trichloropropane	ug/l	<1.0	NS	NS	<1.0	NS	<1.0
n-propylbenzene	ug/l	<1.0	NS	NS	<1.0	NS	<1.0
Bromobenzene	ug/l	<1.0	NS	NS	<1.0	NS	<1.0
2-chlorotoluene	ug/l	<1.0	NS	NS	<1.0	NS	<1.0
1,3,5-trimethylbenzene	ug/l	<1.0	NS	NS	<1.0	NS	<1.0
4-chlorotoluene	ug/l	<1.0	NS	NS	<1.0	NS	<1.0
tert-butylbenzene	ug/l	<1.0	NS	NS	<1.0	NS	<1.0
1,2,4-trimethylbenzene	ug/l	<1.0	NS	NS	<1.0	NS	<1.0
sec-butylbenzene	ug/l	<1.0	NS	NS	<1.0	NS	<1.0
p-isopropyltoluene	ug/l	<1.0	NS	NS	<1.0	NS	<1.0
1,3-dichlorobenzene	ug/l	<1.0	NS	NS	<1.0	NS	<1.0
1,4-dichlorobenzene	ug/l	<1.0	NS	NS	<1.0	NS	<1.0
n-butylbenzene	ug/l	<1.0	NS	NS	<1.0	NS	<1.0
1,2-dichlorobenzene	ug/l	<1.0	NS	NS	<1.0	NS	<1.0
1,2-dibromo-3-chloropropane	ug/l	<2.0	NS	NS	<2.0	NS	<2.0
1,2,4-trichlorobenzene	ug/l	<1.0	NS	NS	<1.0	NS	<1.0
Hexachlorobutadiene	ug/l	<1.0	NS	NS	<1.0	NS	<1.0
Naphthalene	ug/l	<1.0	NS	NS	<1.0	NS	<1.0
1,2,3-trichlorobenzene	ug/l	<1.0	NS	NS	<1.0	NS	<1.0
MTBE	ug/l	<1.0	NS	NS	<1.0	NS	<1.0

NR = Sample analysis not required NS = Not Sampled