

EPR Compliance Assessment Report

Report ID: BU0800IZ/0247698

This form will report compliance with your permit as determined by an NRW officer

Site	LLANDDULAS LANDFILL SITE			Permit Ref	BU0800IZ		
Operator/ Permit holder	3C Waste Limited						
Date	20/07/2015			Time in	14:00	Out	16:00
What parts of the permit were assessed	Quarterly Environmental Monitoring Data Review						
Assessment	Report/data review	EPR Activity:	Installation	X	Waste Op	Water Discharge	
Recipient's name/position	Peter Taberner / Unit Manager						
Officer's name	Aled Zachary			Date issued		02/09/2015	

Section 1 - Compliance Assessment Summary

This is based on the requirements of the permit under the Environmental Permitting Regulations. A detailed explanation and any action you may need to take are given in the "Detailed Assessment of Compliance" (section 3). This summary details where we believe any non-compliance with the permit has occurred, the relevant condition and how the non-compliance has been categorised using our Compliance Classification Scheme (CCS). CCS scores can be consolidated or suspended, where appropriate, to reflect the impact of some non-compliances more accurately. For more details of our CCS scheme, contact your local office.

Permit Conditions and Compliance Summary			Condition(s) breached
a) Permitted activities	1. Specified by permit	N	
b) Infrastructure	1. Engineering for prevention & control of pollution	N	
	2. Closure & decommissioning	N	
	3. Site drainage engineering (clean & foul)	N	
	4. Containment of stored materials	N	
	5. Plant and equipment	N	
c) General management	1. Staff competency/ training	N	
	2. Management system & operating procedures	N	
	3. Materials acceptance	N	
	4. Storage handling, labelling, segregation	N	
d) Incident management	1. Site security	N	
	2. Accident, emergency & incident planning	N	
e) Emissions	1. Air	C3	3.3.5;
	2. Land & Groundwater	C4	3.2.3;
	3. Surface water	N	
	4. Sewer	N	
	5. Waste	N	
f) Amenity	1. Odour	N	
	2. Noise	N	
	3. Dust/fibres/particulates	N	
	4. Pests, birds & scavengers	N	
	5. Deposits on road	N	
g) Monitoring and records, maintenance and reporting	1. Monitoring of emissions & environment	A	
	2. Records of activity, site diary, journal & events	N	
	3. Maintenance records	N	
	4. Reporting & notification	A	
h) Resource efficiency	1. Efficient use of raw materials	N	
	2. Energy	N	

KEY: C1, C2, C3, C4 = CCS breach category (* suspended scores are marked with an asterisk),
A = Assessed (no evidence of non-compliance), N = Not assessed, NA = Not Applicable, O = Ongoing non-compliance – not scored

Number of breaches recorded	2	Total compliance score (see section 5 for scoring scheme)	4.1
------------------------------------	---	---	-----

If the Total No Breaches is greater than zero, then please see Section 3 for details of our proposed enforcement response

Section 2 – Compliance Assessment Report Detail

This section contains a report of our findings and will usually include information on:

- the part(s) of the permit that were assessed (e.g. maintenance, training, combustion plant, etc)
- where the type of assessment was 'Data Review' details of the report/results triggering the assessment
- any non-compliances identified
- any non-compliances with directly applicable legislation
- details of any multiple non-compliances
- information on the compliance score accrued inc. details of suspended or consolidated scores.
- details of advice given
- any other areas of concern
- all actions requested
- any examples of good practice.
- a reference to photos taken

This report should be clear, comprehensive, unambiguous and normally completed within 14 days of an assessment.

Quarterly Monitoring Report.

I have reviewed the following quarterly monitoring report as required by Condition 4.2.2 of the Permit: Llanddulas Landfill site quarterly environmental monitoring report 1st February 2015 to 30th April 2015.

Groundwater.

Requirements - Condition 3.6.1(c) requires monitoring of groundwater quality as per tables S4.4 & 4.10 of the permit. Condition 3.2.3 states that the trigger levels for emissions into groundwater shall not exceed the levels set out in S.4.4.

Findings - One exceedance for potassium in GWBH36 was recorded in the monitoring period on the 14/04/15 showing a potassium exceedance of 36mg/l verses a permit limit of 12mg/l, Tributyl Tin was also elevated in this sample at 0.003ug/l.

GWBH06R continues to display elevated levels also. The presence of Tributyl Tin could indicate contamination of groundwater from landfill operations, however, it is recommended purging of this borehole is considered to see if the levels recorded are truly representative of groundwater quality.

This has been scored a CCS Category 4 breach of the permit

Fugitive Emissions Monitoring.

Requirements - Condition 3.3.5 states the limits for landfill gas arising from the installation shall not exceed the limits set in table S.4.11. Flame Ionisation Detector (FID) surveys are required to be conducted monthly at the site boundary and in the immediate vicinity of gas and leachate well heads and monitoring points.

Findings - FID surveys carried out during the monitoring period found a total of 40 breaches of the 1000ppm permit limit for fugitive methane emissions in the vicinity of gas and leachate well heads. This is a significant increase in comparison to the previous reporting quarter, in which only 14 breaches were recorded. . Intermittent complaints of landfill gas odour were received during this period although difficult to substantiate and differentiate between composting operation odours reported.

Gas Infrastructure D294, RD187, D283, D267, D290 are noted as exceeding the permit limit on consecutive months. Some of these items of gas infrastructure were also breaching on the previous quarter FID monitoring results.

As a result of consecutive breaches over a sustained period these have been scored a CCS Category 3 breach of permit requirements.

Lateral Migration of Gas.

Requirement - Condition 3.1.2 Schedule 4, S4.5 requires Methane concentrations in perimeter boreholes to be less than 0.5% above background.

Findings - No breaches of external gas borehole limits were noted for either monitoring period.

In Waste Gas Readings.

Requirements - Condition 3.1.2 requires limits in schedule 4 of the permit shall not to be exceeded.

Findings - A reading of 97ppm Carbon Monoxide at Gas Well D293 was recorded during this monitoring period. Whilst not a breach of permit requirements readings in excess of 100ppm CO could potentially indicate a fire. This well should be monitored for performance moving forward and bag sampled to rule out any other chemical species giving a misleading CO reading.

******Report Ends******

	EPR Compliance Assessment Report	Report ID: BU0800IZ/0247698
This form will report compliance with your permit as determined by an NRW officer		
Site	LLANDDULAS LANDFILL SITE	Permit BU0800IZ
Operator/ Permit	3C Waste Limited	Date 20/07/2015

Section 3- Enforcement Response	Only one of the boxes below should be ticked
You must take immediate action to rectify any non-compliance and prevent repetition. Non-compliance with your permit conditions constitutes an offence and can result in criminal prosecutions and/or suspension or revocation of a permit. Please read the detailed assessment in Section 2 and the steps you need to take in Section 4 below.	
Other than the provision of advice and guidance, at present we do not intend to take further enforcement action in respect of the non-compliance identified above. This does not preclude us from taking enforcement action if further relevant information comes to light or advice isn't followed.	X
In respect of the above non-compliance you have been issued with a warning. At present we do not intend to take further enforcement action. This does not preclude us from taking additional enforcement action if further relevant information comes to light or offences continue.	
We will now consider what enforcement action is appropriate and notify you, referencing this form.	

Section 4- Action(s)			
Where non-compliance has been detected and an enforcement response has been selected above, this section summarises the steps you need to take to return to compliance and also provides timescales for this to be done.			
Criteria Ref.	CCS Category	Action Required/Advised	Due Date
See Section 1 above			
E1	C3	Causes of fugitive emission breaches should be investigated and appropriate measure taken to reduce or minimise repeated failures on certain items of gas collection infrastructure.	N/A
E2	C4	Purging or GWBH36 as per other GW boreholes on site should be considered.	N/A

Section 5 - Compliance notes for the Operator

To ensure you correct actual or potential non-compliance we may

- advise on corrective actions verbally or in writing
- require you to take specific actions in writing
- issue a notice
- require you to review your procedures or management system
- change some of the conditions of your permit
- decide to undertake a full review of your permit

Any breach of a permit condition is an offence and we may take legal action against you.

● We will normally provide advice and guidance to assist you to come back into compliance either after an offence is committed or where we consider that an offence is likely to be committed. This is without prejudice to any other enforcement response that we consider may be required.

● Enforcement action can include the issue of a formal caution, prosecution, the service of a notice and or suspension or revocation of the permit.

See our Enforcement and Civil Sanctions guidance for further information

This report does not relieve the site operator of the responsibility to

- ensure you comply with the conditions of the permit at all times and prevent pollution of the environment
- ensure you comply with other legislative provisions which may apply.

Non-compliance scores and categories

CCS category	Description	Score
C1	A non-compliance which could have a major environmental effect	60
C2	A non-compliance which could have a significant environmental effect	31
C3	A non-compliance which could have a minor environmental effect	4
C4	A non-compliance which has no potential environmental effect	0.1

Operational Risk Appraisal (Opra) - Compliance assessment findings may affect your Opra score and/or your charges. This score influences the resource we use to assess permit compliance.

Section 6 – General Information

Data protection notice

The information on this form will be processed by the Natural Resources Wales (NRW) to fulfill its regulatory and monitoring functions and to maintain the relevant public register(s). The NRW may also use and/or disclose it in connection with:

- offering/providing you with its literature/services relating to environmental matters
- consulting with the public, public bodies and other organisations (e.g. Health and Safety Executive, local authorities) on environmental issues
- carrying out statistical analysis, research and development on environmental issues
- providing public register information to enquirers
- investigating possible breaches of environmental law and taking any resulting action
- preventing breaches of environmental law
- assessing customer service satisfaction and improving its service
- Freedom of Information Act/Environmental Information Regulations request.

The NRW may pass it on to its agents/representatives to do these things on its behalf. You should ensure that any persons named on this form are informed of the contents of this data protection notice.

Disclosure of information

The NRW will provide a copy of this report to the public register(s). However, if you consider that any information contained in this report should not be released to the public register(s) on the grounds of commercial confidentiality, you must write to your local area office within twenty working days of receipt of this form indicating which information it concerns and why it should not be released, giving your reasons in full.

Customer charter

What can I do if I disagree with this compliance assessment report?

If you are unable to resolve the issue with your site officer, you should firstly discuss the matter with the officer's line managers. If you wish to raise your dispute further through our official Complaints and Commendations procedure, phone our general enquiry number 0300 065 3000 (Mon to Fri 08.00–18.00) and ask for the Customer Contact team or send an email to enquiries@naturalresourceswales.gov.uk. If you are still dissatisfied you can make a complaint to the Public Services Ombudsman for Wales. For advice on how to complain to the Ombudsman phone their helpline on 0845 607 0987.