

**Safety data sheet**

Safety data sheet according to Regulation (EC) No 1907/2006

Product name: CC7230000002

PLASTICERAM TOP POPPY1000 L

Product code : CC72-3000 0002

Printing date : 08.02.2016

Revision date : 09.10.2015

page 1 of 15

version no. 10

GB EN 00001131919

1

**01 Section 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

CC7230000002  
PLASTICERAM TOP POPPY1000 L  
CC72-3000 0002  
53300869

**1.2. Relevant identified uses of the substance or mixture and uses advised against****Recommended use**

Coil coatings

**Customer article no**

09PA0006979/S0697PA

**1.3. Details of the supplier of the safety data sheet**

Glasurit GmbH  
Postfach 6123  
48136 Muenster  
Deutschland  
**E-mail address:**  
Product-Safety-Coatings@basf.com  
**Contact for further information:**  
+49/2501/143688

**1.4. Emergency telephone number**

+49 180 2273 112

**02 Section 2: Hazards Identification****2.1. Classification of the substance or mixture**According to Regulation (EC) No 1272/2008 [CLP]

- Skin Sens. 1, H317 May cause an allergic skin reaction.

**2.2. Label elements**According to Regulation (EC) No 1272/2008 [CLP]

**Safety data sheet**

Safety data sheet according to Regulation (EC) No 1907/2006

Product name: **CC7230000002****PLASTICERAM TOP POPPY1000 L**Product code : **CC72-3000 0002**

Printing date : 08.02.2016

Revision date : 09.10.2015

page 2 of 15

version no. 10

GB EN 00001131919

2

Hazard pictogram:



Signal word:

Warning

Hazard statements:

H317 May cause an allergic skin reaction.

Precautionary Statements (Prevention):

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary Statements (Response):

P321 Specific treatment (see on this label).

P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.

P363 Wash contaminated clothing before reuse.

Precautionary Statements (Disposal):

P501 Dispose of contents/container to hazardous or special waste collection point.

Hazard determining component(s) for labelling:

bis(epoxycyclohexyl) methylcarboxylate

Labeling of special preparations:

EUH205 Contains epoxy constituents. May produce an allergic reaction.

**2.3. Other hazards**

The product may be a skin sensitizer. It is also a skin irritant and repeated contact may increase this effect.

**03 Section 3: Composition/Information on Ingredients****3.1. Substances**

not applicable

**3.2. Mixtures**

**Safety data sheet**

Safety data sheet according to Regulation (EC) No 1907/2006

Product name: **CC7230000002****PLASTICERAM TOP POPPY1000 L**Product code : **CC72-3000 0002**

Printing date : 08.02.2016

Revision date : 09.10.2015

page 3 of 15

version no. 10

GB EN 00001131919

3

Chemical nature

epoxy resin, halogenated polyvinyl resin, organic solvent, fillers, pigment

Hazardous ingredientsaccording to Regulation (EC) No 1272/2008

CAS No.	EC No.	Registration No.	INDEX No.
<b>% (weight)</b>			
<b>Class, Category, Hazard Statement</b>			

**aliphatic hydrocarbones, <2% aromatics**

64742-47-8      926-141-6      01-2119456620--XXXX

2,0 - &lt; 2,5

Asp. Tox. 1, H304

**bis(epoxycyclohexyl) methylcarboxylate**

2386-87-0      219-207-4

1,0 - &lt; 2,0

Skin Sens. 1, H317

Aquatic Chronic 3, H412

**barium metaborate**

13701-59-2      237-222-4

1,0 - &lt; 2,0

Acute Tox. 4, H302

Acute Tox. 4, H332

056-002-00-7

**Triisotridecyl phosphite**

77745-66-5

0,5 - &lt; 1,0

Skin Sens. 1, H317

Aquatic Chronic 4, H413

For the classifications not written out in full in this section the full text can be found in section 16.

**04 Section 4: First Aid Measures****4.1. Description of first aid measures**

In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.

If inhaled

Remove patient to fresh air and seek medical assistance. Keep patient warm and at rest. If breathing is irregular or stopped, administer artificial respiration. If unconscious place in recovery position.

**Safety data sheet**

Safety data sheet according to Regulation (EC) No 1907/2006

Product name: **CC7230000002****PLASTICERAM TOP POPPY1000 L**Product code : **CC72-3000 0002**

Printing date : 08.02.2016

Revision date : 09.10.2015

page 4 of 15

version no. 10

GB EN 00001131919

4

**On skin contact**

Remove contaminated clothing. Wash skin with soap and water, rinse abundantly. Do NOT use solvents or thinners.

**On contact with eyes**

Contact lenses should be removed. Hold eyelids open and flush with copious amounts of clean, fresh water or a special eyewash solution and seek medical advice.

**On ingestion**

If swallowed, rinse mouth with plenty of water (only if the person is conscious) and seek medical advice immediately. Keep the injured person at rest. Do not induce vomiting.

**4.2. Most important symptoms and effects, both acute and delayed**

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11.

**4.3. Indication of any immediate medical attention and special treatment needed**

No data available.

---

**05 Section 5: Fire-Fighting Measures****5.1. Extinguishing media**

Suitable extinguishing media

Foam (alcohol resistant), carbon dioxide, powders, water spray.

Do not allow run-off from fire fighting to enter drains or water courses.

Unsuitable extinguishing media for safety reasons

Water jet

**5.2. Special hazards arising from the substance or mixture**

Fire will produce dense black smoke. Inhalation of dangerous decomposition products may cause serious damage to health.

**5.3. Advice for firefighters**

Special protective equipment

Appropriate breathing apparatus may be required.

Additional information

Cool closed containers in the vicinity of the source of fire.

**Safety data sheet**

Safety data sheet according to Regulation (EC) No 1907/2006

Product name: CC7230000002

PLASTICERAM TOP POPPY1000 L

Product code : CC72-3000 0002

Printing date : 08.02.2016

Revision date : 09.10.2015

page 5 of 15

version no. 10

GB EN 00001131919

5

---

**06 Section 6: Accidental Release Measures****6.1. Personal precautions, protective equipment and emergency procedures**

Exclude sources of ignition and ventilate the area. Avoid breathing vapours.

**6.2. Environmental precautions**

Do not allow to enter drains or watercourses. If the product enters drains or sewers, the local water company should be contacted immediately; in the case of contamination of streams, rivers or lakes, the Environment Agency.

**6.3. Methods and material for containment and cleaning up**

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in a suitable container for disposal according with the waste regulations (see section 13). Clean preferably with a detergent; avoid the use of solvents.

**6.4. Reference to other sections**

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

---

**07 Section 7: Handling and Storage****7.1. Precautions for safe handling**Instructions for Safe Handling

Avoid skin and eye contact. Avoid inhalation of vapour and spray mist.

Avoid inhalation of dust from sanding.

Smoking, eating and drinking are forbidden in application area. For personal protection see section 8. Comply with the health and safety at work laws.

The Manual Handling Operations Regulations 90/269/EEC may apply to the handling of packages of this product. Refer to the guide weight indicated on the package when carrying out assessments. To assist employers, the following method of calculating the weight for any pack size is given. Take the pack size volume in litres and multiply this figure by the specific gravity value given in Section 9. This will give the net weight of the coating in kilograms. Allowance will then have to be made for the immediate packaging to give an approximate gross weight.

Information on Fire and Explosion Protection

**Safety data sheet**

Safety data sheet according to Regulation (EC) No 1907/2006

Product name: CC7230000002

PLASTICERAM TOP POPPY1000 L

Product code : CC72-3000 0002

Printing date : 08.02.2016

Revision date : 09.10.2015

page 6 of 15

version no. 10

GB EN 00001131919

6

Solvent vapours are heavier than air and spread along floors. Vapour forms explosive mixtures with air.

Keep container dry and tightly closed in a cool well-ventilated place.

**7.2. Conditions for safe storage, including any incompatibilities**Requirements for Storage Areas and Containers

Keep container tightly closed. Never use pressure to empty; container is not a pressure vessel. Close containers carefully once opened and store upright in order to prevent any leakage. No smoking. Prevent unauthorized access.

Isolate from sources of ignition and naked flames. Explosion protection measures are not necessary if under operating conditions the product is not heated above the flash point.

Information on Combined Storage

Keep away from oxidising agents, from strongly alkaline and strongly acid materials.

Additional Information on Storage Conditions

Always keep in containers of same material as the original one. Observe label precautions. Store in a dry, well ventilated place away from sources of heat and direct sunlight. Keep away from sources of ignition.

Storage temperature : n.d.a.

**7.3. Specific end use(s)**

Detailed information can be gained from the relevant technical data sheets.

---

**08 Section 8: Exposure Controls/personal protection****8.1. Control parameters****Occupational Exposure Limits**

n.a.

**8.2. Exposure controls****Appropriate engineering controls****Personal protective equipment**

All personal protective equipment, including respiratory protective equipment, used to control exposure to hazardous substances must be selected to meet the requirements of the Personal Protective Equipment at Work Regulations 1992 and

**Safety data sheet**

Safety data sheet according to Regulation (EC) No 1907/2006

Product name: **CC7230000002****PLASTICERAM TOP POPPY1000 L**Product code : **CC72-3000 0002**

Printing date : 08.02.2016

Revision date : 09.10.2015

page 7 of 15

version no. 10

GB EN 00001131919

7

the COSHH Regulations.

**Respiratory Protection**

Dry sanding, flame cutting and/or welding of the dry paint film will give rise to dust and/or hazardous fumes. Wet (sanding/ flatting) should be used wherever possible. If exposure cannot be avoided by the provision of local exhaust ventilation, suitable respiratory protective equipment should be used.

**Hand Protection**

Wear protective gloves.

Any chemical protection glove certified according to EN 374 is suitable: e.g. nitrile gloves

Material thickness: = 0,7 mm

Further information on penetration time is available from the manufacturer of the glove.

Data are based on information from the glove manufacturer, the raw material manufacturer or according to specifics of the product components.

The protection glove should be tested for its specific suitability (e.g. mechanical strength, product compatibility, anti-static properties).

Follow manufacturer's advice on use, storage, maintenance and replacement of gloves.

The gloves should be replaced immediately in case of damage or signs of wear. It is recommended to use preventative skin protection (skin cream).

**Eye Protection**

Required when there is a risk of eye contact.

**Skin Protection**

Personnel should wear antistatic, flame-retardant clothing made of natural fibres and/or heat-resistant synthetic fibres.

**Environmental exposure controls**

See section 7 and 12

---

**09 Section 9: Physical and Chemical Properties****9.1. Information on basic physical and chemical properties**

Physical state : liquid

Colour : red

**Safety data sheet**

Safety data sheet according to Regulation (EC) No 1907/2006

Product name: **CC7230000002**  
**PLASTICERAM TOP POPPY1000 L**Product code : **CC72-3000 0002**  
Printing date : 08.02.2016  
Revision date : 09.10.2015page 8 of 15  
version no. 10  
GB EN 00001131919  
8

Odour : specific

pH : n.a.

Change in physical state  
Boiling temperature/range : n.d.a.  
Melting point/range : n.d.a.

Flash point : >+61 °C ISO 3679

Ignition temperature : > 200 °C  
solvents

Explosion limits, lower : > 35 g/m<sup>3</sup>  
upper : n.d.a.

Vapour pressure : n.d.a.

Density : 1,188 g/cm<sup>3</sup> at 20°C

Solubility in water : immiscible

Viscosity : 684,3 mm<sup>2</sup>/s

**9.2. Other information**

Flow time : =100/6 s at 20°C ISO 2431

**10 Section 10: Stability and Reactivity****10.1. Reactivity**

Stable under recommended storage and handling conditions (see section 7).

**10.2. Chemical stability**

The product is stable if stored and handled as prescribed/indicated.

**10.3. Possibility of hazardous reactions**

No hazardous reactions if stored and handled as prescribed/indicated.

**10.4. Conditions to avoid**

Avoid all sources of ignition: heat, sparks, open flame.

**10.5. Incompatible materials**

**Safety data sheet**

Safety data sheet according to Regulation (EC) No 1907/2006

Product name: **CC7230000002****PLASTICERAM TOP POPPY1000 L**Product code : **CC72-3000 0002**

Printing date : 08.02.2016

Revision date : 09.10.2015

page 9 of 15

version no. 10

GB EN 00001131919

9

Keep away from highly acidic or alkaline substances as well as oxidants in order to prevent exothermal reactions.

**10.6. Hazardous decomposition products**

When exposed to high temperatures hazardous decomposition products such as carbon monoxide, carbon dioxide, smoke, oxides of nitrogen may be produced.

In case of fire may produce hydrogen halide vapours.

**11 Section 11: Toxicological Information****11.1. Information on toxicological effects**

The mixture has been assessed following regulation (EC) No 1272/2008. See sections 2 and 3 for details.

Exposure to component solvent vapour concentrations in excess of the stated occupational exposure limit may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effect on kidney, liver and central nervous system. Symptoms and signs include headache, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness.

Repeated and prolonged exposure to solvents at levels significantly above OELs may lead to the development of long-lasting central nervous system disorders such as chronic toxic encephalopathy, signs of toxicity include changes in behaviour and memory.

Solvents may cause some of the above effects by absorption through the skin. Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and absorption through the skin.

Acute toxicity

Based on available Data, the classification criteria are not met.

Skin corrosion/irritation

Based on available Data, the classification criteria are not met.

Serious eye damage/eye irritation

Based on available Data, the classification criteria are not met.

The liquid splashed in the eyes may cause irritation and reversible damage.

Respiratory sensitization/skin

May cause an allergic skin reaction.

Germ cell mutagenicity

**Safety data sheet**

Safety data sheet according to Regulation (EC) No 1907/2006

Product name: **CC7230000002****PLASTICERAM TOP POPPY1000 L**Product code : **CC72-3000 0002**

Printing date : 08.02.2016

Revision date : 09.10.2015

page 10 of 15

version no. 10

GB EN 00001131919

10

Based on available Data, the classification criteria are not met.

Carcinogenicity

Based on available Data, the classification criteria are not met.

Toxicity for reproduction

Based on available Data, the classification criteria are not met.

Specific target organ toxicity - single exposure

Based on available Data, the classification criteria are not met.

Specific target organ toxicity - repeated exposure

Based on available Data, the classification criteria are not met.

Aspiration hazard

Based on available Data, the classification criteria are not met.

Other information

Based on the properties of the epoxy constituent(s) and considering toxicological data on similar preparations, this preparation may be a skin sensitizer and an irritant. It contains low molecular weight epoxy constituents which are irritating to eyes, mucous membrane and skin. Repeated skin contact may lead to irritation and to sensitization, possibly with cross-sensitization to other epoxies. Skin contact with the preparation and exposure to spray mist and vapour should be avoided.

**12 Section 12: Ecological Information**

There are no test results available for this product.

**12.1. Toxicity**

The mixture has been assessed following regulation (EC) No 1272/2008 and is not classified as dangerous for the environment, but contains substance(s) dangerous for the environment. See section 3 for details.

**12.2. Persistence and degradability**

n.d.a.

**12.3. Bioaccumulative potential**

n.d.a.

**12.4. Mobility in soil**

n.d.a.

**Safety data sheet**

Safety data sheet according to Regulation (EC) No 1907/2006

Product name: CC723000002

PLASTICERAM TOP POPPY1000 L

Product code : CC72-3000 0002

Printing date : 08.02.2016

Revision date : 09.10.2015

page 11 of 15

version no. 10

GB EN 00001131919

11

**12.5. Results of PBT and vPvB assessment**

According to Annex XIII of Regulation (EC) No.1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH): The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

**12.6. Other adverse effects**

The product should not be allowed to enter drains or water courses.

The Air Pollution Control requirements of regulations made under the Environmental Protection Act may apply to the use of this product.

The product contains organic halogen compounds which may contribute to the AOX value.

---

**13 Section 13: Disposal Considerations****13.1. Waste treatment methods**

Observe national and local legal requirements.

Wastes, including emptied containers, are controlled wastes and should be disposed of in accordance with regulations made under the Control of Pollution Act and the Environmental Protection Act. Using information provided in this data sheet, advice should be obtained from the Environment Agency whether the special waste regulations apply.

**European list of wastes**

Commission Decision 2000/532/EC dated 3rd May, 2000

**08 01 11\***

Waste from the manufacture, formulation, supply and use (MFSU) and removal of paint and varnish;  
waste paint and varnish containing organic solvents or other dangerous substances

Any waste marked with an asterisk (\*) is considered as a hazardous waste pursuant to Directive 91/689/EEC on hazardous waste.

**Contaminated packaging**Recommendation

Containers which are not properly emptied must be disposed pursuant to Directive 91/689/EEC

---

**Safety data sheet**

Safety data sheet according to Regulation (EC) No 1907/2006

Product name: CC7230000002

PLASTICERAM TOP POPPY1000 L

Product code : CC72-3000 0002

Printing date : 08.02.2016

Revision date : 09.10.2015

page 12 of 15

version no. 10

GB EN 00001131919

12

**14 Section 14: Transport Information****14.1. UN number**Transport by Road or Rail (ADR/RID):

The preparation is not classified as hazardous for transport

Sea Transport (IMDG):

The preparation is not classified as hazardous for transport

Air Transport (IATA/ICAO):

The preparation is not classified as hazardous for transport

Inland waterway transport (ADN):

not evaluated

**14.2. UN proper shipping name**Transport by Road or Rail (ADR/RID):

The preparation is not classified as hazardous for transport

Sea Transport (IMDG):

The preparation is not classified as hazardous for transport

Air Transport (IATA/ICAO):

The preparation is not classified as hazardous for transport

Inland waterway transport (ADN):

not evaluated

**14.3. Transport hazard class(es)**Transport by Road or Rail (ADR/RID):

The preparation is not classified as hazardous for transport

Sea Transport (IMDG):

The preparation is not classified as hazardous for transport

Air Transport (IATA/ICAO):

The preparation is not classified as hazardous for transport

Inland waterway transport (ADN):

not evaluated

**14.4. Packing group**Transport by Road or Rail (ADR/RID):

The preparation is not classified as hazardous for transport

**Safety data sheet**

Safety data sheet according to Regulation (EC) No 1907/2006

Product name: CC7230000002

PLASTICERAM TOP POPPY1000 L

Product code : CC72-3000 0002

Printing date : 08.02.2016

Revision date : 09.10.2015

page 13 of 15

version no. 10

GB EN 00001131919

13

Sea Transport (IMDG):

The preparation is not classified as hazardous for transport

Air Transport (IATA/ICAO):

The preparation is not classified as hazardous for transport

Inland waterway transport (ADN):

not evaluated

**14.5. Environmental hazards**Transport by Road or Rail (ADR/RID):

none

Sea Transport (IMDG):

none

Inland waterway transport (ADN):

not evaluated

**14.6. Special precautions for user**

none

**14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

not evaluated

**15 Section 15: Regulatory Information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****Information pursuant to VOC Directive 1999/13/EC (for product as supplied)**

Volatile organic solvents: 3 %

VOC : 3 %

Volatile CMR substances : n.a.

**National Regulations**

The Control of Substances Hazardous to Health Regulations 2002

The Manual Handling Operations Regulations 1992

Storage of Packaged Dangerous Substances, HS(G)71

The Environmental Protection Act

**15.2. Chemical safety assessment**

**Safety data sheet**

Safety data sheet according to Regulation (EC) No 1907/2006

Product name: **CC7230000002****PLASTICERAM TOP POPPY1000 L**Product code : **CC72-3000 0002**

Printing date : 08.02.2016

Revision date : 09.10.2015

page 14 of 15

version no. 10

GB EN 00001131919

14

Chemical Safety Assessment not required

**16 Section 16: Other Information**

Restricted to professional users.

This safety data sheet is prepared in accordance with Regulation (EC) No 1907/2006, Annex II, as amended by Regulation (EU) No 453/2010.

The information contained in this safety data sheet does not relieve users from the obligation to carry out their own risk assessment according to Directive 98/24/EC.

Full text of hazard statements for components listed in section 2 and 3

**Acute Tox.**

Acute toxicity

**Aquatic Chronic**

Hazardous to the aquatic environment - chronic

**Asp. Tox.**

Aspiration hazard

**Skin Sens.**

Skin sensitization

**H302**

Harmful if swallowed.

**H304**

May be fatal if swallowed and enters airways.

**H317**

May cause an allergic skin reaction.

**H332**

Harmful if inhaled.

**H412**

Harmful to aquatic life with long lasting effects.

**H413**

May cause long lasting harmful effects to aquatic life.

For multi-pack systems observe material safety data sheets of all components.

Explanation of abbreviations:

**n.d.a.** no data available**n.a.** not applicable**WEL-L** Time Weighted Average (TWA)**WEL-S** Short Term Exposure Limit (STEL)

**Safety data sheet**

Safety data sheet according to Regulation (EC) No 1907/2006

Product name: **CC723000002****PLASTICERAM TOP POPPY1000 L**Product code : **CC72-3000 0002**

Printing date : 08.02.2016

Revision date : 09.10.2015

page 15 of 15

version no. 10

GB EN 00001131919

15

experience and describe the product only with regard to safety requirements. The data do not describe the product's properties (product specification). Neither should any agreed property nor the suitability of the product for any specific purpose be deduced from the data contained in the safety data sheet. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.