

Bold Business Centre
Bold Lane, Sutton
St. Helens, Merseyside
WA9 4TX

Telephone: +44 (0) 1925 291111 Fax: +44 (0) 1925 291191
e-mail: mailbox@terraconsult.co.uk Website: www.terraconsult.co.uk

Ref: 2932/L/008/01

April 2018

Mr Neil Herbert
Natural Resources Wales (NRW)
Cambria House
29 Newport Road
Cardiff
CF24 0TP

BY EMAIL

Dear Neil,

Resources Management (UK) Limited t/a Potters Waste Management **WITHYHEDGE LANDFILL SITE** **1st Quarterly Monitoring Report 2018**

Please find enclosed a summary of the monitoring data for leachate, groundwater, surface water and landfill gas collected at Withyhedge Landfill Site for the 1st Quarter of 2018, review period January to March 2018. This letter summarises the main findings with reference to the compliance limits set in the Site Permit (reference EPR/MP3330WP (previously GP3630HT/V005)).

LEACHATE

Leachate levels

Weekly leachate levels data for the period January to March 2018 has been supplied by the Operator and has not been independently verified as part of this review. Leachate levels monitoring data for this quarter are provided in Tables 1 and 2 of Appendix A. A review of the data provided by the Operator indicates that all leachate levels recorded at the site were not exceeding the 1 m Permit compliance limit, consistent with the requirements in Table S4.1 of the Permit.

Leachate Volume

The Operator has reported a total of 4957.08 tonnes of leachate was removed from the site during the period January to March 2018. The Operator has also reported the quarterly volumes of leachate extracted from monitoring wells LE1, LE2, LE3, LE4, LE5 and LE6, provided in Table 3 of Appendix A.

Leachate quality

Leachate quality monitoring data is provided in Appendix A and will be reviewed as part of the Annual Report as required by Condition 4.2 of the Permit.

GROUNDWATER

Groundwater level

Groundwater levels are recorded on a monthly basis and are provided in Appendix B.

Groundwater quality sampling

Groundwater quality sampling is undertaken on a monthly and quarterly basis in accordance with Table S4.5 and Table S4.11 of the Permit. The groundwater quality monitoring data has been assessed against the compliance limits set in the Permit and are provided in Appendix B. One exceedance of ammoniacal nitrogen was recorded in BH1 on the 15th March 2018 and a Schedule 6 notification was submitted. The groundwater at this borehole was resampled on the 4th April 2018 and the ammoniacal nitrogen was reported at 0.03 mg/l, which is below the permitted compliance limit. It is possible the exceedance was caused by cross-contamination potentially during sampling or testing procedures. Groundwater quality in BH1 will continue to be monitored closely in future. No other exceedances were recorded during the review period January to March 2018. Mecoprop and naphthalene were recorded below the limit of detection of the laboratory and nickel and cadmium concentrations were recorded below the compliance limits at all groundwater monitoring points.

SURFACE WATER

Surface water is monitored on a monthly and quarterly basis in accordance with Table S4.3 and Table S4.10 of the Permit and the surface water quality data is attached as Appendix C. There were no exceedances of the compliance limits for surface water monitoring point D1 during the period January to March 2018.

Flow monitoring data for D1 is provided in Appendix D for the period January to March 2018. An average flow rate of 0.465 litres per second was recorded between 10th January 2018 04:52:39 and 13th March 2018 11:53:22. Flow during the period 13th January 2018 12:23:22 to 31st March 2018 23:53:22 was not recorded due to a damaged flow meter bracket. This has now been repaired. It has been confirmed by the Operator that there were no storm water overflow events from the surface water system during the period January to March 2018.

LANDFILL GAS

CO₂, CH₄ and O₂ are monitored on a weekly basis at boreholes BH24, BH25, BH26, BH27 and BH28, as specified in Table S4.6 of the Permit. The remaining locations are monitored on a monthly basis as specified in Table S4.6 and S4.8 of the Permit. The results of landfill gas monitoring are provided in Appendix E. There were no exceedances of the compliance limits during the review period January to March 2018.

In-Waste Gas monitoring data is provided in Appendix F. Point source emissions monitoring was undertaken for the gas engines, Engine Exhaust 1 and Engine Exhaust 2 for the period January to March 2018, as required by Table S4.2 of Permit Variation reference EPR/GP3630HT/V005. The results are provided at Appendix G.

We trust that the above adequately meets your requirements, however, please do not hesitate to contact us if you have any queries.

Yours sincerely,
For and on behalf of TerraConsult,



Claire Finney
Senior Consultant

APPENDIX A

Leachate Levels and Quality Monitoring Data

Table 1. Weekly Leachate Level (m)														
Date		12/1/18	19/1/18	25/1/18	31/1/18	7/2/18	14/2/18	19/2/18	28/2/18	7/3/18	15/3/18	21/3/18	28/3/18	AVERAGE
Monitoring Point	Compliance Limit													
Cell 11E	1m above cell basal liner	0.9	0.80	0.74	0.83	0.83	0.83	0.92	0.76	0.71	0.93	0.78	0.69	0.81
Cell 11W		0.92	0.80	0.74	0.87	0.88	0.84	0.95	0.89	0.84	0.96	0.88	0.89	0.87
Cell 13		0.93	0.75	0.79	0.69	0.67	0.65	0.94	0.85	0.88	0.93	0.88	0.95	0.83
Cell 14		0.94	0.84	0.49	0.86	0.82	0.78	0.95	0.84	0.87	0.93	0.75	0.84	0.83
Cell 15		0.91	0.35	0.71	D	0.38	0.37	0.95	0.83	0.82	0.93	0.81	0.78	0.71
L1		0.93	0.46	0.35	0.24	0.36	0.40	0.91	0.72	0.74	0.97	0.84	0.88	0.65
L2		0.93	0.86	0.87	0.85	0.81	0.81	0.95	0.85	0.87	0.94	0.85	0.86	0.87
L3		0.97	0.79	0.25	0.82	0.79	0.79	D	0.84	0.89	0.95	0.76	0.80	0.79
L4		D	D	D	D	D	0.03	D	0.82	0.81	D	0.83	0.83	0.66
L5		D	D	D	D	D	0.20	D	0.80	0.84	D	0.66	0.80	0.66
LD3		0.9	0.85	0.86	0.84	0.68	0.59	0.91	0.86	0.85	1.00	0.82	0.78	0.83
SWS		D	0.84	0.86	0.84	0.74	0.63	D	0.85	0.89	D	0.87	0.87	0.82
LM1		D	D	D	D	D	D	D	D	D	D	D	D	D
LM2		D	0.76	0.70	0.74	0.64	0.66	D	0.78	0.86	D	0.74	0.62	0.72
LM3N		D	D	D	D	D	D	D	0.85	0.87	D	0.83	0.89	0.86
LM3S		D	D	D	D	D	D	D	0.75	0.76	D	0.85	0.77	0.78
LM4		D	D	D	D	D	D	D	0.80	0.84	D	0.78	0.89	0.83
LM5		D	D	D	D	D	D	D	D	D	D	D	D	D
LE1*		D	D	D	D	D	D	D	D	D	D	D	D	D
LE2*		D	D	D	D	D	D	D	D	D	D	D	D	D
LE3*		D	D	D	D	D	D	D	D	D	D	D	D	D
LE4*		D	D	D	D	D	D	D	D	D	D	D	D	D
LE5*		D	D	D	D	D	D	D	D	D	D	D	D	D
LE6*		D	D	D	D	D	D	D	D	D	D	D	D	D
VL1		D	D	D	D	D	D	D	D	D	D	D	D	D
VLM1		D	D	D	D	D	D	D	D	D	D	D	D	D
VL2		D	D	D	D	D	D	D	D	D	D	D	D	D
VL3		D	D	D	D	D	D	D	D	D	D	D	D	D
VSL1		D	D	D	D	D	D	D	D	D	D	D	D	D
VSLM1		D	D	D	D	D	D	D	D	D	D	D	D	D

Table 2. Monthly Leachate Level (m)

Monitoring Point	Compliance Limit	January	February	March
LW1	None	D	D	D
LW2		D	D	D
LW4		D	D	D

Notes:	D denotes well is dry
	* denotes leachate wells pumped dry - quarterly volumes provided in Table 3

Table 3. Leachate Extraction Volumes LE1-6

Extraction Well	Leachate Volume (m ³)
LE1	426
LE2	2
LE3	0
LE4	7
LE5	1
LE6	0
TOTAL VOLUME OF LEACHATE EXTRACTED	436

Determinand	Units	Monitoring Point						
		CELL 11E	CELL 11W	CELL 13	CELL 14	CELL 15	SW Sump	SW Sump
		19/02/18	19/02/18	19/02/18	19/02/18	19/02/18	19/02/18	19/02/18
pH	pH units	7.3	7.4	7.4	7.5	6.8	8.1	7.8
Conductivity	µS/cm	12,550	12,890	4,940	12,840	12,880	527	520
Ammonia	mg/l	1,200	1,180	410	1,180	1,280	0.09	0.89
TON	mg/l	7.9	7.4	1	8.1	7.8	2	1.7
TOC	mg/l	1,812	2,200	1,630	1,950	2,325	12.9	36.4
BOD	mg/l	78.8	41.3	38.8	81.3	61.3	1.3	2.6
COD	mg/l	1,849	1,855	311	1,843	1,875	24	31
Calcium	mg/l	138	139	181	142	141	46.8	102
Magnesium	mg/l	48.2	48.4	33.6	51.8	50.1	4.1	8.8
Sodium	mg/l	920	926	219	982	958	11	15.5
Potassium	mg/l	505	511	149	540	541	2.4	4.7
Nickel	mg/l	0.0928	0.0921	0.0153	0.0892	0.0981	0.0103	0.0024
Cadmium	mg/l	<0.00008	<0.00008	<0.00008	<0.00008	<0.00008	<0.00008	<0.00008
Alkalinity	mg/l	10,980	12,200	3,477	9,760	9,150	305	488
Sulphate	mg/l	68.8	65	10	64	66.7	51.1	71.3
Chloride	mg/l	22.6	21.8	14	25.2	24.1	17.9	17.5
Mecoprop	mg/l	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Napthalene	mg/l	0.0355	0.015	<0.00005	0.0011	0.0019	<0.00005	<0.00005
Mercury	mg/l	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
Total Phenols	mg/l	1.1	1.1	0.37	0.12	0.68	<0.02	<0.02

Determinand	Units	Monitoring Point						
		L1			L2			L3
		12/01/18	19/02/18	15/03/18	12/01/18	19/02/18	15/03/18	19/02/18
pH	pH units	-	7.4	-	-	7.9	-	7.7
Conductivity	µS/cm	-	15,210	-	-	13,260	-	11,260
Ammonia	mg/l	-	1,420	-	-	1,000	-	1,180
TON	mg/l	-	10.2	-	-	9.1	-	6.6
TOC	mg/l	-	2,810	-	-	2,437	-	1,875
BOD	mg/l	-	101	-	-	101	-	68.8
COD	mg/l	-	2,670	-	-	2,466	-	1,686
Calcium	mg/l	-	94.9	-	-	141	-	111
Magnesium	mg/l	-	47.7	-	-	55	-	45.5
Sodium	mg/l	-	1,202	-	-	1,133	-	896
Potassium	mg/l	-	562	-	-	533	-	443
Nickel	mg/l	-	0.0059	-	-	0.176	-	0.137
Cadmium	mg/l	-	<0.00008	-	-	<0.00008	-	<0.00008
Alkalinity	mg/l	-	13,420	-	-	12,810	-	10,980
Sulphate	mg/l	-	112	-	-	128	-	48.1
Chloride	mg/l	-	31.5	-	-	31.8	-	23.7
Mecoprop	mg/l	0.012	0.41	<0.0005	0.016	0.305	0.003	0.19
Napthalene	mg/l	-	0.004	-	-	0.0025	-	0.0022
Mercury	mg/l	-	<0.0005	-	-	<0.0005	-	<0.0005
Total Phenols	mg/l	-	0.99	-	-	1.3	-	0.84

Determinand	Units	Monitoring Point						
		L1			L2			L3
		12/01/18	19/02/18	15/03/18	12/01/18	19/02/18	15/03/18	19/02/18
pH	pH units	-	7.4	-	-	7.9	-	7.7
Conductivity	µS/cm	-	15,210	-	-	13,260	-	11,260
Ammonia	mg/l	-	1,420	-	-	1,000	-	1,180
TON	mg/l	-	10.2	-	-	9.1	-	6.6
TOC	mg/l	-	2,810	-	-	2,437	-	1,875
BOD	mg/l	-	101	-	-	101	-	68.8
COD	mg/l	-	2,670	-	-	2,466	-	1,686
Calcium	mg/l	-	94.9	-	-	141	-	111
Magnesium	mg/l	-	47.7	-	-	55	-	45.5
Sodium	mg/l	-	1,202	-	-	1,133	-	896
Potassium	mg/l	-	562	-	-	533	-	443
Nickel	mg/l	-	0.0059	-	-	0.176	-	0.137
Cadmium	mg/l	-	<0.00008	-	-	<0.00008	-	<0.00008
Alkalinity	mg/l	-	13,420	-	-	12,810	-	10,980
Sulphate	mg/l	-	112	-	-	128	-	48.1
Chloride	mg/l	-	31.5	-	-	31.8	-	23.7
Mecoprop	mg/l	0.012	0.41	<0.0005	0.016	0.305	0.003	0.19
Napthalene	mg/l	-	0.004	-	-	0.0025	-	0.0022
Mercury	mg/l	-	<0.0005	-	-	<0.0005	-	<0.0005
Total Phenols	mg/l	-	0.99	-	-	1.3	-	0.84

Determinand	Units	Monitoring Point	
		L4	L5
		19/02/18	19/02/18
pH	pH units	7.6	7.9
Conductivity	µS/cm	11,110	11,140
Ammonia	mg/l	1,080	1,000
TON	mg/l	8.3	7
TOC	mg/l	1,287	2,087
BOD	mg/l	61.3	51.3
COD	mg/l	1,647	1,605
Calcium	mg/l	107	111
Magnesium	mg/l	40.6	43.9
Sodium	mg/l	819	872
Potassium	mg/l	412	435
Nickel	mg/l	0.148	0.146
Cadmium	mg/l	<0.00008	0.00067
Alkalinity	mg/l	9,150	2,440
Sulphate	mg/l	50	44.3
Chloride	mg/l	25.2	28.7
Mecoprop	mg/l	0.115	0.195
Napthalene	mg/l	0.0027	0.0003
Mercury	mg/l	<0.0005	<0.0005
Total Phenols	mg/l	0.7	0.58

Determinand	Units	Monitoring Point					
		EFD			SWD		
		12/01/18	19/02/18	15/03/18	12/01/18	19/02/18	15/03/18
Mecoprop	mg/l	-	-	-	-	-	-
pH	pH units	6.8	7.3	6.9	7.1	7.4	7
Conductivity	µS/cm	412	393	343	801	707	731
Ammonia	mg/l	0.01	<0.01	<0.01	69	0.97	67
BOD	mg/l	2.2	2.6	3.5	5.6	11.9	20
TOC	mg/l	13.5	28.8	46	22.4	46.7	93.5
Total Suspended Solids	mg/l	75.2	1.6	186	11.2	5.2	18

Notes:  shaded cell denotes below laboratory limit of detection

APPENDIX B

Groundwater Levels and Quality Monitoring Data

Monitoring Point	Borehole Cover Level (mAOD)	12/01/2018		19/02/2018		15/03/2018	
		Dip (m)	Level (mAOD)	Dip (m)	Level mAOD	Dip (m)	Level mAOD
BH101	38.79	-	-	-	-	-	-
BH03 (102)	39.91	1.5	38.41	1.5	38.41	1.5	38.41
BH104	44.11	2.41	41.7	1.7	42.41	2.4	41.71
BH105	40.73	1.35	39.38	1.45	39.28	1.4	39.33
BH1	40.71	1.14	39.57	1.05	39.66	1.61	39.1
BH2	42.24	3.1	39.14	3.02	39.22	3.23	39.01
BH4	37.91	3.21	34.7	3.16	34.75	3.2	34.71
BH5	35.71	1.72	33.99	1.72	33.99	1.7	34.01
BH6	31.62	1.85	29.77	1.72	29.9	1.8	29.82
BH9	31.28	1.96	29.32	1.38	29.9	1.96	29.32
BH15	48.27	1.31	46.96	1.25	47.02	1.26	47.01
BH18	55.8	-	-	6.6	49.2	6.5	49.3
BH20	48.73	-	-	2.05	46.68	1.53	47.2
BH24	57.02	4.5	52.52	4.55	52.47	4.5	52.52
BH25	55.61	6.2	49.41	6.5	49.11	6.5	49.11
BH26	57.21	1.21	56	1.12	56.09	1.2	56.01
BH27	52.66	3.75	48.91	3.64	49.02	3.7	48.96
BH28	46.49	2.29	44.2	2.2	44.29	2.3	44.19
TP1	65.39	1.45	63.94	1.47	63.92	14.1	51.29
TP9	45.22	2.1	43.12	2.05	43.17	2.05	43.17
TP10	48.45	0.5	47.95	0.51	47.94	0.5	47.95
TP11	40.93	1.39	39.54	1.5	39.43	1.6	39.33
TP12	43.47	1.67	41.8	1.62	41.85	1.98	41.49
GW01	55.21	2.8	52.41	2.45	52.76	2.75	52.46

Notes: - dash denotes not measured

Table 1: TP9, TP11, TP12, BH104, BH20, BH22* & BH23* compliance limits

Determinands	Compliance Limit	Units	Monitoring Point								
			TP9			TP11			TP12		
			12/01/18	19/02/18	15/03/18	12/01/18	19/02/18	15/03/18	12/01/18	19/02/18	15/03/18
Ammoniacal Nitrogen	12	mg/l	<0.01	0.01	<0.01	0.04	0.06	0.05	<0.01	0.03	<0.01
Chloride	250	mg/l	14.9	17.1	17.2	21.3	20.8	19.8	21.1	21.3	11
Nickel	0.05	mg/l	-	0.0165	-	-	0.0046	-	-	0.008	-
Phenol	0.15	mg/l	-	<0.02	-	-	<0.02	-	-	<0.02	-
Cadmium	0.0095	mg/l	-	<0.00008	-	-	0.000085	-	-	<0.00008	-
Mecoprop	0.0001	mg/l	<0.0001	<0.0001	<0.0001	-	<0.0001	-	-	<0.0001	-
Naphthalene	0.00001	mg/l	-	<0.00005	-	-	<0.0005	-	-	<0.00005	-

Determinands	Compliance Limit	Units	Monitoring Point		
			BH104		
			12/01/18	19/02/18	15/03/18
Ammoniacal Nitrogen	12	mg/l	0.01	0.16	0.14
Chloride	250	mg/l	12.1	28.6	12.4
Nickel	0.05	mg/l	-	0.0012	-
Phenol	0.15	mg/l	-	<0.02	-
Cadmium	0.0095	mg/l	-	<0.00008	-
Mecoprop	0.0001	mg/l	-	<0.0001	-
Naphthalene	0.00001	mg/l	-	<0.00005	-

*Monitoring results for BH22 and BH23 are not available as they were decommissioned in July 2015 as the site was developed

Notes:

- exceedance of compliance limit
- below laboratory limit of detection
- not tested

Table 2: BH1, BH2, BH101 & BH105 compliance limits

Determinands	Compliance Limit	Units	Monitoring Point								
			BH1			BH2			BH101		
			12/01/18	19/02/18	15/03/18	12/01/18	19/02/18	15/03/18	12/01/18	19/02/18	15/03/18
Cadmium	0.002	mg/l	0.00012	<0.00008	0.000082	0.00011	<0.00008	<0.00008	-	-	-
Phenol	0.15	mg/l	-	<0.02	-	-	<0.02	-	-	-	-

Determinands	Compliance Limit	Units	Monitoring Point		
			BH105		
			12/01/18	19/02/18	15/03/18
Cadmium	0.002	mg/l	<0.00008	<0.00008	<0.00008
Phenol	0.15	mg/l	-	<0.02	-

Table 3: BH1 compliance limits

Determinands	Compliance Limit	Units	Monitoring Point			
			BH1			
			12/01/18	19/02/18	15/03/18	04/04/18*
Ammoniacal Nitrogen	1.328	mg/l	0.1	0.21	47	0.03
Chloride	117	mg/l	15.9	23.5	20.6	-
Nickel	0.02	mg/l	-	0.0018	-	-
Mecoprop	0.0001	mg/l	-	<0.0001	-	-
Naphthalene	0.00003	mg/l	-	<0.00005	-	-

Table 4: BH2 compliance limits

Determinands	Compliance Limit	Units	Monitoring Point		
			BH2		
			12/01/18	19/02/18	15/03/18
Ammoniacal Nitrogen	5.2	mg/l	0.05	<0.01	<0.01
Chloride	180	mg/l	20.8	22.6	23.5
Nickel	0.02	mg/l	-	0.0042	-
Mecoprop	0.0001	mg/l	-	<0.0001	-
Naphthalene	0.00006	mg/l	-	<0.00005	-

Notes:

- exceedance of compliance limit
- below laboratory limit of detection
- not tested
- * resampled

Table 5: BH101 and BH102 (BH3) compliance limits

Determinands	Compliance Limit	Units	Monitoring Point					
			BH101			BH102 (BH3)		
			12/01/18	19/02/18	15/03/18	12/01/18	19/02/18	15/03/18
Ammoniacal Nitrogen	25.4	mg/l	-	-	-	-	0.01	-
Chloride	116.4	mg/l	-	-	-	-	23.1	-
Nickel	0.02	mg/l	-	-	-	-	0.0071	-
Mecropop	0.0001	mg/l	-	-	-	-	<0.0001	-
Naphthalene	0.00006	mg/l	-	-	-	-	<0.00005	-

Table 6: BH105 compliance limits

Determinands	Compliance Limit	Units	Monitoring Point		
			BH105		
			12/01/18	19/02/18	15/03/18
Ammoniacal Nitrogen	0.5	mg/l	0.02	<0.01	0.01
Chloride	50	mg/l	25.2	22.6	22
Nickel	0.031	mg/l	-	0.0052	-
Mecropop	0.0001	mg/l	<0.0001	<0.0001	<0.0001
Napthalene	0.0001	mg/l	-	<0.00005	-

Table 7: BH4 compliance limits

Determinands	Compliance Limit	Units	Monitoring Point		
			BH4		
			12/01/18	19/02/18	15/03/18
Ammoniacal Nitrogen	1.45	mg/l	0.39	<0.01	<0.01
Chloride	64.7	mg/l	20.4	19.2	19.5
Nickel	0.02	mg/l	-	0.007	-
Phenol	0.15	mg/l	-	<0.02	-
Cadmium	0.0001	mg/l	-	<0.00008	-
Mecropop	0.0001	mg/l	-	<0.0001	-
Napthalene	0.00001	mg/l	-	<0.00005	-

Notes:

- exceedance of compliance limit
- below laboratory limit of detection
- not tested

Table 8: BH5 compliance limits

Determinands	Compliance Limit	Units	Monitoring Point		
			BH5		
			12/01/18	19/02/18	15/03/18
Ammoniacal Nitrogen	1.18	mg/l	0.01	<0.01	0.29
Chloride	50	mg/l	21.1	16.4	16
Nickel	0.02	mg/l	-	0.0084	-
Phenol	0.15	mg/l	-	<0.02	-
Cadmium	0.001	mg/l	-	<0.00008	-
Mecropop	0.0001	mg/l	-	<0.0001	-
Napthalene	0.00046	mg/l	-	<0.00005	-

Notes:

-  exceedance of compliance limit
-  below laboratory limit of detection
- not tested

APPENDIX C

Surface Water Quality Monitoring Data

Determinand	Units	Monitoring Point											
		SP1			SP3			SP5			SP6		
		12/01/18	19/02/18	15/03/18	12/01/18	19/02/18	15/03/18	12/01/18	19/02/18	15/03/18	12/01/18	19/02/18	15/03/18
pH	pH units	7.6	7.7	6.9	7.5	7.6	7	7.5	6.7	7	7.5	7.2	7.1
Conductivity	µS/cm	224	212	168	194	217	166	212	220	166	209	216	165
Total suspended solids	mg/l	2.4	5.2	25.6	4.4	<1.5	18.8	5.2	2	2	5.6	3.2	11.6
Ammonia	mg/l	0.22	0.04	0.09	0.07	0.03	0.09	0.11	0.04	0.09	0.03	0.02	0.08
Chloride	mg/l	19.3	21	12.9	19.8	20.9	13.6	20.5	22.5	14.3	20.8	21	14.2
Dissolved Oxygen	mg/l	9.6	10.6	9.7	9.5	10.3	10.2	8.9	10.4	10.2	9.1	10.5	10.4
BOD	mg/l	4.2	1.3	1.5	4.1	<0.4	1.9	3.8	1.8	1	4.1	1.3	1.6
COD	mg/l	20	6	21	20	8	20	19	7	22	17	11	20
Cadmium	mg/l	<0.00008	<0.00008	0.00013	<0.00008	<0.00008	<0.00008	<0.00062	<0.00008	<0.00008	<0.00008	<0.00008	<0.00008
Nickel	mg/l	0.0027	0.003	0.0056	0.0029	<0.0015	0.00	0.0095	0.0028	0.01	0.003	<0.0015	0.0061
Mercury	mg/l	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
Mecoprop	mg/l	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Ortho-Phosphate	mg/l	0.09	0.15	0.08	0.11	0.11	0.15	0.12	0.09	0.25	0.06	0.21	0.11

Determinand	Units	Monitoring Point					
		SP7			D1		
		12/01/18	19/02/18	15/03/18	12/01/18	19/02/18	15/03/18
pH	pH units	7.4	7.2	7.2	7.3	7	7
Conductivity	µS/cm	220	217	166	323	328	271
Total suspended solids	mg/l	4.8	<1.5	<1.5	4.4	2	5.6
Ammonia	mg/l	0.04	0.03	0.08	0.11	0.11	0.28
Chloride	mg/l	19.7	21.4	15.3	21.7	21.4	16.7
Dissolved Oxygen	mg/l	9.9	10.5	10.5	10.1	10.5	9.9
BOD	mg/l	4.4	1.4	1.8	3.5	1.3	1.4
COD	mg/l	5	8	23	21	7	12
Cadmium	mg/l	<0.000097	<0.00008	0.00022	<0.00039	<0.00008	<0.00008
Nickel	mg/l	0.0029	<0.0015	0.0063	0.005	<0.0015	0.0055
Mercury	mg/l	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
Mecoprop	mg/l	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Ortho-Phosphate	mg/l	0.07	0.12	0.14	0.08	0.09	0.18

Table 1: Point source emissions to water - Monitoring point D1 compliance limits

Determinand	Compliance Limit	Units	Monitoring Point		
			D1		
			12/01/18	19/02/18	15/03/18
pH	6 to 9	pH units	7.3	7	7
Total suspended solids	30	mg/l	4.4	2	5.6
Ammoniacal Nitrogen	0.5	mg/l	0.11	0.11	0.28
Biological Oxygen Demand	17	mg/l	3.5	1.3	1.4
Chemical Oxygen Demand	150	mg/l	21	7	12
Chloride	250	mg/l	21.7	21.4	16.7

Notes:

	exceedance of compliance limit
	value below laboratory limit of detection

APPENDIX D

D1 Flow Rate Results

Global Logger	16/01/2018	12:47:27	Offset= 0 Inches	Mannings	Roughness= 0.014	Slope= 4.5 %	Diameter= 50 cm		
Date	Time	Feet	Temp F	Volts	Pulses	Flow (CFS)	Vel (FPS)	Flow (l/s)	
10/01/2018	04:52:39	0.134	38.64	5.4		0	0.357	4.379	10.10911438
10/01/2018	04:53:22	0.115	38.78	18.75		0	0.26	3.975	7.36238022
10/01/2018	05:23:22	0.052	38.82	18.64		0	0.048	2.373	1.359208656
10/01/2018	05:53:22	0.039	38.87	18.61		0	0.026	1.972	0.736238022
10/01/2018	06:23:22	0.044	38.87	18.63		0	0.034	2.131	0.962772798
10/01/2018	06:53:22	0.044	38.82	18.63		0	0.034	2.131	0.962772798
10/01/2018	07:23:22	0.036	38.87	18.61		0	0.022	1.873	0.622970634
10/01/2018	07:53:22	0.042	38.91	18.58		0	0.031	2.068	0.877822257
10/01/2018	08:23:22	0.043	38.91	18.56		0	0.032	2.1	0.906139104
10/01/2018	08:53:22	0.039	38.96	18.53		0	0.026	1.972	0.736238022
10/01/2018	09:23:22	0.041	38.96	18.5		0	0.029	2.037	0.821188563
10/01/2018	09:53:22	0.04	38.91	18.48		0	0.028	2.005	0.792871716
10/01/2018	10:23:22	0.038	38.91	18.45		0	0.025	1.939	0.707921175
10/01/2018	10:53:22	0.043	38.91	18.44		0	0.032	2.1	0.906139104
10/01/2018	11:23:22	0.042	38.91	18.41		0	0.031	2.068	0.877822257
10/01/2018	11:53:22	0.03	38.91	18.4		0	0.014	1.631	0.396435858
10/01/2018	12:23:22	0.038	38.96	18.38		0	0.025	1.939	0.707921175
10/01/2018	12:53:22	0.033	38.96	18.37		0	0.018	1.772	0.509703246
10/01/2018	13:23:22	0.035	38.96	18.36		0	0.021	1.84	0.594653787
10/01/2018	13:53:22	0.033	38.91	18.35		0	0.017	1.737	0.481386399
10/01/2018	14:23:22	0.035	38.91	18.34		0	0.021	1.84	0.594653787
10/01/2018	14:53:22	0.03	38.91	18.33		0	0.014	1.631	0.396435858
10/01/2018	15:23:22	0.029	38.87	18.32		0	0.013	1.595	0.368119011
10/01/2018	15:53:22	0.036	38.87	18.31		0	0.022	1.873	0.622970634
10/01/2018	16:23:22	0.03	38.91	18.3		0	0.014	1.631	0.396435858
10/01/2018	16:53:22	0.036	38.91	18.28		0	0.022	1.873	0.622970634
10/01/2018	17:23:22	0.032	38.91	18.27		0	0.016	1.702	0.453069552
10/01/2018	17:53:22	0.033	38.91	18.24		0	0.017	1.737	0.481386399
10/01/2018	18:23:22	0.03	38.87	18.23		0	0.014	1.631	0.396435858
10/01/2018	18:53:22	0.03	38.87	18.2		0	0.014	1.631	0.396435858
10/01/2018	19:23:22	0.03	38.87	18.19		0	0.014	1.631	0.396435858
10/01/2018	19:53:22	0.031	38.87	18.17		0	0.015	1.667	0.424752705
10/01/2018	20:23:22	0.033	38.87	18.15		0	0.018	1.772	0.509703246
10/01/2018	20:53:22	0.03	38.87	18.13		0	0.014	1.631	0.396435858
10/01/2018	21:23:22	0.03	38.87	18.12		0	0.014	1.631	0.396435858
10/01/2018	21:53:22	0.03	38.87	18.1		0	0.014	1.631	0.396435858
10/01/2018	22:23:22	0.028	38.82	18.09		0	0.012	1.558	0.339802164
10/01/2018	22:53:22	0.022	38.82	18.08		0	0.007	1.328	0.198217929
10/01/2018	23:23:22	0.026	38.87	18.07		0	0.01	1.484	0.28316847
10/01/2018	23:53:22	0.031	38.87	18.05		0	0.015	1.667	0.424752705
11/01/2018	00:23:22	0.03	38.87	18.05		0	0.014	1.631	0.396435858
11/01/2018	00:53:22	0.028	38.87	18.04		0	0.012	1.558	0.339802164
11/01/2018	01:23:22	0.032	38.91	18.02		0	0.016	1.702	0.453069552
11/01/2018	01:53:22	0.027	38.91	18.04		0	0.011	1.521	0.311485317
11/01/2018	02:23:22	0.026	38.96	18.05		0	0.01	1.484	0.28316847
11/01/2018	02:53:22	0.03	38.96	18.07		0	0.014	1.631	0.396435858
11/01/2018	03:23:22	0.033	38.96	18.07		0	0.018	1.772	0.509703246
11/01/2018	03:53:22	0.026	39	18.08		0	0.01	1.484	0.28316847
11/01/2018	04:23:22	0.023	39	18.09		0	0.008	1.368	0.226534776
11/01/2018	04:53:22	0.027	39.05	18.1		0	0.011	1.521	0.311485317
11/01/2018	05:23:22	0.026	39.05	18.12		0	0.01	1.484	0.28316847
11/01/2018	05:53:22	0.036	39.09	18.13		0	0.022	1.873	0.622970634
11/01/2018	06:23:22	0.029	39.09	18.17		0	0.013	1.595	0.368119011
11/01/2018	06:53:22	0.031	39.18	18.16		0	0.015	1.667	0.424752705
11/01/2018	07:23:22	0.031	39.18	18.16		0	0.015	1.667	0.424752705
11/01/2018	07:53:22	0.026	39.23	18.16		0	0.01	1.484	0.28316847
11/01/2018	08:23:22	0.029	39.28	18.15		0	0.013	1.595	0.368119011
11/01/2018	08:53:22	0.03	39.23	18.13		0	0.014	1.631	0.396435858
11/01/2018	09:23:22	0.029	39.23	18.12		0	0.013	1.595	0.368119011
11/01/2018	09:53:22	0.03	39.23	18.09		0	0.014	1.631	0.396435858
11/01/2018	10:23:22	0.029	39.28	18.06		0	0.013	1.595	0.368119011
11/01/2018	10:53:22	0.033	39.28	18.02		0	0.017	1.737	0.481386399
11/01/2018	11:23:22	0.028	39.28	17.99		0	0.012	1.558	0.339802164
11/01/2018	11:53:22	0.025	39.28	17.96		0	0.009	1.446	0.254851623
11/01/2018	12:23:22	0.021	39.28	17.93		0	0.007	1.288	0.198217929
11/01/2018	12:53:22	0.029	39.28	17.91		0	0.013	1.595	0.368119011
11/01/2018	13:23:22	0.027	39.32	17.89		0	0.011	1.521	0.311485317
11/01/2018	13:53:22	0.029	39.32	17.88		0	0.013	1.595	0.368119011
11/01/2018	14:23:22	0.023	39.32	17.87		0	0.008	1.368	0.226534776
11/01/2018	14:53:22	0.033	39.32	17.86		0	0.017	1.737	0.481386399
11/01/2018	15:23:22	0.03	39.32	17.84		0	0.014	1.631	0.396435858
11/01/2018	15:53:22	0.028	39.32	17.85		0	0.012	1.558	0.339802164

Global Logger	16/01/2018	12:47:27	Offset= 0 Inches	Mannings	Roughness= 0.014	Slope= 4.5 %	Diameter= 50 cm	
Date	Time	Feet	Temp F	Volts	Pulses	Flow (CFS)	Vel (FPS)	Flow (l/s)
11/01/2018	16:23:22	0.027	39.32	17.84		0	0.011	1.521
11/01/2018	16:53:22	0.024	39.28	17.84		0	0.009	1.407
11/01/2018	17:23:22	0.029	39.28	17.83		0	0.013	1.595
11/01/2018	17:53:22	0.027	39.28	17.81		0	0.011	1.521
11/01/2018	18:23:22	0.027	39.32	17.81		0	0.011	1.521
11/01/2018	18:53:22	0.031	39.28	17.84		0	0.015	1.667
11/01/2018	19:23:22	0.029	39.28	17.85		0	0.013	1.595
11/01/2018	19:53:22	0.024	39.28	17.88		0	0.009	1.407
11/01/2018	20:23:22	0.026	39.28	17.88		0	0.01	1.484
11/01/2018	20:53:22	0.026	39.23	17.89		0	0.01	1.484
11/01/2018	21:23:22	0.025	39.28	17.89		0	0.009	1.446
11/01/2018	21:53:22	0.023	39.18	17.9		0	0.008	1.368
11/01/2018	22:23:22	0.025	39.14	17.9		0	0.009	1.446
11/01/2018	22:53:22	0.021	39.09	17.89		0	0.007	1.288
11/01/2018	23:23:22	0.02	39.18	17.89		0	0.006	1.247
11/01/2018	23:53:22	0.024	39.18	17.89		0	0.009	1.407
12/01/2018	00:23:22	0.015	39.14	17.89		0	0.003	1.03
12/01/2018	00:53:22	0.022	39.05	17.88		0	0.007	1.328
12/01/2018	01:23:22	0.023	39.05	17.87		0	0.008	1.368
12/01/2018	01:53:22	0.018	39.09	17.87		0	0.005	1.163
12/01/2018	02:23:22	0.022	39.09	17.86		0	0.007	1.328
12/01/2018	02:53:22	0.02	39.09	17.87		0	0.006	1.247
12/01/2018	03:23:22	0.024	39.05	17.86		0	0.009	1.407
12/01/2018	03:53:22	0.023	39.05	17.88		0	0.008	1.368
12/01/2018	04:23:22	0.025	39.05	17.89		0	0.009	1.446
12/01/2018	04:53:22	0.024	38.82	17.9		0	0.009	1.407
12/01/2018	05:23:22	0.021	38.87	17.91		0	0.007	1.288
12/01/2018	05:53:22	0.019	38.78	17.91		0	0.005	1.205
12/01/2018	06:23:22	0.024	38.78	17.91		0	0.009	1.407
12/01/2018	06:53:22	0.021	38.96	17.91		0	0.007	1.288
12/01/2018	07:23:22	0.019	39	17.91		0	0.005	1.205
12/01/2018	07:53:22	0.018	39.14	17.91		0	0.005	1.163
12/01/2018	08:23:22	0.015	39.18	17.91		0	0.003	1.03
12/01/2018	08:53:22	0.029	39.28	17.9		0	0.013	1.595
12/01/2018	09:23:22	0.023	39.32	17.89		0	0.008	1.368
12/01/2018	09:53:22	0.021	39.46	17.88		0	0.007	1.288
12/01/2018	10:23:22	0.019	39.5	17.87		0	0.005	1.205
12/01/2018	10:53:22	0.021	39.5	17.86		0	0.007	1.288
12/01/2018	11:23:22	0.018	39.5	17.86		0	0.005	1.163
12/01/2018	11:53:22	0.021	39.55	17.86		0	0.007	1.288
12/01/2018	12:23:22	0.018	39.55	17.85		0	0.005	1.163
12/01/2018	12:53:22	0.023	39.59	17.84		0	0.008	1.368
12/01/2018	13:23:22	0.021	39.64	17.85		0	0.007	1.288
12/01/2018	13:53:22	0.023	39.64	17.84		0	0.008	1.368
12/01/2018	14:23:22	0.02	39.73	17.84		0	0.006	1.247
12/01/2018	14:53:22	0.02	39.73	17.84		0	0.006	1.247
12/01/2018	15:23:22	0.023	39.73	17.84		0	0.008	1.368
12/01/2018	15:53:22	0.024	39.77	17.83		0	0.009	1.407
12/01/2018	16:23:22	0.025	39.77	17.83		0	0.009	1.446
12/01/2018	16:53:22	0.023	39.77	17.83		0	0.008	1.368
12/01/2018	17:23:22	0.023	39.77	17.82		0	0.008	1.368
12/01/2018	17:53:22	0.025	39.82	17.81		0	0.009	1.446
12/01/2018	18:23:22	0.025	39.86	17.81		0	0.009	1.446
12/01/2018	18:53:22	0.025	39.86	17.81		0	0.009	1.446
12/01/2018	19:23:22	0.031	39.86	17.8		0	0.015	1.667
12/01/2018	19:53:22	0.023	39.91	17.81		0	0.008	1.368
12/01/2018	20:23:22	0.02	39.95	17.8		0	0.006	1.247
12/01/2018	20:53:22	0.017	39.91	17.8		0	0.004	1.119
12/01/2018	21:23:22	0.019	39.95	17.8		0	0.005	1.205
12/01/2018	21:53:22	0.024	39.95	17.78		0	0.009	1.407
12/01/2018	22:23:22	0.021	40	17.78		0	0.007	1.288
12/01/2018	22:53:22	0.019	40	17.78		0	0.005	1.205
12/01/2018	23:23:22	0.024	40	17.76		0	0.009	1.407
12/01/2018	23:53:22	0.024	40.04	17.76		0	0.009	1.407
13/01/2018	00:23:22	0.029	40.09	17.76		0	0.013	1.595
13/01/2018	00:53:22	0.021	40.09	17.76		0	0.007	1.288
13/01/2018	01:23:22	0.021	40.09	17.75		0	0.007	1.288
13/01/2018	01:53:22	0.021	40.13	17.75		0	0.007	1.288
13/01/2018	02:23:22	0.015	40.18	17.75		0	0.003	1.03
13/01/2018	02:53:22	0.025	40.22	17.74		0	0.009	1.446
13/01/2018	03:23:22	0.028	40.27	17.74		0	0.012	1.558
13/01/2018	03:53:22	0.024	40.27	17.73		0	0.009	1.407

Global Logger	16/01/2018	12:47:27	Offset= 0 Inches	Mannings	Roughness= 0.014	Slope= 4.5 %	Diameter= 50 cm	
Date	Time	Feet	Temp F	Volts	Pulses	Flow (CFS)	Vel (FPS)	Flow (l/s)
13/01/2018	04:23:22	0.033	40.31	17.73		0	0.018	1.772
13/01/2018	04:53:22	0.027	40.4	17.73		0	0.011	1.521
13/01/2018	05:23:22	0.02	40.5	17.73		0	0.006	1.247
13/01/2018	05:53:22	0.024	40.59	17.72		0	0.009	1.407
13/01/2018	06:23:22	0.033	40.63	17.72		0	0.018	1.772
13/01/2018	06:53:22	0.032	40.72	17.72		0	0.016	1.702
13/01/2018	07:23:22	0.032	40.86	17.72		0	0.016	1.702
13/01/2018	07:53:22	0.029	40.9	17.72		0	0.013	1.595
13/01/2018	08:23:22	0.032	40.99	17.72		0	0.016	1.702
13/01/2018	08:53:22	0.029	40.95	17.71		0	0.013	1.595
13/01/2018	09:23:22	0.043	40.99	17.7		0	0.032	2.1
13/01/2018	09:53:22	0.032	40.99	17.7		0	0.016	1.702
13/01/2018	10:23:22	0.035	41.04	17.7		0	0.021	1.84
13/01/2018	10:53:22	0.025	41.04	17.7		0	0.009	1.446
13/01/2018	11:23:22	0.031	40.99	17.69		0	0.015	1.667
13/01/2018	11:53:22	0.009	40.95	17.69		0	0.001	0.733
13/01/2018	12:23:22	-0.043	40.99	17.7		0	0	0
13/01/2018	12:53:22	-0.056	40.99	17.7		0	0	0
13/01/2018	13:23:22	-0.056	40.99	17.7		0	0	0
13/01/2018	13:53:22	-0.042	41.08	17.68		0	0	0
13/01/2018	14:23:22	-0.054	41.08	17.68		0	0	0
13/01/2018	14:53:22	-0.043	41.08	17.68		0	0	0
13/01/2018	15:23:22	-0.066	41.08	17.68		0	0	0
13/01/2018	15:53:22	-0.054	41.13	17.67		0	0	0
13/01/2018	16:23:22	-0.052	41.13	17.67		0	0	0
13/01/2018	16:53:22	-0.046	41.08	17.66		0	0	0
13/01/2018	17:23:22	-0.044	41.13	17.66		0	0	0
13/01/2018	17:53:22	-0.046	41.13	17.65		0	0	0
13/01/2018	18:23:22	-0.041	41.13	17.65		0	0	0
13/01/2018	18:53:22	-0.07	41.17	17.66		0	0	0
13/01/2018	19:23:22	-0.047	41.17	17.64		0	0	0
13/01/2018	19:53:22	-0.058	41.17	17.64		0	0	0
13/01/2018	20:23:22	-0.071	41.17	17.64		0	0	0
13/01/2018	20:53:22	-0.064	41.13	17.63		0	0	0
13/01/2018	21:23:22	-0.055	41.13	17.64		0	0	0
13/01/2018	21:53:22	-0.067	41.17	17.63		0	0	0
13/01/2018	22:23:22	-0.051	41.22	17.62		0	0	0
13/01/2018	22:53:22	-0.065	41.22	17.62		0	0	0
13/01/2018	23:23:22	-0.06	41.17	17.62		0	0	0
13/01/2018	23:53:22	-0.075	41.17	17.6		0	0	0
14/01/2018	00:23:22	-0.041	41.17	17.6		0	0	0
14/01/2018	00:53:22	-0.048	41.13	17.59		0	0	0
14/01/2018	01:23:22	-0.065	41.13	17.58		0	0	0
14/01/2018	01:53:22	-0.076	41.13	17.59		0	0	0
14/01/2018	02:23:22	-0.054	41.13	17.57		0	0	0
14/01/2018	02:53:22	-0.055	41.13	17.57		0	0	0
14/01/2018	03:23:22	-0.076	41.17	17.57		0	0	0
14/01/2018	03:53:22	-0.074	41.17	17.57		0	0	0
14/01/2018	04:23:22	-0.054	41.17	17.57		0	0	0
14/01/2018	04:53:22	-0.089	41.26	17.58		0	0	0
14/01/2018	05:23:22	-0.07	41.35	17.59		0	0	0
14/01/2018	05:53:22	-0.04	41.44	17.59		0	0	0
14/01/2018	06:23:22	-0.057	41.58	17.6		0	0	0
14/01/2018	06:53:22	-0.043	41.58	17.59		0	0	0
14/01/2018	07:23:22	-0.051	41.62	17.59		0	0	0
14/01/2018	07:53:22	-0.063	41.62	17.6		0	0	0
14/01/2018	08:23:22	-0.052	41.67	17.59		0	0	0
14/01/2018	08:53:22	-0.056	41.67	17.58		0	0	0
14/01/2018	09:23:22	-0.065	41.72	17.58		0	0	0
14/01/2018	09:53:22	-0.046	41.72	17.58		0	0	0
14/01/2018	10:23:22	-0.069	41.72	17.58		0	0	0
14/01/2018	10:53:22	-0.056	41.72	17.58		0	0	0
14/01/2018	11:23:22	-0.058	41.76	17.58		0	0	0
14/01/2018	11:53:22	-0.066	41.81	17.59		0	0	0
14/01/2018	12:23:22	-0.051	41.81	17.59		0	0	0
14/01/2018	12:53:22	-0.057	41.81	17.58		0	0	0
14/01/2018	13:23:22	-0.061	41.85	17.58		0	0	0
14/01/2018	13:53:22	-0.039	41.85	17.57		0	0	0
14/01/2018	14:23:22	-0.064	41.9	17.58		0	0	0
14/01/2018	14:53:22	-0.057	41.94	17.58		0	0	0
14/01/2018	15:23:22	-0.059	41.99	17.57		0	0	0
14/01/2018	15:53:22	-0.066	42.08	17.57		0	0	0

Global Logger	16/01/2018	12:47:27	Offset= 0 Inches	Mannings	Roughness= 0.014	Slope= 4.5 %	Diameter= 50 cm	
Date	Time	Feet	Temp F	Volts	Pulses	Flow (CFS)	Vel (FPS)	Flow (l/s)
14/01/2018	16:23:22	-0.05	42.17	17.56		0	0	0
14/01/2018	16:53:22	-0.055	42.17	17.56		0	0	0
14/01/2018	17:23:22	-0.055	42.26	17.56		0	0	0
14/01/2018	17:53:22	-0.062	42.26	17.56		0	0	0
14/01/2018	18:23:22	-0.072	42.26	17.57		0	0	0
14/01/2018	18:53:22	-0.038	42.26	17.55		0	0	0
14/01/2018	19:23:22	-0.056	42.3	17.56		0	0	0
14/01/2018	19:53:22	-0.038	42.26	17.56		0	0	0
14/01/2018	20:23:22	-0.06	42.12	17.57		0	0	0
14/01/2018	20:53:22	-0.046	41.76	17.57		0	0	0
14/01/2018	21:23:22	-0.073	41.62	17.57		0	0	0
14/01/2018	21:53:22	-0.073	41.62	17.58		0	0	0
14/01/2018	22:23:22	-0.053	41.76	17.57		0	0	0
14/01/2018	22:53:22	-0.062	41.9	17.57		0	0	0
14/01/2018	23:23:22	-0.063	42.03	17.57		0	0	0
14/01/2018	23:53:22	-0.064	42.35	17.57		0	0	0
15/01/2018	00:23:22	-0.066	42.66	17.56		0	0	0
15/01/2018	00:53:22	-0.059	42.84	17.56		0	0	0
15/01/2018	01:23:22	-0.068	43.07	17.55		0	0	0
15/01/2018	01:53:22	-0.06	43.25	17.55		0	0	0
15/01/2018	02:23:22	-0.066	43.3	17.55		0	0	0
15/01/2018	02:53:22	-0.058	43.52	17.54		0	0	0
15/01/2018	03:23:22	-0.061	43.75	17.53		0	0	0
15/01/2018	03:53:22	-0.06	43.84	17.53		0	0	0
15/01/2018	04:23:22	-0.07	43.97	17.54		0	0	0
15/01/2018	04:53:22	-0.062	44.06	17.54		0	0	0
15/01/2018	05:23:22	-0.074	44.11	17.54		0	0	0
15/01/2018	05:53:22	-0.061	44.29	17.52		0	0	0
15/01/2018	06:23:22	-0.069	44.52	17.52		0	0	0
15/01/2018	06:53:22	-0.066	44.56	17.54		0	0	0
15/01/2018	07:23:22	-0.065	44.74	17.52		0	0	0
15/01/2018	07:53:22	-0.07	44.79	17.51		0	0	0
15/01/2018	08:23:22	-0.062	44.88	17.49		0	0	0
15/01/2018	08:53:22	-0.062	45.06	17.48		0	0	0
15/01/2018	09:23:22	-0.067	45.15	17.48		0	0	0
15/01/2018	09:53:22	-0.066	45.28	17.47		0	0	0
15/01/2018	10:23:22	-0.066	45.38	17.46		0	0	0
15/01/2018	10:53:22	-0.064	45.47	17.45		0	0	0
15/01/2018	11:23:22	-0.062	45.56	17.44		0	0	0
15/01/2018	11:53:22	-0.062	45.6	17.44		0	0	0
15/01/2018	12:23:22	-0.063	45.65	17.43		0	0	0
15/01/2018	12:53:22	-0.064	45.65	17.43		0	0	0
15/01/2018	13:23:22	-0.063	45.69	17.43		0	0	0
15/01/2018	13:53:22	-0.064	45.65	17.42		0	0	0
15/01/2018	14:23:22	-0.062	45.69	17.41		0	0	0
15/01/2018	14:53:22	-0.064	45.65	17.41		0	0	0
15/01/2018	15:23:22	-0.068	45.65	17.41		0	0	0
15/01/2018	15:53:22	-0.085	45.65	17.41		0	0	0
15/01/2018	16:23:22	-0.071	45.6	17.41		0	0	0
15/01/2018	16:53:22	-0.074	45.56	17.41		0	0	0
15/01/2018	17:23:22	-0.062	45.51	17.41		0	0	0
15/01/2018	17:53:22	-0.067	45.51	17.41		0	0	0
15/01/2018	18:23:22	-0.062	45.47	17.4		0	0	0
15/01/2018	18:53:22	-0.068	45.42	17.4		0	0	0
15/01/2018	19:23:22	-0.056	45.38	17.38		0	0	0
15/01/2018	19:53:22	-0.059	45.28	17.38		0	0	0
15/01/2018	20:23:22	-0.065	45.24	17.37		0	0	0
15/01/2018	20:53:22	-0.058	45.15	17.36		0	0	0
15/01/2018	21:23:22	-0.062	45.1	17.36		0	0	0
15/01/2018	21:53:22	-0.064	45.01	17.36		0	0	0
15/01/2018	22:23:22	-0.062	44.97	17.36		0	0	0
15/01/2018	22:53:22	-0.06	44.88	17.36		0	0	0
15/01/2018	23:23:22	-0.064	44.79	17.35		0	0	0
15/01/2018	23:53:22	-0.071	44.7	17.35		0	0	0
16/01/2018	00:23:22	-0.067	44.65	17.35		0	0	0
16/01/2018	00:53:22	-0.069	44.61	17.34		0	0	0
16/01/2018	01:23:22	-0.078	44.52	17.35		0	0	0
16/01/2018	01:53:22	-0.069	44.43	17.34		0	0	0
16/01/2018	02:23:22	-0.079	44.34	17.35		0	0	0
16/01/2018	02:53:22	-0.065	44.29	17.34		0	0	0
16/01/2018	03:23:22	-0.073	44.2	17.34		0	0	0
16/01/2018	03:53:22	-0.073	44.16	17.34		0	0	0

Global Logger	16/01/2018	12:47:27	Offset= 0 Inches	Mannings	Roughness= 0.014	Slope= 4.5 %	Diameter= 50 cm	
Date	Time	Feet	Temp F	Volts	Pulses	Flow (CFS)	Vel (FPS)	Flow (l/s)
16/01/2018	04:23:22	-0.069	44.06	17.35		0	0	0
16/01/2018	04:53:22	-0.063	44.02	17.35		0	0	0
16/01/2018	05:23:22	-0.067	43.97	17.35		0	0	0
16/01/2018	05:53:22	-0.063	43.93	17.37		0	0	0
16/01/2018	06:23:22	-0.062	43.93	17.35		0	0	0
16/01/2018	06:53:22	-0.059	43.93	17.44		0	0	0
16/01/2018	07:23:22	-0.066	43.88	17.41		0	0	0
16/01/2018	07:53:22	-0.071	43.88	17.39		0	0	0
16/01/2018	08:23:22	-0.069	43.84	17.37		0	0	0
16/01/2018	08:53:22	-0.069	43.88	17.36		0	0	0
16/01/2018	09:23:22	-0.074	43.79	17.35		0	0	0
16/01/2018	09:53:22	-0.068	43.79	17.33		0	0	0
16/01/2018	10:23:22	-0.073	43.75	17.32		0	0	0
16/01/2018	10:53:22	-0.073	43.7	17.32		0	0	0
16/01/2018	11:23:22	-0.07	43.61	17.3		0	0	0
16/01/2018	11:53:22	-0.073	43.52	17.29		0	0	0
16/01/2018	12:23:22	-0.069	43.39	17.3		0	0	0
16/01/2018	12:53:22	-0.073	43.25	17.28		0	0	0
16/01/2018	13:23:22	-0.076	43.12	17.28		0	0	0
16/01/2018	13:53:22	-0.075	43.03	17.27		0	0	0
16/01/2018	14:23:22	-0.072	42.94	17.26		0	0	0
16/01/2018	14:53:22	-0.078	42.75	17.26		0	0	0
16/01/2018	15:23:22	-0.069	42.57	17.25		0	0	0
16/01/2018	15:53:22	-0.07	42.48	17.25		0	0	0
16/01/2018	16:23:22	-0.069	42.35	17.26		0	0	0
16/01/2018	16:53:22	-0.066	42.26	17.26		0	0	0
16/01/2018	17:23:22	-0.073	42.17	17.25		0	0	0
16/01/2018	17:53:22	-0.067	42.12	17.25		0	0	0
16/01/2018	18:23:22	-0.068	41.99	17.25		0	0	0
16/01/2018	18:53:22	-0.073	41.9	17.25		0	0	0
16/01/2018	19:23:22	-0.071	41.85	17.26		0	0	0
16/01/2018	19:53:22	-0.072	41.76	17.26		0	0	0
16/01/2018	20:23:22	-0.074	41.67	17.26		0	0	0
16/01/2018	20:53:22	-0.074	41.58	17.26		0	0	0
16/01/2018	21:23:22	-0.071	41.53	17.27		0	0	0
16/01/2018	21:53:22	-0.084	41.44	17.27		0	0	0
16/01/2018	22:23:22	-0.069	41.35	17.25		0	0	0
16/01/2018	22:53:22	-0.069	41.26	17.26		0	0	0
16/01/2018	23:23:22	-0.071	41.22	17.26		0	0	0
16/01/2018	23:53:22	-0.079	41.13	17.26		0	0	0
17/01/2018	00:23:22	-0.074	41.08	17.25		0	0	0
17/01/2018	00:53:22	-0.067	41.04	17.26		0	0	0
17/01/2018	01:23:22	-0.071	40.95	17.26		0	0	0
17/01/2018	01:53:22	-0.066	40.9	17.27		0	0	0
17/01/2018	02:23:22	-0.077	40.81	17.27		0	0	0
17/01/2018	02:53:22	-0.073	40.77	17.27		0	0	0
17/01/2018	03:23:22	-0.074	40.68	17.27		0	0	0
17/01/2018	03:53:22	-0.081	40.63	17.27		0	0	0
17/01/2018	04:23:22	-0.071	40.59	17.28		0	0	0
17/01/2018	04:53:22	-0.071	40.54	17.29		0	0	0
17/01/2018	05:23:22	-0.07	40.5	17.3		0	0	0
17/01/2018	05:53:22	-0.069	40.45	17.31		0	0	0
17/01/2018	06:23:22	-0.075	40.45	17.34		0	0	0
17/01/2018	06:53:22	-0.072	40.36	17.36		0	0	0
17/01/2018	07:23:22	-0.068	40.31	17.36		0	0	0
17/01/2018	07:53:22	-0.072	40.22	17.35		0	0	0
17/01/2018	08:23:22	-0.07	40.18	17.33		0	0	0
17/01/2018	08:53:22	-0.075	40.18	17.32		0	0	0
17/01/2018	09:23:22	-0.069	40.13	17.32		0	0	0
17/01/2018	09:53:22	-0.066	40.09	17.31		0	0	0
17/01/2018	10:23:22	-0.069	40.09	17.3		0	0	0
17/01/2018	10:53:22	-0.068	40.09	17.3		0	0	0
17/01/2018	11:23:22	-0.075	40.09	17.3		0	0	0
17/01/2018	11:53:22	-0.07	40.04	17.29		0	0	0
17/01/2018	12:23:22	-0.078	40.09	17.28		0	0	0
17/01/2018	12:53:22	-0.073	40.18	17.28		0	0	0
17/01/2018	13:23:22	-0.066	40.27	17.27		0	0	0
17/01/2018	13:53:22	-0.077	40.31	17.27		0	0	0
17/01/2018	14:23:22	-0.073	40.31	17.28		0	0	0
17/01/2018	14:53:22	-0.075	40.22	17.29		0	0	0
17/01/2018	15:23:22	-0.072	40.18	17.3		0	0	0
17/01/2018	15:53:22	-0.074	40.22	17.32		0	0	0

Global Logger	16/01/2018	12:47:27	Offset= 0 Inches	Mannings	Roughness= 0.014	Slope= 4.5 %	Diameter= 50 cm	
Date	Time	Feet	Temp F	Volts	Pulses	Flow (CFS)	Vel (FPS)	Flow (l/s)
17/01/2018	16:23:22	-0.067	40.27	17.32		0	0	0
17/01/2018	16:53:22	-0.062	40.31	17.32		0	0	0
17/01/2018	17:23:22	-0.069	40.36	17.32		0	0	0
17/01/2018	17:53:22	-0.067	40.31	17.33		0	0	0
17/01/2018	18:23:22	-0.069	40.27	17.33		0	0	0
17/01/2018	18:53:22	-0.071	40.22	17.32		0	0	0
17/01/2018	19:23:22	-0.07	40.18	17.32		0	0	0
17/01/2018	19:53:22	-0.075	40.13	17.31		0	0	0
17/01/2018	20:23:22	-0.065	40.4	17.3		0	0	0
17/01/2018	20:53:22	-0.065	40.68	17.29		0	0	0
17/01/2018	21:23:22	-0.071	40.81	17.27		0	0	0
17/01/2018	21:53:22	-0.07	40.9	17.27		0	0	0
17/01/2018	22:23:22	-0.074	40.95	17.25		0	0	0
17/01/2018	22:53:22	-0.072	40.99	17.24		0	0	0
17/01/2018	23:23:22	-0.073	41.04	17.24		0	0	0
17/01/2018	23:53:22	-0.074	41.13	17.24		0	0	0
18/01/2018	00:23:22	-0.073	41.13	17.23		0	0	0
18/01/2018	00:53:22	-0.073	41.13	17.22		0	0	0
18/01/2018	01:23:22	-0.073	41.17	17.22		0	0	0
18/01/2018	01:53:22	-0.067	41.17	17.22		0	0	0
18/01/2018	02:23:22	-0.064	41.17	17.21		0	0	0
18/01/2018	02:53:22	-0.078	41.22	17.21		0	0	0
18/01/2018	03:23:22	-0.071	41.22	17.22		0	0	0
18/01/2018	03:53:22	-0.077	41.22	17.22		0	0	0
18/01/2018	04:23:22	-0.071	41.22	17.23		0	0	0
18/01/2018	04:53:22	-0.072	41.22	17.24		0	0	0
18/01/2018	05:23:22	-0.069	41.26	17.24		0	0	0
18/01/2018	05:53:22	-0.062	41.31	17.24		0	0	0
18/01/2018	06:23:22	-0.063	41.35	17.25		0	0	0
18/01/2018	06:53:22	-0.072	41.35	17.27		0	0	0
18/01/2018	07:23:22	-0.068	41.4	17.27		0	0	0
18/01/2018	07:53:22	-0.068	41.35	17.26		0	0	0
18/01/2018	08:23:22	-0.072	41.4	17.25		0	0	0
18/01/2018	08:53:22	-0.066	41.35	17.23		0	0	0
18/01/2018	09:23:22	-0.072	41.4	17.22		0	0	0
18/01/2018	09:53:22	-0.074	41.4	17.2		0	0	0
18/01/2018	10:23:22	-0.07	41.4	17.19		0	0	0
18/01/2018	10:53:22	-0.064	41.35	17.18		0	0	0
18/01/2018	11:23:22	-0.074	41.4	17.17		0	0	0
18/01/2018	11:53:22	-0.068	41.4	17.16		0	0	0
18/01/2018	12:23:22	-0.071	41.35	17.16		0	0	0
18/01/2018	12:53:22	-0.068	41.35	17.15		0	0	0
18/01/2018	13:23:22	-0.072	41.35	17.14		0	0	0
18/01/2018	13:53:22	-0.075	41.31	17.14		0	0	0
18/01/2018	14:23:22	-0.067	41.26	17.14		0	0	0
18/01/2018	14:53:22	-0.073	41.22	17.13		0	0	0
18/01/2018	15:23:22	-0.066	41.17	17.12		0	0	0
18/01/2018	15:53:22	-0.066	41.13	17.12		0	0	0
18/01/2018	16:23:22	-0.068	41.13	17.11		0	0	0
18/01/2018	16:53:22	-0.064	41.04	17.1		0	0	0
18/01/2018	17:23:22	-0.063	40.9	17.09		0	0	0
18/01/2018	17:53:22	-0.068	40.9	17.09		0	0	0
18/01/2018	18:23:22	-0.068	40.86	17.09		0	0	0
18/01/2018	18:53:22	-0.076	40.86	17.1		0	0	0
18/01/2018	19:23:22	-0.071	40.86	17.09		0	0	0
18/01/2018	19:53:22	-0.069	40.77	17.08		0	0	0
18/01/2018	20:23:22	-0.069	40.72	17.08		0	0	0
18/01/2018	20:53:22	-0.064	40.72	17.08		0	0	0
18/01/2018	21:23:22	-0.064	40.68	17.08		0	0	0
18/01/2018	21:53:22	-0.073	40.68	17.08		0	0	0
18/01/2018	22:23:22	-0.07	40.72	17.09		0	0	0
18/01/2018	22:53:22	-0.061	40.72	17.09		0	0	0
18/01/2018	23:23:22	-0.063	40.77	17.09		0	0	0
18/01/2018	23:53:22	-0.065	40.77	17.09		0	0	0
19/01/2018	00:23:22	-0.066	40.81	17.08		0	0	0
19/01/2018	00:53:22	-0.061	40.81	17.09		0	0	0
19/01/2018	01:23:22	-0.077	40.77	17.09		0	0	0
19/01/2018	01:53:22	-0.065	40.77	17.09		0	0	0
19/01/2018	02:23:22	-0.07	40.72	17.09		0	0	0
19/01/2018	02:53:22	-0.065	40.72	17.09		0	0	0
19/01/2018	03:23:22	-0.067	40.68	17.11		0	0	0
19/01/2018	03:53:22	-0.062	40.63	17.12		0	0	0

Global Logger	16/01/2018	12:47:27	Offset= 0 Inches	Mannings	Roughness= 0.014	Slope= 4.5 %	Diameter= 50 cm	
Date	Time	Feet	Temp F	Volts	Pulses	Flow (CFS)	Vel (FPS)	Flow (l/s)
19/01/2018	04:23:22	-0.075	40.59	17.12		0	0	0
19/01/2018	04:53:22	-0.064	40.54	17.13		0	0	0
19/01/2018	05:23:22	-0.064	40.5	17.14		0	0	0
19/01/2018	05:53:22	-0.057	40.54	17.15		0	0	0
19/01/2018	06:23:22	-0.063	40.54	17.16		0	0	0
19/01/2018	06:53:22	-0.067	40.54	17.18		0	0	0
19/01/2018	07:23:22	-0.066	40.5	17.18		0	0	0
19/01/2018	07:53:22	-0.071	40.45	17.17		0	0	0
19/01/2018	08:23:22	-0.07	40.45	17.16		0	0	0
19/01/2018	08:53:22	-0.075	40.36	17.15		0	0	0
19/01/2018	09:23:22	-0.07	40.31	17.14		0	0	0
19/01/2018	09:53:22	-0.067	40.27	17.12		0	0	0
19/01/2018	10:23:22	-0.072	40.22	17.12		0	0	0
19/01/2018	10:53:22	-0.069	40.18	17.11		0	0	0
19/01/2018	11:23:22	-0.077	40.13	17.1		0	0	0
19/01/2018	11:53:22	-0.07	40.09	17.09		0	0	0
19/01/2018	12:23:22	-0.076	40.04	17.09		0	0	0
19/01/2018	12:53:22	-0.067	40	17.07		0	0	0
19/01/2018	13:23:22	-0.066	40	17.08		0	0	0
19/01/2018	13:53:22	-0.078	40	17.08		0	0	0
19/01/2018	14:23:22	-0.074	40	17.09		0	0	0
19/01/2018	14:53:22	-0.063	39.95	17.08		0	0	0
19/01/2018	15:23:22	-0.066	39.95	17.08		0	0	0
19/01/2018	15:53:22	-0.06	39.95	17.08		0	0	0
19/01/2018	16:23:22	-0.066	40	17.09		0	0	0
19/01/2018	16:53:22	-0.079	40	17.09		0	0	0
19/01/2018	17:23:22	-0.063	40.04	17.08		0	0	0
19/01/2018	17:53:22	-0.072	40	17.08		0	0	0
19/01/2018	18:23:22	-0.064	39.91	17.08		0	0	0
19/01/2018	18:53:22	-0.065	39.91	17.07		0	0	0
19/01/2018	19:23:22	-0.072	39.91	17.07		0	0	0
19/01/2018	19:53:22	-0.072	39.91	17.07		0	0	0
19/01/2018	20:23:22	-0.062	39.86	17.06		0	0	0
19/01/2018	20:53:22	-0.071	39.86	17.06		0	0	0
19/01/2018	21:23:22	-0.078	39.95	17.06		0	0	0
19/01/2018	21:53:22	-0.079	39.95	17.06		0	0	0
19/01/2018	22:23:22	-0.075	39.86	17.06		0	0	0
19/01/2018	22:53:22	-0.073	39.91	17.05		0	0	0
19/01/2018	23:23:22	-0.073	39.95	17.05		0	0	0
19/01/2018	23:53:22	-0.063	39.91	17.04		0	0	0
20/01/2018	00:23:22	-0.067	40	17.05		0	0	0
20/01/2018	00:53:22	-0.08	40.09	17.06		0	0	0
20/01/2018	01:23:22	-0.077	40.13	17.05		0	0	0
20/01/2018	01:53:22	-0.064	40.18	17.04		0	0	0
20/01/2018	02:23:22	-0.068	40.13	17.05		0	0	0
20/01/2018	02:53:22	-0.062	40.18	17.04		0	0	0
20/01/2018	03:23:22	-0.073	40.22	17.05		0	0	0
20/01/2018	03:53:22	-0.071	40.27	17.05		0	0	0
20/01/2018	04:23:22	-0.078	40.27	17.06		0	0	0
20/01/2018	04:53:22	-0.063	40.31	17.06		0	0	0
20/01/2018	05:23:22	-0.071	40.36	17.07		0	0	0
20/01/2018	05:53:22	-0.071	40.4	17.08		0	0	0
20/01/2018	06:23:22	-0.07	40.59	17.09		0	0	0
20/01/2018	06:53:22	-0.066	40.63	17.11		0	0	0
20/01/2018	07:23:22	-0.067	40.68	17.15		0	0	0
20/01/2018	07:53:22	-0.067	40.63	17.16		0	0	0
20/01/2018	08:23:22	-0.071	40.59	17.15		0	0	0
20/01/2018	08:53:22	-0.065	40.54	17.13		0	0	0
20/01/2018	09:23:22	-0.069	40.54	17.12		0	0	0
20/01/2018	09:53:22	-0.07	40.4	17.12		0	0	0
20/01/2018	10:23:22	-0.071	40.36	17.1		0	0	0
20/01/2018	10:53:22	-0.072	40.31	17.09		0	0	0
20/01/2018	11:23:22	-0.068	40.22	17.07		0	0	0
20/01/2018	11:53:22	-0.073	40.18	17.06		0	0	0
20/01/2018	12:23:22	-0.078	40.18	17.04		0	0	0
20/01/2018	12:53:22	-0.072	40.18	17.02		0	0	0
20/01/2018	13:23:22	-0.071	40.18	17.01		0	0	0
20/01/2018	13:53:22	-0.078	40.18	17.01		0	0	0
20/01/2018	14:23:22	-0.073	40.18	17.02		0	0	0
20/01/2018	14:53:22	-0.076	40.18	17.02		0	0	0
20/01/2018	15:23:22	-0.069	40.18	17		0	0	0
20/01/2018	15:53:22	-0.069	40.18	17		0	0	0

Global Logger	16/01/2018	12:47:27	Offset= 0 Inches	Mannings	Roughness= 0.014	Slope= 4.5 %	Diameter= 50 cm	
Date	Time	Feet	Temp F	Volts	Pulses	Flow (CFS)	Vel (FPS)	Flow (l/s)
20/01/2018	16:23:22	-0.083	40.22	17		0	0	0
20/01/2018	16:53:22	-0.068	40.27	16.99		0	0	0
20/01/2018	17:23:22	-0.073	40.27	16.99		0	0	0
20/01/2018	17:53:22	-0.074	40.31	16.99		0	0	0
20/01/2018	18:23:22	-0.074	40.31	16.99		0	0	0
20/01/2018	18:53:22	-0.068	40.31	16.99		0	0	0
20/01/2018	19:23:22	-0.068	40.36	17		0	0	0
20/01/2018	19:53:22	-0.069	40.36	16.99		0	0	0
20/01/2018	20:23:22	-0.083	40.4	17		0	0	0
20/01/2018	20:53:22	-0.065	40.4	16.98		0	0	0
20/01/2018	21:23:22	-0.071	40.4	16.99		0	0	0
20/01/2018	21:53:22	-0.069	40.4	17		0	0	0
20/01/2018	22:23:22	-0.068	40.45	16.98		0	0	0
20/01/2018	22:53:22	-0.065	40.45	17		0	0	0
20/01/2018	23:23:22	-0.069	40.5	17		0	0	0
20/01/2018	23:53:22	-0.066	40.5	17		0	0	0
21/01/2018	00:23:22	-0.068	40.59	17.01		0	0	0
21/01/2018	00:53:22	-0.066	40.68	17		0	0	0
21/01/2018	01:23:22	-0.066	40.72	17.01		0	0	0
21/01/2018	01:53:22	-0.063	40.68	17.01		0	0	0
21/01/2018	02:23:22	-0.067	40.81	17.01		0	0	0
21/01/2018	02:53:22	-0.069	40.68	17		0	0	0
21/01/2018	03:23:22	-0.065	40.59	17		0	0	0
21/01/2018	03:53:22	-0.074	40.59	17		0	0	0
21/01/2018	04:23:22	-0.079	40.63	17		0	0	0
21/01/2018	04:53:22	-0.073	40.5	17.04		0	0	0
21/01/2018	05:23:22	-0.075	40.5	17.06		0	0	0
21/01/2018	05:53:22	-0.069	40.54	17.08		0	0	0
21/01/2018	06:23:22	-0.084	40.59	17.09		0	0	0
21/01/2018	06:53:22	-0.065	40.72	17.08		0	0	0
21/01/2018	07:23:22	-0.072	40.9	17.09		0	0	0
21/01/2018	07:53:22	-0.073	41.08	17.09		0	0	0
21/01/2018	08:23:22	-0.085	41.44	17.09		0	0	0
21/01/2018	08:53:22	-0.076	41.76	17.08		0	0	0
21/01/2018	09:23:22	-0.088	42.03	17.09		0	0	0
21/01/2018	09:53:22	-0.089	42.3	17.08		0	0	0
21/01/2018	10:23:22	-0.078	42.44	17.08		0	0	0
21/01/2018	10:53:22	-0.08	42.66	17.08		0	0	0
21/01/2018	11:23:22	-0.071	42.75	17.08		0	0	0
21/01/2018	11:53:22	-0.089	42.84	17.08		0	0	0
21/01/2018	12:23:22	-0.079	42.94	17.08		0	0	0
21/01/2018	12:53:22	-0.074	43.07	17.08		0	0	0
21/01/2018	13:23:22	-0.078	43.21	17.08		0	0	0
21/01/2018	13:53:22	-0.075	43.43	17.07		0	0	0
21/01/2018	14:23:22	-0.076	43.52	17.06		0	0	0
21/01/2018	14:53:22	-0.08	43.66	17.06		0	0	0
21/01/2018	15:23:22	-0.083	43.75	17.06		0	0	0
21/01/2018	15:53:22	-0.084	43.84	17.04		0	0	0
21/01/2018	16:23:22	-0.07	43.93	17.04		0	0	0
21/01/2018	16:53:22	-0.074	43.93	17.03		0	0	0
21/01/2018	17:23:22	-0.069	44.02	17.03		0	0	0
21/01/2018	17:53:22	-0.081	44.06	17.03		0	0	0
21/01/2018	18:23:22	-0.071	44.11	17.02		0	0	0
21/01/2018	18:53:22	-0.071	44.11	17.01		0	0	0
21/01/2018	19:23:22	-0.072	44.2	17		0	0	0
21/01/2018	19:53:22	-0.071	44.25	17		0	0	0
21/01/2018	20:23:22	-0.069	44.34	17		0	0	0
21/01/2018	20:53:22	-0.07	44.38	17		0	0	0
21/01/2018	21:23:22	-0.075	44.43	17		0	0	0
21/01/2018	21:53:22	-0.075	44.52	16.99		0	0	0
21/01/2018	22:23:22	-0.07	44.56	17		0	0	0
21/01/2018	22:53:22	-0.069	44.65	16.99		0	0	0
21/01/2018	23:23:22	-0.076	44.7	17		0	0	0
21/01/2018	23:53:22	-0.071	44.74	17		0	0	0
22/01/2018	00:23:22	-0.069	44.83	17		0	0	0
22/01/2018	00:53:22	-0.07	44.92	17		0	0	0
22/01/2018	01:23:22	-0.068	44.92	17		0	0	0
22/01/2018	01:53:22	-0.068	45.01	17		0	0	0
22/01/2018	02:23:22	-0.08	45.06	17		0	0	0
22/01/2018	02:53:22	-0.071	45.1	17		0	0	0
22/01/2018	03:23:22	-0.069	45.19	17		0	0	0
22/01/2018	03:53:22	-0.069	45.15	17.01		0	0	0

Global Logger	16/01/2018	12:47:27	Offset= 0 Inches	Mannings	Roughness= 0.014	Slope= 4.5 %	Diameter= 50 cm	
Date	Time	Feet	Temp F	Volts	Pulses	Flow (CFS)	Vel (FPS)	Flow (l/s)
22/01/2018	04:23:22	-0.071	45.24	17.01		0	0	0
22/01/2018	04:53:22	-0.071	45.24	17.02		0	0	0
22/01/2018	05:23:22	-0.069	45.33	17.02		0	0	0
22/01/2018	05:53:22	-0.075	45.38	17.03		0	0	0
22/01/2018	06:23:22	-0.08	45.38	17.03		0	0	0
22/01/2018	06:53:22	-0.082	45.42	17.03		0	0	0
22/01/2018	07:23:22	-0.075	45.42	17.03		0	0	0
22/01/2018	07:53:22	-0.085	45.42	17.03		0	0	0
22/01/2018	08:23:22	-0.084	45.47	17.03		0	0	0
22/01/2018	08:53:22	-0.084	45.47	17.03		0	0	0
22/01/2018	09:23:22	-0.083	45.56	17.03		0	0	0
22/01/2018	09:53:22	-0.082	45.6	17.01		0	0	0
22/01/2018	10:23:22	-0.072	45.65	17.01		0	0	0
22/01/2018	10:53:22	-0.087	45.65	17		0	0	0
22/01/2018	11:23:22	-0.076	45.65	16.98		0	0	0
22/01/2018	11:53:22	-0.081	45.65	16.97		0	0	0
22/01/2018	12:23:22	-0.086	45.65	16.96		0	0	0
22/01/2018	12:53:22	-0.082	45.6	16.96		0	0	0
22/01/2018	13:23:22	-0.079	45.6	16.96		0	0	0
22/01/2018	13:53:22	-0.078	45.65	16.97		0	0	0
22/01/2018	14:23:22	-0.086	45.6	16.98		0	0	0
22/01/2018	14:53:22	-0.081	45.56	16.99		0	0	0
22/01/2018	15:23:22	-0.08	45.56	17		0	0	0
22/01/2018	15:53:22	-0.081	45.56	17		0	0	0
22/01/2018	16:23:22	-0.083	45.56	17		0	0	0
22/01/2018	16:53:22	-0.08	45.51	17		0	0	0
22/01/2018	17:23:22	-0.078	45.51	17		0	0	0
22/01/2018	17:53:22	-0.08	45.51	17		0	0	0
22/01/2018	18:23:22	-0.076	45.51	17		0	0	0
22/01/2018	18:53:22	-0.083	45.51	17.01		0	0	0
22/01/2018	19:23:22	-0.077	45.56	17		0	0	0
22/01/2018	19:53:22	-0.084	45.56	17.01		0	0	0
22/01/2018	20:23:22	-0.083	45.56	17.01		0	0	0
22/01/2018	20:53:22	-0.083	45.6	17.01		0	0	0
22/01/2018	21:23:22	-0.08	45.6	17.02		0	0	0
22/01/2018	21:53:22	-0.089	45.65	17.03		0	0	0
22/01/2018	22:23:22	-0.08	45.65	17.03		0	0	0
22/01/2018	22:53:22	-0.092	45.69	17.03		0	0	0
22/01/2018	23:23:22	-0.082	45.69	17.03		0	0	0
22/01/2018	23:53:22	-0.083	45.74	17.03		0	0	0
23/01/2018	00:23:22	-0.084	45.78	17.03		0	0	0
23/01/2018	00:53:22	-0.09	45.78	17.03		0	0	0
23/01/2018	01:23:22	-0.087	45.83	17.03		0	0	0
23/01/2018	01:53:22	-0.088	45.78	17.03		0	0	0
23/01/2018	02:23:22	-0.08	45.83	17.03		0	0	0
23/01/2018	02:53:22	-0.076	45.96	17.03		0	0	0
23/01/2018	03:23:22	-0.085	46.01	17.03		0	0	0
23/01/2018	03:53:22	-0.084	46.05	17.03		0	0	0
23/01/2018	04:23:22	-0.081	46.05	17.03		0	0	0
23/01/2018	04:53:22	-0.083	46.19	17.03		0	0	0
23/01/2018	05:23:22	-0.082	46.23	17.03		0	0	0
23/01/2018	05:53:22	-0.089	46.32	17.03		0	0	0
23/01/2018	06:23:22	-0.08	46.37	17.03		0	0	0
23/01/2018	06:53:22	-0.086	46.23	17.03		0	0	0
23/01/2018	07:23:22	-0.086	46.05	17.03		0	0	0
23/01/2018	07:53:22	-0.078	46.01	17.03		0	0	0
23/01/2018	08:23:22	-0.086	46.05	17.04		0	0	0
23/01/2018	08:53:22	-0.092	46.05	17.04		0	0	0
23/01/2018	09:23:22	-0.079	46.14	17.03		0	0	0
23/01/2018	09:53:22	-0.079	46.14	17.03		0	0	0
23/01/2018	10:23:22	-0.075	46.28	17.02		0	0	0
23/01/2018	10:53:22	-0.079	46.37	17.02		0	0	0
23/01/2018	11:23:22	-0.077	46.37	17.01		0	0	0
23/01/2018	11:53:22	-0.068	46.6	17.01		0	0	0
23/01/2018	12:23:22	-0.071	46.64	17.01		0	0	0
23/01/2018	12:53:22	-0.07	46.69	17		0	0	0
23/01/2018	13:23:22	-0.064	46.69	17		0	0	0
23/01/2018	13:53:22	-0.067	46.69	17		0	0	0
23/01/2018	14:23:22	-0.068	46.69	17		0	0	0
23/01/2018	14:53:22	-0.068	46.64	17		0	0	0
23/01/2018	15:23:22	-0.067	46.73	17		0	0	0
23/01/2018	15:53:22	-0.072	46.78	17		0	0	0

Global Logger	16/01/2018	12:47:27	Offset= 0 Inches	Mannings	Roughness= 0.014	Slope= 4.5 %	Diameter= 50 cm	
Date	Time	Feet	Temp F	Volts	Pulses	Flow (CFS)	Vel (FPS)	Flow (l/s)
23/01/2018	16:23:22	-0.073	46.82	17		0	0	0
23/01/2018	16:53:22	-0.07	46.82	17		0	0	0
23/01/2018	17:23:22	-0.07	46.87	17		0	0	0
23/01/2018	17:53:22	-0.072	46.87	17		0	0	0
23/01/2018	18:23:22	-0.072	46.91	17		0	0	0
23/01/2018	18:53:22	-0.069	46.91	17		0	0	0
23/01/2018	19:23:22	-0.071	46.87	17		0	0	0
23/01/2018	19:53:22	-0.07	46.96	17		0	0	0
23/01/2018	20:23:22	-0.076	47.05	17		0	0	0
23/01/2018	20:53:22	-0.068	47.09	17		0	0	0
23/01/2018	21:23:22	-0.068	47.14	17		0	0	0
23/01/2018	21:53:22	-0.076	47.18	17		0	0	0
23/01/2018	22:23:22	-0.071	47.23	17		0	0	0
23/01/2018	22:53:22	-0.075	47.27	17		0	0	0
23/01/2018	23:23:22	-0.075	46.96	17		0	0	0
23/01/2018	23:53:22	-0.085	46.69	16.99		0	0	0
24/01/2018	00:23:22	-0.066	46.6	16.96		0	0	0
24/01/2018	00:53:22	-0.074	46.64	16.95		0	0	0
24/01/2018	01:23:22	-0.073	46.82	16.95		0	0	0
24/01/2018	01:53:22	-0.08	46.82	16.94		0	0	0
24/01/2018	02:23:22	-0.07	46.82	16.93		0	0	0
24/01/2018	02:53:22	-0.069	46.91	16.93		0	0	0
24/01/2018	03:23:22	-0.075	46.91	16.93		0	0	0
24/01/2018	03:53:22	-0.073	46.96	16.93		0	0	0
24/01/2018	04:23:22	-0.068	47	16.94		0	0	0
24/01/2018	04:53:22	-0.069	47.09	16.95		0	0	0
24/01/2018	05:23:22	-0.075	47.14	16.95		0	0	0
24/01/2018	05:53:22	-0.071	47.18	16.96		0	0	0
24/01/2018	06:23:22	-0.065	47.27	16.96		0	0	0
24/01/2018	06:53:22	-0.075	47.36	16.99		0	0	0
24/01/2018	07:23:22	-0.072	47.23	17		0	0	0
24/01/2018	07:53:22	-0.069	47.36	16.98		0	0	0
24/01/2018	08:23:22	-0.069	47.32	16.96		0	0	0
24/01/2018	08:53:22	-0.069	47.45	16.94		0	0	0
24/01/2018	09:23:22	-0.073	47.45	16.93		0	0	0
24/01/2018	09:53:22	-0.071	47.45	16.92		0	0	0
24/01/2018	10:23:22	-0.079	47.45	16.92		0	0	0
24/01/2018	10:53:22	-0.074	47.45	16.9		0	0	0
24/01/2018	11:23:22	-0.073	47.36	16.9		0	0	0
24/01/2018	11:53:22	-0.079	47.32	16.9		0	0	0
24/01/2018	12:23:22	-0.072	47.32	16.89		0	0	0
24/01/2018	12:53:22	-0.071	47.27	16.9		0	0	0
24/01/2018	13:23:22	-0.068	47.27	16.9		0	0	0
24/01/2018	13:53:22	-0.074	47.23	16.9		0	0	0
24/01/2018	14:23:22	-0.07	47.18	16.9		0	0	0
24/01/2018	14:53:22	-0.068	47.14	16.9		0	0	0
24/01/2018	15:23:22	-0.075	47.05	16.9		0	0	0
24/01/2018	15:53:22	-0.068	47	16.9		0	0	0
24/01/2018	16:23:22	-0.079	46.91	16.9		0	0	0
24/01/2018	16:53:22	-0.069	46.91	16.9		0	0	0
24/01/2018	17:23:22	-0.082	46.78	16.91		0	0	0
24/01/2018	17:53:22	-0.079	46.78	16.9		0	0	0
24/01/2018	18:23:22	-0.071	46.73	16.9		0	0	0
24/01/2018	18:53:22	-0.077	46.64	16.88		0	0	0
24/01/2018	19:23:22	-0.071	46.64	16.87		0	0	0
24/01/2018	19:53:22	-0.076	46.55	16.87		0	0	0
24/01/2018	20:23:22	-0.066	46.46	16.87		0	0	0
24/01/2018	20:53:22	-0.072	46.41	16.87		0	0	0
24/01/2018	21:23:22	-0.069	46.32	16.86		0	0	0
24/01/2018	21:53:22	-0.065	46.28	16.85		0	0	0
24/01/2018	22:23:22	-0.068	46.19	16.85		0	0	0
24/01/2018	22:53:22	-0.068	46.1	16.85		0	0	0
24/01/2018	23:23:22	-0.069	46.05	16.85		0	0	0
24/01/2018	23:53:22	-0.075	46.01	16.85		0	0	0
25/01/2018	00:23:22	-0.069	45.92	16.85		0	0	0
25/01/2018	00:53:22	-0.074	45.83	16.85		0	0	0
25/01/2018	01:23:22	-0.068	45.78	16.85		0	0	0
25/01/2018	01:53:22	-0.071	45.74	16.85		0	0	0
25/01/2018	02:23:22	-0.068	45.65	16.86		0	0	0
25/01/2018	02:53:22	-0.067	45.6	16.86		0	0	0
25/01/2018	03:23:22	-0.071	45.56	16.86		0	0	0
25/01/2018	03:53:22	-0.07	45.56	16.87		0	0	0

Global Logger	16/01/2018	12:47:27	Offset= 0 Inches	Mannings	Roughness= 0.014	Slope= 4.5 %	Diameter= 50 cm	
Date	Time	Feet	Temp F	Volts	Pulses	Flow (CFS)	Vel (FPS)	Flow (l/s)
25/01/2018	04:23:22	-0.062	45.56	16.88		0	0	0
25/01/2018	04:53:22	-0.072	45.47	16.9		0	0	0
25/01/2018	05:23:22	-0.068	45.47	16.88		0	0	0
25/01/2018	05:53:22	-0.065	45.33	16.87		0	0	0
25/01/2018	06:23:22	-0.069	45.42	16.87		0	0	0
25/01/2018	06:53:22	-0.065	45.47	16.89		0	0	0
25/01/2018	07:23:22	-0.065	45.33	16.92		0	0	0
25/01/2018	07:53:22	-0.07	45.28	16.91		0	0	0
25/01/2018	08:23:22	-0.069	45.24	16.9		0	0	0
25/01/2018	08:53:22	-0.072	45.19	16.9		0	0	0
25/01/2018	09:23:22	-0.07	45.19	16.9		0	0	0
25/01/2018	09:53:22	-0.077	45.15	16.9		0	0	0
25/01/2018	10:23:22	-0.071	45.1	16.88		0	0	0
25/01/2018	10:53:22	-0.07	45.06	16.87		0	0	0
25/01/2018	11:23:22	-0.082	45.01	16.85		0	0	0
25/01/2018	11:53:22	-0.079	44.97	16.84		0	0	0
25/01/2018	12:23:22	-0.067	44.92	16.83		0	0	0
25/01/2018	12:53:22	-0.082	44.92	16.84		0	0	0
25/01/2018	13:23:22	-0.071	44.92	16.84		0	0	0
25/01/2018	13:53:22	-0.085	44.88	16.84		0	0	0
25/01/2018	14:23:22	-0.077	44.88	16.84		0	0	0
25/01/2018	14:53:22	-0.076	44.83	16.84		0	0	0
25/01/2018	15:23:22	-0.083	44.83	16.84		0	0	0
25/01/2018	15:53:22	-0.074	44.83	16.84		0	0	0
25/01/2018	16:23:22	-0.082	44.79	16.84		0	0	0
25/01/2018	16:53:22	-0.078	44.74	16.84		0	0	0
25/01/2018	17:23:22	-0.076	44.7	16.84		0	0	0
25/01/2018	17:53:22	-0.085	44.65	16.84		0	0	0
25/01/2018	18:23:22	-0.086	44.65	16.84		0	0	0
25/01/2018	18:53:22	-0.076	44.56	16.84		0	0	0
25/01/2018	19:23:22	-0.087	44.52	16.85		0	0	0
25/01/2018	19:53:22	-0.084	44.43	16.85		0	0	0
25/01/2018	20:23:22	-0.084	44.38	16.84		0	0	0
25/01/2018	20:53:22	-0.083	44.34	16.84		0	0	0
25/01/2018	21:23:22	-0.086	44.29	16.84		0	0	0
25/01/2018	21:53:22	-0.086	44.25	16.84		0	0	0
25/01/2018	22:23:22	-0.086	44.2	16.84		0	0	0
25/01/2018	22:53:22	-0.091	44.16	16.84		0	0	0
25/01/2018	23:23:22	-0.086	44.06	16.83		0	0	0
25/01/2018	23:53:22	-0.09	44.06	16.82		0	0	0
26/01/2018	00:23:22	-0.088	44.02	16.84		0	0	0
26/01/2018	00:53:22	-0.087	43.97	16.83		0	0	0
26/01/2018	01:23:22	-0.088	43.97	16.83		0	0	0
26/01/2018	01:53:22	-0.084	43.88	16.82		0	0	0
26/01/2018	02:23:22	-0.094	43.84	16.83		0	0	0
26/01/2018	02:53:22	-0.087	43.84	16.84		0	0	0
26/01/2018	03:23:22	-0.086	43.88	16.84		0	0	0
26/01/2018	03:53:22	-0.092	43.88	16.87		0	0	0
26/01/2018	04:23:22	-0.088	43.84	16.88		0	0	0
26/01/2018	04:53:22	-0.084	43.88	16.88		0	0	0
26/01/2018	05:23:22	-0.077	43.84	16.88		0	0	0
26/01/2018	05:53:22	-0.085	43.88	16.88		0	0	0
26/01/2018	06:23:22	-0.073	43.84	16.89		0	0	0
26/01/2018	06:53:22	-0.09	43.88	16.92		0	0	0
26/01/2018	07:23:22	-0.09	43.88	16.94		0	0	0
26/01/2018	07:53:22	-0.089	43.79	16.93		0	0	0
26/01/2018	08:23:22	-0.083	43.75	16.92		0	0	0
26/01/2018	08:53:22	-0.081	43.75	16.9		0	0	0
26/01/2018	09:23:22	-0.082	43.7	16.88		0	0	0
26/01/2018	09:53:22	-0.081	43.7	16.87		0	0	0
26/01/2018	10:23:22	-0.084	43.7	16.84		0	0	0
26/01/2018	10:53:22	-0.083	43.66	16.82		0	0	0
26/01/2018	11:23:22	-0.084	43.66	16.8		0	0	0
26/01/2018	11:53:22	-0.084	43.66	16.79		0	0	0
26/01/2018	12:23:22	-0.075	43.61	16.78		0	0	0
26/01/2018	12:53:22	-0.074	43.57	16.77		0	0	0
26/01/2018	13:23:22	-0.081	43.57	16.77		0	0	0
26/01/2018	13:53:22	-0.078	43.57	16.77		0	0	0
26/01/2018	14:23:22	-0.08	43.57	16.77		0	0	0
26/01/2018	14:53:22	-0.082	43.52	16.77		0	0	0
26/01/2018	15:23:22	-0.083	43.57	16.77		0	0	0
26/01/2018	15:53:22	-0.077	43.57	16.77		0	0	0

Global Logger	16/01/2018	12:47:27	Offset= 0 Inches	Mannings	Roughness= 0.014	Slope= 4.5 %	Diameter= 50 cm	
Date	Time	Feet	Temp F	Volts	Pulses	Flow (CFS)	Vel (FPS)	Flow (l/s)
26/01/2018	16:23:22	-0.082	43.52	16.77		0	0	0
26/01/2018	16:53:22	-0.076	43.52	16.78		0	0	0
26/01/2018	17:23:22	-0.082	43.57	16.79		0	0	0
26/01/2018	17:53:22	-0.078	43.57	16.8		0	0	0
26/01/2018	18:23:22	-0.075	43.57	16.8		0	0	0
26/01/2018	18:53:22	-0.08	43.57	16.82		0	0	0
26/01/2018	19:23:22	-0.081	43.57	16.82		0	0	0
26/01/2018	19:53:22	-0.08	43.61	16.82		0	0	0
26/01/2018	20:23:22	-0.08	43.61	16.82		0	0	0
26/01/2018	20:53:22	-0.081	43.66	16.83		0	0	0
26/01/2018	21:23:22	-0.077	43.66	16.83		0	0	0
26/01/2018	21:53:22	-0.074	43.66	16.83		0	0	0
26/01/2018	22:23:22	-0.078	43.7	16.83		0	0	0
26/01/2018	22:53:22	-0.082	43.7	16.84		0	0	0
26/01/2018	23:23:22	-0.083	43.75	16.84		0	0	0
26/01/2018	23:53:22	-0.081	43.75	16.84		0	0	0
27/01/2018	00:23:22	-0.072	43.79	16.84		0	0	0
27/01/2018	00:53:22	-0.078	43.79	16.84		0	0	0
27/01/2018	01:23:22	-0.076	43.79	16.84		0	0	0
27/01/2018	01:53:22	-0.079	43.79	16.85		0	0	0
27/01/2018	02:23:22	-0.068	43.75	16.85		0	0	0
27/01/2018	02:53:22	-0.069	43.7	16.85		0	0	0
27/01/2018	03:23:22	-0.076	43.66	16.87		0	0	0
27/01/2018	03:53:22	-0.072	43.57	16.87		0	0	0
27/01/2018	04:23:22	-0.072	43.61	16.88		0	0	0
27/01/2018	04:53:22	-0.076	43.57	16.88		0	0	0
27/01/2018	05:23:22	-0.072	43.61	16.88		0	0	0
27/01/2018	05:53:22	-0.077	43.66	16.87		0	0	0
27/01/2018	06:23:22	-0.071	43.7	16.88		0	0	0
27/01/2018	06:53:22	-0.07	43.79	16.88		0	0	0
27/01/2018	07:23:22	-0.074	43.88	16.87		0	0	0
27/01/2018	07:53:22	-0.081	43.97	16.88		0	0	0
27/01/2018	08:23:22	-0.065	44.11	16.88		0	0	0
27/01/2018	08:53:22	-0.082	44.29	16.88		0	0	0
27/01/2018	09:23:22	-0.067	44.34	16.87		0	0	0
27/01/2018	09:53:22	-0.069	44.52	16.87		0	0	0
27/01/2018	10:23:22	-0.083	44.61	16.87		0	0	0
27/01/2018	10:53:22	-0.067	44.79	16.86		0	0	0
27/01/2018	11:23:22	-0.07	44.88	16.86		0	0	0
27/01/2018	11:53:22	-0.077	45.06	16.86		0	0	0
27/01/2018	12:23:22	-0.069	45.19	16.85		0	0	0
27/01/2018	12:53:22	-0.069	45.33	16.85		0	0	0
27/01/2018	13:23:22	-0.067	45.42	16.84		0	0	0
27/01/2018	13:53:22	-0.071	45.47	16.83		0	0	0
27/01/2018	14:23:22	-0.067	45.56	16.82		0	0	0
27/01/2018	14:53:22	-0.072	45.56	16.82		0	0	0
27/01/2018	15:23:22	-0.069	45.6	16.82		0	0	0
27/01/2018	15:53:22	-0.073	45.65	16.82		0	0	0
27/01/2018	16:23:22	-0.07	45.74	16.82		0	0	0
27/01/2018	16:53:22	-0.071	45.69	16.81		0	0	0
27/01/2018	17:23:22	-0.072	45.78	16.81		0	0	0
27/01/2018	17:53:22	-0.074	45.78	16.8		0	0	0
27/01/2018	18:23:22	-0.075	45.78	16.8		0	0	0
27/01/2018	18:53:22	-0.073	45.83	16.8		0	0	0
27/01/2018	19:23:22	-0.076	45.83	16.81		0	0	0
27/01/2018	19:53:22	-0.067	45.83	16.82		0	0	0
27/01/2018	20:23:22	-0.071	45.92	16.82		0	0	0
27/01/2018	20:53:22	-0.083	45.96	16.83		0	0	0
27/01/2018	21:23:22	-0.069	46.01	16.83		0	0	0
27/01/2018	21:53:22	-0.078	46.05	16.83		0	0	0
27/01/2018	22:23:22	-0.078	46.05	16.84		0	0	0
27/01/2018	22:53:22	-0.074	46.1	16.84		0	0	0
27/01/2018	23:23:22	-0.074	46.1	16.84		0	0	0
27/01/2018	23:53:22	-0.07	46.19	16.84		0	0	0
28/01/2018	00:23:22	-0.077	46.14	16.84		0	0	0
28/01/2018	00:53:22	-0.066	46.19	16.83		0	0	0
28/01/2018	01:23:22	-0.076	46.19	16.83		0	0	0
28/01/2018	01:53:22	-0.069	46.19	16.82		0	0	0
28/01/2018	02:23:22	-0.067	46.23	16.83		0	0	0
28/01/2018	02:53:22	-0.063	46.28	16.83		0	0	0
28/01/2018	03:23:22	-0.065	46.32	16.83		0	0	0
28/01/2018	03:53:22	-0.079	46.28	16.83		0	0	0

Global Logger	16/01/2018	12:47:27	Offset= 0 Inches	Mannings	Roughness= 0.014	Slope= 4.5 %	Diameter= 50 cm	
Date	Time	Feet	Temp F	Volts	Pulses	Flow (CFS)	Vel (FPS)	Flow (l/s)
28/01/2018	04:23:22	-0.075	46.28	16.84		0	0	0
28/01/2018	04:53:22	-0.065	46.28	16.83		0	0	0
28/01/2018	05:23:22	-0.063	46.32	16.83		0	0	0
28/01/2018	05:53:22	-0.075	46.28	16.84		0	0	0
28/01/2018	06:23:22	-0.07	46.32	16.84		0	0	0
28/01/2018	06:53:22	-0.081	46.41	16.85		0	0	0
28/01/2018	07:23:22	-0.068	46.37	16.85		0	0	0
28/01/2018	07:53:22	-0.076	46.32	16.85		0	0	0
28/01/2018	08:23:22	-0.07	46.32	16.85		0	0	0
28/01/2018	08:53:22	-0.081	46.32	16.85		0	0	0
28/01/2018	09:23:22	-0.075	46.46	16.84		0	0	0
28/01/2018	09:53:22	-0.064	46.55	16.84		0	0	0
28/01/2018	10:23:22	-0.072	46.82	16.84		0	0	0
28/01/2018	10:53:22	-0.074	46.87	16.83		0	0	0
28/01/2018	11:23:22	-0.067	46.91	16.82		0	0	0
28/01/2018	11:53:22	-0.064	46.91	16.82		0	0	0
28/01/2018	12:23:22	-0.07	46.91	16.82		0	0	0
28/01/2018	12:53:22	-0.072	46.73	16.82		0	0	0
28/01/2018	13:23:22	-0.07	46.73	16.81		0	0	0
28/01/2018	13:53:22	-0.068	46.73	16.82		0	0	0
28/01/2018	14:23:22	-0.065	46.78	16.81		0	0	0
28/01/2018	14:53:22	-0.071	46.87	16.81		0	0	0
28/01/2018	15:23:22	-0.077	47	16.81		0	0	0
28/01/2018	15:53:22	-0.075	46.91	16.81		0	0	0
28/01/2018	16:23:22	-0.073	46.91	16.8		0	0	0
28/01/2018	16:53:22	-0.081	46.91	16.8		0	0	0
28/01/2018	17:23:22	-0.072	46.91	16.8		0	0	0
28/01/2018	17:53:22	-0.078	47	16.8		0	0	0
28/01/2018	18:23:22	-0.067	47.09	16.79		0	0	0
28/01/2018	18:53:22	-0.071	47.09	16.8		0	0	0
28/01/2018	19:23:22	-0.076	47.14	16.8		0	0	0
28/01/2018	19:53:22	-0.076	47.09	16.8		0	0	0
28/01/2018	20:23:22	-0.075	47.05	16.8		0	0	0
28/01/2018	20:53:22	-0.073	47.09	16.79		0	0	0
28/01/2018	21:23:22	-0.076	47.18	16.8		0	0	0
28/01/2018	21:53:22	-0.079	47.23	16.8		0	0	0
28/01/2018	22:23:22	-0.075	47.18	16.8		0	0	0
28/01/2018	22:53:22	-0.074	47.18	16.8		0	0	0
28/01/2018	23:23:22	-0.073	47.14	16.8		0	0	0
28/01/2018	23:53:22	-0.069	47.14	16.8		0	0	0
29/01/2018	00:23:22	-0.072	47.14	16.8		0	0	0
29/01/2018	00:53:22	-0.064	47.14	16.8		0	0	0
29/01/2018	01:23:22	-0.069	47.14	16.8		0	0	0
29/01/2018	01:53:22	-0.073	47.14	16.8		0	0	0
29/01/2018	02:23:22	-0.069	47.18	16.8		0	0	0
29/01/2018	02:53:22	-0.071	47.18	16.8		0	0	0
29/01/2018	03:23:22	-0.066	47.23	16.79		0	0	0
29/01/2018	03:53:22	-0.069	47.36	16.79		0	0	0
29/01/2018	04:23:22	-0.073	47.45	16.79		0	0	0
29/01/2018	04:53:22	-0.072	47.59	16.79		0	0	0
29/01/2018	05:23:22	-0.082	47.63	16.79		0	0	0
29/01/2018	05:53:22	-0.081	47.63	16.79		0	0	0
29/01/2018	06:23:22	-0.089	47.68	16.82		0	0	0
29/01/2018	06:53:22	-0.086	47.82	16.82		0	0	0
29/01/2018	07:23:22	-0.083	47.82	16.83		0	0	0
29/01/2018	07:53:22	-0.083	47.82	16.83		0	0	0
29/01/2018	08:23:22	-0.086	47.82	16.81		0	0	0
29/01/2018	08:53:22	-0.078	47.86	16.78		0	0	0
29/01/2018	09:23:22	-0.078	47.82	16.76		0	0	0
29/01/2018	09:53:22	-0.089	47.82	16.75		0	0	0
29/01/2018	10:23:22	-0.065	47.77	16.72		0	0	0
29/01/2018	10:53:22	-0.073	47.72	16.71		0	0	0
29/01/2018	11:23:22	-0.068	47.63	16.68		0	0	0
29/01/2018	11:53:22	-0.078	47.54	16.66		0	0	0
29/01/2018	12:23:22	-0.073	47.45	16.63		0	0	0
29/01/2018	12:53:22	-0.069	47.36	16.61		0	0	0
29/01/2018	13:23:22	-0.072	47.27	16.6		0	0	0
29/01/2018	13:53:22	-0.073	47.18	16.58		0	0	0
29/01/2018	14:23:22	-0.075	47.09	16.58		0	0	0
29/01/2018	14:53:22	-0.074	46.96	16.56		0	0	0
29/01/2018	15:23:22	-0.073	46.87	16.55		0	0	0
29/01/2018	15:53:22	-0.073	46.78	16.55		0	0	0

Global Logger	16/01/2018	12:47:27	Offset= 0 Inches	Mannings	Roughness= 0.014	Slope= 4.5 %	Diameter= 50 cm	
Date	Time	Feet	Temp F	Volts	Pulses	Flow (CFS)	Vel (FPS)	Flow (l/s)
29/01/2018	16:23:22	-0.078	46.69	16.55		0	0	0
29/01/2018	16:53:22	-0.078	46.6	16.54		0	0	0
29/01/2018	17:23:22	-0.08	46.46	16.53		0	0	0
29/01/2018	17:53:22	-0.068	46.37	16.52		0	0	0
29/01/2018	18:23:22	-0.075	46.28	16.52		0	0	0
29/01/2018	18:53:22	-0.08	46.19	16.52		0	0	0
29/01/2018	19:23:22	-0.078	46.1	16.52		0	0	0
29/01/2018	19:53:22	-0.07	46.01	16.52		0	0	0
29/01/2018	20:23:22	-0.074	45.92	16.53		0	0	0
29/01/2018	20:53:22	-0.072	45.87	16.53		0	0	0
29/01/2018	21:23:22	-0.084	45.78	16.55		0	0	0
29/01/2018	21:53:22	-0.079	45.78	16.56		0	0	0
29/01/2018	22:23:22	-0.082	45.69	16.56		0	0	0
29/01/2018	22:53:22	-0.078	45.65	16.58		0	0	0
29/01/2018	23:23:22	-0.078	45.65	16.58		0	0	0
29/01/2018	23:53:22	-0.079	45.56	16.58		0	0	0
30/01/2018	00:23:22	-0.081	45.51	16.59		0	0	0
30/01/2018	00:53:22	-0.079	45.47	16.6		0	0	0
30/01/2018	01:23:22	-0.08	45.42	16.6		0	0	0
30/01/2018	01:53:22	-0.08	45.42	16.6		0	0	0
30/01/2018	02:23:22	-0.084	45.38	16.61		0	0	0
30/01/2018	02:53:22	-0.085	45.33	16.61		0	0	0
30/01/2018	03:23:22	-0.083	45.33	16.63		0	0	0
30/01/2018	03:53:22	-0.083	45.33	16.64		0	0	0
30/01/2018	04:23:22	-0.074	45.33	16.66		0	0	0
30/01/2018	04:53:22	-0.083	45.38	16.69		0	0	0
30/01/2018	05:23:22	-0.073	45.38	16.71		0	0	0
30/01/2018	05:53:22	-0.079	45.42	16.76		0	0	0
30/01/2018	06:23:22	-0.079	45.42	16.76		0	0	0
30/01/2018	06:53:22	-0.078	45.47	16.76		0	0	0
30/01/2018	07:23:22	-0.076	45.51	16.76		0	0	0
30/01/2018	07:53:22	-0.078	45.51	16.74		0	0	0
30/01/2018	08:23:22	-0.072	45.51	16.72		0	0	0
30/01/2018	08:53:22	-0.071	45.6	16.71		0	0	0
30/01/2018	09:23:22	-0.067	45.6	16.71		0	0	0
30/01/2018	09:53:22	-0.063	45.56	16.7		0	0	0
30/01/2018	10:23:22	-0.08	45.51	16.7		0	0	0
30/01/2018	10:53:22	-0.069	45.47	16.69		0	0	0
30/01/2018	11:23:22	-0.075	45.47	16.69		0	0	0
30/01/2018	11:53:22	-0.068	45.38	16.68		0	0	0
30/01/2018	12:23:22	-0.08	45.38	16.69		0	0	0
30/01/2018	12:53:22	-0.077	45.28	16.68		0	0	0
30/01/2018	13:23:22	-0.081	45.28	16.69		0	0	0
30/01/2018	13:53:22	-0.073	45.24	16.69		0	0	0
30/01/2018	14:23:22	-0.09	45.19	16.71		0	0	0
30/01/2018	14:53:22	-0.07	45.15	16.72		0	0	0
30/01/2018	15:23:22	-0.066	45.1	16.72		0	0	0
30/01/2018	15:53:22	-0.087	45.1	16.71		0	0	0
30/01/2018	16:23:22	-0.091	45.1	16.71		0	0	0
30/01/2018	16:53:22	-0.072	45.06	16.7		0	0	0
30/01/2018	17:23:22	-0.074	45.01	16.7		0	0	0
30/01/2018	17:53:22	-0.072	45.01	16.69		0	0	0
30/01/2018	18:23:22	-0.084	45.06	16.71		0	0	0
30/01/2018	18:53:22	-0.073	45.06	16.7		0	0	0
30/01/2018	19:23:22	-0.075	45.01	16.7		0	0	0
30/01/2018	19:53:22	-0.076	45.06	16.7		0	0	0
30/01/2018	20:23:22	-0.083	45.1	16.7		0	0	0
30/01/2018	20:53:22	-0.069	45.1	16.7		0	0	0
30/01/2018	21:23:22	-0.08	45.1	16.71		0	0	0
30/01/2018	21:53:22	-0.072	45.15	16.7		0	0	0
30/01/2018	22:23:22	-0.082	45.15	16.71		0	0	0
30/01/2018	22:53:22	-0.072	45.19	16.71		0	0	0
30/01/2018	23:23:22	-0.077	45.1	16.7		0	0	0
30/01/2018	23:53:22	-0.069	45.1	16.69		0	0	0
31/01/2018	00:23:22	-0.07	45.06	16.69		0	0	0
31/01/2018	00:53:22	-0.073	45.06	16.67		0	0	0
31/01/2018	01:23:22	-0.072	45.01	16.66		0	0	0
31/01/2018	01:53:22	-0.074	44.97	16.64		0	0	0
31/01/2018	02:23:22	-0.072	45.01	16.63		0	0	0
31/01/2018	02:53:22	-0.071	44.92	16.63		0	0	0
31/01/2018	03:23:22	-0.078	44.88	16.63		0	0	0
31/01/2018	03:53:22	-0.073	44.92	16.63		0	0	0

Global Logger	16/01/2018	12:47:27	Offset= 0 Inches	Mannings	Roughness= 0.014	Slope= 4.5 %	Diameter= 50 cm	
Date	Time	Feet	Temp F	Volts	Pulses	Flow (CFS)	Vel (FPS)	Flow (l/s)
31/01/2018	04:23:22	-0.087	44.88	16.64	0	0	0	0
31/01/2018	04:53:22	-0.074	44.83	16.64	0	0	0	0
31/01/2018	05:23:22	-0.075	44.79	16.74	0	0	0	0
31/01/2018	05:53:22	-0.071	44.79	16.75	0	0	0	0
31/01/2018	06:23:22	-0.069	44.74	16.76	0	0	0	0
31/01/2018	06:53:22	-0.066	44.61	16.76	0	0	0	0
31/01/2018	07:23:22	-0.068	44.56	16.74	0	0	0	0
31/01/2018	07:53:22	-0.069	44.52	16.72	0	0	0	0
31/01/2018	08:23:22	-0.07	44.43	16.71	0	0	0	0
31/01/2018	08:53:22	-0.071	44.34	16.69	0	0	0	0
31/01/2018	09:23:22	-0.085	44.29	16.68	0	0	0	0
31/01/2018	09:53:22	-0.07	44.2	16.65	0	0	0	0
31/01/2018	10:23:22	-0.076	44.11	16.63	0	0	0	0
31/01/2018	10:53:22	-0.073	44.06	16.62	0	0	0	0
31/01/2018	11:23:22	-0.084	43.97	16.61	0	0	0	0
31/01/2018	11:53:22	-0.084	43.93	16.6	0	0	0	0
31/01/2018	12:23:22	-0.067	43.93	16.6	0	0	0	0
31/01/2018	12:53:22	-0.066	43.84	16.6	0	0	0	0
31/01/2018	13:23:22	-0.073	43.84	16.6	0	0	0	0
31/01/2018	13:53:22	-0.068	43.93	16.59	0	0	0	0
31/01/2018	14:23:22	-0.072	44.02	16.59	0	0	0	0
31/01/2018	14:53:22	-0.07	44.11	16.58	0	0	0	0
31/01/2018	15:23:22	-0.063	44.25	16.58	0	0	0	0
31/01/2018	15:53:22	-0.058	44.25	16.59	0	0	0	0
31/01/2018	16:23:22	-0.071	44.29	16.59	0	0	0	0
31/01/2018	16:53:22	-0.071	44.29	16.6	0	0	0	0
31/01/2018	17:23:22	-0.061	44.29	16.6	0	0	0	0
31/01/2018	17:53:22	-0.063	44.29	16.6	0	0	0	0
31/01/2018	18:23:22	-0.073	44.29	16.6	0	0	0	0
31/01/2018	18:53:22	-0.071	44.2	16.59	0	0	0	0
31/01/2018	19:23:22	-0.07	44.2	16.59	0	0	0	0
31/01/2018	19:53:22	-0.082	44.11	16.59	0	0	0	0
31/01/2018	20:23:22	-0.077	44.11	16.59	0	0	0	0
31/01/2018	20:53:22	-0.067	44.11	16.58	0	0	0	0
31/01/2018	21:23:22	-0.063	44.02	16.58	0	0	0	0
31/01/2018	21:53:22	-0.074	43.97	16.58	0	0	0	0
31/01/2018	22:23:22	-0.071	43.97	16.57	0	0	0	0
31/01/2018	22:53:22	-0.072	43.93	16.57	0	0	0	0
31/01/2018	23:23:22	-0.068	43.93	16.56	0	0	0	0
31/01/2018	23:53:22	-0.069	43.84	16.56	0	0	0	0
01/02/2018	00:23:22	-0.065	43.79	16.56	0	0	0	0
01/02/2018	00:53:22	-0.071	43.75	16.56	0	0	0	0
01/02/2018	01:23:22	-0.072	43.7	16.56	0	0	0	0
01/02/2018	01:53:22	-0.076	43.7	16.57	0	0	0	0
01/02/2018	02:23:22	-0.08	43.66	16.57	0	0	0	0
01/02/2018	02:53:22	-0.085	43.61	16.58	0	0	0	0
01/02/2018	03:23:22	-0.068	43.61	16.59	0	0	0	0
01/02/2018	03:53:22	-0.082	43.66	16.61	0	0	0	0
01/02/2018	04:23:22	-0.069	43.61	16.61	0	0	0	0
01/02/2018	04:53:22	-0.078	43.61	16.62	0	0	0	0
01/02/2018	05:23:22	-0.078	43.57	16.63	0	0	0	0
01/02/2018	05:53:22	-0.073	43.61	16.66	0	0	0	0
01/02/2018	06:23:22	-0.064	43.61	16.68	0	0	0	0
01/02/2018	06:53:22	-0.069	43.61	16.68	0	0	0	0
01/02/2018	07:23:22	-0.07	43.57	16.67	0	0	0	0
01/02/2018	07:53:22	-0.079	43.52	16.66	0	0	0	0
01/02/2018	08:23:22	-0.074	43.52	16.65	0	0	0	0
01/02/2018	08:53:22	-0.062	43.48	16.64	0	0	0	0
01/02/2018	09:23:22	-0.077	43.39	16.64	0	0	0	0
01/02/2018	09:53:22	-0.082	43.39	16.63	0	0	0	0
01/02/2018	10:23:22	-0.079	43.3	16.63	0	0	0	0
01/02/2018	10:53:22	-0.072	43.25	16.61	0	0	0	0
01/02/2018	11:23:22	-0.076	43.21	16.61	0	0	0	0
01/02/2018	11:53:22	-0.092	43.12	16.61	0	0	0	0
01/02/2018	12:23:22	-0.087	43.07	16.6	0	0	0	0
01/02/2018	12:53:22	-0.066	42.98	16.58	0	0	0	0
01/02/2018	13:23:22	-0.072	42.94	16.58	0	0	0	0
01/02/2018	13:53:22	-0.077	42.89	16.58	0	0	0	0
01/02/2018	14:23:22	-0.066	42.84	16.59	0	0	0	0
01/02/2018	14:53:22	-0.078	42.84	16.59	0	0	0	0
01/02/2018	15:23:22	-0.06	42.8	16.58	0	0	0	0
01/02/2018	15:53:22	-0.077	42.71	16.58	0	0	0	0

Global Logger	16/01/2018	12:47:27	Offset= 0 Inches	Mannings	Roughness= 0.014	Slope= 4.5 %	Diameter= 50 cm	
Date	Time	Feet	Temp F	Volts	Pulses	Flow (CFS)	Vel (FPS)	Flow (l/s)
01/02/2018	16:23:22	-0.075	42.62	16.59		0	0	0
01/02/2018	16:53:22	-0.068	42.57	16.58		0	0	0
01/02/2018	17:23:22	-0.073	42.62	16.58		0	0	0
01/02/2018	17:53:22	-0.087	42.57	16.58		0	0	0
01/02/2018	18:23:22	-0.083	42.57	16.58		0	0	0
01/02/2018	18:53:22	-0.084	42.57	16.57		0	0	0
01/02/2018	19:23:22	-0.078	42.53	16.56		0	0	0
01/02/2018	19:53:22	-0.079	42.53	16.57		0	0	0
01/02/2018	20:23:22	-0.066	42.48	16.56		0	0	0
01/02/2018	20:53:22	-0.076	42.48	16.57		0	0	0
01/02/2018	21:23:22	-0.062	42.48	16.56		0	0	0
01/02/2018	21:53:22	-0.069	42.48	16.56		0	0	0
01/02/2018	22:23:22	-0.07	42.53	16.57		0	0	0
01/02/2018	22:53:22	-0.075	42.57	16.56		0	0	0
01/02/2018	23:23:22	-0.096	42.57	16.57		0	0	0
01/02/2018	23:53:22	-0.064	42.62	16.56		0	0	0
02/02/2018	00:23:22	-0.072	42.66	16.56		0	0	0
02/02/2018	00:53:22	-0.077	42.66	16.56		0	0	0
02/02/2018	01:23:22	-0.069	42.66	16.56		0	0	0
02/02/2018	01:53:22	-0.073	42.66	16.56		0	0	0
02/02/2018	02:23:22	-0.067	42.57	16.56		0	0	0
02/02/2018	02:53:22	-0.071	42.71	16.56		0	0	0
02/02/2018	03:23:22	-0.067	42.71	16.56		0	0	0
02/02/2018	03:53:22	-0.072	42.71	16.58		0	0	0
02/02/2018	04:23:22	-0.068	42.75	16.6		0	0	0
02/02/2018	04:53:22	-0.071	42.75	16.61		0	0	0
02/02/2018	05:23:22	-0.084	42.75	16.63		0	0	0
02/02/2018	05:53:22	-0.085	42.8	16.63		0	0	0
02/02/2018	06:23:22	-0.083	42.94	16.64		0	0	0
02/02/2018	06:53:22	-0.074	43.07	16.66		0	0	0
02/02/2018	07:23:22	-0.073	43.07	16.68		0	0	0
02/02/2018	07:53:22	-0.072	43.07	16.68		0	0	0
02/02/2018	08:23:22	-0.093	43.03	16.68		0	0	0
02/02/2018	08:53:22	-0.084	43.03	16.65		0	0	0
02/02/2018	09:23:22	-0.086	43.03	16.64		0	0	0
02/02/2018	09:53:22	-0.088	42.98	16.62		0	0	0
02/02/2018	10:23:22	-0.076	42.94	16.6		0	0	0
02/02/2018	10:53:22	-0.085	42.89	16.58		0	0	0
02/02/2018	11:23:22	-0.083	42.84	16.56		0	0	0
02/02/2018	11:53:22	-0.082	42.8	16.55		0	0	0
02/02/2018	12:23:22	-0.079	42.75	16.53		0	0	0
02/02/2018	12:53:22	-0.079	42.66	16.52		0	0	0
02/02/2018	13:23:22	-0.084	42.66	16.51		0	0	0
02/02/2018	13:53:22	-0.074	42.62	16.48		0	0	0
02/02/2018	14:23:22	-0.082	42.53	16.48		0	0	0
02/02/2018	14:53:22	-0.08	42.48	16.48		0	0	0
02/02/2018	15:23:22	-0.082	42.44	16.47		0	0	0
02/02/2018	15:53:22	-0.082	42.39	16.46		0	0	0
02/02/2018	16:23:22	-0.068	42.35	16.45		0	0	0
02/02/2018	16:53:22	-0.084	42.3	16.46		0	0	0
02/02/2018	17:23:22	-0.083	42.3	16.46		0	0	0
02/02/2018	17:53:22	-0.089	42.3	16.46		0	0	0
02/02/2018	18:23:22	-0.087	42.26	16.46		0	0	0
02/02/2018	18:53:22	-0.081	42.17	16.46		0	0	0
02/02/2018	19:23:22	-0.088	42.08	16.47		0	0	0
02/02/2018	19:53:22	-0.09	42.03	16.47		0	0	0
02/02/2018	20:23:22	-0.083	42.03	16.47		0	0	0
02/02/2018	20:53:22	-0.079	41.99	16.47		0	0	0
02/02/2018	21:23:22	-0.083	41.94	16.47		0	0	0
02/02/2018	21:53:22	-0.089	41.99	16.47		0	0	0
02/02/2018	22:23:22	-0.082	41.99	16.47		0	0	0
02/02/2018	22:53:22	-0.091	41.99	16.47		0	0	0
02/02/2018	23:23:22	-0.089	41.94	16.48		0	0	0
02/02/2018	23:53:22	-0.079	41.9	16.46		0	0	0
03/02/2018	00:23:22	-0.076	41.9	16.45		0	0	0
03/02/2018	00:53:22	-0.087	41.9	16.44		0	0	0
03/02/2018	01:23:22	-0.08	41.94	16.44		0	0	0
03/02/2018	01:53:22	-0.075	41.94	16.43		0	0	0
03/02/2018	02:23:22	-0.077	41.94	16.43		0	0	0
03/02/2018	02:53:22	-0.082	41.94	16.43		0	0	0
03/02/2018	03:23:22	-0.073	41.99	16.43		0	0	0
03/02/2018	03:53:22	-0.069	42.03	16.45		0	0	0

Global Logger	16/01/2018	12:47:27	Offset= 0 Inches	Mannings	Roughness= 0.014	Slope= 4.5 %	Diameter= 50 cm	
Date	Time	Feet	Temp F	Volts	Pulses	Flow (CFS)	Vel (FPS)	Flow (l/s)
03/02/2018	04:23:22	-0.058	42.08	16.45		0	0	0
03/02/2018	04:53:22	-0.062	42.03	16.46		0	0	0
03/02/2018	05:23:22	-0.058	42.03	16.47		0	0	0
03/02/2018	05:53:22	-0.076	42.03	16.48		0	0	0
03/02/2018	06:23:22	-0.067	42.03	16.48		0	0	0
03/02/2018	06:53:22	-0.059	42.03	16.48		0	0	0
03/02/2018	07:23:22	-0.061	41.99	16.48		0	0	0
03/02/2018	07:53:22	-0.071	41.99	16.47		0	0	0
03/02/2018	08:23:22	-0.06	42.03	16.47		0	0	0
03/02/2018	08:53:22	-0.067	41.94	16.47		0	0	0
03/02/2018	09:23:22	-0.067	41.94	16.47		0	0	0
03/02/2018	09:53:22	-0.065	41.94	16.46		0	0	0
03/02/2018	10:23:22	-0.068	41.85	16.45		0	0	0
03/02/2018	10:53:22	-0.061	41.85	16.43		0	0	0
03/02/2018	11:23:22	-0.068	41.81	16.43		0	0	0
03/02/2018	11:53:22	-0.082	41.81	16.42		0	0	0
03/02/2018	12:23:22	-0.071	41.81	16.42		0	0	0
03/02/2018	12:53:22	-0.076	41.81	16.42		0	0	0
03/02/2018	13:23:22	-0.066	41.76	16.41		0	0	0
03/02/2018	13:53:22	-0.077	41.76	16.41		0	0	0
03/02/2018	14:23:22	-0.06	41.81	16.4		0	0	0
03/02/2018	14:53:22	-0.065	41.76	16.4		0	0	0
03/02/2018	15:23:22	-0.071	41.72	16.41		0	0	0
03/02/2018	15:53:22	-0.064	41.76	16.4		0	0	0
03/02/2018	16:23:22	-0.07	41.76	16.4		0	0	0
03/02/2018	16:53:22	-0.072	41.67	16.4		0	0	0
03/02/2018	17:23:22	-0.07	41.62	16.39		0	0	0
03/02/2018	17:53:22	-0.076	41.53	16.39		0	0	0
03/02/2018	18:23:22	-0.077	41.49	16.39		0	0	0
03/02/2018	18:53:22	-0.072	41.4	16.37		0	0	0
03/02/2018	19:23:22	-0.075	41.35	16.36		0	0	0
03/02/2018	19:53:22	-0.074	41.4	16.36		0	0	0
03/02/2018	20:23:22	-0.084	41.44	16.35		0	0	0
03/02/2018	20:53:22	-0.084	41.44	16.35		0	0	0
03/02/2018	21:23:22	-0.076	41.35	16.34		0	0	0
03/02/2018	21:53:22	-0.07	41.26	16.33		0	0	0
03/02/2018	22:23:22	-0.067	41.13	16.32		0	0	0
03/02/2018	22:53:22	-0.065	41.08	16.32		0	0	0
03/02/2018	23:23:22	-0.082	41.17	16.33		0	0	0
03/02/2018	23:53:22	-0.078	41.22	16.32		0	0	0
04/02/2018	00:23:22	-0.07	41.35	16.31		0	0	0
04/02/2018	00:53:22	-0.078	41.31	16.31		0	0	0
04/02/2018	01:23:22	-0.074	41.26	16.3		0	0	0
04/02/2018	01:53:22	-0.072	41.17	16.28		0	0	0
04/02/2018	02:23:22	-0.08	40.99	16.28		0	0	0
04/02/2018	02:53:22	-0.078	40.99	16.3		0	0	0
04/02/2018	03:23:22	-0.072	40.99	16.32		0	0	0
04/02/2018	03:53:22	-0.076	40.9	16.33		0	0	0
04/02/2018	04:23:22	-0.073	40.77	16.36		0	0	0
04/02/2018	04:53:22	-0.075	40.4	16.39		0	0	0
04/02/2018	05:23:22	-0.078	40.18	16.4		0	0	0
04/02/2018	05:53:22	-0.08	40.27	16.47		0	0	0
04/02/2018	06:23:22	-0.082	40.4	16.52		0	0	0
04/02/2018	06:53:22	-0.077	40.59	16.55		0	0	0
04/02/2018	07:23:22	-0.077	40.72	16.57		0	0	0
04/02/2018	07:53:22	-0.085	40.86	16.55		0	0	0
04/02/2018	08:23:22	-0.083	40.99	16.53		0	0	0
04/02/2018	08:53:22	-0.08	41.04	16.52		0	0	0
04/02/2018	09:23:22	-0.078	41.04	16.5		0	0	0
04/02/2018	09:53:22	-0.076	41.04	16.48		0	0	0
04/02/2018	10:23:22	-0.08	41.08	16.45		0	0	0
04/02/2018	10:53:22	-0.089	41.08	16.43		0	0	0
04/02/2018	11:23:22	-0.081	41.08	16.39		0	0	0
04/02/2018	11:53:22	-0.092	41.04	16.36		0	0	0
04/02/2018	12:23:22	-0.093	40.99	16.34		0	0	0
04/02/2018	12:53:22	-0.091	41.04	16.31		0	0	0
04/02/2018	13:23:22	-0.098	40.99	16.29		0	0	0
04/02/2018	13:53:22	-0.097	40.86	16.26		0	0	0
04/02/2018	14:23:22	-0.09	40.63	16.25		0	0	0
04/02/2018	14:53:22	-0.073	40.5	16.24		0	0	0
04/02/2018	15:23:22	-0.083	40.36	16.24		0	0	0
04/02/2018	15:53:22	-0.069	40.27	16.23		0	0	0

Global Logger	16/01/2018	12:47:27	Offset= 0 Inches	Mannings	Roughness= 0.014	Slope= 4.5 %	Diameter= 50 cm	
Date	Time	Feet	Temp F	Volts	Pulses	Flow (CFS)	Vel (FPS)	Flow (l/s)
04/02/2018	16:23:22	-0.074	40.18	16.24	0	0	0	0
04/02/2018	16:53:22	-0.081	40.09	16.24	0	0	0	0
04/02/2018	17:23:22	-0.081	40	16.24	0	0	0	0
04/02/2018	17:53:22	-0.082	39.95	16.25	0	0	0	0
04/02/2018	18:23:22	-0.086	39.86	16.26	0	0	0	0
04/02/2018	18:53:22	-0.08	39.86	16.25	0	0	0	0
04/02/2018	19:23:22	-0.088	39.82	16.24	0	0	0	0
04/02/2018	19:53:22	-0.093	39.86	16.24	0	0	0	0
04/02/2018	20:23:22	-0.094	39.82	16.24	0	0	0	0
04/02/2018	20:53:22	-0.094	39.73	16.25	0	0	0	0
04/02/2018	21:23:22	-0.1	39.68	16.25	0	0	0	0
04/02/2018	21:53:22	-0.101	39.68	16.24	0	0	0	0
04/02/2018	22:23:22	-0.098	39.77	16.22	0	0	0	0
04/02/2018	22:53:22	-0.097	39.73	16.21	0	0	0	0
04/02/2018	23:23:22	-0.1	39.68	16.21	0	0	0	0
04/02/2018	23:53:22	-0.097	39.64	16.19	0	0	0	0
05/02/2018	00:23:22	-0.098	39.64	16.19	0	0	0	0
05/02/2018	00:53:22	-0.098	39.55	16.18	0	0	0	0
05/02/2018	01:23:22	-0.096	39.5	16.16	0	0	0	0
05/02/2018	01:53:22	-0.098	39.5	16.16	0	0	0	0
05/02/2018	02:23:22	-0.098	39.5	16.16	0	0	0	0
05/02/2018	02:53:22	-0.098	39.5	16.19	0	0	0	0
05/02/2018	03:23:22	-0.097	39.5	16.21	0	0	0	0
05/02/2018	03:53:22	-0.096	39.5	16.26	0	0	0	0
05/02/2018	04:23:22	-0.095	39.46	16.29	0	0	0	0
05/02/2018	04:53:22	-0.092	39.46	16.32	0	0	0	0
05/02/2018	05:23:22	-0.098	39.5	16.34	0	0	0	0
05/02/2018	05:53:22	-0.094	39.55	16.39	0	0	0	0
05/02/2018	06:23:22	-0.095	39.5	16.42	0	0	0	0
05/02/2018	06:53:22	-0.091	39.55	16.43	0	0	0	0
05/02/2018	07:23:22	-0.098	39.5	16.43	0	0	0	0
05/02/2018	07:53:22	-0.099	39.41	16.42	0	0	0	0
05/02/2018	08:23:22	-0.101	39.41	16.41	0	0	0	0
05/02/2018	08:53:22	-0.098	39.41	16.4	0	0	0	0
05/02/2018	09:23:22	-0.092	39.5	16.39	0	0	0	0
05/02/2018	09:53:22	-0.095	39.5	16.39	0	0	0	0
05/02/2018	10:23:22	-0.102	39.55	16.37	0	0	0	0
05/02/2018	10:53:22	-0.091	39.59	16.35	0	0	0	0
05/02/2018	11:23:22	-0.086	39.64	16.34	0	0	0	0
05/02/2018	11:53:22	-0.097	39.64	16.32	0	0	0	0
05/02/2018	12:23:22	-0.098	39.59	16.31	0	0	0	0
05/02/2018	12:53:22	-0.098	39.59	16.29	0	0	0	0
05/02/2018	13:23:22	-0.088	39.59	16.27	0	0	0	0
05/02/2018	13:53:22	-0.096	39.59	16.26	0	0	0	0
05/02/2018	14:23:22	-0.096	39.64	16.25	0	0	0	0
05/02/2018	14:53:22	-0.098	39.59	16.26	0	0	0	0
05/02/2018	15:23:22	-0.098	39.55	16.25	0	0	0	0
05/02/2018	15:53:22	-0.097	39.59	16.24	0	0	0	0
05/02/2018	16:23:22	-0.096	39.55	16.24	0	0	0	0
05/02/2018	16:53:22	-0.098	39.55	16.23	0	0	0	0
05/02/2018	17:23:22	-0.096	39.55	16.24	0	0	0	0
05/02/2018	17:53:22	-0.098	39.55	16.24	0	0	0	0
05/02/2018	18:23:22	-0.098	39.5	16.24	0	0	0	0
05/02/2018	18:53:22	-0.097	39.5	16.23	0	0	0	0
05/02/2018	19:23:22	-0.097	39.55	16.23	0	0	0	0
05/02/2018	19:53:22	-0.098	39.5	16.23	0	0	0	0
05/02/2018	20:23:22	-0.098	39.5	16.22	0	0	0	0
05/02/2018	20:53:22	-0.102	39.5	16.23	0	0	0	0
05/02/2018	21:23:22	-0.099	39.46	16.23	0	0	0	0
05/02/2018	21:53:22	-0.098	39.46	16.23	0	0	0	0
05/02/2018	22:23:22	-0.095	39.41	16.23	0	0	0	0
05/02/2018	22:53:22	-0.101	39.46	16.23	0	0	0	0
05/02/2018	23:23:22	-0.089	39.46	16.23	0	0	0	0
05/02/2018	23:53:22	-0.091	39.46	16.25	0	0	0	0
06/02/2018	00:23:22	-0.08	39.46	16.24	0	0	0	0
06/02/2018	00:53:22	-0.083	39.41	16.25	0	0	0	0
06/02/2018	01:23:22	-0.091	39.37	16.25	0	0	0	0
06/02/2018	01:53:22	-0.098	39.28	16.25	0	0	0	0
06/02/2018	02:23:22	-0.08	39.32	16.25	0	0	0	0
06/02/2018	02:53:22	-0.092	39.23	16.26	0	0	0	0
06/02/2018	03:23:22	-0.082	39.18	16.26	0	0	0	0
06/02/2018	03:53:22	-0.087	39.18	16.27	0	0	0	0

Global Logger	16/01/2018	12:47:27	Offset= 0 Inches	Mannings	Roughness= 0.014	Slope= 4.5 %	Diameter= 50 cm	
Date	Time	Feet	Temp F	Volts	Pulses	Flow (CFS)	Vel (FPS)	Flow (l/s)
06/02/2018	04:23:22	-0.08	39.18	16.27		0	0	0
06/02/2018	04:53:22	-0.09	39.14	16.29		0	0	0
06/02/2018	05:23:22	-0.079	39	16.29		0	0	0
06/02/2018	05:53:22	-0.091	38.73	16.31		0	0	0
06/02/2018	06:23:22	-0.089	38.73	16.31		0	0	0
06/02/2018	06:53:22	-0.092	38.69	16.33		0	0	0
06/02/2018	07:23:22	-0.084	38.87	16.33		0	0	0
06/02/2018	07:53:22	-0.089	39.28	16.33		0	0	0
06/02/2018	08:23:22	-0.079	39.46	16.32		0	0	0
06/02/2018	08:53:22	-0.08	39.32	16.32		0	0	0
06/02/2018	09:23:22	-0.087	39.23	16.31		0	0	0
06/02/2018	09:53:22	-0.087	39.18	16.31		0	0	0
06/02/2018	10:23:22	-0.08	39.46	16.29		0	0	0
06/02/2018	10:53:22	-0.086	39.55	16.29		0	0	0
06/02/2018	11:23:22	-0.072	39.46	16.27		0	0	0
06/02/2018	11:53:22	-0.074	39.55	16.27		0	0	0
06/02/2018	12:23:22	-0.069	39.41	16.26		0	0	0
06/02/2018	12:53:22	-0.067	39.32	16.26		0	0	0
06/02/2018	13:23:22	-0.075	39.23	16.26		0	0	0
06/02/2018	13:53:22	-0.092	39.23	16.27		0	0	0
06/02/2018	14:23:22	-0.073	39.32	16.26		0	0	0
06/02/2018	14:53:22	-0.078	39.41	16.27		0	0	0
06/02/2018	15:23:22	-0.074	39.23	16.27		0	0	0
06/02/2018	15:53:22	-0.073	39.37	16.27		0	0	0
06/02/2018	16:23:22	-0.074	39.5	16.27		0	0	0
06/02/2018	16:53:22	-0.075	39.55	16.26		0	0	0
06/02/2018	17:23:22	-0.074	39.46	16.26		0	0	0
06/02/2018	17:53:22	-0.079	39.37	16.25		0	0	0
06/02/2018	18:23:22	-0.085	39.28	16.24		0	0	0
06/02/2018	18:53:22	-0.087	39.18	16.23		0	0	0
06/02/2018	19:23:22	-0.073	39.09	16.22		0	0	0
06/02/2018	19:53:22	-0.086	39	16.21		0	0	0
06/02/2018	20:23:22	-0.073	38.87	16.2		0	0	0
06/02/2018	20:53:22	-0.091	38.78	16.2		0	0	0
06/02/2018	21:23:22	-0.088	38.64	16.19		0	0	0
06/02/2018	21:53:22	-0.07	38.55	16.19		0	0	0
06/02/2018	22:23:22	-0.091	38.51	16.19		0	0	0
06/02/2018	22:53:22	-0.076	38.51	16.18		0	0	0
06/02/2018	23:23:22	-0.089	38.42	16.18		0	0	0
06/02/2018	23:53:22	-0.083	38.37	16.19		0	0	0
07/02/2018	00:23:22	-0.084	38.19	16.2		0	0	0
07/02/2018	00:53:22	-0.07	38.28	16.19		0	0	0
07/02/2018	01:23:22	-0.073	38.28	16.2		0	0	0
07/02/2018	01:53:22	-0.067	38.28	16.19		0	0	0
07/02/2018	02:23:22	-0.082	38.24	16.2		0	0	0
07/02/2018	02:53:22	-0.07	38.28	16.19		0	0	0
07/02/2018	03:23:22	-0.065	38.24	16.2		0	0	0
07/02/2018	03:53:22	-0.077	38.28	16.21		0	0	0
07/02/2018	04:23:22	-0.064	38.28	16.24		0	0	0
07/02/2018	04:53:22	-0.065	38.33	16.28		0	0	0
07/02/2018	05:23:22	-0.075	38.37	16.33		0	0	0
07/02/2018	05:53:22	-0.087	38.46	16.37		0	0	0
07/02/2018	06:23:22	-0.084	38.55	16.4		0	0	0
07/02/2018	06:53:22	-0.075	38.6	16.43		0	0	0
07/02/2018	07:23:22	-0.078	38.73	16.42		0	0	0
07/02/2018	07:53:22	-0.068	38.69	16.42		0	0	0
07/02/2018	08:23:22	-0.076	38.73	16.42		0	0	0
07/02/2018	08:53:22	-0.076	38.73	16.4		0	0	0
07/02/2018	09:23:22	-0.068	38.73	16.39		0	0	0
07/02/2018	09:53:22	-0.081	38.78	16.38		0	0	0
07/02/2018	10:23:22	-0.069	38.73	16.36		0	0	0
07/02/2018	10:53:22	-0.081	38.69	16.35		0	0	0
07/02/2018	11:23:22	-0.077	38.69	16.34		0	0	0
07/02/2018	11:53:22	-0.068	38.69	16.32		0	0	0
07/02/2018	12:23:22	-0.078	38.64	16.31		0	0	0
07/02/2018	12:53:22	-0.082	38.6	16.3		0	0	0
07/02/2018	13:23:22	-0.082	38.55	16.27		0	0	0
07/02/2018	13:53:22	-0.07	38.51	16.26		0	0	0
07/02/2018	14:23:22	-0.089	38.51	16.25		0	0	0
07/02/2018	14:53:22	-0.078	38.46	16.24		0	0	0
07/02/2018	15:23:22	-0.073	38.46	16.24		0	0	0
07/02/2018	15:53:22	-0.075	38.51	16.24		0	0	0

Global Logger	16/01/2018	12:47:27	Offset= 0 Inches	Mannings	Roughness= 0.014	Slope= 4.5 %	Diameter= 50 cm	
Date	Time	Feet	Temp F	Volts	Pulses	Flow (CFS)	Vel (FPS)	Flow (l/s)
07/02/2018	16:23:22	-0.084	38.42	16.26		0	0	0
07/02/2018	16:53:22	-0.08	38.42	16.27		0	0	0
07/02/2018	17:23:22	-0.088	38.46	16.29		0	0	0
07/02/2018	17:53:22	-0.076	38.46	16.31		0	0	0
07/02/2018	18:23:22	-0.072	38.46	16.32		0	0	0
07/02/2018	18:53:22	-0.078	38.51	16.32		0	0	0
07/02/2018	19:23:22	-0.073	38.46	16.33		0	0	0
07/02/2018	19:53:22	-0.078	38.42	16.34		0	0	0
07/02/2018	20:23:22	-0.077	38.46	16.34		0	0	0
07/02/2018	20:53:22	-0.076	38.46	16.35		0	0	0
07/02/2018	21:23:22	-0.076	38.46	16.35		0	0	0
07/02/2018	21:53:22	-0.085	38.46	16.35		0	0	0
07/02/2018	22:23:22	-0.076	38.51	16.36		0	0	0
07/02/2018	22:53:22	-0.064	38.55	16.36		0	0	0
07/02/2018	23:23:22	-0.073	38.6	16.36		0	0	0
07/02/2018	23:53:22	-0.075	38.64	16.37		0	0	0
08/02/2018	00:23:22	-0.074	38.73	16.37		0	0	0
08/02/2018	00:53:22	-0.082	38.78	16.38		0	0	0
08/02/2018	01:23:22	-0.086	38.78	16.39		0	0	0
08/02/2018	01:53:22	-0.084	38.91	16.38		0	0	0
08/02/2018	02:23:22	-0.083	39	16.39		0	0	0
08/02/2018	02:53:22	-0.083	39.09	16.4		0	0	0
08/02/2018	03:23:22	-0.079	39.18	16.4		0	0	0
08/02/2018	03:53:22	-0.07	39.28	16.39		0	0	0
08/02/2018	04:23:22	-0.077	39.41	16.4		0	0	0
08/02/2018	04:53:22	-0.075	39.59	16.4		0	0	0
08/02/2018	05:23:22	-0.074	39.77	16.4		0	0	0
08/02/2018	05:53:22	-0.066	39.91	16.4		0	0	0
08/02/2018	06:23:22	-0.075	40.13	16.42		0	0	0
08/02/2018	06:53:22	-0.069	40.18	16.41		0	0	0
08/02/2018	07:23:22	-0.077	40.4	16.41		0	0	0
08/02/2018	07:53:22	-0.076	40.4	16.42		0	0	0
08/02/2018	08:23:22	-0.069	40.59	16.41		0	0	0
08/02/2018	08:53:22	-0.071	40.68	16.41		0	0	0
08/02/2018	09:23:22	-0.087	40.72	16.42		0	0	0
08/02/2018	09:53:22	-0.081	40.81	16.41		0	0	0
08/02/2018	10:23:22	-0.07	40.86	16.41		0	0	0
08/02/2018	10:53:22	-0.084	40.95	16.4		0	0	0
08/02/2018	11:23:22	-0.084	40.9	16.4		0	0	0
08/02/2018	11:53:22	-0.08	40.95	16.4		0	0	0
08/02/2018	12:23:22	-0.071	40.95	16.4		0	0	0
08/02/2018	12:53:22	-0.084	40.9	16.41		0	0	0
08/02/2018	13:23:22	-0.082	40.9	16.41		0	0	0
08/02/2018	13:53:22	-0.075	40.86	16.41		0	0	0
08/02/2018	14:23:22	-0.068	40.77	16.4		0	0	0
08/02/2018	14:53:22	-0.075	40.77	16.4		0	0	0
08/02/2018	15:23:22	-0.063	40.77	16.38		0	0	0
08/02/2018	15:53:22	-0.068	40.81	16.37		0	0	0
08/02/2018	16:23:22	-0.079	40.81	16.35		0	0	0
08/02/2018	16:53:22	-0.068	40.86	16.34		0	0	0
08/02/2018	17:23:22	-0.073	40.86	16.32		0	0	0
08/02/2018	17:53:22	-0.08	40.9	16.32		0	0	0
08/02/2018	18:23:22	-0.066	40.95	16.31		0	0	0
08/02/2018	18:53:22	-0.064	40.86	16.33		0	0	0
08/02/2018	19:23:22	-0.062	40.72	16.32		0	0	0
08/02/2018	19:53:22	-0.063	40.77	16.32		0	0	0
08/02/2018	20:23:22	-0.082	40.86	16.31		0	0	0
08/02/2018	20:53:22	-0.061	40.99	16.3		0	0	0
08/02/2018	21:23:22	-0.082	41.08	16.29		0	0	0
08/02/2018	21:53:22	-0.06	41.22	16.27		0	0	0
08/02/2018	22:23:22	-0.079	41.31	16.26		0	0	0
08/02/2018	22:53:22	-0.08	41.44	16.26		0	0	0
08/02/2018	23:23:22	-0.081	41.49	16.25		0	0	0
08/02/2018	23:53:22	-0.065	41.62	16.24		0	0	0
09/02/2018	00:23:22	-0.081	41.72	16.25		0	0	0
09/02/2018	00:53:22	-0.06	41.76	16.24		0	0	0
09/02/2018	01:23:22	-0.058	41.81	16.24		0	0	0
09/02/2018	01:53:22	-0.077	41.85	16.24		0	0	0
09/02/2018	02:23:22	-0.08	41.9	16.24		0	0	0
09/02/2018	02:53:22	-0.065	41.9	16.24		0	0	0
09/02/2018	03:23:22	-0.057	41.94	16.26		0	0	0
09/02/2018	03:53:22	-0.079	41.94	16.28		0	0	0

Global Logger	16/01/2018	12:47:27	Offset= 0 Inches	Mannings	Roughness= 0.014	Slope= 4.5 %	Diameter= 50 cm	
Date	Time	Feet	Temp F	Volts	Pulses	Flow (CFS)	Vel (FPS)	Flow (l/s)
09/02/2018	04:23:22	-0.078	41.9	16.28		0	0	0
09/02/2018	04:53:22	-0.088	41.9	16.29		0	0	0
09/02/2018	05:23:22	-0.065	41.9	16.31		0	0	0
09/02/2018	05:53:22	-0.07	41.94	16.37		0	0	0
09/02/2018	06:23:22	-0.08	41.99	16.42		0	0	0
09/02/2018	06:53:22	-0.068	41.99	16.45		0	0	0
09/02/2018	07:23:22	-0.075	42.08	16.45		0	0	0
09/02/2018	07:53:22	-0.091	42.08	16.45		0	0	0
09/02/2018	08:23:22	-0.081	42.08	16.43		0	0	0
09/02/2018	08:53:22	-0.088	42.03	16.43		0	0	0
09/02/2018	09:23:22	-0.071	42.08	16.41		0	0	0
09/02/2018	09:53:22	-0.07	42.08	16.4		0	0	0
09/02/2018	10:23:22	-0.08	42.03	16.37		0	0	0
09/02/2018	10:53:22	-0.067	42.03	16.33		0	0	0
09/02/2018	11:23:22	-0.066	41.94	16.29		0	0	0
09/02/2018	11:53:22	-0.064	41.9	16.25		0	0	0
09/02/2018	12:23:22	-0.064	41.85	16.21		0	0	0
09/02/2018	12:53:22	-0.061	41.72	16.18		0	0	0
09/02/2018	13:23:22	-0.063	41.72	16.16		0	0	0
09/02/2018	13:53:22	-0.075	41.67	16.16		0	0	0
09/02/2018	14:23:22	-0.067	41.62	16.15		0	0	0
09/02/2018	14:53:22	-0.066	41.53	16.13		0	0	0
09/02/2018	15:23:22	-0.07	41.49	16.13		0	0	0
09/02/2018	15:53:22	-0.077	41.49	16.13		0	0	0
09/02/2018	16:23:22	-0.088	41.4	16.13		0	0	0
09/02/2018	16:53:22	-0.073	41.4	16.12		0	0	0
09/02/2018	17:23:22	-0.072	41.4	16.12		0	0	0
09/02/2018	17:53:22	-0.072	41.35	16.13		0	0	0
09/02/2018	18:23:22	-0.064	41.35	16.15		0	0	0
09/02/2018	18:53:22	-0.077	41.31	16.15		0	0	0
09/02/2018	19:23:22	-0.067	41.31	16.15		0	0	0
09/02/2018	19:53:22	-0.068	41.31	16.16		0	0	0
09/02/2018	20:23:22	-0.073	41.35	16.18		0	0	0
09/02/2018	20:53:22	-0.077	41.35	16.21		0	0	0
09/02/2018	21:23:22	-0.075	41.35	16.24		0	0	0
09/02/2018	21:53:22	-0.07	41.4	16.27		0	0	0
09/02/2018	22:23:22	-0.068	41.4	16.29		0	0	0
09/02/2018	22:53:22	-0.072	41.44	16.3		0	0	0
09/02/2018	23:23:22	-0.078	41.49	16.31		0	0	0
09/02/2018	23:53:22	-0.062	41.49	16.31		0	0	0
10/02/2018	00:23:22	-0.077	41.53	16.32		0	0	0
10/02/2018	00:53:22	-0.077	41.58	16.33		0	0	0
10/02/2018	01:23:22	-0.067	41.62	16.34		0	0	0
10/02/2018	01:53:22	-0.077	41.67	16.34		0	0	0
10/02/2018	02:23:22	-0.078	41.72	16.35		0	0	0
10/02/2018	02:53:22	-0.064	41.72	16.35		0	0	0
10/02/2018	03:23:22	-0.081	41.67	16.36		0	0	0
10/02/2018	03:53:22	-0.063	41.53	16.37		0	0	0
10/02/2018	04:23:22	-0.067	41.4	16.37		0	0	0
10/02/2018	04:53:22	-0.079	41.17	16.39		0	0	0
10/02/2018	05:23:22	-0.071	41.08	16.4		0	0	0
10/02/2018	05:53:22	-0.067	41.04	16.39		0	0	0
10/02/2018	06:23:22	-0.076	41.08	16.4		0	0	0
10/02/2018	06:53:22	-0.073	41.08	16.41		0	0	0
10/02/2018	07:23:22	-0.087	41.26	16.42		0	0	0
10/02/2018	07:53:22	-0.08	41.53	16.42		0	0	0
10/02/2018	08:23:22	-0.084	41.62	16.42		0	0	0
10/02/2018	08:53:22	-0.082	41.81	16.41		0	0	0
10/02/2018	09:23:22	-0.062	41.85	16.4		0	0	0
10/02/2018	09:53:22	-0.07	41.94	16.4		0	0	0
10/02/2018	10:23:22	-0.083	42.08	16.4		0	0	0
10/02/2018	10:53:22	-0.085	42.26	16.4		0	0	0
10/02/2018	11:23:22	-0.068	42.57	16.39		0	0	0
10/02/2018	11:53:22	-0.073	42.84	16.39		0	0	0
10/02/2018	12:23:22	-0.072	43.03	16.38		0	0	0
10/02/2018	12:53:22	-0.064	42.94	16.37		0	0	0
10/02/2018	13:23:22	-0.085	42.75	16.39		0	0	0
10/02/2018	13:53:22	-0.073	42.66	16.39		0	0	0
10/02/2018	14:23:22	-0.083	42.66	16.4		0	0	0
10/02/2018	14:53:22	-0.079	42.84	16.4		0	0	0
10/02/2018	15:23:22	-0.064	42.98	16.38		0	0	0
10/02/2018	15:53:22	-0.082	43.21	16.36		0	0	0

Global Logger	16/01/2018	12:47:27	Offset= 0 Inches	Mannings	Roughness= 0.014	Slope= 4.5 %	Diameter= 50 cm	
Date	Time	Feet	Temp F	Volts	Pulses	Flow (CFS)	Vel (FPS)	Flow (l/s)
10/02/2018	16:23:22	-0.087	43.39	16.35		0	0	0
10/02/2018	16:53:22	-0.087	43.48	16.33		0	0	0
10/02/2018	17:23:22	-0.073	43.52	16.31		0	0	0
10/02/2018	17:53:22	-0.07	43.61	16.31		0	0	0
10/02/2018	18:23:22	-0.069	43.57	16.3		0	0	0
10/02/2018	18:53:22	-0.074	43.52	16.29		0	0	0
10/02/2018	19:23:22	-0.087	43.39	16.28		0	0	0
10/02/2018	19:53:22	-0.089	43.34	16.27		0	0	0
10/02/2018	20:23:22	-0.091	43.25	16.26		0	0	0
10/02/2018	20:53:22	-0.088	43.16	16.25		0	0	0
10/02/2018	21:23:22	-0.068	43.07	16.23		0	0	0
10/02/2018	21:53:22	-0.068	42.94	16.24		0	0	0
10/02/2018	22:23:22	-0.075	42.89	16.24		0	0	0
10/02/2018	22:53:22	-0.066	42.75	16.23		0	0	0
10/02/2018	23:23:22	-0.073	42.66	16.23		0	0	0
10/02/2018	23:53:22	-0.075	42.57	16.24		0	0	0
11/02/2018	00:23:22	-0.095	42.53	16.24		0	0	0
11/02/2018	00:53:22	-0.076	42.44	16.23		0	0	0
11/02/2018	01:23:22	-0.073	42.35	16.22		0	0	0
11/02/2018	01:53:22	-0.072	42.3	16.21		0	0	0
11/02/2018	02:23:22	-0.073	42.21	16.22		0	0	0
11/02/2018	02:53:22	-0.068	42.17	16.22		0	0	0
11/02/2018	03:23:22	-0.073	42.12	16.23		0	0	0
11/02/2018	03:53:22	-0.076	42.08	16.25		0	0	0
11/02/2018	04:23:22	-0.073	42.03	16.26		0	0	0
11/02/2018	04:53:22	-0.085	42.03	16.27		0	0	0
11/02/2018	05:23:22	-0.085	41.94	16.29		0	0	0
11/02/2018	05:53:22	-0.088	41.94	16.32		0	0	0
11/02/2018	06:23:22	-0.067	41.94	16.34		0	0	0
11/02/2018	06:53:22	-0.075	41.99	16.35		0	0	0
11/02/2018	07:23:22	-0.07	41.99	16.35		0	0	0
11/02/2018	07:53:22	-0.092	42.03	16.35		0	0	0
11/02/2018	08:23:22	-0.068	42.03	16.34		0	0	0
11/02/2018	08:53:22	-0.069	42.03	16.34		0	0	0
11/02/2018	09:23:22	-0.071	42.03	16.32		0	0	0
11/02/2018	09:53:22	-0.073	42.03	16.31		0	0	0
11/02/2018	10:23:22	-0.071	42.08	16.28		0	0	0
11/02/2018	10:53:22	-0.072	42.08	16.26		0	0	0
11/02/2018	11:23:22	-0.073	42.03	16.24		0	0	0
11/02/2018	11:53:22	-0.072	42.03	16.22		0	0	0
11/02/2018	12:23:22	-0.071	41.99	16.21		0	0	0
11/02/2018	12:53:22	-0.075	41.99	16.21		0	0	0
11/02/2018	13:23:22	-0.08	41.94	16.2		0	0	0
11/02/2018	13:53:22	-0.074	41.85	16.18		0	0	0
11/02/2018	14:23:22	-0.074	41.81	16.17		0	0	0
11/02/2018	14:53:22	-0.072	41.72	16.16		0	0	0
11/02/2018	15:23:22	-0.071	41.67	16.15		0	0	0
11/02/2018	15:53:22	-0.074	41.58	16.14		0	0	0
11/02/2018	16:23:22	-0.085	41.44	16.14		0	0	0
11/02/2018	16:53:22	-0.082	41.4	16.13		0	0	0
11/02/2018	17:23:22	-0.083	41.31	16.11		0	0	0
11/02/2018	17:53:22	-0.075	41.22	16.11		0	0	0
11/02/2018	18:23:22	-0.083	41.17	16.1		0	0	0
11/02/2018	18:53:22	-0.084	41.13	16.1		0	0	0
11/02/2018	19:23:22	-0.073	41.04	16.08		0	0	0
11/02/2018	19:53:22	-0.082	40.9	16.07		0	0	0
11/02/2018	20:23:22	-0.082	40.86	16.05		0	0	0
11/02/2018	20:53:22	-0.082	40.81	16.05		0	0	0
11/02/2018	21:23:22	-0.072	40.77	16.05		0	0	0
11/02/2018	21:53:22	-0.082	40.72	16.05		0	0	0
11/02/2018	22:23:22	-0.08	40.59	16.05		0	0	0
11/02/2018	22:53:22	-0.073	40.5	16.05		0	0	0
11/02/2018	23:23:22	-0.081	40.4	16.05		0	0	0
11/02/2018	23:53:22	-0.078	40.31	16.05		0	0	0
12/02/2018	00:23:22	-0.082	40.27	16.05		0	0	0
12/02/2018	00:53:22	-0.07	40.22	16.04		0	0	0
12/02/2018	01:23:22	-0.077	40.22	16.05		0	0	0
12/02/2018	01:53:22	-0.069	40.13	16.05		0	0	0
12/02/2018	02:23:22	-0.065	40.09	16.05		0	0	0
12/02/2018	02:53:22	-0.075	40.09	16.08		0	0	0
12/02/2018	03:23:22	-0.074	40.09	16.12		0	0	0
12/02/2018	03:53:22	-0.074	40.22	16.16		0	0	0

Global Logger	16/01/2018	12:47:27	Offset= 0 Inches	Mannings	Roughness= 0.014	Slope= 4.5 %	Diameter= 50 cm	
Date	Time	Feet	Temp F	Volts	Pulses	Flow (CFS)	Vel (FPS)	Flow (l/s)
12/02/2018	04:23:22	-0.073	40.31	16.21	0	0	0	0
12/02/2018	04:53:22	-0.074	40.31	16.25	0	0	0	0
12/02/2018	05:23:22	-0.075	40.36	16.29	0	0	0	0
12/02/2018	05:53:22	-0.075	40.27	16.34	0	0	0	0
12/02/2018	06:23:22	-0.067	40.18	16.36	0	0	0	0
12/02/2018	06:53:22	-0.074	40.31	16.34	0	0	0	0
12/02/2018	07:23:22	-0.073	40.31	16.38	0	0	0	0
12/02/2018	07:53:22	-0.075	40.13	16.37	0	0	0	0
12/02/2018	08:23:22	-0.074	40.27	16.35	0	0	0	0
12/02/2018	08:53:22	-0.073	40.18	16.35	0	0	0	0
12/02/2018	09:23:22	-0.069	40.13	16.34	0	0	0	0
12/02/2018	09:53:22	-0.072	40.13	16.34	0	0	0	0
12/02/2018	10:23:22	-0.076	40.18	16.31	0	0	0	0
12/02/2018	10:53:22	-0.074	40.13	16.29	0	0	0	0
12/02/2018	11:23:22	-0.073	40.22	16.26	0	0	0	0
12/02/2018	11:53:22	-0.072	40.13	16.24	0	0	0	0
12/02/2018	12:23:22	-0.078	40.18	16.23	0	0	0	0
12/02/2018	12:53:22	-0.06	40.13	16.21	0	0	0	0
12/02/2018	13:23:22	-0.075	40.13	16.21	0	0	0	0
12/02/2018	13:53:22	-0.073	40.13	16.22	0	0	0	0
12/02/2018	14:23:22	-0.074	40.09	16.23	0	0	0	0
12/02/2018	14:53:22	-0.074	40	16.23	0	0	0	0
12/02/2018	15:23:22	-0.065	40	16.23	0	0	0	0
12/02/2018	15:53:22	-0.062	40	16.23	0	0	0	0
12/02/2018	16:23:22	-0.064	40	16.23	0	0	0	0
12/02/2018	16:53:22	-0.071	40	16.24	0	0	0	0
12/02/2018	17:23:22	-0.071	40	16.24	0	0	0	0
12/02/2018	17:53:22	-0.074	40.04	16.24	0	0	0	0
12/02/2018	18:23:22	-0.062	40.04	16.24	0	0	0	0
12/02/2018	18:53:22	-0.073	40.04	16.25	0	0	0	0
12/02/2018	19:23:22	-0.072	40.04	16.24	0	0	0	0
12/02/2018	19:53:22	-0.079	40.09	16.25	0	0	0	0
12/02/2018	20:23:22	-0.074	40.09	16.24	0	0	0	0
12/02/2018	20:53:22	-0.074	40.13	16.24	0	0	0	0
12/02/2018	21:23:22	-0.074	40.13	16.24	0	0	0	0
12/02/2018	21:53:22	-0.073	40.13	16.24	0	0	0	0
12/02/2018	22:23:22	-0.074	40.18	16.24	0	0	0	0
12/02/2018	22:53:22	-0.073	40.13	16.24	0	0	0	0
12/02/2018	23:23:22	-0.073	40.13	16.23	0	0	0	0
12/02/2018	23:53:22	-0.073	40.13	16.23	0	0	0	0
13/02/2018	00:23:22	-0.073	40.18	16.21	0	0	0	0
13/02/2018	00:53:22	-0.074	40.18	16.21	0	0	0	0
13/02/2018	01:23:22	-0.073	40.13	16.21	0	0	0	0
13/02/2018	01:53:22	-0.074	40.18	16.2	0	0	0	0
13/02/2018	02:23:22	-0.074	40.18	16.21	0	0	0	0
13/02/2018	02:53:22	-0.075	40.18	16.2	0	0	0	0
13/02/2018	03:23:22	-0.072	40.18	16.2	0	0	0	0
13/02/2018	03:53:22	-0.062	40.22	16.21	0	0	0	0
13/02/2018	04:23:22	-0.06	40.27	16.21	0	0	0	0
13/02/2018	04:53:22	-0.067	40.36	16.23	0	0	0	0
13/02/2018	05:23:22	-0.068	40.36	16.22	0	0	0	0
13/02/2018	05:53:22	-0.069	40.36	16.26	0	0	0	0
13/02/2018	06:23:22	-0.08	40.36	16.31	0	0	0	0
13/02/2018	06:53:22	-0.068	40.4	16.34	0	0	0	0
13/02/2018	07:23:22	-0.061	40.4	16.36	0	0	0	0
13/02/2018	07:53:22	-0.073	40.5	16.35	0	0	0	0
13/02/2018	08:23:22	-0.068	40.54	16.35	0	0	0	0
13/02/2018	08:53:22	-0.066	40.54	16.34	0	0	0	0
13/02/2018	09:23:22	-0.085	40.63	16.34	0	0	0	0
13/02/2018	09:53:22	-0.066	40.68	16.32	0	0	0	0
13/02/2018	10:23:22	-0.066	40.72	16.29	0	0	0	0
13/02/2018	10:53:22	-0.069	40.72	16.25	0	0	0	0
13/02/2018	11:23:22	-0.072	40.63	16.2	0	0	0	0
13/02/2018	11:53:22	-0.073	40.68	16.15	0	0	0	0
13/02/2018	12:23:22	-0.072	40.63	16.11	0	0	0	0
13/02/2018	12:53:22	-0.072	40.54	16.08	0	0	0	0
13/02/2018	13:23:22	-0.075	40.54	16.06	0	0	0	0
13/02/2018	13:53:22	-0.077	40.54	16.04	0	0	0	0
13/02/2018	14:23:22	-0.073	40.5	16.03	0	0	0	0
13/02/2018	14:53:22	-0.071	40.5	16.03	0	0	0	0
13/02/2018	15:23:22	-0.075	40.54	16.03	0	0	0	0
13/02/2018	15:53:22	-0.074	40.54	16.02	0	0	0	0

Global Logger	16/01/2018	12:47:27	Offset= 0 Inches	Mannings	Roughness= 0.014	Slope= 4.5 %	Diameter= 50 cm	
Date	Time	Feet	Temp F	Volts	Pulses	Flow (CFS)	Vel (FPS)	Flow (l/s)
13/02/2018	16:23:22	-0.078	40.54	16.02		0	0	0
13/02/2018	16:53:22	-0.082	40.59	16.02		0	0	0
13/02/2018	17:23:22	-0.072	40.68	16.02		0	0	0
13/02/2018	17:53:22	-0.08	40.68	16.04		0	0	0
13/02/2018	18:23:22	-0.074	40.72	16.06		0	0	0
13/02/2018	18:53:22	-0.07	40.72	16.08		0	0	0
13/02/2018	19:23:22	-0.082	40.68	16.1		0	0	0
13/02/2018	19:53:22	-0.079	40.68	16.11		0	0	0
13/02/2018	20:23:22	-0.079	40.54	16.15		0	0	0
13/02/2018	20:53:22	-0.078	40.54	16.15		0	0	0
13/02/2018	21:23:22	-0.078	40.59	16.16		0	0	0
13/02/2018	21:53:22	-0.077	40.59	16.17		0	0	0
13/02/2018	22:23:22	-0.076	40.5	16.18		0	0	0
13/02/2018	22:53:22	-0.076	40.54	16.19		0	0	0
13/02/2018	23:23:22	-0.075	40.5	16.19		0	0	0
13/02/2018	23:53:22	-0.076	40.45	16.19		0	0	0
14/02/2018	00:23:22	-0.076	40.45	16.19		0	0	0
14/02/2018	00:53:22	-0.075	40.45	16.19		0	0	0
14/02/2018	01:23:22	-0.075	40.45	16.19		0	0	0
14/02/2018	01:53:22	-0.075	40.4	16.19		0	0	0
14/02/2018	02:23:22	-0.074	40.4	16.19		0	0	0
14/02/2018	02:53:22	-0.075	40.4	16.19		0	0	0
14/02/2018	03:23:22	-0.074	40.45	16.2		0	0	0
14/02/2018	03:53:22	-0.075	40.5	16.19		0	0	0
14/02/2018	04:23:22	-0.075	40.45	16.2		0	0	0
14/02/2018	04:53:22	-0.075	40.45	16.2		0	0	0
14/02/2018	05:23:22	-0.074	40.5	16.21		0	0	0
14/02/2018	05:53:22	-0.077	40.45	16.22		0	0	0
14/02/2018	06:23:22	-0.078	40.45	16.22		0	0	0
14/02/2018	06:53:22	-0.078	40.45	16.23		0	0	0
14/02/2018	07:23:22	-0.072	40.5	16.24		0	0	0
14/02/2018	07:53:22	-0.077	40.5	16.26		0	0	0
14/02/2018	08:23:22	-0.078	40.54	16.27		0	0	0
14/02/2018	08:53:22	-0.077	40.68	16.28		0	0	0
14/02/2018	09:23:22	-0.069	40.77	16.29		0	0	0
14/02/2018	09:53:22	-0.067	40.72	16.29		0	0	0
14/02/2018	10:23:22	-0.079	40.72	16.29		0	0	0
14/02/2018	10:53:22	-0.079	40.86	16.29		0	0	0
14/02/2018	11:23:22	-0.08	40.9	16.28		0	0	0
14/02/2018	11:53:22	-0.078	40.9	16.28		0	0	0
14/02/2018	12:23:22	-0.078	40.95	16.28		0	0	0
14/02/2018	12:53:22	-0.073	40.99	16.27		0	0	0
14/02/2018	13:23:22	-0.068	41.04	16.26		0	0	0
14/02/2018	13:53:22	-0.067	41.22	16.24		0	0	0
14/02/2018	14:23:22	-0.064	41.26	16.23		0	0	0
14/02/2018	14:53:22	-0.079	41.26	16.23		0	0	0
14/02/2018	15:23:22	-0.079	41.31	16.21		0	0	0
14/02/2018	15:53:22	-0.079	41.31	16.2		0	0	0
14/02/2018	16:23:22	-0.079	41.31	16.21		0	0	0
14/02/2018	16:53:22	-0.08	41.31	16.21		0	0	0
14/02/2018	17:23:22	-0.081	41.4	16.22		0	0	0
14/02/2018	17:53:22	-0.08	41.4	16.23		0	0	0
14/02/2018	18:23:22	-0.062	41.4	16.23		0	0	0
14/02/2018	18:53:22	-0.083	41.44	16.23		0	0	0
14/02/2018	19:23:22	-0.081	41.49	16.21		0	0	0
14/02/2018	19:53:22	-0.066	41.49	16.21		0	0	0
14/02/2018	20:23:22	-0.081	41.53	16.21		0	0	0
14/02/2018	20:53:22	-0.081	41.53	16.21		0	0	0
14/02/2018	21:23:22	-0.081	41.58	16.21		0	0	0
14/02/2018	21:53:22	-0.081	41.58	16.2		0	0	0
14/02/2018	22:23:22	-0.081	41.53	16.18		0	0	0
14/02/2018	22:53:22	-0.07	41.53	16.17		0	0	0
14/02/2018	23:23:22	-0.076	41.53	16.16		0	0	0
14/02/2018	23:53:22	-0.084	41.49	16.16		0	0	0
15/02/2018	00:23:22	-0.07	41.49	16.14		0	0	0
15/02/2018	00:53:22	-0.073	41.44	16.13		0	0	0
15/02/2018	01:23:22	-0.067	41.44	16.15		0	0	0
15/02/2018	01:53:22	-0.064	41.4	16.14		0	0	0
15/02/2018	02:23:22	-0.083	41.4	16.15		0	0	0
15/02/2018	02:53:22	-0.071	41.35	16.15		0	0	0
15/02/2018	03:23:22	-0.07	41.31	16.16		0	0	0
15/02/2018	03:53:22	-0.067	41.22	16.18		0	0	0

Global Logger	16/01/2018	12:47:27	Offset= 0 Inches	Mannings	Roughness= 0.014	Slope= 4.5 %	Diameter= 50 cm	
Date	Time	Feet	Temp F	Volts	Pulses	Flow (CFS)	Vel (FPS)	Flow (l/s)
15/02/2018	04:23:22	-0.08	41.17	16.21		0	0	0
15/02/2018	04:53:22	-0.062	41.17	16.22		0	0	0
15/02/2018	05:23:22	-0.066	41.13	16.23		0	0	0
15/02/2018	05:53:22	-0.07	41.08	16.28		0	0	0
15/02/2018	06:23:22	-0.076	41.13	16.32		0	0	0
15/02/2018	06:53:22	-0.065	41.17	16.33		0	0	0
15/02/2018	07:23:22	-0.068	41.17	16.35		0	0	0
15/02/2018	07:53:22	-0.071	41.22	16.32		0	0	0
15/02/2018	08:23:22	-0.084	41.26	16.31		0	0	0
15/02/2018	08:53:22	-0.07	41.31	16.29		0	0	0
15/02/2018	09:23:22	-0.077	41.35	16.28		0	0	0
15/02/2018	09:53:22	-0.08	41.35	16.26		0	0	0
15/02/2018	10:23:22	-0.084	41.35	16.25		0	0	0
15/02/2018	10:53:22	-0.084	41.4	16.21		0	0	0
15/02/2018	11:23:22	-0.079	41.4	16.18		0	0	0
15/02/2018	11:53:22	-0.071	41.44	16.15		0	0	0
15/02/2018	12:23:22	-0.081	41.44	16.15		0	0	0
15/02/2018	12:53:22	-0.073	41.44	16.14		0	0	0
15/02/2018	13:23:22	-0.081	41.44	16.13		0	0	0
15/02/2018	13:53:22	-0.08	41.4	16.12		0	0	0
15/02/2018	14:23:22	-0.073	41.4	16.1		0	0	0
15/02/2018	14:53:22	-0.071	41.35	16.09		0	0	0
15/02/2018	15:23:22	-0.072	41.4	16.09		0	0	0
15/02/2018	15:53:22	-0.074	41.35	16.09		0	0	0
15/02/2018	16:23:22	-0.073	41.35	16.09		0	0	0
15/02/2018	16:53:22	-0.07	41.31	16.08		0	0	0
15/02/2018	17:23:22	-0.073	41.22	16.06		0	0	0
15/02/2018	17:53:22	-0.071	41.22	16.04		0	0	0
15/02/2018	18:23:22	-0.072	41.22	16.03		0	0	0
15/02/2018	18:53:22	-0.08	41.17	16.02		0	0	0
15/02/2018	19:23:22	-0.07	41.17	16		0	0	0
15/02/2018	19:53:22	-0.082	41.13	15.99		0	0	0
15/02/2018	20:23:22	-0.085	41.08	15.99		0	0	0
15/02/2018	20:53:22	-0.07	41.08	15.97		0	0	0
15/02/2018	21:23:22	-0.07	41.04	15.96		0	0	0
15/02/2018	21:53:22	-0.07	40.99	15.95		0	0	0
15/02/2018	22:23:22	-0.083	40.95	15.97		0	0	0
15/02/2018	22:53:22	-0.066	40.9	15.95		0	0	0
15/02/2018	23:23:22	-0.072	40.86	15.97		0	0	0
15/02/2018	23:53:22	-0.078	40.77	15.97		0	0	0
16/02/2018	00:23:22	-0.068	40.72	15.96		0	0	0
16/02/2018	00:53:22	-0.068	40.68	15.95		0	0	0
16/02/2018	01:23:22	-0.078	40.63	15.95		0	0	0
16/02/2018	01:53:22	-0.066	40.63	15.95		0	0	0
16/02/2018	02:23:22	-0.08	40.63	15.98		0	0	0
16/02/2018	02:53:22	-0.072	40.63	16		0	0	0
16/02/2018	03:23:22	-0.078	40.68	16.05		0	0	0
16/02/2018	03:53:22	-0.071	40.72	16.1		0	0	0
16/02/2018	04:23:22	-0.081	40.77	16.15		0	0	0
16/02/2018	04:53:22	-0.073	40.77	16.18		0	0	0
16/02/2018	05:23:22	-0.075	40.86	16.21		0	0	0
16/02/2018	05:53:22	-0.067	40.86	16.23		0	0	0
16/02/2018	06:23:22	-0.074	41.04	16.25		0	0	0
16/02/2018	06:53:22	-0.067	41.13	16.26		0	0	0
16/02/2018	07:23:22	-0.069	41.26	16.26		0	0	0
16/02/2018	07:53:22	-0.068	41.4	16.27		0	0	0
16/02/2018	08:23:22	-0.074	41.35	16.28		0	0	0
16/02/2018	08:53:22	-0.081	41.4	16.27		0	0	0
16/02/2018	09:23:22	-0.08	41.35	16.27		0	0	0
16/02/2018	09:53:22	-0.064	41.4	16.24		0	0	0
16/02/2018	10:23:22	-0.068	41.4	16.23		0	0	0
16/02/2018	10:53:22	-0.073	41.31	16.21		0	0	0
16/02/2018	11:23:22	-0.071	41.26	16.21		0	0	0
16/02/2018	11:53:22	-0.077	41.22	16.2		0	0	0
16/02/2018	12:23:22	-0.081	41.22	16.19		0	0	0
16/02/2018	12:53:22	-0.074	41.13	16.18		0	0	0
16/02/2018	13:23:22	-0.071	41.13	16.17		0	0	0
16/02/2018	13:53:22	-0.075	41.13	16.16		0	0	0
16/02/2018	14:23:22	-0.081	41.08	16.16		0	0	0
16/02/2018	14:53:22	-0.082	41.04	16.16		0	0	0
16/02/2018	15:23:22	-0.078	41.04	16.16		0	0	0
16/02/2018	15:53:22	-0.066	40.95	16.15		0	0	0

Global Logger	16/01/2018	12:47:27	Offset= 0 Inches	Mannings	Roughness= 0.014	Slope= 4.5 %	Diameter= 50 cm	
Date	Time	Feet	Temp F	Volts	Pulses	Flow (CFS)	Vel (FPS)	Flow (l/s)
16/02/2018	16:23:22	-0.086	40.9	16.15		0	0	0
16/02/2018	16:53:22	-0.08	40.86	16.15		0	0	0
16/02/2018	17:23:22	-0.08	40.9	16.15		0	0	0
16/02/2018	17:53:22	-0.073	40.9	16.15		0	0	0
16/02/2018	18:23:22	-0.075	40.9	16.15		0	0	0
16/02/2018	18:53:22	-0.071	40.95	16.15		0	0	0
16/02/2018	19:23:22	-0.078	40.95	16.16		0	0	0
16/02/2018	19:53:22	-0.073	40.95	16.15		0	0	0
16/02/2018	20:23:22	-0.066	40.95	16.15		0	0	0
16/02/2018	20:53:22	-0.08	40.99	16.15		0	0	0
16/02/2018	21:23:22	-0.063	41.04	16.15		0	0	0
16/02/2018	21:53:22	-0.067	41.04	16.15		0	0	0
16/02/2018	22:23:22	-0.08	41.04	16.16		0	0	0
16/02/2018	22:53:22	-0.069	40.99	16.16		0	0	0
16/02/2018	23:23:22	-0.07	40.95	16.16		0	0	0
16/02/2018	23:53:22	-0.072	40.9	16.15		0	0	0
17/02/2018	00:23:22	-0.069	40.86	16.13		0	0	0
17/02/2018	00:53:22	-0.079	40.77	16.1		0	0	0
17/02/2018	01:23:22	-0.072	40.72	16.07		0	0	0
17/02/2018	01:53:22	-0.071	40.72	16.03		0	0	0
17/02/2018	02:23:22	-0.075	40.77	16.03		0	0	0
17/02/2018	02:53:22	-0.079	40.9	16.05		0	0	0
17/02/2018	03:23:22	-0.071	40.95	16.08		0	0	0
17/02/2018	03:53:22	-0.08	41.08	16.13		0	0	0
17/02/2018	04:23:22	-0.076	41.22	16.15		0	0	0
17/02/2018	04:53:22	-0.073	41.17	16.19		0	0	0
17/02/2018	05:23:22	-0.081	41.26	16.21		0	0	0
17/02/2018	05:53:22	-0.083	41.49	16.26		0	0	0
17/02/2018	06:23:22	-0.077	41.62	16.28		0	0	0
17/02/2018	06:53:22	-0.079	41.58	16.32		0	0	0
17/02/2018	07:23:22	-0.071	41.58	16.31		0	0	0
17/02/2018	07:53:22	-0.079	41.67	16.28		0	0	0
17/02/2018	08:23:22	-0.066	41.85	16.26		0	0	0
17/02/2018	08:53:22	-0.066	41.99	16.25		0	0	0
17/02/2018	09:23:22	-0.078	42.08	16.24		0	0	0
17/02/2018	09:53:22	-0.079	42.21	16.23		0	0	0
17/02/2018	10:23:22	-0.08	42.21	16.23		0	0	0
17/02/2018	10:53:22	-0.079	42.26	16.22		0	0	0
17/02/2018	11:23:22	-0.078	42.21	16.21		0	0	0
17/02/2018	11:53:22	-0.077	42.21	16.2		0	0	0
17/02/2018	12:23:22	-0.069	42.21	16.19		0	0	0
17/02/2018	12:53:22	-0.078	42.17	16.19		0	0	0
17/02/2018	13:23:22	-0.08	42.12	16.18		0	0	0
17/02/2018	13:53:22	-0.079	42.08	16.16		0	0	0
17/02/2018	14:23:22	-0.079	42.17	16.14		0	0	0
17/02/2018	14:53:22	-0.08	42.12	16.13		0	0	0
17/02/2018	15:23:22	-0.079	42.12	16.13		0	0	0
17/02/2018	15:53:22	-0.079	42.17	16.13		0	0	0
17/02/2018	16:23:22	-0.077	42.17	16.14		0	0	0
17/02/2018	16:53:22	-0.077	42.21	16.13		0	0	0
17/02/2018	17:23:22	-0.077	42.3	16.15		0	0	0
17/02/2018	17:53:22	-0.076	42.35	16.15		0	0	0
17/02/2018	18:23:22	-0.076	42.39	16.15		0	0	0
17/02/2018	18:53:22	-0.077	42.57	16.15		0	0	0
17/02/2018	19:23:22	-0.079	42.62	16.15		0	0	0
17/02/2018	19:53:22	-0.076	42.66	16.15		0	0	0
17/02/2018	20:23:22	-0.077	42.62	16.15		0	0	0
17/02/2018	20:53:22	-0.076	42.66	16.15		0	0	0
17/02/2018	21:23:22	-0.077	42.66	16.15		0	0	0
17/02/2018	21:53:22	-0.076	42.57	16.14		0	0	0
17/02/2018	22:23:22	-0.076	42.66	16.15		0	0	0
17/02/2018	22:53:22	-0.076	42.57	16.14		0	0	0
17/02/2018	23:23:22	-0.076	42.57	16.15		0	0	0
17/02/2018	23:53:22	-0.076	42.62	16.14		0	0	0
18/02/2018	00:23:22	-0.075	42.62	16.14		0	0	0
18/02/2018	00:53:22	-0.076	42.62	16.14		0	0	0
18/02/2018	01:23:22	-0.076	42.57	16.14		0	0	0
18/02/2018	01:53:22	-0.077	42.57	16.15		0	0	0
18/02/2018	02:23:22	-0.075	42.66	16.15		0	0	0
18/02/2018	02:53:22	-0.076	42.71	16.15		0	0	0
18/02/2018	03:23:22	-0.076	42.75	16.15		0	0	0
18/02/2018	03:53:22	-0.076	42.89	16.16		0	0	0

Global Logger	16/01/2018	12:47:27	Offset= 0 Inches	Mannings	Roughness= 0.014	Slope= 4.5 %	Diameter= 50 cm	
Date	Time	Feet	Temp F	Volts	Pulses	Flow (CFS)	Vel (FPS)	Flow (l/s)
18/02/2018	04:23:22	-0.076	43.03	16.17		0	0	0
18/02/2018	04:53:22	-0.076	43.16	16.17		0	0	0
18/02/2018	05:23:22	-0.074	43.21	16.18		0	0	0
18/02/2018	05:53:22	-0.076	43.34	16.18		0	0	0
18/02/2018	06:23:22	-0.075	43.48	16.18		0	0	0
18/02/2018	06:53:22	-0.076	43.43	16.19		0	0	0
18/02/2018	07:23:22	-0.076	43.43	16.19		0	0	0
18/02/2018	07:53:22	-0.076	43.43	16.19		0	0	0
18/02/2018	08:23:22	-0.075	43.48	16.19		0	0	0
18/02/2018	08:53:22	-0.076	43.48	16.19		0	0	0
18/02/2018	09:23:22	-0.076	43.43	16.19		0	0	0
18/02/2018	09:53:22	-0.077	43.39	16.19		0	0	0
18/02/2018	10:23:22	-0.077	43.43	16.19		0	0	0
18/02/2018	10:53:22	-0.076	43.43	16.18		0	0	0
18/02/2018	11:23:22	-0.077	43.48	16.17		0	0	0
18/02/2018	11:53:22	-0.076	43.43	16.16		0	0	0
18/02/2018	12:23:22	-0.076	43.43	16.16		0	0	0
18/02/2018	12:53:22	-0.077	43.43	16.16		0	0	0
18/02/2018	13:23:22	-0.076	43.48	16.16		0	0	0
18/02/2018	13:53:22	-0.076	43.48	16.16		0	0	0
18/02/2018	14:23:22	-0.077	43.52	16.16		0	0	0
18/02/2018	14:53:22	-0.077	43.52	16.15		0	0	0
18/02/2018	15:23:22	-0.076	43.61	16.15		0	0	0
18/02/2018	15:53:22	-0.076	43.61	16.15		0	0	0
18/02/2018	16:23:22	-0.076	43.66	16.16		0	0	0
18/02/2018	16:53:22	-0.076	43.66	16.15		0	0	0
18/02/2018	17:23:22	-0.074	43.7	16.15		0	0	0
18/02/2018	17:53:22	-0.077	43.75	16.15		0	0	0
18/02/2018	18:23:22	-0.076	43.79	16.15		0	0	0
18/02/2018	18:53:22	-0.076	43.84	16.15		0	0	0
18/02/2018	19:23:22	-0.077	43.88	16.15		0	0	0
18/02/2018	19:53:22	-0.075	43.93	16.15		0	0	0
18/02/2018	20:23:22	-0.076	43.93	16.14		0	0	0
18/02/2018	20:53:22	-0.077	44.02	16.15		0	0	0
18/02/2018	21:23:22	-0.077	44.06	16.14		0	0	0
18/02/2018	21:53:22	-0.077	44.11	16.14		0	0	0
18/02/2018	22:23:22	-0.076	44.11	16.14		0	0	0
18/02/2018	22:53:22	-0.076	44.16	16.15		0	0	0
18/02/2018	23:23:22	-0.077	44.16	16.15		0	0	0
18/02/2018	23:53:22	-0.077	44.2	16.16		0	0	0
19/02/2018	00:23:22	-0.079	44.25	16.15		0	0	0
19/02/2018	00:53:22	-0.077	44.29	16.16		0	0	0
19/02/2018	01:23:22	-0.076	44.29	16.16		0	0	0
19/02/2018	01:53:22	-0.075	44.29	16.16		0	0	0
19/02/2018	02:23:22	-0.076	44.34	16.16		0	0	0
19/02/2018	02:53:22	-0.075	44.43	16.16		0	0	0
19/02/2018	03:23:22	-0.075	44.47	16.18		0	0	0
19/02/2018	03:53:22	-0.077	44.56	16.18		0	0	0
19/02/2018	04:23:22	-0.072	44.61	16.18		0	0	0
19/02/2018	04:53:22	-0.074	44.65	16.19		0	0	0
19/02/2018	05:23:22	-0.075	44.74	16.21		0	0	0
19/02/2018	05:53:22	-0.076	44.79	16.21		0	0	0
19/02/2018	06:23:22	-0.076	44.92	16.23		0	0	0
19/02/2018	06:53:22	-0.075	45.19	16.23		0	0	0
19/02/2018	07:23:22	-0.074	45.1	16.25		0	0	0
19/02/2018	07:53:22	-0.068	45.33	16.24		0	0	0
19/02/2018	08:23:22	-0.073	45.33	16.26		0	0	0
19/02/2018	08:53:22	-0.074	45.47	16.27		0	0	0
19/02/2018	09:23:22	-0.074	45.33	16.28		0	0	0
19/02/2018	09:53:22	-0.075	45.42	16.26		0	0	0
19/02/2018	10:23:22	-0.074	45.51	16.24		0	0	0
19/02/2018	10:53:22	-0.073	45.56	16.23		0	0	0
19/02/2018	11:23:22	-0.076	45.51	16.21		0	0	0
19/02/2018	11:53:22	-0.077	45.56	16.19		0	0	0
19/02/2018	12:23:22	-0.075	45.56	16.18		0	0	0
19/02/2018	12:53:22	-0.063	45.56	16.15		0	0	0
19/02/2018	13:23:22	-0.065	45.6	16.13		0	0	0
19/02/2018	13:53:22	-0.072	45.56	16.11		0	0	0
19/02/2018	14:23:22	-0.062	45.56	16.1		0	0	0
19/02/2018	14:53:22	-0.058	45.51	16.09		0	0	0
19/02/2018	15:23:22	-0.08	45.51	16.08		0	0	0
19/02/2018	15:53:22	-0.07	45.51	16.08		0	0	0

Global Logger	16/01/2018	12:47:27	Offset= 0 Inches	Mannings	Roughness= 0.014	Slope= 4.5 %	Diameter= 50 cm	
Date	Time	Feet	Temp F	Volts	Pulses	Flow (CFS)	Vel (FPS)	Flow (l/s)
19/02/2018	16:23:22	-0.06	45.51	16.1		0	0	0
19/02/2018	16:53:22	-0.084	45.47	16.13		0	0	0
19/02/2018	17:23:22	-0.08	45.38	16.15		0	0	0
19/02/2018	17:53:22	-0.084	45.38	16.15		0	0	0
19/02/2018	18:23:22	-0.073	45.38	16.14		0	0	0
19/02/2018	18:53:22	-0.076	45.33	16.13		0	0	0
19/02/2018	19:23:22	-0.074	45.28	16.13		0	0	0
19/02/2018	19:53:22	-0.069	45.28	16.12		0	0	0
19/02/2018	20:23:22	-0.069	45.28	16.11		0	0	0
19/02/2018	20:53:22	-0.078	45.19	16.11		0	0	0
19/02/2018	21:23:22	-0.08	45.15	16.09		0	0	0
19/02/2018	21:53:22	-0.079	45.1	16.08		0	0	0
19/02/2018	22:23:22	-0.074	45.1	16.07		0	0	0
19/02/2018	22:53:22	-0.062	45.01	16.07		0	0	0
19/02/2018	23:23:22	-0.06	44.92	16.06		0	0	0
19/02/2018	23:53:22	-0.078	44.88	16.07		0	0	0
20/02/2018	00:23:22	-0.076	44.79	16.06		0	0	0
20/02/2018	00:53:22	-0.059	44.74	16.04		0	0	0
20/02/2018	01:23:22	-0.073	44.65	16.05		0	0	0
20/02/2018	01:53:22	-0.076	44.61	16.05		0	0	0
20/02/2018	02:23:22	-0.062	44.61	16.06		0	0	0
20/02/2018	02:53:22	-0.067	44.56	16.08		0	0	0
20/02/2018	03:23:22	-0.076	44.56	16.09		0	0	0
20/02/2018	03:53:22	-0.083	44.65	16.12		0	0	0
20/02/2018	04:23:22	-0.083	44.7	16.14		0	0	0
20/02/2018	04:53:22	-0.059	44.74	16.15		0	0	0
20/02/2018	05:23:22	-0.077	44.88	16.18		0	0	0
20/02/2018	05:53:22	-0.062	44.83	16.21		0	0	0
20/02/2018	06:23:22	-0.064	45.01	16.22		0	0	0
20/02/2018	06:53:22	-0.07	45.06	16.23		0	0	0
20/02/2018	07:23:22	-0.068	45.19	16.24		0	0	0
20/02/2018	07:53:22	-0.076	45.19	16.24		0	0	0
20/02/2018	08:23:22	-0.06	45.28	16.22		0	0	0
20/02/2018	08:53:22	-0.073	45.33	16.21		0	0	0
20/02/2018	09:23:22	-0.064	45.28	16.19		0	0	0
20/02/2018	09:53:22	-0.078	45.15	16.19		0	0	0
20/02/2018	10:23:22	-0.067	45.06	16.16		0	0	0
20/02/2018	10:53:22	-0.063	45.1	16.15		0	0	0
20/02/2018	11:23:22	-0.065	45.1	16.13		0	0	0
20/02/2018	11:53:22	-0.068	45.1	16.11		0	0	0
20/02/2018	12:23:22	-0.07	45.01	16.1		0	0	0
20/02/2018	12:53:22	-0.064	45.01	16.08		0	0	0
20/02/2018	13:23:22	-0.061	44.97	16.07		0	0	0
20/02/2018	13:53:22	-0.067	44.97	16.06		0	0	0
20/02/2018	14:23:22	-0.06	44.92	16.05		0	0	0
20/02/2018	14:53:22	-0.065	44.88	16.04		0	0	0
20/02/2018	15:23:22	-0.077	44.83	16.04		0	0	0
20/02/2018	15:53:22	-0.069	44.79	16.03		0	0	0
20/02/2018	16:23:22	-0.08	44.74	16.03		0	0	0
20/02/2018	16:53:22	-0.08	44.65	16.03		0	0	0
20/02/2018	17:23:22	-0.07	44.61	16.02		0	0	0
20/02/2018	17:53:22	-0.073	44.56	16		0	0	0
20/02/2018	18:23:22	-0.075	44.47	16		0	0	0
20/02/2018	18:53:22	-0.063	44.38	15.98		0	0	0
20/02/2018	19:23:22	-0.07	44.34	15.98		0	0	0
20/02/2018	19:53:22	-0.067	44.25	15.97		0	0	0
20/02/2018	20:23:22	-0.076	44.2	15.95		0	0	0
20/02/2018	20:53:22	-0.064	44.11	15.93		0	0	0
20/02/2018	21:23:22	-0.081	43.97	15.92		0	0	0
20/02/2018	21:53:22	-0.078	43.93	15.91		0	0	0
20/02/2018	22:23:22	-0.064	43.84	15.88		0	0	0
20/02/2018	22:53:22	-0.064	43.79	15.88		0	0	0
20/02/2018	23:23:22	-0.068	43.75	15.89		0	0	0
20/02/2018	23:53:22	-0.079	43.7	15.89		0	0	0
21/02/2018	00:23:22	-0.088	43.61	15.91		0	0	0
21/02/2018	00:53:22	-0.075	43.52	15.91		0	0	0
21/02/2018	01:23:22	-0.078	43.48	15.91		0	0	0
21/02/2018	01:53:22	-0.068	43.48	15.92		0	0	0
21/02/2018	02:23:22	-0.07	43.48	15.94		0	0	0
21/02/2018	02:53:22	-0.071	43.52	15.95		0	0	0
21/02/2018	03:23:22	-0.083	43.57	16		0	0	0
21/02/2018	03:53:22	-0.075	43.66	16.06		0	0	0

Global Logger	16/01/2018	12:47:27	Offset= 0 Inches	Mannings	Roughness= 0.014	Slope= 4.5 %	Diameter= 50 cm	
Date	Time	Feet	Temp F	Volts	Pulses	Flow (CFS)	Vel (FPS)	Flow (l/s)
21/02/2018	04:23:22	-0.072	43.75	16.1	0	0	0	0
21/02/2018	04:53:22	-0.073	43.88	16.12	0	0	0	0
21/02/2018	05:23:22	-0.068	44.02	16.13	0	0	0	0
21/02/2018	05:53:22	-0.072	44.25	16.14	0	0	0	0
21/02/2018	06:23:22	-0.068	44.38	16.14	0	0	0	0
21/02/2018	06:53:22	-0.065	44.38	16.14	0	0	0	0
21/02/2018	07:23:22	-0.067	44.47	16.14	0	0	0	0
21/02/2018	07:53:22	-0.068	44.52	16.14	0	0	0	0
21/02/2018	08:23:22	-0.075	44.56	16.13	0	0	0	0
21/02/2018	08:53:22	-0.069	44.56	16.13	0	0	0	0
21/02/2018	09:23:22	-0.077	44.56	16.14	0	0	0	0
21/02/2018	09:53:22	-0.075	44.47	16.15	0	0	0	0
21/02/2018	10:23:22	-0.064	44.52	16.13	0	0	0	0
21/02/2018	10:53:22	-0.069	44.38	16.11	0	0	0	0
21/02/2018	11:23:22	-0.067	44.25	16.07	0	0	0	0
21/02/2018	11:53:22	-0.067	44.2	16.03	0	0	0	0
21/02/2018	12:23:22	-0.074	44.11	16	0	0	0	0
21/02/2018	12:53:22	-0.081	44.11	15.99	0	0	0	0
21/02/2018	13:23:22	-0.076	44.02	15.96	0	0	0	0
21/02/2018	13:53:22	-0.074	43.93	15.94	0	0	0	0
21/02/2018	14:23:22	-0.09	43.84	15.91	0	0	0	0
21/02/2018	14:53:22	-0.075	43.75	15.88	0	0	0	0
21/02/2018	15:23:22	-0.068	43.66	15.86	0	0	0	0
21/02/2018	15:53:22	-0.075	43.57	15.84	0	0	0	0
21/02/2018	16:23:22	-0.075	43.48	15.83	0	0	0	0
21/02/2018	16:53:22	-0.069	43.39	15.81	0	0	0	0
21/02/2018	17:23:22	-0.074	43.25	15.81	0	0	0	0
21/02/2018	17:53:22	-0.079	43.16	15.79	0	0	0	0
21/02/2018	18:23:22	-0.068	43.07	15.78	0	0	0	0
21/02/2018	18:53:22	-0.077	42.98	15.78	0	0	0	0
21/02/2018	19:23:22	-0.073	42.89	15.77	0	0	0	0
21/02/2018	19:53:22	-0.069	42.84	15.76	0	0	0	0
21/02/2018	20:23:22	-0.092	42.75	15.76	0	0	0	0
21/02/2018	20:53:22	-0.079	42.66	15.75	0	0	0	0
21/02/2018	21:23:22	-0.075	42.57	15.74	0	0	0	0
21/02/2018	21:53:22	-0.08	42.53	15.74	0	0	0	0
21/02/2018	22:23:22	-0.083	42.44	15.75	0	0	0	0
21/02/2018	22:53:22	-0.075	42.35	15.76	0	0	0	0
21/02/2018	23:23:22	-0.072	42.35	15.79	0	0	0	0
21/02/2018	23:53:22	-0.081	42.3	15.82	0	0	0	0
22/02/2018	00:23:22	-0.073	42.26	15.82	0	0	0	0
22/02/2018	00:53:22	-0.074	42.21	15.83	0	0	0	0
22/02/2018	01:23:22	-0.075	42.21	15.83	0	0	0	0
22/02/2018	01:53:22	-0.09	42.21	15.85	0	0	0	0
22/02/2018	02:23:22	-0.079	42.26	15.85	0	0	0	0
22/02/2018	02:53:22	-0.075	42.26	15.87	0	0	0	0
22/02/2018	03:23:22	-0.064	42.3	15.89	0	0	0	0
22/02/2018	03:53:22	-0.072	42.35	15.93	0	0	0	0
22/02/2018	04:23:22	-0.078	42.44	15.98	0	0	0	0
22/02/2018	04:53:22	-0.08	42.53	16.02	0	0	0	0
22/02/2018	05:23:22	-0.078	42.66	16.05	0	0	0	0
22/02/2018	05:53:22	-0.073	42.75	16.07	0	0	0	0
22/02/2018	06:23:22	-0.08	42.89	16.07	0	0	0	0
22/02/2018	06:53:22	-0.083	42.98	16.05	0	0	0	0
22/02/2018	07:23:22	-0.073	43.03	16.03	0	0	0	0
22/02/2018	07:53:22	-0.075	43.07	16.02	0	0	0	0
22/02/2018	08:23:22	-0.084	43.16	16.02	0	0	0	0
22/02/2018	08:53:22	-0.085	43.16	16.02	0	0	0	0
22/02/2018	09:23:22	-0.075	43.21	16.01	0	0	0	0
22/02/2018	09:53:22	-0.079	43.21	16	0	0	0	0
22/02/2018	10:23:22	-0.076	43.12	16.01	0	0	0	0
22/02/2018	10:53:22	-0.072	43.07	15.99	0	0	0	0
22/02/2018	11:23:22	-0.089	42.89	15.97	0	0	0	0
22/02/2018	11:53:22	-0.083	42.8	15.92	0	0	0	0
22/02/2018	12:23:22	-0.097	42.66	15.89	0	0	0	0
22/02/2018	12:53:22	-0.088	42.62	15.84	0	0	0	0
22/02/2018	13:23:22	-0.086	42.53	15.82	0	0	0	0
22/02/2018	13:53:22	-0.076	42.48	15.81	0	0	0	0
22/02/2018	14:23:22	-0.094	42.39	15.81	0	0	0	0
22/02/2018	14:53:22	-0.069	42.26	15.79	0	0	0	0
22/02/2018	15:23:22	-0.086	42.17	15.79	0	0	0	0
22/02/2018	15:53:22	-0.094	42.03	15.79	0	0	0	0

Global Logger	16/01/2018	12:47:27	Offset= 0 Inches	Mannings	Roughness= 0.014	Slope= 4.5 %	Diameter= 50 cm	
Date	Time	Feet	Temp F	Volts	Pulses	Flow (CFS)	Vel (FPS)	Flow (l/s)
22/02/2018	16:23:22	-0.078	41.94	15.78	0	0	0	0
22/02/2018	16:53:22	-0.087	41.85	15.77	0	0	0	0
22/02/2018	17:23:22	-0.089	41.72	15.76	0	0	0	0
22/02/2018	17:53:22	-0.081	41.67	15.75	0	0	0	0
22/02/2018	18:23:22	-0.083	41.53	15.74	0	0	0	0
22/02/2018	18:53:22	-0.084	41.49	15.73	0	0	0	0
22/02/2018	19:23:22	-0.083	41.4	15.74	0	0	0	0
22/02/2018	19:53:22	-0.088	41.26	15.73	0	0	0	0
22/02/2018	20:23:22	-0.078	41.17	15.72	0	0	0	0
22/02/2018	20:53:22	-0.082	41.08	15.73	0	0	0	0
22/02/2018	21:23:22	-0.081	40.95	15.73	0	0	0	0
22/02/2018	21:53:22	-0.08	40.86	15.73	0	0	0	0
22/02/2018	22:23:22	-0.079	40.72	15.73	0	0	0	0
22/02/2018	22:53:22	-0.087	40.59	15.73	0	0	0	0
22/02/2018	23:23:22	-0.089	40.45	15.73	0	0	0	0
22/02/2018	23:53:22	-0.089	40.4	15.73	0	0	0	0
23/02/2018	00:23:22	-0.079	40.31	15.73	0	0	0	0
23/02/2018	00:53:22	-0.084	40.22	15.73	0	0	0	0
23/02/2018	01:23:22	-0.078	40.13	15.73	0	0	0	0
23/02/2018	01:53:22	-0.079	40.09	15.74	0	0	0	0
23/02/2018	02:23:22	-0.077	40.04	15.75	0	0	0	0
23/02/2018	02:53:22	-0.078	40.09	15.77	0	0	0	0
23/02/2018	03:23:22	-0.076	40.18	15.79	0	0	0	0
23/02/2018	03:53:22	-0.082	40.27	15.83	0	0	0	0
23/02/2018	04:23:22	-0.072	40.31	15.86	0	0	0	0
23/02/2018	04:53:22	-0.067	40.31	15.88	0	0	0	0
23/02/2018	05:23:22	-0.073	40.31	15.92	0	0	0	0
23/02/2018	05:53:22	-0.063	40.36	15.97	0	0	0	0
23/02/2018	06:23:22	-0.075	40.45	16.02	0	0	0	0
23/02/2018	06:53:22	-0.074	40.63	16.05	0	0	0	0
23/02/2018	07:23:22	-0.074	40.81	16.05	0	0	0	0
23/02/2018	07:53:22	-0.075	40.95	16.05	0	0	0	0
23/02/2018	08:23:22	-0.074	41.08	16.05	0	0	0	0
23/02/2018	08:53:22	-0.06	41.04	16.05	0	0	0	0
23/02/2018	09:23:22	-0.072	40.99	16.04	0	0	0	0
23/02/2018	09:53:22	-0.072	40.95	16.02	0	0	0	0
23/02/2018	10:23:22	-0.076	40.9	15.99	0	0	0	0
23/02/2018	10:53:22	-0.075	40.86	15.95	0	0	0	0
23/02/2018	11:23:22	-0.072	40.81	15.92	0	0	0	0
23/02/2018	11:53:22	-0.076	40.72	15.89	0	0	0	0
23/02/2018	12:23:22	-0.08	40.63	15.87	0	0	0	0
23/02/2018	12:53:22	-0.077	40.59	15.84	0	0	0	0
23/02/2018	13:23:22	-0.079	40.54	15.83	0	0	0	0
23/02/2018	13:53:22	-0.071	40.5	15.81	0	0	0	0
23/02/2018	14:23:22	-0.077	40.36	15.8	0	0	0	0
23/02/2018	14:53:22	-0.076	40.27	15.79	0	0	0	0
23/02/2018	15:23:22	-0.08	40.13	15.79	0	0	0	0
23/02/2018	15:53:22	-0.071	40.04	15.79	0	0	0	0
23/02/2018	16:23:22	-0.07	39.95	15.78	0	0	0	0
23/02/2018	16:53:22	-0.067	39.86	15.78	0	0	0	0
23/02/2018	17:23:22	-0.079	39.77	15.78	0	0	0	0
23/02/2018	17:53:22	-0.071	39.64	15.78	0	0	0	0
23/02/2018	18:23:22	-0.069	39.55	15.79	0	0	0	0
23/02/2018	18:53:22	-0.073	39.5	15.79	0	0	0	0
23/02/2018	19:23:22	-0.075	39.46	15.79	0	0	0	0
23/02/2018	19:53:22	-0.07	39.32	15.79	0	0	0	0
23/02/2018	20:23:22	-0.077	39.23	15.79	0	0	0	0
23/02/2018	20:53:22	-0.073	39.23	15.79	0	0	0	0
23/02/2018	21:23:22	-0.08	39.14	15.79	0	0	0	0
23/02/2018	21:53:22	-0.081	39.05	15.79	0	0	0	0
23/02/2018	22:23:22	-0.081	38.91	15.77	0	0	0	0
23/02/2018	22:53:22	-0.079	38.82	15.76	0	0	0	0
23/02/2018	23:23:22	-0.074	38.73	15.74	0	0	0	0
23/02/2018	23:53:22	-0.068	38.64	15.72	0	0	0	0
24/02/2018	00:23:22	-0.069	38.51	15.72	0	0	0	0
24/02/2018	00:53:22	-0.083	38.37	15.71	0	0	0	0
24/02/2018	01:23:22	-0.066	38.15	15.7	0	0	0	0
24/02/2018	01:53:22	-0.073	38.01	15.7	0	0	0	0
24/02/2018	02:23:22	-0.075	37.69	15.73	0	0	0	0
24/02/2018	02:53:22	-0.068	37.2	15.76	0	0	0	0
24/02/2018	03:23:22	-0.083	36.88	15.79	0	0	0	0
24/02/2018	03:53:22	-0.072	36.65	15.82	0	0	0	0

Global Logger	16/01/2018	12:47:27	Offset= 0 Inches	Mannings	Roughness= 0.014	Slope= 4.5 %	Diameter= 50 cm	
Date	Time	Feet	Temp F	Volts	Pulses	Flow (CFS)	Vel (FPS)	Flow (l/s)
24/02/2018	04:23:22	-0.075	36.74	15.86		0	0	0
24/02/2018	04:53:22	-0.072	36.88	15.89		0	0	0
24/02/2018	05:23:22	-0.075	37.02	15.93		0	0	0
24/02/2018	05:53:22	-0.072	37.2	16		0	0	0
24/02/2018	06:23:22	-0.077	37.51	16.05		0	0	0
24/02/2018	06:53:22	-0.077	37.78	16.09		0	0	0
24/02/2018	07:23:22	-0.079	38.05	16.11		0	0	0
24/02/2018	07:53:22	-0.077	38.28	16.13		0	0	0
24/02/2018	08:23:22	-0.069	38.42	16.13		0	0	0
24/02/2018	08:53:22	-0.08	38.6	16.13		0	0	0
24/02/2018	09:23:22	-0.068	38.69	16.12		0	0	0
24/02/2018	09:53:22	-0.078	38.82	16.11		0	0	0
24/02/2018	10:23:22	-0.08	38.91	16.08		0	0	0
24/02/2018	10:53:22	-0.078	38.96	16.03		0	0	0
24/02/2018	11:23:22	-0.08	38.91	15.97		0	0	0
24/02/2018	11:53:22	-0.078	38.91	15.92		0	0	0
24/02/2018	12:23:22	-0.077	38.87	15.87		0	0	0
24/02/2018	12:53:22	-0.075	38.87	15.84		0	0	0
24/02/2018	13:23:22	-0.081	38.82	15.81		0	0	0
24/02/2018	13:53:22	-0.076	38.87	15.78		0	0	0
24/02/2018	14:23:22	-0.072	38.82	15.75		0	0	0
24/02/2018	14:53:22	-0.075	38.78	15.71		0	0	0
24/02/2018	15:23:22	-0.076	38.64	15.7		0	0	0
24/02/2018	15:53:22	-0.068	38.51	15.7		0	0	0
24/02/2018	16:23:22	-0.079	38.42	15.71		0	0	0
24/02/2018	16:53:22	-0.077	38.42	15.71		0	0	0
24/02/2018	17:23:22	-0.077	38.42	15.7		0	0	0
24/02/2018	17:53:22	-0.072	38.42	15.69		0	0	0
24/02/2018	18:23:22	-0.08	38.46	15.68		0	0	0
24/02/2018	18:53:22	-0.074	38.46	15.68		0	0	0
24/02/2018	19:23:22	-0.081	38.46	15.68		0	0	0
24/02/2018	19:53:22	-0.075	38.51	15.68		0	0	0
24/02/2018	20:23:22	-0.076	38.42	15.7		0	0	0
24/02/2018	20:53:22	-0.08	38.42	15.71		0	0	0
24/02/2018	21:23:22	-0.078	38.42	15.71		0	0	0
24/02/2018	21:53:22	-0.065	38.42	15.71		0	0	0
24/02/2018	22:23:22	-0.083	38.46	15.71		0	0	0
24/02/2018	22:53:22	-0.074	38.46	15.7		0	0	0
24/02/2018	23:23:22	-0.074	38.51	15.68		0	0	0
24/02/2018	23:53:22	-0.072	38.46	15.67		0	0	0
25/02/2018	00:23:22	-0.07	38.51	15.65		0	0	0
25/02/2018	00:53:22	-0.083	38.46	15.62		0	0	0
25/02/2018	01:23:22	-0.072	38.51	15.6		0	0	0
25/02/2018	01:53:22	-0.07	38.6	15.61		0	0	0
25/02/2018	02:23:22	-0.076	38.6	15.68		0	0	0
25/02/2018	02:53:22	-0.084	38.64	15.74		0	0	0
25/02/2018	03:23:22	-0.08	38.6	15.76		0	0	0
25/02/2018	03:53:22	-0.082	38.64	15.79		0	0	0
25/02/2018	04:23:22	-0.087	38.69	15.84		0	0	0
25/02/2018	04:53:22	-0.082	38.78	15.87		0	0	0
25/02/2018	05:23:22	-0.071	38.82	15.91		0	0	0
25/02/2018	05:53:22	-0.08	38.91	15.98		0	0	0
25/02/2018	06:23:22	-0.071	39.09	16.03		0	0	0
25/02/2018	06:53:22	-0.077	39.41	16.07		0	0	0
25/02/2018	07:23:22	-0.068	39.59	16.1		0	0	0
25/02/2018	07:53:22	-0.081	39.77	16.11		0	0	0
25/02/2018	08:23:22	-0.079	39.95	16.1		0	0	0
25/02/2018	08:53:22	-0.082	39.91	16.11		0	0	0
25/02/2018	09:23:22	-0.075	39.46	16.1		0	0	0
25/02/2018	09:53:22	-0.073	39.14	16.08		0	0	0
25/02/2018	10:23:22	-0.083	39.14	16.04		0	0	0
25/02/2018	10:53:22	-0.083	39.09	16		0	0	0
25/02/2018	11:23:22	-0.081	39.05	15.94		0	0	0
25/02/2018	11:53:22	-0.067	38.96	15.89		0	0	0
25/02/2018	12:23:22	-0.082	38.87	15.83		0	0	0
25/02/2018	12:53:22	-0.085	38.87	15.79		0	0	0
25/02/2018	13:23:22	-0.073	38.82	15.76		0	0	0
25/02/2018	13:53:22	-0.082	38.87	15.76		0	0	0
25/02/2018	14:23:22	-0.083	38.82	15.75		0	0	0
25/02/2018	14:53:22	-0.072	38.78	15.75		0	0	0
25/02/2018	15:23:22	-0.074	38.73	15.74		0	0	0
25/02/2018	15:53:22	-0.077	38.69	15.73		0	0	0

Global Logger	16/01/2018	12:47:27	Offset= 0 Inches	Mannings	Roughness= 0.014	Slope= 4.5 %	Diameter= 50 cm	
Date	Time	Feet	Temp F	Volts	Pulses	Flow (CFS)	Vel (FPS)	Flow (l/s)
25/02/2018	16:23:22	-0.084	38.64	15.73	0	0	0	0
25/02/2018	16:53:22	-0.082	38.55	15.72	0	0	0	0
25/02/2018	17:23:22	-0.068	38.87	15.71	0	0	0	0
25/02/2018	17:53:22	-0.067	39	15.7	0	0	0	0
25/02/2018	18:23:22	-0.072	38.87	15.7	0	0	0	0
25/02/2018	18:53:22	-0.077	38.78	15.7	0	0	0	0
25/02/2018	19:23:22	-0.079	38.64	15.7	0	0	0	0
25/02/2018	19:53:22	-0.062	38.6	15.69	0	0	0	0
25/02/2018	20:23:22	-0.078	38.6	15.68	0	0	0	0
25/02/2018	20:53:22	-0.065	38.55	15.67	0	0	0	0
25/02/2018	21:23:22	-0.083	38.46	15.67	0	0	0	0
25/02/2018	21:53:22	-0.079	38.37	15.67	0	0	0	0
25/02/2018	22:23:22	-0.077	38.28	15.66	0	0	0	0
25/02/2018	22:53:22	-0.077	38.15	15.66	0	0	0	0
25/02/2018	23:23:22	-0.078	38.15	15.65	0	0	0	0
25/02/2018	23:53:22	-0.078	38.1	15.63	0	0	0	0
26/02/2018	00:23:22	-0.079	38.05	15.63	0	0	0	0
26/02/2018	00:53:22	-0.079	38.05	15.62	0	0	0	0
26/02/2018	01:23:22	-0.078	38.05	15.62	0	0	0	0
26/02/2018	01:53:22	-0.079	38.05	15.63	0	0	0	0
26/02/2018	02:23:22	-0.079	38.1	15.7	0	0	0	0
26/02/2018	02:53:22	-0.08	38.1	15.75	0	0	0	0
26/02/2018	03:23:22	-0.08	38.05	15.75	0	0	0	0
26/02/2018	03:53:22	-0.08	38.1	15.77	0	0	0	0
26/02/2018	04:23:22	-0.079	38.24	15.79	0	0	0	0
26/02/2018	04:53:22	-0.079	38.37	15.81	0	0	0	0
26/02/2018	05:23:22	-0.081	38.33	15.86	0	0	0	0
26/02/2018	05:53:22	-0.079	38.73	15.9	0	0	0	0
26/02/2018	06:23:22	-0.079	38.73	15.93	0	0	0	0
26/02/2018	06:53:22	-0.081	39.32	15.94	0	0	0	0
26/02/2018	07:23:22	-0.084	38.73	15.94	0	0	0	0
26/02/2018	07:53:22	-0.084	38.78	15.92	0	0	0	0
26/02/2018	08:23:22	-0.088	38.51	15.92	0	0	0	0
26/02/2018	08:53:22	-0.089	38.78	15.91	0	0	0	0
26/02/2018	09:23:22	-0.088	38.73	15.89	0	0	0	0
26/02/2018	09:53:22	-0.083	38.24	15.87	0	0	0	0
26/02/2018	10:23:22	-0.083	38.01	15.84	0	0	0	0
26/02/2018	10:53:22	-0.084	37.92	15.81	0	0	0	0
26/02/2018	11:23:22	-0.084	37.92	15.78	0	0	0	0
26/02/2018	11:53:22	-0.084	37.83	15.73	0	0	0	0
26/02/2018	12:23:22	-0.084	37.69	15.7	0	0	0	0
26/02/2018	12:53:22	-0.083	37.96	15.66	0	0	0	0
26/02/2018	13:23:22	-0.083	37.78	15.63	0	0	0	0
26/02/2018	13:53:22	-0.082	37.83	15.61	0	0	0	0
26/02/2018	14:23:22	-0.081	37.87	15.59	0	0	0	0
26/02/2018	14:53:22	-0.082	37.78	15.57	0	0	0	0
26/02/2018	15:23:22	-0.082	37.69	15.57	0	0	0	0
26/02/2018	15:53:22	-0.083	37.6	15.55	0	0	0	0
26/02/2018	16:23:22	-0.083	37.6	15.55	0	0	0	0
26/02/2018	16:53:22	-0.082	37.6	15.54	0	0	0	0
26/02/2018	17:23:22	-0.083	37.38	15.54	0	0	0	0
26/02/2018	17:53:22	-0.083	37.38	15.53	0	0	0	0
26/02/2018	18:23:22	-0.082	37.38	15.51	0	0	0	0
26/02/2018	18:53:22	-0.082	37.38	15.5	0	0	0	0
26/02/2018	19:23:22	-0.081	36.97	15.49	0	0	0	0
26/02/2018	19:53:22	-0.083	37.15	15.5	0	0	0	0
26/02/2018	20:23:22	-0.082	37.11	15.5	0	0	0	0
26/02/2018	20:53:22	-0.082	37.06	15.51	0	0	0	0
26/02/2018	21:23:22	-0.082	37.11	15.52	0	0	0	0
26/02/2018	21:53:22	-0.082	37.06	15.54	0	0	0	0
26/02/2018	22:23:22	-0.083	36.93	15.55	0	0	0	0
26/02/2018	22:53:22	-0.083	37.11	15.55	0	0	0	0
26/02/2018	23:23:22	-0.083	36.88	15.56	0	0	0	0
26/02/2018	23:53:22	-0.082	37.15	15.56	0	0	0	0
27/02/2018	00:23:22	-0.083	37.06	15.56	0	0	0	0
27/02/2018	00:53:22	-0.082	37.38	15.56	0	0	0	0
27/02/2018	01:23:22	-0.082	37.42	15.55	0	0	0	0
27/02/2018	01:53:22	-0.083	37.42	15.55	0	0	0	0
27/02/2018	02:23:22	-0.082	37.47	15.58	0	0	0	0
27/02/2018	02:53:22	-0.082	37.69	15.59	0	0	0	0
27/02/2018	03:23:22	-0.083	37.69	15.63	0	0	0	0
27/02/2018	03:53:22	-0.084	37.83	15.65	0	0	0	0

Global Logger	16/01/2018	12:47:27	Offset= 0 Inches	Mannings	Roughness= 0.014	Slope= 4.5 %	Diameter= 50 cm	
Date	Time	Feet	Temp F	Volts	Pulses	Flow (CFS)	Vel (FPS)	Flow (l/s)
27/02/2018	04:23:22	-0.082	38.42	15.67	0	0	0	0
27/02/2018	04:53:22	-0.084	38.1	15.71	0	0	0	0
27/02/2018	05:23:22	-0.085	37.96	15.73	0	0	0	0
27/02/2018	05:53:22	-0.085	37.83	15.72	0	0	0	0
27/02/2018	06:23:22	-0.084	37.87	15.7	0	0	0	0
27/02/2018	06:53:22	-0.084	37.92	15.7	0	0	0	0
27/02/2018	07:23:22	-0.083	38.24	15.69	0	0	0	0
27/02/2018	07:53:22	-0.083	38.55	15.68	0	0	0	0
27/02/2018	08:23:22	-0.083	38.78	15.7	0	0	0	0
27/02/2018	08:53:22	-0.082	38.87	15.71	0	0	0	0
27/02/2018	09:23:22	-0.085	38.73	15.73	0	0	0	0
27/02/2018	09:53:22	-0.085	38.69	15.73	0	0	0	0
27/02/2018	10:23:22	-0.085	38.37	15.73	0	0	0	0
27/02/2018	10:53:22	-0.085	38.05	15.71	0	0	0	0
27/02/2018	11:23:22	-0.086	37.96	15.67	0	0	0	0
27/02/2018	11:53:22	-0.084	37.78	15.65	0	0	0	0
27/02/2018	12:23:22	-0.085	37.83	15.62	0	0	0	0
27/02/2018	12:53:22	-0.084	37.78	15.59	0	0	0	0
27/02/2018	13:23:22	-0.084	37.56	15.56	0	0	0	0
27/02/2018	13:53:22	-0.084	37.65	15.53	0	0	0	0
27/02/2018	14:23:22	-0.084	37.51	15.52	0	0	0	0
27/02/2018	14:53:22	-0.083	37.47	15.51	0	0	0	0
27/02/2018	15:23:22	-0.083	37.47	15.49	0	0	0	0
27/02/2018	15:53:22	-0.083	37.42	15.48	0	0	0	0
27/02/2018	16:23:22	-0.083	37.29	15.47	0	0	0	0
27/02/2018	16:53:22	-0.082	37.24	15.45	0	0	0	0
27/02/2018	17:23:22	-0.083	37.38	15.45	0	0	0	0
27/02/2018	17:53:22	-0.083	37.15	15.44	0	0	0	0
27/02/2018	18:23:22	-0.083	37.02	15.43	0	0	0	0
27/02/2018	18:53:22	-0.083	37.02	15.41	0	0	0	0
27/02/2018	19:23:22	-0.082	37.02	15.4	0	0	0	0
27/02/2018	19:53:22	-0.082	36.74	15.4	0	0	0	0
27/02/2018	20:23:22	-0.082	36.97	15.39	0	0	0	0
27/02/2018	20:53:22	-0.083	37.02	15.39	0	0	0	0
27/02/2018	21:23:22	-0.082	36.61	15.39	0	0	0	0
27/02/2018	21:53:22	-0.082	36.47	15.39	0	0	0	0
27/02/2018	22:23:22	-0.082	36.61	15.39	0	0	0	0
27/02/2018	22:53:22	-0.083	36.25	15.39	0	0	0	0
27/02/2018	23:23:22	-0.082	36.11	15.39	0	0	0	0
27/02/2018	23:53:22	-0.082	36.25	15.39	0	0	0	0
28/02/2018	00:23:22	-0.082	35.75	15.38	0	0	0	0
28/02/2018	00:53:22	-0.078	35.8	15.36	0	0	0	0
28/02/2018	01:23:22	-0.078	35.75	15.36	0	0	0	0
28/02/2018	01:53:22	-0.09	36.02	15.4	0	0	0	0
28/02/2018	02:23:22	-0.088	36.07	15.46	0	0	0	0
28/02/2018	02:53:22	-0.091	36.11	15.53	0	0	0	0
28/02/2018	03:23:22	-0.091	36.25	15.55	0	0	0	0
28/02/2018	03:53:22	-0.092	36.61	15.57	0	0	0	0
28/02/2018	04:23:22	-0.082	37.65	15.57	0	0	0	0
28/02/2018	04:53:22	-0.077	38.37	15.59	0	0	0	0
28/02/2018	05:23:22	-0.073	38.6	15.6	0	0	0	0
28/02/2018	05:53:22	-0.074	38.51	15.62	0	0	0	0
28/02/2018	06:23:22	-0.072	38.6	15.67	0	0	0	0
28/02/2018	06:53:22	-0.071	38.73	15.71	0	0	0	0
28/02/2018	07:23:22	-0.071	38.82	15.71	0	0	0	0
28/02/2018	07:53:22	-0.071	39.05	15.71	0	0	0	0
28/02/2018	08:23:22	-0.071	39.14	15.71	0	0	0	0
28/02/2018	08:53:22	-0.072	38.96	15.71	0	0	0	0
28/02/2018	09:23:22	-0.071	38.87	15.7	0	0	0	0
28/02/2018	09:53:22	-0.07	38.82	15.67	0	0	0	0
28/02/2018	10:23:22	-0.068	38.55	15.63	0	0	0	0
28/02/2018	10:53:22	-0.072	38.46	15.59	0	0	0	0
28/02/2018	11:23:22	-0.07	38.37	15.55	0	0	0	0
28/02/2018	11:53:22	-0.071	38.19	15.52	0	0	0	0
28/02/2018	12:23:22	-0.072	38.05	15.49	0	0	0	0
28/02/2018	12:53:22	-0.072	37.92	15.46	0	0	0	0
28/02/2018	13:23:22	-0.072	38.01	15.44	0	0	0	0
28/02/2018	13:53:22	-0.073	37.92	15.43	0	0	0	0
28/02/2018	14:23:22	-0.074	37.92	15.41	0	0	0	0
28/02/2018	14:53:22	-0.074	37.78	15.39	0	0	0	0
28/02/2018	15:23:22	-0.077	37.56	15.37	0	0	0	0
28/02/2018	15:53:22	-0.073	37.47	15.35	0	0	0	0

Global Logger	16/01/2018	12:47:27	Offset= 0 Inches	Mannings	Roughness= 0.014	Slope= 4.5 %	Diameter= 50 cm	
Date	Time	Feet	Temp F	Volts	Pulses	Flow (CFS)	Vel (FPS)	Flow (l/s)
28/02/2018	16:23:22	-0.075	37.47	15.33	0	0	0	0
28/02/2018	16:53:22	-0.087	37.42	15.33	0	0	0	0
28/02/2018	17:23:22	-0.085	37.33	15.31	0	0	0	0
28/02/2018	17:53:22	-0.084	37.33	15.3	0	0	0	0
28/02/2018	18:23:22	-0.086	37.29	15.28	0	0	0	0
28/02/2018	18:53:22	-0.088	37.2	15.27	0	0	0	0
28/02/2018	19:23:22	-0.086	37.15	15.27	0	0	0	0
28/02/2018	19:53:22	-0.086	37.06	15.25	0	0	0	0
28/02/2018	20:23:22	-0.088	36.97	15.24	0	0	0	0
28/02/2018	20:53:22	-0.094	36.79	15.23	0	0	0	0
28/02/2018	21:23:22	-0.09	36.88	15.22	0	0	0	0
28/02/2018	21:53:22	-0.09	36.97	15.2	0	0	0	0
28/02/2018	22:23:22	-0.089	37.06	15.2	0	0	0	0
28/02/2018	22:53:22	-0.099	37.02	15.23	0	0	0	0
28/02/2018	23:23:22	-0.087	36.74	15.24	0	0	0	0
28/02/2018	23:53:22	-0.084	36.65	15.26	0	0	0	0
01/03/2018	00:23:22	-0.085	36.47	15.27	0	0	0	0
01/03/2018	00:53:22	-0.083	36.56	15.28	0	0	0	0
01/03/2018	01:23:22	-0.093	35.66	15.3	0	0	0	0
01/03/2018	01:53:22	-0.089	35.84	15.3	0	0	0	0
01/03/2018	02:23:22	-0.088	35.98	15.31	0	0	0	0
01/03/2018	02:53:22	-0.101	37.11	15.34	0	0	0	0
01/03/2018	03:23:22	-0.089	37.11	15.38	0	0	0	0
01/03/2018	03:53:22	-0.068	37.92	15.39	0	0	0	0
01/03/2018	04:23:22	-0.064	38.05	15.42	0	0	0	0
01/03/2018	04:53:22	-0.073	37.56	15.45	0	0	0	0
01/03/2018	05:23:22	-0.078	37.51	15.47	0	0	0	0
01/03/2018	05:53:22	-0.077	37.6	15.49	0	0	0	0
01/03/2018	06:23:22	-0.077	37.92	15.49	0	0	0	0
01/03/2018	06:53:22	-0.086	36.07	15.52	0	0	0	0
01/03/2018	07:23:22	-0.09	36.02	15.5	0	0	0	0
01/03/2018	07:53:22	-0.088	36.25	15.48	0	0	0	0
01/03/2018	08:23:22	-0.089	36.16	15.47	0	0	0	0
01/03/2018	08:53:22	-0.089	36.61	15.46	0	0	0	0
01/03/2018	09:23:22	-0.089	36.38	15.46	0	0	0	0
01/03/2018	09:53:22	-0.089	36.11	15.46	0	0	0	0
01/03/2018	10:23:22	-0.09	35.93	15.45	0	0	0	0
01/03/2018	10:53:22	-0.088	36.02	15.44	0	0	0	0
01/03/2018	11:23:22	-0.088	35.75	15.43	0	0	0	0
01/03/2018	11:53:22	-0.089	35.75	15.42	0	0	0	0
01/03/2018	12:23:22	-0.087	35.8	15.42	0	0	0	0
01/03/2018	12:53:22	-0.086	35.66	15.41	0	0	0	0
01/03/2018	13:23:22	-0.085	35.61	15.41	0	0	0	0
01/03/2018	13:53:22	-0.094	35.39	15.41	0	0	0	0
01/03/2018	14:23:22	-0.096	35.39	15.41	0	0	0	0
01/03/2018	14:53:22	-0.091	35.3	15.41	0	0	0	0
01/03/2018	15:23:22	-0.095	35.16	15.41	0	0	0	0
01/03/2018	15:53:22	-0.087	35.34	15.4	0	0	0	0
01/03/2018	16:23:22	-0.085	35.34	15.39	0	0	0	0
01/03/2018	16:53:22	-0.085	35.25	15.4	0	0	0	0
01/03/2018	17:23:22	-0.082	35.52	15.4	0	0	0	0
01/03/2018	17:53:22	-0.082	35.43	15.4	0	0	0	0
01/03/2018	18:23:22	-0.085	35.61	15.4	0	0	0	0
01/03/2018	18:53:22	-0.083	35.75	15.41	0	0	0	0
01/03/2018	19:23:22	-0.085	36.2	15.41	0	0	0	0
01/03/2018	19:53:22	-0.084	36.25	15.41	0	0	0	0
01/03/2018	20:23:22	-0.082	35.75	15.42	0	0	0	0
01/03/2018	20:53:22	-0.086	35.93	15.42	0	0	0	0
01/03/2018	21:23:22	-0.086	35.89	15.42	0	0	0	0
01/03/2018	21:53:22	-0.082	35.84	15.42	0	0	0	0
01/03/2018	22:23:22	-0.082	35.66	15.41	0	0	0	0
01/03/2018	22:53:22	-0.084	35.66	15.41	0	0	0	0
01/03/2018	23:23:22	-0.083	35.57	15.41	0	0	0	0
01/03/2018	23:53:22	-0.081	35.84	15.41	0	0	0	0
02/03/2018	00:23:22	-0.082	36.02	15.41	0	0	0	0
02/03/2018	00:53:22	-0.078	36.07	15.4	0	0	0	0
02/03/2018	01:23:22	-0.08	35.93	15.41	0	0	0	0
02/03/2018	01:53:22	-0.077	36.16	15.41	0	0	0	0
02/03/2018	02:23:22	-0.075	36.29	15.41	0	0	0	0
02/03/2018	02:53:22	-0.077	36.43	15.41	0	0	0	0
02/03/2018	03:23:22	-0.075	36.52	15.42	0	0	0	0
02/03/2018	03:53:22	-0.076	36.56	15.42	0	0	0	0

Global Logger	16/01/2018	12:47:27	Offset= 0 Inches	Mannings	Roughness= 0.014	Slope= 4.5 %	Diameter= 50 cm	
Date	Time	Feet	Temp F	Volts	Pulses	Flow (CFS)	Vel (FPS)	Flow (l/s)
02/03/2018	04:23:22	-0.079	36.83	15.43		0	0	0
02/03/2018	04:53:22	-0.08	37.15	15.43		0	0	0
02/03/2018	05:23:22	-0.08	37.06	15.44		0	0	0
02/03/2018	05:53:22	-0.082	36.74	15.44		0	0	0
02/03/2018	06:23:22	-0.081	36.56	15.44		0	0	0
02/03/2018	06:53:22	-0.082	36.43	15.45		0	0	0
02/03/2018	07:23:22	-0.082	36.47	15.45		0	0	0
02/03/2018	07:53:22	-0.08	36.79	15.44		0	0	0
02/03/2018	08:23:22	-0.078	37.02	15.43		0	0	0
02/03/2018	08:53:22	-0.078	37.51	15.42		0	0	0
02/03/2018	09:23:22	-0.074	37.78	15.4		0	0	0
02/03/2018	09:53:22	-0.074	37.69	15.41		0	0	0
02/03/2018	10:23:22	-0.071	37.92	15.39		0	0	0
02/03/2018	10:53:22	-0.071	38.19	15.38		0	0	0
02/03/2018	11:23:22	-0.071	37.6	15.38		0	0	0
02/03/2018	11:53:22	-0.069	38.05	15.37		0	0	0
02/03/2018	12:23:22	-0.068	37.87	15.37		0	0	0
02/03/2018	12:53:22	-0.06	37.38	15.36		0	0	0
02/03/2018	13:23:22	-0.068	37.47	15.36		0	0	0
02/03/2018	13:53:22	-0.069	37.56	15.36		0	0	0
02/03/2018	14:23:22	-0.066	37.29	15.36		0	0	0
02/03/2018	14:53:22	-0.067	37.11	15.36		0	0	0
02/03/2018	15:23:22	-0.075	37.15	15.37		0	0	0
02/03/2018	15:53:22	-0.064	37.29	15.36		0	0	0
02/03/2018	16:23:22	-0.068	37.29	15.36		0	0	0
02/03/2018	16:53:22	-0.061	37.42	15.36		0	0	0
02/03/2018	17:23:22	-0.069	37.42	15.36		0	0	0
02/03/2018	17:53:22	-0.074	37.42	15.36		0	0	0
02/03/2018	18:23:22	-0.072	37.11	15.37		0	0	0
02/03/2018	18:53:22	-0.071	36.88	15.36		0	0	0
02/03/2018	19:23:22	-0.072	36.79	15.38		0	0	0
02/03/2018	19:53:22	-0.073	36.7	15.38		0	0	0
02/03/2018	20:23:22	-0.074	36.88	15.38		0	0	0
02/03/2018	20:53:22	-0.074	36.52	15.38		0	0	0
02/03/2018	21:23:22	-0.075	36.38	15.39		0	0	0
02/03/2018	21:53:22	-0.077	36.74	15.38		0	0	0
02/03/2018	22:23:22	-0.075	36.52	15.38		0	0	0
02/03/2018	22:53:22	-0.076	36.61	15.39		0	0	0
02/03/2018	23:23:22	-0.077	36.74	15.41		0	0	0
02/03/2018	23:53:22	-0.077	36.56	15.42		0	0	0
03/03/2018	00:23:22	-0.076	36.43	15.43		0	0	0
03/03/2018	00:53:22	-0.076	36.43	15.43		0	0	0
03/03/2018	01:23:22	-0.075	36.65	15.43		0	0	0
03/03/2018	01:53:22	-0.076	36.79	15.43		0	0	0
03/03/2018	02:23:22	-0.078	37.06	15.43		0	0	0
03/03/2018	02:53:22	-0.078	37.47	15.43		0	0	0
03/03/2018	03:23:22	-0.076	37.56	15.46		0	0	0
03/03/2018	03:53:22	-0.076	37.87	15.5		0	0	0
03/03/2018	04:23:22	-0.076	37.78	15.54		0	0	0
03/03/2018	04:53:22	-0.076	38.05	15.56		0	0	0
03/03/2018	05:23:22	-0.074	38.19	15.57		0	0	0
03/03/2018	05:53:22	-0.074	38.1	15.58		0	0	0
03/03/2018	06:23:22	-0.072	38.24	15.58		0	0	0
03/03/2018	06:53:22	-0.072	38.24	15.57		0	0	0
03/03/2018	07:23:22	-0.074	38.24	15.57		0	0	0
03/03/2018	07:53:22	-0.069	38.33	15.57		0	0	0
03/03/2018	08:23:22	-0.067	38.33	15.57		0	0	0
03/03/2018	08:53:22	-0.069	38.33	15.55		0	0	0
03/03/2018	09:23:22	-0.074	38.33	15.55		0	0	0
03/03/2018	09:53:22	-0.052	38.37	15.52		0	0	0
03/03/2018	10:23:22	-0.064	38.46	15.53		0	0	0
03/03/2018	10:53:22	-0.077	38.15	15.52		0	0	0
03/03/2018	11:23:22	-0.075	38.19	15.51		0	0	0
03/03/2018	11:53:22	-0.071	38.19	15.49		0	0	0
03/03/2018	12:23:22	-0.07	38.15	15.48		0	0	0
03/03/2018	12:53:22	-0.065	38.28	15.46		0	0	0
03/03/2018	13:23:22	-0.071	38.33	15.46		0	0	0
03/03/2018	13:53:22	-0.072	38.33	15.45		0	0	0
03/03/2018	14:23:22	-0.078	38.37	15.44		0	0	0
03/03/2018	14:53:22	-0.069	38.42	15.44		0	0	0
03/03/2018	15:23:22	-0.05	38.46	15.43		0	0	0
03/03/2018	15:53:22	-0.059	38.46	15.43		0	0	0

Global Logger	16/01/2018	12:47:27	Offset= 0 Inches	Mannings	Roughness= 0.014	Slope= 4.5 %	Diameter= 50 cm	
Date	Time	Feet	Temp F	Volts	Pulses	Flow (CFS)	Vel (FPS)	Flow (l/s)
03/03/2018	16:23:22	-0.066	38.46	15.44		0	0	0
03/03/2018	16:53:22	-0.07	38.51	15.43		0	0	0
03/03/2018	17:23:22	-0.074	38.55	15.41		0	0	0
03/03/2018	17:53:22	-0.063	38.51	15.4		0	0	0
03/03/2018	18:23:22	-0.07	38.46	15.41		0	0	0
03/03/2018	18:53:22	-0.055	38.42	15.39		0	0	0
03/03/2018	19:23:22	-0.075	38.51	15.41		0	0	0
03/03/2018	19:53:22	-0.058	38.51	15.4		0	0	0
03/03/2018	20:23:22	-0.071	38.51	15.4		0	0	0
03/03/2018	20:53:22	-0.072	38.28	15.41		0	0	0
03/03/2018	21:23:22	-0.072	38.19	15.41		0	0	0
03/03/2018	21:53:22	-0.07	38.15	15.41		0	0	0
03/03/2018	22:23:22	-0.067	38.1	15.4		0	0	0
03/03/2018	22:53:22	-0.071	38.1	15.41		0	0	0
03/03/2018	23:23:22	-0.07	37.96	15.42		0	0	0
03/03/2018	23:53:22	-0.072	37.96	15.43		0	0	0
04/03/2018	00:23:22	-0.072	37.92	15.43		0	0	0
04/03/2018	00:53:22	-0.053	37.96	15.43		0	0	0
04/03/2018	01:23:22	-0.072	38.01	15.44		0	0	0
04/03/2018	01:53:22	-0.071	38.1	15.44		0	0	0
04/03/2018	02:23:22	-0.059	38.05	15.44		0	0	0
04/03/2018	02:53:22	-0.054	38.19	15.46		0	0	0
04/03/2018	03:23:22	-0.075	38.19	15.49		0	0	0
04/03/2018	03:53:22	-0.074	38.19	15.51		0	0	0
04/03/2018	04:23:22	-0.072	38.33	15.52		0	0	0
04/03/2018	04:53:22	-0.072	38.42	15.55		0	0	0
04/03/2018	05:23:22	-0.071	38.73	15.6		0	0	0
04/03/2018	05:53:22	-0.071	38.73	15.68		0	0	0
04/03/2018	06:23:22	-0.073	38.73	15.73		0	0	0
04/03/2018	06:53:22	-0.073	38.51	15.75		0	0	0
04/03/2018	07:23:22	-0.078	38.46	15.76		0	0	0
04/03/2018	07:53:22	-0.077	38.73	15.77		0	0	0
04/03/2018	08:23:22	-0.072	39	15.78		0	0	0
04/03/2018	08:53:22	-0.075	38.78	15.79		0	0	0
04/03/2018	09:23:22	-0.077	39.23	15.79		0	0	0
04/03/2018	09:53:22	-0.077	39	15.78		0	0	0
04/03/2018	10:23:22	-0.079	38.69	15.74		0	0	0
04/03/2018	10:53:22	-0.088	38.6	15.71		0	0	0
04/03/2018	11:23:22	-0.087	38.24	15.68		0	0	0
04/03/2018	11:53:22	-0.084	38.01	15.66		0	0	0
04/03/2018	12:23:22	-0.077	37.92	15.63		0	0	0
04/03/2018	12:53:22	-0.076	37.96	15.62		0	0	0
04/03/2018	13:23:22	-0.076	37.87	15.61		0	0	0
04/03/2018	13:53:22	-0.077	37.83	15.61		0	0	0
04/03/2018	14:23:22	-0.082	37.65	15.6		0	0	0
04/03/2018	14:53:22	-0.084	37.69	15.59		0	0	0
04/03/2018	15:23:22	-0.087	37.47	15.58		0	0	0
04/03/2018	15:53:22	-0.087	37.47	15.56		0	0	0
04/03/2018	16:23:22	-0.085	37.65	15.55		0	0	0
04/03/2018	16:53:22	-0.085	37.6	15.54		0	0	0
04/03/2018	17:23:22	-0.083	37.6	15.55		0	0	0
04/03/2018	17:53:22	-0.082	37.6	15.55		0	0	0
04/03/2018	18:23:22	-0.081	37.6	15.55		0	0	0
04/03/2018	18:53:22	-0.08	37.56	15.55		0	0	0
04/03/2018	19:23:22	-0.08	37.51	15.55		0	0	0
04/03/2018	19:53:22	-0.081	37.51	15.56		0	0	0
04/03/2018	20:23:22	-0.079	37.47	15.55		0	0	0
04/03/2018	20:53:22	-0.079	37.47	15.56		0	0	0
04/03/2018	21:23:22	-0.078	37.33	15.56		0	0	0
04/03/2018	21:53:22	-0.082	37.11	15.56		0	0	0
04/03/2018	22:23:22	-0.081	37.15	15.54		0	0	0
04/03/2018	22:53:22	-0.081	37.11	15.52		0	0	0
04/03/2018	23:23:22	-0.08	37.15	15.52		0	0	0
04/03/2018	23:53:22	-0.081	37.11	15.53		0	0	0
05/03/2018	00:23:22	-0.083	37.02	15.53		0	0	0
05/03/2018	00:53:22	-0.082	37.02	15.54		0	0	0
05/03/2018	01:23:22	-0.084	37.06	15.54		0	0	0
05/03/2018	01:53:22	-0.082	37.06	15.54		0	0	0
05/03/2018	02:23:22	-0.081	37.15	15.55		0	0	0
05/03/2018	02:53:22	-0.083	37.15	15.57		0	0	0
05/03/2018	03:23:22	-0.082	37.11	15.58		0	0	0
05/03/2018	03:53:22	-0.082	37.06	15.58		0	0	0

Global Logger	16/01/2018	12:47:27	Offset= 0 Inches	Mannings	Roughness= 0.014	Slope= 4.5 %	Diameter= 50 cm	
Date	Time	Feet	Temp F	Volts	Pulses	Flow (CFS)	Vel (FPS)	Flow (l/s)
05/03/2018	04:23:22	-0.085	37.11	15.59		0	0	0
05/03/2018	04:53:22	-0.084	37.11	15.59		0	0	0
05/03/2018	05:23:22	-0.083	37.11	15.59		0	0	0
05/03/2018	05:53:22	-0.084	36.97	15.59		0	0	0
05/03/2018	06:23:22	-0.084	36.88	15.59		0	0	0
05/03/2018	06:53:22	-0.082	36.93	15.59		0	0	0
05/03/2018	07:23:22	-0.08	36.88	15.58		0	0	0
05/03/2018	07:53:22	-0.076	36.74	15.57		0	0	0
05/03/2018	08:23:22	-0.074	36.7	15.57		0	0	0
05/03/2018	08:53:22	-0.053	36.65	15.55		0	0	0
05/03/2018	09:23:22	-0.06	36.52	15.55		0	0	0
05/03/2018	09:53:22	-0.056	36.52	15.54		0	0	0
05/03/2018	10:23:22	-0.054	36.47	15.53		0	0	0
05/03/2018	10:53:22	-0.052	36.47	15.52		0	0	0
05/03/2018	11:23:22	-0.058	36.47	15.53		0	0	0
05/03/2018	11:53:22	-0.058	36.52	15.52		0	0	0
05/03/2018	12:23:22	-0.058	36.56	15.51		0	0	0
05/03/2018	12:53:22	-0.057	36.56	15.5		0	0	0
05/03/2018	13:23:22	-0.057	36.56	15.49		0	0	0
05/03/2018	13:53:22	-0.072	36.61	15.48		0	0	0
05/03/2018	14:23:22	-0.071	36.7	15.47		0	0	0
05/03/2018	14:53:22	-0.058	36.79	15.45		0	0	0
05/03/2018	15:23:22	-0.053	36.88	15.44		0	0	0
05/03/2018	15:53:22	-0.056	37.02	15.44		0	0	0
05/03/2018	16:23:22	-0.063	37.2	15.44		0	0	0
05/03/2018	16:53:22	-0.067	37.29	15.43		0	0	0
05/03/2018	17:23:22	-0.059	37.38	15.43		0	0	0
05/03/2018	17:53:22	-0.062	37.47	15.43		0	0	0
05/03/2018	18:23:22	-0.061	37.56	15.43		0	0	0
05/03/2018	18:53:22	-0.055	37.69	15.41		0	0	0
05/03/2018	19:23:22	-0.059	37.78	15.39		0	0	0
05/03/2018	19:53:22	-0.056	37.74	15.36		0	0	0
05/03/2018	20:23:22	-0.053	37.78	15.34		0	0	0
05/03/2018	20:53:22	-0.062	37.87	15.33		0	0	0
05/03/2018	21:23:22	-0.06	37.96	15.31		0	0	0
05/03/2018	21:53:22	-0.057	38.01	15.31		0	0	0
05/03/2018	22:23:22	-0.065	38.05	15.31		0	0	0
05/03/2018	22:53:22	-0.059	38.15	15.32		0	0	0
05/03/2018	23:23:22	-0.057	38.1	15.31		0	0	0
05/03/2018	23:53:22	-0.066	38.15	15.29		0	0	0
06/03/2018	00:23:22	-0.076	38.19	15.27		0	0	0
06/03/2018	00:53:22	-0.075	38.19	15.24		0	0	0
06/03/2018	01:23:22	-0.056	38.28	15.22		0	0	0
06/03/2018	01:53:22	-0.073	38.28	15.24		0	0	0
06/03/2018	02:23:22	-0.073	38.37	15.28		0	0	0
06/03/2018	02:53:22	-0.058	38.46	15.36		0	0	0
06/03/2018	03:23:22	-0.055	38.6	15.43		0	0	0
06/03/2018	03:53:22	-0.071	38.6	15.53		0	0	0
06/03/2018	04:23:22	-0.055	38.69	15.61		0	0	0
06/03/2018	04:53:22	-0.063	38.78	15.71		0	0	0
06/03/2018	05:23:22	-0.062	38.91	15.78		0	0	0
06/03/2018	05:53:22	-0.064	39	15.81		0	0	0
06/03/2018	06:23:22	-0.06	39.23	15.83		0	0	0
06/03/2018	06:53:22	-0.067	39.18	15.84		0	0	0
06/03/2018	07:23:22	-0.061	39.41	15.83		0	0	0
06/03/2018	07:53:22	-0.055	39.46	15.82		0	0	0
06/03/2018	08:23:22	-0.061	39.59	15.79		0	0	0
06/03/2018	08:53:22	-0.056	39.64	15.75		0	0	0
06/03/2018	09:23:22	-0.063	39.73	15.73		0	0	0
06/03/2018	09:53:22	-0.067	39.82	15.7		0	0	0
06/03/2018	10:23:22	-0.061	39.91	15.69		0	0	0
06/03/2018	10:53:22	-0.06	39.86	15.68		0	0	0
06/03/2018	11:23:22	-0.07	39.86	15.67		0	0	0
06/03/2018	11:53:22	-0.068	39.77	15.62		0	0	0
06/03/2018	12:23:22	-0.065	39.68	15.59		0	0	0
06/03/2018	12:53:22	-0.07	39.68	15.56		0	0	0
06/03/2018	13:23:22	-0.068	39.64	15.52		0	0	0
06/03/2018	13:53:22	-0.06	39.59	15.49		0	0	0
06/03/2018	14:23:22	-0.065	39.55	15.47		0	0	0
06/03/2018	14:53:22	-0.057	39.55	15.44		0	0	0
06/03/2018	15:23:22	-0.062	39.64	15.41		0	0	0
06/03/2018	15:53:22	-0.062	39.73	15.38		0	0	0

Global Logger	16/01/2018	12:47:27	Offset= 0 Inches	Mannings	Roughness= 0.014	Slope= 4.5 %	Diameter= 50 cm	
Date	Time	Feet	Temp F	Volts	Pulses	Flow (CFS)	Vel (FPS)	Flow (l/s)
06/03/2018	16:23:22	-0.057	39.82	15.36		0	0	0
06/03/2018	16:53:22	-0.057	39.91	15.35		0	0	0
06/03/2018	17:23:22	-0.051	39.95	15.33		0	0	0
06/03/2018	17:53:22	-0.052	40	15.32		0	0	0
06/03/2018	18:23:22	-0.064	40.04	15.3		0	0	0
06/03/2018	18:53:22	-0.061	40.09	15.28		0	0	0
06/03/2018	19:23:22	-0.06	40.09	15.25		0	0	0
06/03/2018	19:53:22	-0.062	40.13	15.23		0	0	0
06/03/2018	20:23:22	-0.062	40.18	15.23		0	0	0
06/03/2018	20:53:22	-0.067	40.18	15.25		0	0	0
06/03/2018	21:23:22	-0.06	40.22	15.25		0	0	0
06/03/2018	21:53:22	-0.061	40.22	15.27		0	0	0
06/03/2018	22:23:22	-0.062	40.22	15.27		0	0	0
06/03/2018	22:53:22	-0.06	40.22	15.27		0	0	0
06/03/2018	23:23:22	-0.057	40.22	15.26		0	0	0
06/03/2018	23:53:22	-0.06	40.18	15.23		0	0	0
07/03/2018	00:23:22	-0.05	40.18	15.19		0	0	0
07/03/2018	00:53:22	-0.053	40.13	15.15		0	0	0
07/03/2018	01:23:22	-0.057	40.13	15.15		0	0	0
07/03/2018	01:53:22	-0.059	40.13	15.26		0	0	0
07/03/2018	02:23:22	-0.058	40.13	15.39		0	0	0
07/03/2018	02:53:22	-0.062	40.18	15.55		0	0	0
07/03/2018	03:23:22	-0.062	40.13	15.67		0	0	0
07/03/2018	03:53:22	-0.061	40.13	15.68		0	0	0
07/03/2018	04:23:22	-0.059	40.22	15.71		0	0	0
07/03/2018	04:53:22	-0.058	40.22	15.76		0	0	0
07/03/2018	05:23:22	-0.055	40.22	15.75		0	0	0
07/03/2018	05:53:22	-0.058	40.36	15.77		0	0	0
07/03/2018	06:23:22	-0.056	40.36	15.81		0	0	0
07/03/2018	06:53:22	-0.061	40.36	15.84		0	0	0
07/03/2018	07:23:22	-0.057	40.36	15.86		0	0	0
07/03/2018	07:53:22	-0.065	40.45	15.86		0	0	0
07/03/2018	08:23:22	-0.075	40.54	15.86		0	0	0
07/03/2018	08:53:22	-0.071	40.4	15.86		0	0	0
07/03/2018	09:23:22	-0.067	40.59	15.83		0	0	0
07/03/2018	09:53:22	-0.073	40.77	15.81		0	0	0
07/03/2018	10:23:22	-0.071	40.81	15.78		0	0	0
07/03/2018	10:53:22	-0.068	40.95	15.73		0	0	0
07/03/2018	11:23:22	-0.072	41.08	15.69		0	0	0
07/03/2018	11:53:22	-0.07	41.13	15.66		0	0	0
07/03/2018	12:23:22	-0.074	41.22	15.63		0	0	0
07/03/2018	12:53:22	-0.075	41.26	15.61		0	0	0
07/03/2018	13:23:22	-0.069	41.26	15.58		0	0	0
07/03/2018	13:53:22	-0.064	41.13	15.54		0	0	0
07/03/2018	14:23:22	-0.082	41.17	15.51		0	0	0
07/03/2018	14:53:22	-0.066	41.22	15.49		0	0	0
07/03/2018	15:23:22	-0.074	41.13	15.49		0	0	0
07/03/2018	15:53:22	-0.071	41.04	15.47		0	0	0
07/03/2018	16:23:22	-0.064	40.99	15.46		0	0	0
07/03/2018	16:53:22	-0.069	40.99	15.47		0	0	0
07/03/2018	17:23:22	-0.068	41.08	15.48		0	0	0
07/03/2018	17:53:22	-0.076	41.31	15.5		0	0	0
07/03/2018	18:23:22	-0.082	40.99	15.52		0	0	0
07/03/2018	18:53:22	-0.062	40.9	15.5		0	0	0
07/03/2018	19:23:22	-0.069	40.95	15.51		0	0	0
07/03/2018	19:53:22	-0.079	40.5	15.51		0	0	0
07/03/2018	20:23:22	-0.081	40.31	15.5		0	0	0
07/03/2018	20:53:22	-0.066	40.27	15.48		0	0	0
07/03/2018	21:23:22	-0.078	40.18	15.47		0	0	0
07/03/2018	21:53:22	-0.079	40	15.47		0	0	0
07/03/2018	22:23:22	-0.077	39.91	15.46		0	0	0
07/03/2018	22:53:22	-0.072	39.91	15.45		0	0	0
07/03/2018	23:23:22	-0.062	39.95	15.44		0	0	0
07/03/2018	23:53:22	-0.081	40.18	15.44		0	0	0
08/03/2018	00:23:22	-0.078	40.5	15.44		0	0	0
08/03/2018	00:53:22	-0.063	40.68	15.43		0	0	0
08/03/2018	01:23:22	-0.061	41.13	15.4		0	0	0
08/03/2018	01:53:22	-0.065	41.31	15.46		0	0	0
08/03/2018	02:23:22	-0.062	41.4	15.55		0	0	0
08/03/2018	02:53:22	-0.066	41.49	15.63		0	0	0
08/03/2018	03:23:22	-0.064	41.58	15.66		0	0	0
08/03/2018	03:53:22	-0.064	41.62	15.67		0	0	0

Global Logger	16/01/2018	12:47:27	Offset= 0 Inches	Mannings	Roughness= 0.014	Slope= 4.5 %	Diameter= 50 cm	
Date	Time	Feet	Temp F	Volts	Pulses	Flow (CFS)	Vel (FPS)	Flow (l/s)
08/03/2018	04:23:22	-0.069	41.72	15.68		0	0	0
08/03/2018	04:53:22	-0.062	41.81	15.7		0	0	0
08/03/2018	05:23:22	-0.063	41.76	15.72		0	0	0
08/03/2018	05:53:22	-0.063	41.9	15.71		0	0	0
08/03/2018	06:23:22	-0.064	41.85	15.69		0	0	0
08/03/2018	06:53:22	-0.068	41.9	15.67		0	0	0
08/03/2018	07:23:22	-0.065	41.85	15.68		0	0	0
08/03/2018	07:53:22	-0.066	41.72	15.68		0	0	0
08/03/2018	08:23:22	-0.068	41.85	15.69		0	0	0
08/03/2018	08:53:22	-0.07	41.81	15.7		0	0	0
08/03/2018	09:23:22	-0.077	41.72	15.71		0	0	0
08/03/2018	09:53:22	-0.068	41.67	15.73		0	0	0
08/03/2018	10:23:22	-0.068	41.67	15.7		0	0	0
08/03/2018	10:53:22	-0.068	41.85	15.65		0	0	0
08/03/2018	11:23:22	-0.057	42.03	15.6		0	0	0
08/03/2018	11:53:22	-0.066	42.26	15.56		0	0	0
08/03/2018	12:23:22	-0.081	42.48	15.52		0	0	0
08/03/2018	12:53:22	-0.078	42.57	15.49		0	0	0
08/03/2018	13:23:22	-0.076	42.71	15.44		0	0	0
08/03/2018	13:53:22	-0.069	42.75	15.4		0	0	0
08/03/2018	14:23:22	-0.074	42.75	15.36		0	0	0
08/03/2018	14:53:22	-0.065	42.75	15.33		0	0	0
08/03/2018	15:23:22	-0.078	42.75	15.3		0	0	0
08/03/2018	15:53:22	-0.075	42.71	15.25		0	0	0
08/03/2018	16:23:22	-0.057	42.66	15.22		0	0	0
08/03/2018	16:53:22	-0.074	42.62	15.2		0	0	0
08/03/2018	17:23:22	-0.056	42.53	15.17		0	0	0
08/03/2018	17:53:22	-0.077	42.53	15.17		0	0	0
08/03/2018	18:23:22	-0.078	42.48	15.12		0	0	0
08/03/2018	18:53:22	-0.076	42.44	15.12		0	0	0
08/03/2018	19:23:22	-0.076	42.39	15.1		0	0	0
08/03/2018	19:53:22	-0.072	42.39	15.12		0	0	0
08/03/2018	20:23:22	-0.073	42.39	15.14		0	0	0
08/03/2018	20:53:22	-0.062	42.39	15.15		0	0	0
08/03/2018	21:23:22	-0.064	42.39	15.19		0	0	0
08/03/2018	21:53:22	-0.066	42.39	15.22		0	0	0
08/03/2018	22:23:22	-0.086	42.39	15.26		0	0	0
08/03/2018	22:53:22	-0.072	42.39	15.27		0	0	0
08/03/2018	23:23:22	-0.067	42.39	15.27		0	0	0
08/03/2018	23:53:22	-0.07	42.39	15.28		0	0	0
09/03/2018	00:23:22	-0.061	42.35	15.27		0	0	0
09/03/2018	00:53:22	-0.063	42.39	15.29		0	0	0
09/03/2018	01:23:22	-0.059	42.39	15.29		0	0	0
09/03/2018	01:53:22	-0.064	42.44	15.3		0	0	0
09/03/2018	02:23:22	-0.062	42.44	15.3		0	0	0
09/03/2018	02:53:22	-0.081	42.57	15.33		0	0	0
09/03/2018	03:23:22	-0.063	42.62	15.35		0	0	0
09/03/2018	03:53:22	-0.059	42.71	15.36		0	0	0
09/03/2018	04:23:22	-0.076	42.84	15.39		0	0	0
09/03/2018	04:53:22	-0.06	42.98	15.39		0	0	0
09/03/2018	05:23:22	-0.083	43.12	15.42		0	0	0
09/03/2018	05:53:22	-0.066	43.3	15.42		0	0	0
09/03/2018	06:23:22	-0.057	43.43	15.41		0	0	0
09/03/2018	06:53:22	-0.077	43.48	15.41		0	0	0
09/03/2018	07:23:22	-0.071	43.43	15.39		0	0	0
09/03/2018	07:53:22	-0.075	43.57	15.39		0	0	0
09/03/2018	08:23:22	-0.078	43.61	15.38		0	0	0
09/03/2018	08:53:22	-0.065	43.7	15.35		0	0	0
09/03/2018	09:23:22	-0.07	43.7	15.35		0	0	0
09/03/2018	09:53:22	-0.064	43.84	15.35		0	0	0
09/03/2018	10:23:22	-0.071	43.84	15.34		0	0	0
09/03/2018	10:53:22	-0.058	43.93	15.33		0	0	0
09/03/2018	11:23:22	-0.072	43.84	15.34		0	0	0
09/03/2018	11:53:22	-0.067	43.93	15.33		0	0	0
09/03/2018	12:23:22	-0.07	43.88	15.34		0	0	0
09/03/2018	12:53:22	-0.071	43.75	15.35		0	0	0
09/03/2018	13:23:22	-0.072	43.61	15.36		0	0	0
09/03/2018	13:53:22	-0.064	43.34	15.36		0	0	0
09/03/2018	14:23:22	-0.074	43.39	15.38		0	0	0
09/03/2018	14:53:22	-0.074	43.25	15.38		0	0	0
09/03/2018	15:23:22	-0.072	43.25	15.39		0	0	0
09/03/2018	15:53:22	-0.061	43.34	15.39		0	0	0

Global Logger	16/01/2018	12:47:27	Offset= 0 Inches	Mannings	Roughness= 0.014	Slope= 4.5 %	Diameter= 50 cm	
Date	Time	Feet	Temp F	Volts	Pulses	Flow (CFS)	Vel (FPS)	Flow (l/s)
09/03/2018	16:23:22	-0.075	43.34	15.41		0	0	0
09/03/2018	16:53:22	-0.067	43.39	15.42		0	0	0
09/03/2018	17:23:22	-0.072	43.48	15.43		0	0	0
09/03/2018	17:53:22	-0.065	43.48	15.44		0	0	0
09/03/2018	18:23:22	-0.068	43.52	15.46		0	0	0
09/03/2018	18:53:22	-0.066	43.57	15.47		0	0	0
09/03/2018	19:23:22	-0.061	43.57	15.47		0	0	0
09/03/2018	19:53:22	-0.059	43.57	15.48		0	0	0
09/03/2018	20:23:22	-0.067	43.66	15.49		0	0	0
09/03/2018	20:53:22	-0.056	43.66	15.49		0	0	0
09/03/2018	21:23:22	-0.073	43.75	15.51		0	0	0
09/03/2018	21:53:22	-0.074	43.84	15.51		0	0	0
09/03/2018	22:23:22	-0.083	43.93	15.51		0	0	0
09/03/2018	22:53:22	-0.067	44.02	15.51		0	0	0
09/03/2018	23:23:22	-0.068	44.06	15.51		0	0	0
09/03/2018	23:53:22	-0.069	44.11	15.5		0	0	0
10/03/2018	00:23:22	-0.06	44.25	15.49		0	0	0
10/03/2018	00:53:22	-0.078	44.43	15.49		0	0	0
10/03/2018	01:23:22	-0.063	44.52	15.48		0	0	0
10/03/2018	01:53:22	-0.064	44.7	15.47		0	0	0
10/03/2018	02:23:22	-0.075	44.79	15.47		0	0	0
10/03/2018	02:53:22	-0.065	44.92	15.46		0	0	0
10/03/2018	03:23:22	-0.07	45.06	15.47		0	0	0
10/03/2018	03:53:22	-0.077	45.15	15.47		0	0	0
10/03/2018	04:23:22	-0.066	45.24	15.46		0	0	0
10/03/2018	04:53:22	-0.061	45.28	15.45		0	0	0
10/03/2018	05:23:22	-0.063	45.42	15.46		0	0	0
10/03/2018	05:53:22	-0.068	45.38	15.46		0	0	0
10/03/2018	06:23:22	-0.076	45.42	15.47		0	0	0
10/03/2018	06:53:22	-0.056	45.87	15.49		0	0	0
10/03/2018	07:23:22	-0.081	46.14	15.59		0	0	0
10/03/2018	07:53:22	-0.08	46.32	15.64		0	0	0
10/03/2018	08:23:22	-0.068	46.5	15.66		0	0	0
10/03/2018	08:53:22	-0.069	46.69	15.66		0	0	0
10/03/2018	09:23:22	-0.081	46.73	15.67		0	0	0
10/03/2018	09:53:22	-0.067	46.82	15.67		0	0	0
10/03/2018	10:23:22	-0.067	46.73	15.64		0	0	0
10/03/2018	10:53:22	-0.069	46.73	15.62		0	0	0
10/03/2018	11:23:22	-0.079	46.73	15.58		0	0	0
10/03/2018	11:53:22	-0.083	46.6	15.54		0	0	0
10/03/2018	12:23:22	-0.081	46.6	15.51		0	0	0
10/03/2018	12:53:22	-0.076	46.55	15.47		0	0	0
10/03/2018	13:23:22	-0.068	46.6	15.43		0	0	0
10/03/2018	13:53:22	-0.08	46.6	15.4		0	0	0
10/03/2018	14:23:22	-0.079	46.64	15.38		0	0	0
10/03/2018	14:53:22	-0.077	46.69	15.35		0	0	0
10/03/2018	15:23:22	-0.082	46.73	15.35		0	0	0
10/03/2018	15:53:22	-0.077	46.78	15.34		0	0	0
10/03/2018	16:23:22	-0.067	46.78	15.33		0	0	0
10/03/2018	16:53:22	-0.071	46.82	15.31		0	0	0
10/03/2018	17:23:22	-0.076	46.82	15.3		0	0	0
10/03/2018	17:53:22	-0.065	46.91	15.3		0	0	0
10/03/2018	18:23:22	-0.069	46.91	15.3		0	0	0
10/03/2018	18:53:22	-0.088	46.91	15.3		0	0	0
10/03/2018	19:23:22	-0.071	46.91	15.28		0	0	0
10/03/2018	19:53:22	-0.069	46.87	15.27		0	0	0
10/03/2018	20:23:22	-0.073	46.82	15.27		0	0	0
10/03/2018	20:53:22	-0.071	46.78	15.25		0	0	0
10/03/2018	21:23:22	-0.075	46.78	15.24		0	0	0
10/03/2018	21:53:22	-0.077	46.73	15.24		0	0	0
10/03/2018	22:23:22	-0.072	46.6	15.23		0	0	0
10/03/2018	22:53:22	-0.08	46.5	15.22		0	0	0
10/03/2018	23:23:22	-0.082	46.46	15.21		0	0	0
10/03/2018	23:53:22	-0.087	46.32	15.19		0	0	0
11/03/2018	00:23:22	-0.082	46.28	15.19		0	0	0
11/03/2018	00:53:22	-0.084	46.19	15.17		0	0	0
11/03/2018	01:23:22	-0.078	46.14	15.17		0	0	0
11/03/2018	01:53:22	-0.086	46.14	15.2		0	0	0
11/03/2018	02:23:22	-0.101	46.1	15.23		0	0	0
11/03/2018	02:53:22	-0.072	46.14	15.28		0	0	0
11/03/2018	03:23:22	-0.086	46.23	15.38		0	0	0
11/03/2018	03:53:22	-0.083	46.32	15.45		0	0	0

Global Logger	16/01/2018	12:47:27	Offset= 0 Inches	Mannings	Roughness= 0.014	Slope= 4.5 %	Diameter= 50 cm	
Date	Time	Feet	Temp F	Volts	Pulses	Flow (CFS)	Vel (FPS)	Flow (l/s)
11/03/2018	04:23:22	-0.078	46.55	15.55	0	0	0	0
11/03/2018	04:53:22	-0.081	46.82	15.62	0	0	0	0
11/03/2018	05:23:22	-0.07	47.05	15.68	0	0	0	0
11/03/2018	05:53:22	-0.085	47.32	15.71	0	0	0	0
11/03/2018	06:23:22	-0.074	47.41	15.71	0	0	0	0
11/03/2018	06:53:22	-0.075	47.63	15.7	0	0	0	0
11/03/2018	07:23:22	-0.073	47.45	15.68	0	0	0	0
11/03/2018	07:53:22	-0.092	47.23	15.67	0	0	0	0
11/03/2018	08:23:22	-0.075	47.32	15.62	0	0	0	0
11/03/2018	08:53:22	-0.072	47.45	15.6	0	0	0	0
11/03/2018	09:23:22	-0.065	47.68	15.57	0	0	0	0
11/03/2018	09:53:22	-0.087	47.63	15.55	0	0	0	0
11/03/2018	10:23:22	-0.065	47.45	15.52	0	0	0	0
11/03/2018	10:53:22	-0.081	47.32	15.51	0	0	0	0
11/03/2018	11:23:22	-0.083	47.27	15.49	0	0	0	0
11/03/2018	11:53:22	-0.087	47.23	15.47	0	0	0	0
11/03/2018	12:23:22	-0.074	47.05	15.46	0	0	0	0
11/03/2018	12:53:22	-0.085	46.87	15.43	0	0	0	0
11/03/2018	13:23:22	-0.084	46.78	15.4	0	0	0	0
11/03/2018	13:53:22	-0.084	46.73	15.37	0	0	0	0
11/03/2018	14:23:22	-0.073	46.69	15.36	0	0	0	0
11/03/2018	14:53:22	-0.087	46.6	15.34	0	0	0	0
11/03/2018	15:23:22	-0.083	46.55	15.31	0	0	0	0
11/03/2018	15:53:22	-0.09	46.55	15.3	0	0	0	0
11/03/2018	16:23:22	-0.078	46.6	15.29	0	0	0	0
11/03/2018	16:53:22	-0.08	46.55	15.3	0	0	0	0
11/03/2018	17:23:22	-0.083	46.6	15.3	0	0	0	0
11/03/2018	17:53:22	-0.079	46.6	15.29	0	0	0	0
11/03/2018	18:23:22	-0.077	46.6	15.29	0	0	0	0
11/03/2018	18:53:22	-0.084	46.6	15.3	0	0	0	0
11/03/2018	19:23:22	-0.087	46.64	15.29	0	0	0	0
11/03/2018	19:53:22	-0.078	46.64	15.29	0	0	0	0
11/03/2018	20:23:22	-0.082	46.6	15.29	0	0	0	0
11/03/2018	20:53:22	-0.074	46.55	15.28	0	0	0	0
11/03/2018	21:23:22	-0.083	46.55	15.28	0	0	0	0
11/03/2018	21:53:22	-0.083	46.5	15.27	0	0	0	0
11/03/2018	22:23:22	-0.084	46.5	15.27	0	0	0	0
11/03/2018	22:53:22	-0.087	46.46	15.26	0	0	0	0
11/03/2018	23:23:22	-0.091	46.41	15.24	0	0	0	0
11/03/2018	23:53:22	-0.08	46.37	15.23	0	0	0	0
12/03/2018	00:23:22	-0.082	46.32	15.22	0	0	0	0
12/03/2018	00:53:22	-0.082	46.32	15.21	0	0	0	0
12/03/2018	01:23:22	-0.078	46.28	15.2	0	0	0	0
12/03/2018	01:53:22	-0.093	46.28	15.21	0	0	0	0
12/03/2018	02:23:22	-0.087	46.28	15.2	0	0	0	0
12/03/2018	02:53:22	-0.093	46.28	15.21	0	0	0	0
12/03/2018	03:23:22	-0.089	46.28	15.22	0	0	0	0
12/03/2018	03:53:22	-0.085	46.28	15.23	0	0	0	0
12/03/2018	04:23:22	-0.086	46.23	15.27	0	0	0	0
12/03/2018	04:53:22	-0.099	46.19	15.29	0	0	0	0
12/03/2018	05:23:22	-0.077	46.19	15.29	0	0	0	0
12/03/2018	05:53:22	-0.087	46.19	15.31	0	0	0	0
12/03/2018	06:23:22	-0.085	46.32	15.33	0	0	0	0
12/03/2018	06:53:22	-0.081	46.28	15.35	0	0	0	0
12/03/2018	07:23:22	-0.08	46.14	15.36	0	0	0	0
12/03/2018	07:53:22	-0.083	46.28	15.34	0	0	0	0
12/03/2018	08:23:22	-0.074	46.37	15.34	0	0	0	0
12/03/2018	08:53:22	-0.073	46.32	15.35	0	0	0	0
12/03/2018	09:23:22	-0.089	46.41	15.34	0	0	0	0
12/03/2018	09:53:22	-0.072	46.41	15.31	0	0	0	0
12/03/2018	10:23:22	-0.088	46.55	15.28	0	0	0	0
12/03/2018	10:53:22	-0.083	46.6	15.25	0	0	0	0
12/03/2018	11:23:22	-0.087	46.69	15.23	0	0	0	0
12/03/2018	11:53:22	-0.074	46.73	15.19	0	0	0	0
12/03/2018	12:23:22	-0.09	46.78	15.17	0	0	0	0
12/03/2018	12:53:22	-0.073	46.82	15.14	0	0	0	0
12/03/2018	13:23:22	-0.086	46.82	15.12	0	0	0	0
12/03/2018	13:53:22	-0.084	46.82	15.11	0	0	0	0
12/03/2018	14:23:22	-0.071	46.82	15.08	0	0	0	0
12/03/2018	14:53:22	-0.075	46.82	15.08	0	0	0	0
12/03/2018	15:23:22	-0.081	46.78	15.07	0	0	0	0
12/03/2018	15:53:22	-0.076	46.64	15.07	0	0	0	0

Global Logger	16/01/2018	12:47:27	Offset= 0 Inches	Mannings	Roughness= 0.014	Slope= 4.5 %	Diameter= 50 cm	
Date	Time	Feet	Temp F	Volts	Pulses	Flow (CFS)	Vel (FPS)	Flow (l/s)
12/03/2018	16:23:22	-0.075	46.64	15.07		0	0	0
12/03/2018	16:53:22	-0.086	46.6	15.07		0	0	0
12/03/2018	17:23:22	-0.08	46.6	15.07		0	0	0
12/03/2018	17:53:22	-0.08	46.5	15.07		0	0	0
12/03/2018	18:23:22	-0.073	46.5	15.06		0	0	0
12/03/2018	18:53:22	-0.072	46.5	15.06		0	0	0
12/03/2018	19:23:22	-0.078	46.46	15.04		0	0	0
12/03/2018	19:53:22	-0.084	46.46	15.03		0	0	0
12/03/2018	20:23:22	-0.084	46.37	15.01		0	0	0
12/03/2018	20:53:22	-0.083	46.32	14.99		0	0	0
12/03/2018	21:23:22	-0.086	46.28	14.96		0	0	0
12/03/2018	21:53:22	-0.083	46.19	14.92		0	0	0
12/03/2018	22:23:22	-0.088	46.05	14.89		0	0	0
12/03/2018	22:53:22	-0.081	46.01	14.87		0	0	0
12/03/2018	23:23:22	-0.072	45.92	14.82		0	0	0
12/03/2018	23:53:22	-0.074	45.78	14.78		0	0	0
13/03/2018	00:23:22	-0.07	45.65	14.72		0	0	0
13/03/2018	00:53:22	-0.072	45.56	14.69		0	0	0
13/03/2018	01:23:22	-0.074	45.51	14.74		0	0	0
13/03/2018	01:53:22	-0.074	45.51	15		0	0	0
13/03/2018	02:23:22	-0.071	45.51	15.3		0	0	0
13/03/2018	02:53:22	-0.073	45.56	15.51		0	0	0
13/03/2018	03:23:22	-0.077	45.56	15.63		0	0	0
13/03/2018	03:53:22	-0.077	45.69	15.7		0	0	0
13/03/2018	04:23:22	-0.08	45.69	15.75		0	0	0
13/03/2018	04:53:22	-0.08	45.78	15.78		0	0	0
13/03/2018	05:23:22	-0.08	46.19	15.81		0	0	0
13/03/2018	05:53:22	-0.083	46.05	15.83		0	0	0
13/03/2018	06:23:22	-0.076	46.19	15.84		0	0	0
13/03/2018	06:53:22	-0.073	47.18	15.84		0	0	0
13/03/2018	07:23:22	-0.079	47.09	15.82		0	0	0
13/03/2018	07:53:22	-0.075	47.77	15.8		0	0	0
13/03/2018	08:23:22	-0.073	48.36	15.79		0	0	0
13/03/2018	08:53:22	-0.077	48.49	15.76		0	0	0
13/03/2018	09:23:22	-0.075	48.72	15.71		0	0	0
13/03/2018	09:53:22	-0.075	48.9	15.68		0	0	0
13/03/2018	10:23:22	-0.067	48.76	15.64		0	0	0
13/03/2018	10:53:22	-0.071	48.45	15.61		0	0	0
13/03/2018	11:23:22	-0.073	48.13	15.57		0	0	0
13/03/2018	11:53:22	-0.067	47.86	15.53		0	0	0
13/03/2018	12:23:22	-0.07	47.63	15.5		0	0	0
13/03/2018	12:53:22	-0.067	47.5	15.46		0	0	0
13/03/2018	13:23:22	-0.073	47.41	15.43		0	0	0
13/03/2018	13:53:22	-0.072	47.32	15.41		0	0	0
13/03/2018	14:23:22	-0.065	47.32	15.39		0	0	0
13/03/2018	14:53:22	-0.072	47.36	15.39		0	0	0
13/03/2018	15:23:22	-0.074	47.41	15.39		0	0	0
13/03/2018	15:53:22	-0.064	47.45	15.39		0	0	0
13/03/2018	16:23:22	-0.064	47.45	15.4		0	0	0
13/03/2018	16:53:22	-0.066	47.5	15.41		0	0	0
13/03/2018	17:23:22	-0.065	47.45	15.4		0	0	0
13/03/2018	17:53:22	-0.062	47.54	15.4		0	0	0
13/03/2018	18:23:22	-0.061	47.54	15.39		0	0	0
13/03/2018	18:53:22	-0.064	47.54	15.39		0	0	0
13/03/2018	19:23:22	-0.068	47.54	15.39		0	0	0
13/03/2018	19:53:22	-0.065	47.54	15.38		0	0	0
13/03/2018	20:23:22	-0.064	47.45	15.38		0	0	0
13/03/2018	20:53:22	-0.059	47.41	15.36		0	0	0
13/03/2018	21:23:22	-0.06	47.32	15.35		0	0	0
13/03/2018	21:53:22	-0.072	47.27	15.35		0	0	0
13/03/2018	22:23:22	-0.064	47.18	15.35		0	0	0
13/03/2018	22:53:22	-0.071	47.14	15.35		0	0	0
13/03/2018	23:23:22	-0.057	47.09	15.35		0	0	0
13/03/2018	23:53:22	-0.065	47	15.34		0	0	0
14/03/2018	00:23:22	-0.064	46.96	15.34		0	0	0
14/03/2018	00:53:22	-0.067	46.91	15.33		0	0	0
14/03/2018	01:23:22	-0.064	46.87	15.33		0	0	0
14/03/2018	01:53:22	-0.059	46.87	15.31		0	0	0
14/03/2018	02:23:22	-0.064	46.82	15.31		0	0	0
14/03/2018	02:53:22	-0.063	46.78	15.31		0	0	0
14/03/2018	03:23:22	-0.065	46.78	15.3		0	0	0
14/03/2018	03:53:22	-0.064	46.82	15.31		0	0	0

Global Logger	16/01/2018	12:47:27	Offset= 0 Inches	Mannings	Roughness= 0.014	Slope= 4.5 %	Diameter= 50 cm	
Date	Time	Feet	Temp F	Volts	Pulses	Flow (CFS)	Vel (FPS)	Flow (l/s)
14/03/2018	04:23:22	-0.072	46.82	15.31		0	0	0
14/03/2018	04:53:22	-0.064	46.87	15.3		0	0	0
14/03/2018	05:23:22	-0.063	46.82	15.3		0	0	0
14/03/2018	05:53:22	-0.059	46.82	15.29		0	0	0
14/03/2018	06:23:22	-0.055	46.87	15.28		0	0	0
14/03/2018	06:53:22	-0.067	46.91	15.28		0	0	0
14/03/2018	07:23:22	-0.084	46.91	15.29		0	0	0
14/03/2018	07:53:22	-0.072	46.96	15.28		0	0	0
14/03/2018	08:23:22	-0.075	46.96	15.28		0	0	0
14/03/2018	08:53:22	-0.077	46.96	15.28		0	0	0
14/03/2018	09:23:22	-0.074	46.91	15.28		0	0	0
14/03/2018	09:53:22	-0.074	46.87	15.27		0	0	0
14/03/2018	10:23:22	-0.07	46.82	15.25		0	0	0
14/03/2018	10:53:22	-0.068	46.78	15.24		0	0	0
14/03/2018	11:23:22	-0.08	46.73	15.23		0	0	0
14/03/2018	11:53:22	-0.079	46.69	15.23		0	0	0
14/03/2018	12:23:22	-0.075	46.6	15.22		0	0	0
14/03/2018	12:53:22	-0.077	46.6	15.22		0	0	0
14/03/2018	13:23:22	-0.073	46.55	15.2		0	0	0
14/03/2018	13:53:22	-0.082	46.46	15.21		0	0	0
14/03/2018	14:23:22	-0.067	46.41	15.2		0	0	0
14/03/2018	14:53:22	-0.073	46.32	15.2		0	0	0
14/03/2018	15:23:22	-0.063	46.28	15.19		0	0	0
14/03/2018	15:53:22	-0.075	46.19	15.19		0	0	0
14/03/2018	16:23:22	-0.068	46.14	15.17		0	0	0
14/03/2018	16:53:22	-0.087	46.01	15.17		0	0	0
14/03/2018	17:23:22	-0.082	45.96	15.16		0	0	0
14/03/2018	17:53:22	-0.074	45.92	15.14		0	0	0
14/03/2018	18:23:22	-0.088	45.87	15.14		0	0	0
14/03/2018	18:53:22	-0.095	45.78	15.12		0	0	0
14/03/2018	19:23:22	-0.081	45.74	15.11		0	0	0
14/03/2018	19:53:22	-0.096	45.65	15.11		0	0	0
14/03/2018	20:23:22	-0.081	45.65	15.09		0	0	0
14/03/2018	20:53:22	-0.065	45.6	15.07		0	0	0
14/03/2018	21:23:22	-0.071	45.56	15.07		0	0	0
14/03/2018	21:53:22	-0.069	45.56	15.06		0	0	0
14/03/2018	22:23:22	-0.065	45.56	15.06		0	0	0
14/03/2018	22:53:22	-0.069	45.56	15.06		0	0	0
14/03/2018	23:23:22	-0.072	45.56	15.06		0	0	0
14/03/2018	23:53:22	-0.072	45.56	15.06		0	0	0
15/03/2018	00:23:22	-0.059	45.56	15.07		0	0	0
15/03/2018	00:53:22	-0.069	45.6	15.07		0	0	0
15/03/2018	01:23:22	-0.066	45.6	15.09		0	0	0
15/03/2018	01:53:22	-0.073	45.65	15.11		0	0	0
15/03/2018	02:23:22	-0.079	45.69	15.15		0	0	0
15/03/2018	02:53:22	-0.074	45.83	15.28		0	0	0
15/03/2018	03:23:22	-0.084	46.01	15.39		0	0	0
15/03/2018	03:53:22	-0.071	46.19	15.44		0	0	0
15/03/2018	04:23:22	-0.077	46.41	15.46		0	0	0
15/03/2018	04:53:22	-0.094	46.6	15.44		0	0	0
15/03/2018	05:23:22	-0.075	46.91	15.44		0	0	0
15/03/2018	05:53:22	-0.072	47.45	15.49		0	0	0
15/03/2018	06:23:22	-0.067	47.91	15.54		0	0	0
15/03/2018	06:53:22	-0.084	48.22	15.55		0	0	0
15/03/2018	07:23:22	-0.095	48.4	15.52		0	0	0
15/03/2018	07:53:22	-0.09	48.36	15.49		0	0	0
15/03/2018	08:23:22	-0.1	48.45	15.44		0	0	0
15/03/2018	08:53:22	-0.088	48.27	15.43		0	0	0
15/03/2018	09:23:22	-0.066	48.49	15.39		0	0	0
15/03/2018	09:53:22	-0.063	48.49	15.36		0	0	0
15/03/2018	10:23:22	-0.074	48.45	15.33		0	0	0
15/03/2018	10:53:22	-0.071	48.31	15.31		0	0	0
15/03/2018	11:23:22	-0.067	48.22	15.28		0	0	0
15/03/2018	11:53:22	-0.077	48.18	15.25		0	0	0
15/03/2018	12:23:22	-0.09	48.04	15.22		0	0	0
15/03/2018	12:53:22	-0.08	48.09	15.19		0	0	0
15/03/2018	13:23:22	-0.107	48	15.17		0	0	0
15/03/2018	13:53:22	-0.083	48.04	15.14		0	0	0
15/03/2018	14:23:22	-0.075	48	15.11		0	0	0
15/03/2018	14:53:22	-0.09	47.86	15.11		0	0	0
15/03/2018	15:23:22	-0.098	47.72	15.09		0	0	0
15/03/2018	15:53:22	-0.105	47.68	15.08		0	0	0

Global Logger	16/01/2018	12:47:27	Offset= 0 Inches	Mannings	Roughness= 0.014	Slope= 4.5 %	Diameter= 50 cm	
Date	Time	Feet	Temp F	Volts	Pulses	Flow (CFS)	Vel (FPS)	Flow (l/s)
15/03/2018	16:23:22	-0.09	47.63	15.07		0	0	0
15/03/2018	16:53:22	-0.092	47.59	15.05		0	0	0
15/03/2018	17:23:22	-0.077	47.59	15.03		0	0	0
15/03/2018	17:53:22	-0.098	47.54	15.02		0	0	0
15/03/2018	18:23:22	-0.094	47.5	14.99		0	0	0
15/03/2018	18:53:22	-0.073	47.54	14.96		0	0	0
15/03/2018	19:23:22	-0.095	47.5	14.95		0	0	0
15/03/2018	19:53:22	-0.091	47.5	14.91		0	0	0
15/03/2018	20:23:22	-0.084	47.41	14.9		0	0	0
15/03/2018	20:53:22	-0.094	47.41	14.86		0	0	0
15/03/2018	21:23:22	-0.095	47.41	14.83		0	0	0
15/03/2018	21:53:22	-0.083	47.36	14.8		0	0	0
15/03/2018	22:23:22	-0.079	47.32	14.77		0	0	0
15/03/2018	22:53:22	-0.098	47.27	14.77		0	0	0
15/03/2018	23:23:22	-0.09	47.27	14.74		0	0	0
15/03/2018	23:53:22	-0.077	47.18	14.71		0	0	0
16/03/2018	00:23:22	-0.081	47.14	14.71		0	0	0
16/03/2018	00:53:22	-0.1	47.05	14.71		0	0	0
16/03/2018	01:23:22	-0.097	47.09	14.7		0	0	0
16/03/2018	01:53:22	-0.077	47.09	14.76		0	0	0
16/03/2018	02:23:22	-0.088	47.18	14.94		0	0	0
16/03/2018	02:53:22	-0.084	47.32	15.13		0	0	0
16/03/2018	03:23:22	-0.085	47.5	15.22		0	0	0
16/03/2018	03:53:22	-0.069	47.91	15.32		0	0	0
16/03/2018	04:23:22	-0.069	48.31	15.51		0	0	0
16/03/2018	04:53:22	-0.074	48.4	15.55		0	0	0
16/03/2018	05:23:22	-0.084	48.63	15.56		0	0	0
16/03/2018	05:53:22	-0.08	48.85	15.56		0	0	0
16/03/2018	06:23:22	-0.095	49.31	15.59		0	0	0
16/03/2018	06:53:22	-0.086	49.62	15.58		0	0	0
16/03/2018	07:23:22	-0.088	49.76	15.54		0	0	0
16/03/2018	07:53:22	-0.081	50.16	15.52		0	0	0
16/03/2018	08:23:22	-0.08	50.48	15.54		0	0	0
16/03/2018	08:53:22	-0.08	50.57	15.54		0	0	0
16/03/2018	09:23:22	-0.078	51.16	15.51		0	0	0
16/03/2018	09:53:22	-0.078	51.25	15.51		0	0	0
16/03/2018	10:23:22	-0.078	51.11	15.46		0	0	0
16/03/2018	10:53:22	-0.096	51.02	15.41		0	0	0
16/03/2018	11:23:22	-0.089	50.57	15.33		0	0	0
16/03/2018	11:53:22	-0.088	50.26	15.27		0	0	0
16/03/2018	12:23:22	-0.095	50.07	15.2		0	0	0
16/03/2018	12:53:22	-0.102	49.85	15.14		0	0	0
16/03/2018	13:23:22	-0.08	49.71	15.06		0	0	0
16/03/2018	13:53:22	-0.089	49.58	15.01		0	0	0
16/03/2018	14:23:22	-0.08	49.44	14.95		0	0	0
16/03/2018	14:53:22	-0.095	49.31	14.93		0	0	0
16/03/2018	15:23:22	-0.075	49.17	14.88		0	0	0
16/03/2018	15:53:22	-0.088	49.08	14.85		0	0	0
16/03/2018	16:23:22	-0.1	48.9	14.84		0	0	0
16/03/2018	16:53:22	-0.091	48.81	14.81		0	0	0
16/03/2018	17:23:22	-0.079	48.63	14.79		0	0	0
16/03/2018	17:53:22	-0.097	48.49	14.77		0	0	0
16/03/2018	18:23:22	-0.089	48.36	14.74		0	0	0
16/03/2018	18:53:22	-0.089	48.18	14.72		0	0	0
16/03/2018	19:23:22	-0.084	48.09	14.71		0	0	0
16/03/2018	19:53:22	-0.095	48	14.71		0	0	0
16/03/2018	20:23:22	-0.108	47.82	14.74		0	0	0
16/03/2018	20:53:22	-0.086	47.72	14.74		0	0	0
16/03/2018	21:23:22	-0.097	47.63	14.76		0	0	0
16/03/2018	21:53:22	-0.094	47.63	14.77		0	0	0
16/03/2018	22:23:22	-0.081	47.5	14.79		0	0	0
16/03/2018	22:53:22	-0.09	47.36	14.79		0	0	0
16/03/2018	23:23:22	-0.087	47.14	14.77		0	0	0
16/03/2018	23:53:22	-0.074	47	14.75		0	0	0
17/03/2018	00:23:22	-0.076	46.87	14.72		0	0	0
17/03/2018	00:53:22	-0.09	46.64	14.72		0	0	0
17/03/2018	01:23:22	-0.087	46.5	14.71		0	0	0
17/03/2018	01:53:22	-0.101	46.41	14.71		0	0	0
17/03/2018	02:23:22	-0.078	46.28	14.72		0	0	0
17/03/2018	02:53:22	-0.09	46.1	14.74		0	0	0
17/03/2018	03:23:22	-0.093	46.01	14.71		0	0	0
17/03/2018	03:53:22	-0.094	46.05	14.71		0	0	0

Global Logger	16/01/2018	12:47:27	Offset= 0 Inches	Mannings	Roughness= 0.014	Slope= 4.5 %	Diameter= 50 cm	
Date	Time	Feet	Temp F	Volts	Pulses	Flow (CFS)	Vel (FPS)	Flow (l/s)
17/03/2018	04:23:22	-0.077	46.01	14.74	0	0	0	0
17/03/2018	04:53:22	-0.084	45.96	14.75	0	0	0	0
17/03/2018	05:23:22	-0.098	45.87	14.74	0	0	0	0
17/03/2018	05:53:22	-0.089	45.83	14.71	0	0	0	0
17/03/2018	06:23:22	-0.078	45.83	14.68	0	0	0	0
17/03/2018	06:53:22	-0.082	45.83	14.69	0	0	0	0
17/03/2018	07:23:22	-0.085	45.83	14.71	0	0	0	0
17/03/2018	07:53:22	-0.084	45.78	14.7	0	0	0	0
17/03/2018	08:23:22	-0.089	45.69	14.67	0	0	0	0
17/03/2018	08:53:22	-0.08	45.6	14.63	0	0	0	0
17/03/2018	09:23:22	-0.083	45.51	14.58	0	0	0	0
17/03/2018	09:53:22	-0.096	45.42	14.56	0	0	0	0
17/03/2018	10:23:22	-0.089	45.38	14.53	0	0	0	0
17/03/2018	10:53:22	-0.102	45.19	14.51	0	0	0	0
17/03/2018	11:23:22	-0.096	44.97	14.45	0	0	0	0
17/03/2018	11:53:22	-0.098	44.79	14.39	0	0	0	0
17/03/2018	12:23:22	-0.105	44.65	14.34	0	0	0	0
17/03/2018	12:53:22	-0.081	44.52	14.26	0	0	0	0
17/03/2018	13:23:22	-0.1	44.29	14.22	0	0	0	0
17/03/2018	13:53:22	-0.079	44.11	14.18	0	0	0	0
17/03/2018	14:23:22	-0.086	44.02	14.16	0	0	0	0
17/03/2018	14:53:22	-0.096	43.84	14.15	0	0	0	0
17/03/2018	15:23:22	-0.08	43.79	14.15	0	0	0	0
17/03/2018	15:53:22	-0.104	43.66	14.18	0	0	0	0
17/03/2018	16:23:22	-0.103	43.52	14.18	0	0	0	0
17/03/2018	16:53:22	-0.091	43.39	14.18	0	0	0	0
17/03/2018	17:23:22	-0.097	43.3	14.17	0	0	0	0
17/03/2018	17:53:22	-0.084	43.16	14.16	0	0	0	0
17/03/2018	18:23:22	-0.081	43.12	14.16	0	0	0	0
17/03/2018	18:53:22	-0.087	42.98	14.18	0	0	0	0
17/03/2018	19:23:22	-0.088	42.89	14.16	0	0	0	0
17/03/2018	19:53:22	-0.098	42.8	14.18	0	0	0	0
17/03/2018	20:23:22	-0.094	42.66	14.18	0	0	0	0
17/03/2018	20:53:22	-0.088	42.57	14.17	0	0	0	0
17/03/2018	21:23:22	-0.087	42.48	14.16	0	0	0	0
17/03/2018	21:53:22	-0.084	42.35	14.14	0	0	0	0
17/03/2018	22:23:22	-0.077	42.26	14.13	0	0	0	0
17/03/2018	22:53:22	-0.08	42.17	14.11	0	0	0	0
17/03/2018	23:23:22	-0.083	41.99	14.11	0	0	0	0
17/03/2018	23:53:22	-0.083	41.85	14.1	0	0	0	0
18/03/2018	00:23:22	-0.083	41.76	14.11	0	0	0	0
18/03/2018	00:53:22	-0.083	41.62	14.1	0	0	0	0
18/03/2018	01:23:22	-0.099	41.53	14.12	0	0	0	0
18/03/2018	01:53:22	-0.095	41.44	14.13	0	0	0	0
18/03/2018	02:23:22	-0.091	41.4	14.15	0	0	0	0
18/03/2018	02:53:22	-0.081	41.31	14.18	0	0	0	0
18/03/2018	03:23:22	-0.085	41.35	14.24	0	0	0	0
18/03/2018	03:53:22	-0.083	41.31	14.33	0	0	0	0
18/03/2018	04:23:22	-0.081	41.31	14.37	0	0	0	0
18/03/2018	04:53:22	-0.084	41.35	14.45	0	0	0	0
18/03/2018	05:23:22	-0.078	41.49	14.63	0	0	0	0
18/03/2018	05:53:22	-0.076	41.4	14.71	0	0	0	0
18/03/2018	06:23:22	-0.073	41.26	14.67	0	0	0	0
18/03/2018	06:53:22	-0.093	41.13	14.62	0	0	0	0
18/03/2018	07:23:22	-0.099	41.08	14.56	0	0	0	0
18/03/2018	07:53:22	-0.08	40.95	14.5	0	0	0	0
18/03/2018	08:23:22	-0.081	40.86	14.46	0	0	0	0
18/03/2018	08:53:22	-0.085	40.77	14.42	0	0	0	0
18/03/2018	09:23:22	-0.082	40.72	14.39	0	0	0	0
18/03/2018	09:53:22	-0.096	40.63	14.38	0	0	0	0
18/03/2018	10:23:22	-0.093	40.54	14.35	0	0	0	0
18/03/2018	10:53:22	-0.097	40.5	14.32	0	0	0	0
18/03/2018	11:23:22	-0.08	40.45	14.3	0	0	0	0
18/03/2018	11:53:22	-0.105	40.36	14.31	0	0	0	0
18/03/2018	12:23:22	-0.1	40.27	14.28	0	0	0	0
18/03/2018	12:53:22	-0.075	40.18	14.24	0	0	0	0
18/03/2018	13:23:22	-0.075	40.09	14.23	0	0	0	0
18/03/2018	13:53:22	-0.097	40	14.23	0	0	0	0
18/03/2018	14:23:22	-0.082	39.86	14.21	0	0	0	0
18/03/2018	14:53:22	-0.073	39.73	14.19	0	0	0	0
18/03/2018	15:23:22	-0.076	39.68	14.18	0	0	0	0
18/03/2018	15:53:22	-0.075	39.59	14.15	0	0	0	0

Global Logger	16/01/2018	12:47:27	Offset= 0 Inches	Mannings	Roughness= 0.014	Slope= 4.5 %	Diameter= 50 cm	
Date	Time	Feet	Temp F	Volts	Pulses	Flow (CFS)	Vel (FPS)	Flow (l/s)
18/03/2018	16:23:22	-0.082	39.55	14.13		0	0	0
18/03/2018	16:53:22	-0.087	39.46	14.12		0	0	0
18/03/2018	17:23:22	-0.086	39.41	14.11		0	0	0
18/03/2018	17:53:22	-0.085	39.32	14.1		0	0	0
18/03/2018	18:23:22	-0.08	39.23	14.08		0	0	0
18/03/2018	18:53:22	-0.082	39.14	14.07		0	0	0
18/03/2018	19:23:22	-0.08	39	14.05		0	0	0
18/03/2018	19:53:22	-0.069	38.96	14.03		0	0	0
18/03/2018	20:23:22	-0.078	38.96	14.04		0	0	0
18/03/2018	20:53:22	-0.084	38.87	14.05		0	0	0
18/03/2018	21:23:22	-0.073	38.73	14.05		0	0	0
18/03/2018	21:53:22	-0.09	38.69	14.05		0	0	0
18/03/2018	22:23:22	-0.09	38.6	14.04		0	0	0
18/03/2018	22:53:22	-0.089	38.55	14.01		0	0	0
18/03/2018	23:23:22	-0.093	38.42	14		0	0	0
18/03/2018	23:53:22	-0.075	38.24	14.02		0	0	0
19/03/2018	00:23:22	-0.071	37.96	14.05		0	0	0
19/03/2018	00:53:22	-0.07	37.69	14.08		0	0	0
19/03/2018	01:23:22	-0.094	37.56	14.13		0	0	0
19/03/2018	01:53:22	-0.081	37.6	14.2		0	0	0
19/03/2018	02:23:22	-0.073	37.69	14.43		0	0	0
19/03/2018	02:53:22	-0.079	37.69	14.58		0	0	0
19/03/2018	03:23:22	-0.071	37.87	14.57		0	0	0
19/03/2018	03:53:22	-0.079	37.96	14.61		0	0	0
19/03/2018	04:23:22	-0.086	38.24	14.72		0	0	0
19/03/2018	04:53:22	-0.07	38.24	14.88		0	0	0
19/03/2018	05:23:22	-0.072	38.37	15.02		0	0	0
19/03/2018	05:53:22	-0.078	38.69	15.13		0	0	0
19/03/2018	06:23:22	-0.072	38.91	15.2		0	0	0
19/03/2018	06:53:22	-0.075	39.55	15.25		0	0	0
19/03/2018	07:23:22	-0.095	40	15.26		0	0	0
19/03/2018	07:53:22	-0.079	40.54	15.24		0	0	0
19/03/2018	08:23:22	-0.078	41.22	15.21		0	0	0
19/03/2018	08:53:22	-0.083	41.31	15.2		0	0	0
19/03/2018	09:23:22	-0.09	41.31	15.21		0	0	0
19/03/2018	09:53:22	-0.087	41.44	15.2		0	0	0
19/03/2018	10:23:22	-0.08	41.13	15.13		0	0	0
19/03/2018	10:53:22	-0.086	41.08	15.06		0	0	0
19/03/2018	11:23:22	-0.088	40.59	14.99		0	0	0
19/03/2018	11:53:22	-0.082	40.31	14.91		0	0	0
19/03/2018	12:23:22	-0.086	40.04	14.84		0	0	0
19/03/2018	12:53:22	-0.093	39.82	14.79		0	0	0
19/03/2018	13:23:22	-0.075	39.59	14.71		0	0	0
19/03/2018	13:53:22	-0.086	39.46	14.64		0	0	0
19/03/2018	14:23:22	-0.087	39.32	14.59		0	0	0
19/03/2018	14:53:22	-0.094	39.18	14.54		0	0	0
19/03/2018	15:23:22	-0.098	39.14	14.48		0	0	0
19/03/2018	15:53:22	-0.086	39.18	14.4		0	0	0
19/03/2018	16:23:22	-0.09	39.14	14.34		0	0	0
19/03/2018	16:53:22	-0.1	38.87	14.31		0	0	0
19/03/2018	17:23:22	-0.082	38.28	14.31		0	0	0
19/03/2018	17:53:22	-0.086	38.1	14.36		0	0	0
19/03/2018	18:23:22	-0.085	38.01	14.39		0	0	0
19/03/2018	18:53:22	-0.098	38.33	14.37		0	0	0
19/03/2018	19:23:22	-0.083	38.6	14.29		0	0	0
19/03/2018	19:53:22	-0.083	38.78	14.23		0	0	0
19/03/2018	20:23:22	-0.085	38.69	14.16		0	0	0
19/03/2018	20:53:22	-0.088	38.73	14.11		0	0	0
19/03/2018	21:23:22	-0.086	38.78	14.1		0	0	0
19/03/2018	21:53:22	-0.085	38.73	14.08		0	0	0
19/03/2018	22:23:22	-0.085	38.64	14.08		0	0	0
19/03/2018	22:53:22	-0.088	38.51	14.11		0	0	0
19/03/2018	23:23:22	-0.085	38.55	14.13		0	0	0
19/03/2018	23:53:22	-0.086	38.37	14.15		0	0	0
20/03/2018	00:23:22	-0.091	38.73	14.16		0	0	0
20/03/2018	00:53:22	-0.094	38.78	14.26		0	0	0
20/03/2018	01:23:22	-0.084	38.64	14.52		0	0	0
20/03/2018	01:53:22	-0.086	38.78	14.82		0	0	0
20/03/2018	02:23:22	-0.085	38.82	15.06		0	0	0
20/03/2018	02:53:22	-0.086	38.91	15.22		0	0	0
20/03/2018	03:23:22	-0.094	39	15.32		0	0	0
20/03/2018	03:53:22	-0.095	39.28	15.39		0	0	0

Global Logger	16/01/2018	12:47:27	Offset= 0 Inches	Mannings	Roughness= 0.014	Slope= 4.5 %	Diameter= 50 cm	
Date	Time	Feet	Temp F	Volts	Pulses	Flow (CFS)	Vel (FPS)	Flow (l/s)
20/03/2018	04:23:22	-0.081	39.41	15.44	0	0	0	0
20/03/2018	04:53:22	-0.077	39.73	15.48	0	0	0	0
20/03/2018	05:23:22	-0.081	39.91	15.52	0	0	0	0
20/03/2018	05:53:22	-0.078	40.04	15.54	0	0	0	0
20/03/2018	06:23:22	-0.078	40.86	15.55	0	0	0	0
20/03/2018	06:53:22	-0.084	41.9	15.56	0	0	0	0
20/03/2018	07:23:22	-0.082	42.35	15.53	0	0	0	0
20/03/2018	07:53:22	-0.084	42.71	15.51	0	0	0	0
20/03/2018	08:23:22	-0.084	42.71	15.49	0	0	0	0
20/03/2018	08:53:22	-0.087	42.62	15.49	0	0	0	0
20/03/2018	09:23:22	-0.087	42.94	15.48	0	0	0	0
20/03/2018	09:53:22	-0.09	42.21	15.48	0	0	0	0
20/03/2018	10:23:22	-0.098	42.26	15.43	0	0	0	0
20/03/2018	10:53:22	-0.088	42.3	15.35	0	0	0	0
20/03/2018	11:23:22	-0.095	41.9	15.29	0	0	0	0
20/03/2018	11:53:22	-0.096	41.76	15.21	0	0	0	0
20/03/2018	12:23:22	-0.088	41.67	15.12	0	0	0	0
20/03/2018	12:53:22	-0.097	41.67	15.04	0	0	0	0
20/03/2018	13:23:22	-0.085	41.72	14.95	0	0	0	0
20/03/2018	13:53:22	-0.09	41.67	14.87	0	0	0	0
20/03/2018	14:23:22	-0.096	41.58	14.79	0	0	0	0
20/03/2018	14:53:22	-0.097	41.44	14.72	0	0	0	0
20/03/2018	15:23:22	-0.092	41.31	14.66	0	0	0	0
20/03/2018	15:53:22	-0.082	41.17	14.63	0	0	0	0
20/03/2018	16:23:22	-0.083	41.04	14.59	0	0	0	0
20/03/2018	16:53:22	-0.082	40.86	14.56	0	0	0	0
20/03/2018	17:23:22	-0.08	40.77	14.53	0	0	0	0
20/03/2018	17:53:22	-0.097	40.68	14.51	0	0	0	0
20/03/2018	18:23:22	-0.08	40.59	14.47	0	0	0	0
20/03/2018	18:53:22	-0.085	40.45	14.42	0	0	0	0
20/03/2018	19:23:22	-0.083	40.36	14.39	0	0	0	0
20/03/2018	19:53:22	-0.079	40.22	14.35	0	0	0	0
20/03/2018	20:23:22	-0.08	40.18	14.32	0	0	0	0
20/03/2018	20:53:22	-0.083	40.04	14.3	0	0	0	0
20/03/2018	21:23:22	-0.085	39.95	14.27	0	0	0	0
20/03/2018	21:53:22	-0.085	39.86	14.24	0	0	0	0
20/03/2018	22:23:22	-0.085	39.82	14.23	0	0	0	0
20/03/2018	22:53:22	-0.083	39.73	14.25	0	0	0	0
20/03/2018	23:23:22	-0.083	39.68	14.26	0	0	0	0
20/03/2018	23:53:22	-0.094	39.59	14.26	0	0	0	0
21/03/2018	00:23:22	-0.08	39.5	14.23	0	0	0	0
21/03/2018	00:53:22	-0.079	39.5	14.26	0	0	0	0
21/03/2018	01:23:22	-0.081	39.55	14.46	0	0	0	0
21/03/2018	01:53:22	-0.077	39.64	14.67	0	0	0	0
21/03/2018	02:23:22	-0.092	39.77	14.91	0	0	0	0
21/03/2018	02:53:22	-0.075	39.91	15.13	0	0	0	0
21/03/2018	03:23:22	-0.08	40	15.29	0	0	0	0
21/03/2018	03:53:22	-0.09	40.09	15.39	0	0	0	0
21/03/2018	04:23:22	-0.068	40.18	15.41	0	0	0	0
21/03/2018	04:53:22	-0.091	40.31	15.47	0	0	0	0
21/03/2018	05:23:22	-0.073	40.4	15.49	0	0	0	0
21/03/2018	05:53:22	-0.089	40.59	15.52	0	0	0	0
21/03/2018	06:23:22	-0.084	40.72	15.54	0	0	0	0
21/03/2018	06:53:22	-0.089	40.77	15.52	0	0	0	0
21/03/2018	07:23:22	-0.073	40.81	15.48	0	0	0	0
21/03/2018	07:53:22	-0.084	40.95	15.44	0	0	0	0
21/03/2018	08:23:22	-0.094	41.08	15.41	0	0	0	0
21/03/2018	08:53:22	-0.082	41.13	15.37	0	0	0	0
21/03/2018	09:23:22	-0.083	41.13	15.33	0	0	0	0
21/03/2018	09:53:22	-0.096	41.26	15.3	0	0	0	0
21/03/2018	10:23:22	-0.09	41.31	15.28	0	0	0	0
21/03/2018	10:53:22	-0.088	41.4	15.25	0	0	0	0
21/03/2018	11:23:22	-0.087	41.4	15.22	0	0	0	0
21/03/2018	11:53:22	-0.085	41.58	15.19	0	0	0	0
21/03/2018	12:23:22	-0.087	41.72	15.15	0	0	0	0
21/03/2018	12:53:22	-0.085	41.76	15.11	0	0	0	0
21/03/2018	13:23:22	-0.091	41.85	15.09	0	0	0	0
21/03/2018	13:53:22	-0.085	41.94	15.07	0	0	0	0
21/03/2018	14:23:22	-0.086	42.03	15.05	0	0	0	0
21/03/2018	14:53:22	-0.086	42.12	15.04	0	0	0	0
21/03/2018	15:23:22	-0.082	42.17	15.02	0	0	0	0
21/03/2018	15:53:22	-0.083	42.3	15	0	0	0	0

Global Logger	16/01/2018	12:47:27	Offset= 0 Inches	Mannings	Roughness= 0.014	Slope= 4.5 %	Diameter= 50 cm	
Date	Time	Feet	Temp F	Volts	Pulses	Flow (CFS)	Vel (FPS)	Flow (l/s)
21/03/2018	16:23:22	-0.068	42.39	14.97		0	0	0
21/03/2018	16:53:22	-0.085	42.57	14.97		0	0	0
21/03/2018	17:23:22	-0.085	42.62	14.96		0	0	0
21/03/2018	17:53:22	-0.085	42.57	14.95		0	0	0
21/03/2018	18:23:22	-0.078	42.71	14.93		0	0	0
21/03/2018	18:53:22	-0.072	42.71	14.91		0	0	0
21/03/2018	19:23:22	-0.08	42.71	14.91		0	0	0
21/03/2018	19:53:22	-0.085	42.71	14.9		0	0	0
21/03/2018	20:23:22	-0.084	42.62	14.9		0	0	0
21/03/2018	20:53:22	-0.086	42.66	14.88		0	0	0
21/03/2018	21:23:22	-0.068	42.66	14.85		0	0	0
21/03/2018	21:53:22	-0.087	42.75	14.84		0	0	0
21/03/2018	22:23:22	-0.074	42.84	14.79		0	0	0
21/03/2018	22:53:22	-0.082	42.84	14.74		0	0	0
21/03/2018	23:23:22	-0.092	42.71	14.71		0	0	0
21/03/2018	23:53:22	-0.078	42.75	14.67		0	0	0
22/03/2018	00:23:22	-0.081	42.71	14.69		0	0	0
22/03/2018	00:53:22	-0.088	42.75	14.69		0	0	0
22/03/2018	01:23:22	-0.086	42.75	14.72		0	0	0
22/03/2018	01:53:22	-0.082	42.8	14.74		0	0	0
22/03/2018	02:23:22	-0.092	42.75	14.77		0	0	0
22/03/2018	02:53:22	-0.079	42.84	14.78		0	0	0
22/03/2018	03:23:22	-0.088	42.94	14.8		0	0	0
22/03/2018	03:53:22	-0.086	43.03	14.83		0	0	0
22/03/2018	04:23:22	-0.077	43.21	14.86		0	0	0
22/03/2018	04:53:22	-0.076	43.3	14.88		0	0	0
22/03/2018	05:23:22	-0.072	43.43	14.9		0	0	0
22/03/2018	05:53:22	-0.08	43.66	14.9		0	0	0
22/03/2018	06:23:22	-0.08	43.79	14.91		0	0	0
22/03/2018	06:53:22	-0.085	43.97	14.93		0	0	0
22/03/2018	07:23:22	-0.08	44.43	14.93		0	0	0
22/03/2018	07:53:22	-0.076	44.65	14.94		0	0	0
22/03/2018	08:23:22	-0.076	44.79	14.95		0	0	0
22/03/2018	08:53:22	-0.087	44.74	14.93		0	0	0
22/03/2018	09:23:22	-0.086	44.7	14.9		0	0	0
22/03/2018	09:53:22	-0.075	44.79	14.86		0	0	0
22/03/2018	10:23:22	-0.089	44.7	14.83		0	0	0
22/03/2018	10:53:22	-0.076	44.61	14.78		0	0	0
22/03/2018	11:23:22	-0.086	44.52	14.74		0	0	0
22/03/2018	11:53:22	-0.07	44.61	14.69		0	0	0
22/03/2018	12:23:22	-0.083	44.65	14.67		0	0	0
22/03/2018	12:53:22	-0.066	44.65	14.64		0	0	0
22/03/2018	13:23:22	-0.085	44.7	14.64		0	0	0
22/03/2018	13:53:22	-0.087	44.56	14.63		0	0	0
22/03/2018	14:23:22	-0.088	44.61	14.61		0	0	0
22/03/2018	14:53:22	-0.091	44.56	14.61		0	0	0
22/03/2018	15:23:22	-0.089	44.56	14.61		0	0	0
22/03/2018	15:53:22	-0.093	44.52	14.61		0	0	0
22/03/2018	16:23:22	-0.092	44.52	14.61		0	0	0
22/03/2018	16:53:22	-0.09	44.52	14.61		0	0	0
22/03/2018	17:23:22	-0.09	44.52	14.61		0	0	0
22/03/2018	17:53:22	-0.09	44.52	14.61		0	0	0
22/03/2018	18:23:22	-0.09	44.25	14.63		0	0	0
22/03/2018	18:53:22	-0.087	43.52	14.64		0	0	0
22/03/2018	19:23:22	-0.086	43.34	14.64		0	0	0
22/03/2018	19:53:22	-0.075	42.62	14.63		0	0	0
22/03/2018	20:23:22	-0.082	42.44	14.58		0	0	0
22/03/2018	20:53:22	-0.067	42.66	14.51		0	0	0
22/03/2018	21:23:22	-0.086	42.53	14.49		0	0	0
22/03/2018	21:53:22	-0.092	42.35	14.48		0	0	0
22/03/2018	22:23:22	-0.09	42.48	14.48		0	0	0
22/03/2018	22:53:22	-0.09	42.26	14.48		0	0	0
22/03/2018	23:23:22	-0.083	42.39	14.48		0	0	0
22/03/2018	23:53:22	-0.086	42.66	14.48		0	0	0
23/03/2018	00:23:22	-0.087	42.89	14.47		0	0	0
23/03/2018	00:53:22	-0.082	43.03	14.47		0	0	0
23/03/2018	01:23:22	-0.085	43.21	14.48		0	0	0
23/03/2018	01:53:22	-0.079	43.43	14.58		0	0	0
23/03/2018	02:23:22	-0.084	43.43	14.8		0	0	0
23/03/2018	02:53:22	-0.093	43.75	14.98		0	0	0
23/03/2018	03:23:22	-0.084	43.79	15.12		0	0	0
23/03/2018	03:53:22	-0.086	44.11	15.23		0	0	0

Global Logger	16/01/2018	12:47:27	Offset= 0 Inches	Mannings	Roughness= 0.014	Slope= 4.5 %	Diameter= 50 cm	
Date	Time	Feet	Temp F	Volts	Pulses	Flow (CFS)	Vel (FPS)	Flow (l/s)
23/03/2018	04:23:22	-0.09	44.16	15.28		0	0	0
23/03/2018	04:53:22	-0.084	44.52	15.34		0	0	0
23/03/2018	05:23:22	-0.083	44.83	15.38		0	0	0
23/03/2018	05:53:22	-0.085	45.1	15.51		0	0	0
23/03/2018	06:23:22	-0.084	45.38	15.43		0	0	0
23/03/2018	06:53:22	-0.082	46.41	15.37		0	0	0
23/03/2018	07:23:22	-0.083	46.96	15.33		0	0	0
23/03/2018	07:53:22	-0.098	46.96	15.28		0	0	0
23/03/2018	08:23:22	-0.087	47.05	15.23		0	0	0
23/03/2018	08:53:22	-0.093	47.14	15.19		0	0	0
23/03/2018	09:23:22	-0.082	47.27	15.12		0	0	0
23/03/2018	09:53:22	-0.083	47.36	15.07		0	0	0
23/03/2018	10:23:22	-0.08	47.36	14.99		0	0	0
23/03/2018	10:53:22	-0.084	47.27	14.93		0	0	0
23/03/2018	11:23:22	-0.088	47.27	14.88		0	0	0
23/03/2018	11:53:22	-0.102	47.14	14.84		0	0	0
23/03/2018	12:23:22	-0.09	47	14.77		0	0	0
23/03/2018	12:53:22	-0.09	46.96	14.72		0	0	0
23/03/2018	13:23:22	-0.09	46.82	14.69		0	0	0
23/03/2018	13:53:22	-0.086	46.82	14.65		0	0	0
23/03/2018	14:23:22	-0.086	46.87	14.63		0	0	0
23/03/2018	14:53:22	-0.088	46.82	14.61		0	0	0
23/03/2018	15:23:22	-0.085	46.69	14.57		0	0	0
23/03/2018	15:53:22	-0.086	46.69	14.56		0	0	0
23/03/2018	16:23:22	-0.087	46.69	14.55		0	0	0
23/03/2018	16:53:22	-0.087	46.55	14.53		0	0	0
23/03/2018	17:23:22	-0.086	46.5	14.5		0	0	0
23/03/2018	17:53:22	-0.087	46.37	14.47		0	0	0
23/03/2018	18:23:22	-0.087	46.32	14.45		0	0	0
23/03/2018	18:53:22	-0.087	46.23	14.43		0	0	0
23/03/2018	19:23:22	-0.087	46.14	14.41		0	0	0
23/03/2018	19:53:22	-0.089	46.1	14.39		0	0	0
23/03/2018	20:23:22	-0.087	46.01	14.37		0	0	0
23/03/2018	20:53:22	-0.088	45.92	14.34		0	0	0
23/03/2018	21:23:22	-0.088	45.83	14.32		0	0	0
23/03/2018	21:53:22	-0.089	45.74	14.29		0	0	0
23/03/2018	22:23:22	-0.089	45.69	14.28		0	0	0
23/03/2018	22:53:22	-0.088	45.65	14.27		0	0	0
23/03/2018	23:23:22	-0.089	45.56	14.25		0	0	0
23/03/2018	23:53:22	-0.09	45.47	14.23		0	0	0
24/03/2018	00:23:22	-0.088	45.42	14.23		0	0	0
24/03/2018	00:53:22	-0.089	45.47	14.22		0	0	0
24/03/2018	01:23:22	-0.088	45.47	14.23		0	0	0
24/03/2018	01:53:22	-0.088	45.51	14.26		0	0	0
24/03/2018	02:23:22	-0.089	45.65	14.37		0	0	0
24/03/2018	02:53:22	-0.087	45.78	14.59		0	0	0
24/03/2018	03:23:22	-0.089	46.01	14.79		0	0	0
24/03/2018	03:53:22	-0.088	46.23	14.91		0	0	0
24/03/2018	04:23:22	-0.087	46.64	15.01		0	0	0
24/03/2018	04:53:22	-0.086	47.09	15.06		0	0	0
24/03/2018	05:23:22	-0.088	47.36	15.12		0	0	0
24/03/2018	05:53:22	-0.086	47.72	15.11		0	0	0
24/03/2018	06:23:22	-0.084	48.31	15.09		0	0	0
24/03/2018	06:53:22	-0.086	48.63	15.11		0	0	0
24/03/2018	07:23:22	-0.086	48.67	15.12		0	0	0
24/03/2018	07:53:22	-0.083	49.26	15.07		0	0	0
24/03/2018	08:23:22	-0.085	49.35	15.07		0	0	0
24/03/2018	08:53:22	-0.086	49.22	15.05		0	0	0
24/03/2018	09:23:22	-0.087	49.71	14.98		0	0	0
24/03/2018	09:53:22	-0.085	49.49	14.9		0	0	0
24/03/2018	10:23:22	-0.085	49.89	14.83		0	0	0
24/03/2018	10:53:22	-0.085	49.85	14.76		0	0	0
24/03/2018	11:23:22	-0.086	49.44	14.66		0	0	0
24/03/2018	11:53:22	-0.086	49.58	14.53		0	0	0
24/03/2018	12:23:22	-0.088	49.4	14.42		0	0	0
24/03/2018	12:53:22	-0.087	49.17	14.33		0	0	0
24/03/2018	13:23:22	-0.088	48.94	14.24		0	0	0
24/03/2018	13:53:22	-0.086	48.81	14.18		0	0	0
24/03/2018	14:23:22	-0.087	48.67	14.1		0	0	0
24/03/2018	14:53:22	-0.087	48.45	14.03		0	0	0
24/03/2018	15:23:22	-0.087	48.27	13.96		0	0	0
24/03/2018	15:53:22	-0.089	47.95	13.91		0	0	0

Global Logger	16/01/2018	12:47:27	Offset= 0 Inches	Mannings	Roughness= 0.014	Slope= 4.5 %	Diameter= 50 cm	
Date	Time	Feet	Temp F	Volts	Pulses	Flow (CFS)	Vel (FPS)	Flow (l/s)
24/03/2018	16:23:22	-0.088	47.82	13.85		0	0	0
24/03/2018	16:53:22	-0.088	47.59	13.79		0	0	0
24/03/2018	17:23:22	-0.088	47.36	13.75		0	0	0
24/03/2018	17:53:22	-0.085	47.14	13.7		0	0	0
24/03/2018	18:23:22	-0.09	46.87	13.67		0	0	0
24/03/2018	18:53:22	-0.089	46.64	13.63		0	0	0
24/03/2018	19:23:22	-0.09	46.5	13.59		0	0	0
24/03/2018	19:53:22	-0.089	46.32	13.55		0	0	0
24/03/2018	20:23:22	-0.089	46.1	13.55		0	0	0
24/03/2018	20:53:22	-0.088	45.96	13.54		0	0	0
24/03/2018	21:23:22	-0.088	45.74	13.54		0	0	0
24/03/2018	21:53:22	-0.089	45.38	13.52		0	0	0
24/03/2018	22:23:22	-0.088	45.38	13.47		0	0	0
24/03/2018	22:53:22	-0.095	45.06	13.47		0	0	0
24/03/2018	23:23:22	-0.088	44.79	13.43		0	0	0
24/03/2018	23:53:22	-0.087	44.83	13.4		0	0	0
25/03/2018	00:23:22	-0.087	44.83	13.4		0	0	0
25/03/2018	00:53:22	-0.087	44.92	13.59		0	0	0
25/03/2018	01:23:22	-0.086	44.97	14.05		0	0	0
25/03/2018	01:53:22	-0.088	45.24	14.5		0	0	0
25/03/2018	02:23:22	-0.075	45.47	14.85		0	0	0
25/03/2018	02:53:22	-0.088	45.56	15.15		0	0	0
25/03/2018	03:23:22	-0.087	45.78	15.31		0	0	0
25/03/2018	03:53:22	-0.089	45.96	15.41		0	0	0
25/03/2018	04:23:22	-0.064	46.23	15.45		0	0	0
25/03/2018	04:53:22	-0.068	46.41	15.5		0	0	0
25/03/2018	05:23:22	-0.071	46.87	15.52		0	0	0
25/03/2018	05:53:22	-0.075	47.63	15.55		0	0	0
25/03/2018	06:23:22	-0.086	47.82	15.56		0	0	0
25/03/2018	06:53:22	-0.087	48.31	15.55		0	0	0
25/03/2018	07:23:22	-0.073	48.45	15.54		0	0	0
25/03/2018	07:53:22	-0.068	48.72	15.52		0	0	0
25/03/2018	08:23:22	-0.085	49.04	15.49		0	0	0
25/03/2018	08:53:22	-0.087	49.44	15.47		0	0	0
25/03/2018	09:23:22	-0.073	49.58	15.43		0	0	0
25/03/2018	09:53:22	-0.076	49.4	15.41		0	0	0
25/03/2018	10:23:22	-0.079	49.62	15.36		0	0	0
25/03/2018	10:53:22	-0.089	49.76	15.3		0	0	0
25/03/2018	11:23:22	-0.082	49.76	15.22		0	0	0
25/03/2018	11:53:22	-0.084	49.85	15.12		0	0	0
25/03/2018	12:23:22	-0.09	49.8	15.04		0	0	0
25/03/2018	12:53:22	-0.085	49.67	14.92		0	0	0
25/03/2018	13:23:22	-0.091	49.4	14.82		0	0	0
25/03/2018	13:53:22	-0.092	49.13	14.72		0	0	0
25/03/2018	14:23:22	-0.088	48.9	14.63		0	0	0
25/03/2018	14:53:22	-0.094	48.67	14.55		0	0	0
25/03/2018	15:23:22	-0.084	48.45	14.48		0	0	0
25/03/2018	15:53:22	-0.085	48.27	14.45		0	0	0
25/03/2018	16:23:22	-0.093	48.09	14.45		0	0	0
25/03/2018	16:53:22	-0.087	48	14.47		0	0	0
25/03/2018	17:23:22	-0.096	47.91	14.49		0	0	0
25/03/2018	17:53:22	-0.079	47.77	14.5		0	0	0
25/03/2018	18:23:22	-0.095	47.63	14.51		0	0	0
25/03/2018	18:53:22	-0.091	47.54	14.5		0	0	0
25/03/2018	19:23:22	-0.096	47.45	14.5		0	0	0
25/03/2018	19:53:22	-0.095	47.32	14.5		0	0	0
25/03/2018	20:23:22	-0.089	47.14	14.48		0	0	0
25/03/2018	20:53:22	-0.093	46.91	14.42		0	0	0
25/03/2018	21:23:22	-0.09	46.78	14.34		0	0	0
25/03/2018	21:53:22	-0.097	46.73	14.32		0	0	0
25/03/2018	22:23:22	-0.079	46.69	14.34		0	0	0
25/03/2018	22:53:22	-0.091	46.64	14.39		0	0	0
25/03/2018	23:23:22	-0.086	46.55	14.43		0	0	0
25/03/2018	23:53:22	-0.089	46.55	14.48		0	0	0
26/03/2018	00:23:22	-0.083	46.55	14.5		0	0	0
26/03/2018	00:53:22	-0.095	46.5	14.53		0	0	0
26/03/2018	01:23:22	-0.091	46.5	14.55		0	0	0
26/03/2018	01:53:22	-0.091	46.55	14.57		0	0	0
26/03/2018	02:23:22	-0.092	46.64	14.6		0	0	0
26/03/2018	02:53:22	-0.086	46.82	14.66		0	0	0
26/03/2018	03:23:22	-0.085	46.87	14.71		0	0	0
26/03/2018	03:53:22	-0.087	47.14	14.79		0	0	0

Global Logger	16/01/2018	12:47:27	Offset= 0 Inches	Mannings	Roughness= 0.014	Slope= 4.5 %	Diameter= 50 cm	
Date	Time	Feet	Temp F	Volts	Pulses	Flow (CFS)	Vel (FPS)	Flow (l/s)
26/03/2018	04:23:22	-0.089	47.45	14.95		0	0	0
26/03/2018	04:53:22	-0.087	47.72	15.09		0	0	0
26/03/2018	05:23:22	-0.087	48.09	15.15		0	0	0
26/03/2018	05:53:22	-0.084	48.4	15.18		0	0	0
26/03/2018	06:23:22	-0.072	48.76	15.17		0	0	0
26/03/2018	06:53:22	-0.084	49.13	15.16		0	0	0
26/03/2018	07:23:22	-0.075	49.31	15.11		0	0	0
26/03/2018	07:53:22	-0.08	49.49	15.07		0	0	0
26/03/2018	08:23:22	-0.099	49.44	15.02		0	0	0
26/03/2018	08:53:22	-0.093	49.49	14.95		0	0	0
26/03/2018	09:23:22	-0.071	49.53	14.88		0	0	0
26/03/2018	09:53:22	-0.09	49.44	14.8		0	0	0
26/03/2018	10:23:22	-0.081	49.4	14.72		0	0	0
26/03/2018	10:53:22	-0.075	49.49	14.67		0	0	0
26/03/2018	11:23:22	-0.071	49.35	14.62		0	0	0
26/03/2018	11:53:22	-0.078	49.26	14.58		0	0	0
26/03/2018	12:23:22	-0.08	49.17	14.55		0	0	0
26/03/2018	12:53:22	-0.093	49.04	14.51		0	0	0
26/03/2018	13:23:22	-0.071	48.94	14.47		0	0	0
26/03/2018	13:53:22	-0.088	48.85	14.46		0	0	0
26/03/2018	14:23:22	-0.09	48.72	14.44		0	0	0
26/03/2018	14:53:22	-0.09	48.58	14.42		0	0	0
26/03/2018	15:23:22	-0.089	48.49	14.41		0	0	0
26/03/2018	15:53:22	-0.09	48.4	14.39		0	0	0
26/03/2018	16:23:22	-0.089	48.22	14.37		0	0	0
26/03/2018	16:53:22	-0.089	48.13	14.36		0	0	0
26/03/2018	17:23:22	-0.09	48.04	14.35		0	0	0
26/03/2018	17:53:22	-0.091	47.95	14.35		0	0	0
26/03/2018	18:23:22	-0.09	47.91	14.35		0	0	0
26/03/2018	18:53:22	-0.09	47.86	14.36		0	0	0
26/03/2018	19:23:22	-0.089	47.82	14.37		0	0	0
26/03/2018	19:53:22	-0.091	47.72	14.39		0	0	0
26/03/2018	20:23:22	-0.089	47.59	14.42		0	0	0
26/03/2018	20:53:22	-0.089	47.41	14.44		0	0	0
26/03/2018	21:23:22	-0.09	47.32	14.45		0	0	0
26/03/2018	21:53:22	-0.087	47.14	14.45		0	0	0
26/03/2018	22:23:22	-0.073	47	14.43		0	0	0
26/03/2018	22:53:22	-0.085	46.91	14.43		0	0	0
26/03/2018	23:23:22	-0.093	46.82	14.44		0	0	0
26/03/2018	23:53:22	-0.096	46.73	14.43		0	0	0
27/03/2018	00:23:22	-0.091	46.82	14.43		0	0	0
27/03/2018	00:53:22	-0.076	46.78	14.4		0	0	0
27/03/2018	01:23:22	-0.082	46.78	14.4		0	0	0
27/03/2018	01:53:22	-0.1	46.91	14.42		0	0	0
27/03/2018	02:23:22	-0.08	47.09	14.45		0	0	0
27/03/2018	02:53:22	-0.098	47.18	14.69		0	0	0
27/03/2018	03:23:22	-0.086	47.36	14.83		0	0	0
27/03/2018	03:53:22	-0.103	47.32	14.95		0	0	0
27/03/2018	04:23:22	-0.096	47.5	14.95		0	0	0
27/03/2018	04:53:22	-0.094	47.72	15.06		0	0	0
27/03/2018	05:23:22	-0.091	47.77	15.11		0	0	0
27/03/2018	05:53:22	-0.085	47.82	15.14		0	0	0
27/03/2018	06:23:22	-0.077	47.95	15.09		0	0	0
27/03/2018	06:53:22	-0.093	48.04	15.04		0	0	0
27/03/2018	07:23:22	-0.089	48.18	14.99		0	0	0
27/03/2018	07:53:22	-0.087	48.18	14.94		0	0	0
27/03/2018	08:23:22	-0.094	48.58	14.91		0	0	0
27/03/2018	08:53:22	-0.083	48.72	14.85		0	0	0
27/03/2018	09:23:22	-0.088	48.72	14.79		0	0	0
27/03/2018	09:53:22	-0.08	48.94	14.71		0	0	0
27/03/2018	10:23:22	-0.086	49.13	14.65		0	0	0
27/03/2018	10:53:22	-0.085	49.22	14.59		0	0	0
27/03/2018	11:23:22	-0.086	49.17	14.55		0	0	0
27/03/2018	11:53:22	-0.083	49.35	14.47		0	0	0
27/03/2018	12:23:22	-0.085	49.49	14.39		0	0	0
27/03/2018	12:53:22	-0.088	49.35	14.31		0	0	0
27/03/2018	13:23:22	-0.092	49.26	14.24		0	0	0
27/03/2018	13:53:22	-0.08	49.26	14.18		0	0	0
27/03/2018	14:23:22	-0.082	49.13	14.16		0	0	0
27/03/2018	14:53:22	-0.1	49.08	14.13		0	0	0
27/03/2018	15:23:22	-0.087	49.04	14.11		0	0	0
27/03/2018	15:53:22	-0.088	49.08	14.07		0	0	0

Global Logger	16/01/2018	12:47:27	Offset= 0 Inches	Mannings	Roughness= 0.014	Slope= 4.5 %	Diameter= 50 cm	
Date	Time	Feet	Temp F	Volts	Pulses	Flow (CFS)	Vel (FPS)	Flow (l/s)
27/03/2018	16:23:22	-0.092	48.99	14.04		0	0	0
27/03/2018	16:53:22	-0.098	48.94	14.03		0	0	0
27/03/2018	17:23:22	-0.086	48.9	13.99		0	0	0
27/03/2018	17:53:22	-0.094	48.9	13.98		0	0	0
27/03/2018	18:23:22	-0.087	48.81	13.94		0	0	0
27/03/2018	18:53:22	-0.085	48.76	13.91		0	0	0
27/03/2018	19:23:22	-0.094	48.67	13.89		0	0	0
27/03/2018	19:53:22	-0.085	48.58	13.86		0	0	0
27/03/2018	20:23:22	-0.081	48.58	13.83		0	0	0
27/03/2018	20:53:22	-0.079	48.49	13.81		0	0	0
27/03/2018	21:23:22	-0.096	48.4	13.8		0	0	0
27/03/2018	21:53:22	-0.092	48.36	13.76		0	0	0
27/03/2018	22:23:22	-0.097	48.27	13.75		0	0	0
27/03/2018	22:53:22	-0.09	48.22	13.71		0	0	0
27/03/2018	23:23:22	-0.094	48.13	13.68		0	0	0
27/03/2018	23:53:22	-0.097	48	13.67		0	0	0
28/03/2018	00:23:22	-0.09	47.95	13.66		0	0	0
28/03/2018	00:53:22	-0.093	47.86	13.67		0	0	0
28/03/2018	01:23:22	-0.091	47.82	13.67		0	0	0
28/03/2018	01:53:22	-0.098	47.86	13.73		0	0	0
28/03/2018	02:23:22	-0.09	47.91	13.93		0	0	0
28/03/2018	02:53:22	-0.091	47.91	14.04		0	0	0
28/03/2018	03:23:22	-0.093	47.95	14.2		0	0	0
28/03/2018	03:53:22	-0.094	48.04	14.26		0	0	0
28/03/2018	04:23:22	-0.092	48.18	14.39		0	0	0
28/03/2018	04:53:22	-0.091	48.27	14.48		0	0	0
28/03/2018	05:23:22	-0.09	48.4	14.51		0	0	0
28/03/2018	05:53:22	-0.09	48.54	14.59		0	0	0
28/03/2018	06:23:22	-0.092	48.72	14.62		0	0	0
28/03/2018	06:53:22	-0.091	49.04	14.75		0	0	0
28/03/2018	07:23:22	-0.095	49.08	14.84		0	0	0
28/03/2018	07:53:22	-0.091	49.17	14.77		0	0	0
28/03/2018	08:23:22	-0.082	49.17	14.66		0	0	0
28/03/2018	08:53:22	-0.09	48.99	14.59		0	0	0
28/03/2018	09:23:22	-0.091	48.99	14.5		0	0	0
28/03/2018	09:53:22	-0.092	49.13	14.43		0	0	0
28/03/2018	10:23:22	-0.089	49.17	14.37		0	0	0
28/03/2018	10:53:22	-0.09	49.17	14.27		0	0	0
28/03/2018	11:23:22	-0.088	49.26	14.16		0	0	0
28/03/2018	11:53:22	-0.094	49.26	14.06		0	0	0
28/03/2018	12:23:22	-0.094	49.26	13.95		0	0	0
28/03/2018	12:53:22	-0.084	49.31	13.81		0	0	0
28/03/2018	13:23:22	-0.088	49.31	13.7		0	0	0
28/03/2018	13:53:22	-0.083	49.26	13.58		0	0	0
28/03/2018	14:23:22	-0.099	49.13	13.47		0	0	0
28/03/2018	14:53:22	-0.086	48.99	13.36		0	0	0
28/03/2018	15:23:22	-0.09	48.85	13.29		0	0	0
28/03/2018	15:53:22	-0.093	48.9	13.37		0	0	0
28/03/2018	16:23:22	-0.085	48.72	13.47		0	0	0
28/03/2018	16:53:22	-0.091	48.72	13.57		0	0	0
28/03/2018	17:23:22	-0.094	48.54	13.57		0	0	0
28/03/2018	17:53:22	-0.093	48.45	13.54		0	0	0
28/03/2018	18:23:22	-0.086	48.31	13.52		0	0	0
28/03/2018	18:53:22	-0.097	48.27	13.51		0	0	0
28/03/2018	19:23:22	-0.094	48.09	13.49		0	0	0
28/03/2018	19:53:22	-0.095	48	13.47		0	0	0
28/03/2018	20:23:22	-0.085	47.91	13.44		0	0	0
28/03/2018	20:53:22	-0.088	47.77	13.49		0	0	0
28/03/2018	21:23:22	-0.091	47.68	13.47		0	0	0
28/03/2018	21:53:22	-0.094	47.59	13.46		0	0	0
28/03/2018	22:23:22	-0.101	47.5	13.47		0	0	0
28/03/2018	22:53:22	-0.097	47.36	13.46		0	0	0
28/03/2018	23:23:22	-0.099	47.32	13.47		0	0	0
28/03/2018	23:53:22	-0.094	47.23	13.51		0	0	0
29/03/2018	00:23:22	-0.089	47.14	13.51		0	0	0
29/03/2018	00:53:22	-0.091	47.18	13.54		0	0	0
29/03/2018	01:23:22	-0.098	47.09	13.6		0	0	0
29/03/2018	01:53:22	-0.094	47.14	13.6		0	0	0
29/03/2018	02:23:22	-0.08	47.09	13.61		0	0	0
29/03/2018	02:53:22	-0.087	47.27	13.69		0	0	0
29/03/2018	03:23:22	-0.08	47.41	13.93		0	0	0
29/03/2018	03:53:22	-0.084	47.68	14.06		0	0	0

Global Logger	16/01/2018	12:47:27	Offset= 0 Inches	Mannings	Roughness= 0.014	Slope= 4.5 %	Diameter= 50 cm	
Date	Time	Feet	Temp F	Volts	Pulses	Flow (CFS)	Vel (FPS)	Flow (l/s)
29/03/2018	04:23:22	-0.101	47.86	14.11		0	0	0
29/03/2018	04:53:22	-0.093	47.95	14.03		0	0	0
29/03/2018	05:23:22	-0.08	48.09	13.95		0	0	0
29/03/2018	05:53:22	-0.09	48.09	13.92		0	0	0
29/03/2018	06:23:22	-0.092	48.13	13.86		0	0	0
29/03/2018	06:53:22	-0.079	48.27	13.83		0	0	0
29/03/2018	07:23:22	-0.076	48.31	13.85		0	0	0
29/03/2018	07:53:22	-0.093	48.49	13.86		0	0	0
29/03/2018	08:23:22	-0.083	48.67	13.88		0	0	0
29/03/2018	08:53:22	-0.087	48.58	13.94		0	0	0
29/03/2018	09:23:22	-0.093	48.76	13.93		0	0	0
29/03/2018	09:53:22	-0.092	48.58	13.91		0	0	0
29/03/2018	10:23:22	-0.091	48.58	13.84		0	0	0
29/03/2018	10:53:22	-0.093	48.54	13.79		0	0	0
29/03/2018	11:23:22	-0.094	48.45	13.75		0	0	0
29/03/2018	11:53:22	-0.094	48.31	13.65		0	0	0
29/03/2018	12:23:22	-0.092	48.18	13.54		0	0	0
29/03/2018	12:53:22	-0.093	48	13.43		0	0	0
29/03/2018	13:23:22	-0.093	47.86	13.33		0	0	0
29/03/2018	13:53:22	-0.093	47.68	13.21		0	0	0
29/03/2018	14:23:22	-0.094	47.54	13.09		0	0	0
29/03/2018	14:53:22	-0.093	47.41	13.03		0	0	0
29/03/2018	15:23:22	-0.098	47.32	13.04		0	0	0
29/03/2018	15:53:22	-0.09	47.23	13.12		0	0	0
29/03/2018	16:23:22	-0.091	47.14	13.19		0	0	0
29/03/2018	16:53:22	-0.086	47.09	13.24		0	0	0
29/03/2018	17:23:22	-0.093	46.96	13.23		0	0	0
29/03/2018	17:53:22	-0.097	46.82	13.14		0	0	0
29/03/2018	18:23:22	-0.094	46.73	13.02		0	0	0
29/03/2018	18:53:22	-0.08	46.69	13.01		0	0	0
29/03/2018	19:23:22	-0.096	46.6	13.1		0	0	0
29/03/2018	19:53:22	-0.081	46.55	13.09		0	0	0
29/03/2018	20:23:22	-0.095	46.46	13.11		0	0	0
29/03/2018	20:53:22	-0.092	46.32	13.05		0	0	0
29/03/2018	21:23:22	-0.095	46.23	12.99		0	0	0
29/03/2018	21:53:22	-0.086	46.14	12.94		0	0	0
29/03/2018	22:23:22	-0.089	46.01	12.88		0	0	0
29/03/2018	22:53:22	-0.081	45.92	12.8		0	0	0
29/03/2018	23:23:22	-0.093	45.83	12.77		0	0	0
29/03/2018	23:53:22	-0.094	45.74	12.75		0	0	0
30/03/2018	00:23:22	-0.086	45.69	12.75		0	0	0
30/03/2018	00:53:22	-0.094	45.69	13.12		0	0	0
30/03/2018	01:23:22	-0.078	45.69	13.49		0	0	0
30/03/2018	01:53:22	-0.096	45.78	13.62		0	0	0
30/03/2018	02:23:22	-0.091	46.01	13.97		0	0	0
30/03/2018	02:53:22	-0.089	46.19	14.32		0	0	0
30/03/2018	03:23:22	-0.084	46.6	14.62		0	0	0
30/03/2018	03:53:22	-0.078	46.96	14.86		0	0	0
30/03/2018	04:23:22	-0.09	47.23	14.92		0	0	0
30/03/2018	04:53:22	-0.088	48.09	15.09		0	0	0
30/03/2018	05:23:22	-0.09	48.36	15.15		0	0	0
30/03/2018	05:53:22	-0.095	48.45	15.07		0	0	0
30/03/2018	06:23:22	-0.07	48.49	14.97		0	0	0
30/03/2018	06:53:22	-0.074	48.54	14.9		0	0	0
30/03/2018	07:23:22	-0.091	48.49	14.82		0	0	0
30/03/2018	07:53:22	-0.086	48.54	14.73		0	0	0
30/03/2018	08:23:22	-0.091	48.54	14.66		0	0	0
30/03/2018	08:53:22	-0.093	48.31	14.58		0	0	0
30/03/2018	09:23:22	-0.076	48.27	14.48		0	0	0
30/03/2018	09:53:22	-0.092	48.09	14.41		0	0	0
30/03/2018	10:23:22	-0.093	48.04	14.34		0	0	0
30/03/2018	10:53:22	-0.093	47.86	14.27		0	0	0
30/03/2018	11:23:22	-0.091	47.72	14.2		0	0	0
30/03/2018	11:53:22	-0.095	47.59	14.14		0	0	0
30/03/2018	12:23:22	-0.094	47.36	14.07		0	0	0
30/03/2018	12:53:22	-0.094	47.32	14.01		0	0	0
30/03/2018	13:23:22	-0.094	47.18	13.96		0	0	0
30/03/2018	13:53:22	-0.094	47.14	13.92		0	0	0
30/03/2018	14:23:22	-0.094	47	13.88		0	0	0
30/03/2018	14:53:22	-0.095	46.82	13.84		0	0	0
30/03/2018	15:23:22	-0.094	46.73	13.81		0	0	0
30/03/2018	15:53:22	-0.095	46.55	13.77		0	0	0

Global Logger	16/01/2018	12:47:27	Offset= 0 Inches	Mannings	Roughness= 0.014	Slope= 4.5 %	Diameter= 50 cm	
Date	Time	Feet	Temp F	Volts	Pulses	Flow (CFS)	Vel (FPS)	Flow (l/s)
30/03/2018	16:23:22	-0.096	46.55	13.75		0	0	0
30/03/2018	16:53:22	-0.096	46.41	13.73		0	0	0
30/03/2018	17:23:22	-0.096	46.37	13.73		0	0	0
30/03/2018	17:53:22	-0.095	46.23	13.73		0	0	0
30/03/2018	18:23:22	-0.095	46.19	13.73		0	0	0
30/03/2018	18:53:22	-0.097	46.05	13.71		0	0	0
30/03/2018	19:23:22	-0.096	46.1	13.71		0	0	0
30/03/2018	19:53:22	-0.095	46.1	13.69		0	0	0
30/03/2018	20:23:22	-0.096	45.92	13.68		0	0	0
30/03/2018	20:53:22	-0.095	45.83	13.64		0	0	0
30/03/2018	21:23:22	-0.095	45.78	13.6		0	0	0
30/03/2018	21:53:22	-0.096	45.69	13.57		0	0	0
30/03/2018	22:23:22	-0.097	45.51	13.54		0	0	0
30/03/2018	22:53:22	-0.095	45.47	13.5		0	0	0
30/03/2018	23:23:22	-0.097	45.33	13.48		0	0	0
30/03/2018	23:53:22	-0.097	45.28	13.47		0	0	0
31/03/2018	00:23:22	-0.096	45.33	13.47		0	0	0
31/03/2018	00:53:22	-0.096	45.33	13.5		0	0	0
31/03/2018	01:23:22	-0.097	45.28	13.54		0	0	0
31/03/2018	01:53:22	-0.097	45.42	13.57		0	0	0
31/03/2018	02:23:22	-0.098	45.19	13.6		0	0	0
31/03/2018	02:53:22	-0.097	45.33	13.61		0	0	0
31/03/2018	03:23:22	-0.097	45.47	13.65		0	0	0
31/03/2018	03:53:22	-0.097	45.56	13.7		0	0	0
31/03/2018	04:23:22	-0.096	45.65	13.74		0	0	0
31/03/2018	04:53:22	-0.097	45.74	13.78		0	0	0
31/03/2018	05:23:22	-0.096	45.87	13.81		0	0	0
31/03/2018	05:53:22	-0.097	45.87	13.79		0	0	0
31/03/2018	06:23:22	-0.095	45.87	13.79		0	0	0
31/03/2018	06:53:22	-0.098	46.14	13.8		0	0	0
31/03/2018	07:23:22	-0.097	46.19	13.8		0	0	0
31/03/2018	07:53:22	-0.097	46.14	13.78		0	0	0
31/03/2018	08:23:22	-0.097	46.05	13.74		0	0	0
31/03/2018	08:53:22	-0.098	46.23	13.72		0	0	0
31/03/2018	09:23:22	-0.097	46.19	13.74		0	0	0
31/03/2018	09:53:22	-0.098	46.23	13.74		0	0	0
31/03/2018	10:23:22	-0.098	46.28	13.76		0	0	0
31/03/2018	10:53:22	-0.101	45.78	13.75		0	0	0
31/03/2018	11:23:22	-0.099	45.38	13.66		0	0	0
31/03/2018	11:53:22	-0.1	45.42	13.53		0	0	0
31/03/2018	12:23:22	-0.098	45.47	13.42		0	0	0
31/03/2018	12:53:22	-0.098	45.33	13.36		0	0	0
31/03/2018	13:23:22	-0.098	45.28	13.32		0	0	0
31/03/2018	13:53:22	-0.098	45.06	13.29		0	0	0
31/03/2018	14:23:22	-0.099	45.1	13.25		0	0	0
31/03/2018	14:53:22	-0.099	45.1	13.22		0	0	0
31/03/2018	15:23:22	-0.099	44.92	13.2		0	0	0
31/03/2018	15:53:22	-0.098	44.92	13.14		0	0	0
31/03/2018	16:23:22	-0.098	44.97	13.07		0	0	0
31/03/2018	16:53:22	-0.098	44.97	13.05		0	0	0
31/03/2018	17:23:22	-0.1	44.38	12.98		0	0	0
31/03/2018	17:53:22	-0.102	44.06	12.91		0	0	0
31/03/2018	18:23:22	-0.101	43.84	12.83		0	0	0
31/03/2018	18:53:22	-0.099	43.97	12.77		0	0	0
31/03/2018	19:23:22	-0.1	43.84	12.77		0	0	0
31/03/2018	19:53:22	-0.098	44.02	12.83		0	0	0
31/03/2018	20:23:22	-0.099	43.97	12.88		0	0	0
31/03/2018	20:53:22	-0.098	44.11	12.91		0	0	0
31/03/2018	21:23:22	-0.099	43.75	12.94		0	0	0
31/03/2018	21:53:22	-0.099	43.66	12.95		0	0	0
31/03/2018	22:23:22	-0.098	43.93	12.93		0	0	0
31/03/2018	22:53:22	-0.097	43.93	12.96		0	0	0
31/03/2018	23:23:22	-0.098	44.02	12.96		0	0	0
31/03/2018	23:53:22	-0.099	43.79	12.96		0	0	0

Average Flow between 10/01/2018 04:52:39 and 13/01/2018 11:53:22: 0.464750251 l/s

APPENDIX E

Landfill Gas Monitoring Data

Monitoring Point	Methane (CH4) %				Carbon Dioxide (CO2) %				Oxygen (O2) %		
	Compliance Limit (%)	12/01/18	19/02/18	15/03/18	Compliance Limit (%)	12/01/18	19/02/18	15/03/18	12/01/18	19/02/18	15/03/18
BH101	1.0	-	-	-	5.8	-	-	-	-	-	-
BH102 (BH3)		0	0	0	5.5	0.1	0.4	0.1	19	20.5	18.9
BH104		0	0	0	5.5	0.1	0.2	0.2	19.1	19	19
BH105		0	0	0	2.1	0.4	0.4	0.4	20.1	20.4	20.4
BH1		0	0	0	11	0.4	0.6	0.5	20	20.3	20.3
BH2		0.1	0	0	2.3	0.5	0.4	0.4	20.1	20.5	20.6
BH4		0	0	0	1.1	0.4	0.5	0.4	18.9	21	18.7
BH5		0.1	0	0	1.1	0.5	0.5	0.9	20	20.4	20
BH6		0.1	0	0	6	0.1	0.5	0.5	20.5	20.4	20.9
BH9		0	0	0	13.8	0.4	0.6	0.5	19.1	19.7	19.7
BH15		0	0	0	8.2	0.9	0.3	0.3	20.1	21	19.3
BH18		0	0	0	8.6	0.4	0.4	0.4	19.9	20.1	19
BH20		0	0	0	10.1	0.4	0.2	0.5	19.1	19.8	19.9
TP1		0.1	0.1	0.1	10	0.5	0.4	0.8	19.7	18.1	19.7
TP9		0	0	0	21.7	0.3	0.3	1.3	18.5	18.3	18.3
TP10		0	0	0	4.3	0.4	0.4	0.4	20.6	20.5	20.6
TP11		0.1	0.1	0	3.1	0.5	0.6	0.6	19	19.7	19.7
TP12		0	0	0	11.6	0	0.7	0.7	20.4	20.4	20.4
GW1		0	0	0	5	0.4	0.2	0.2	20.8	20.9	20.9

Compliance Limit (%)	Monitoring Point								
	BH24			BH25			BH26		
	CH4 (%)	CO2 (%)	O2 (%)	CH4 (%)	CO2 (%)	O2 (%)	CH4 (%)	CO2 (%)	O2 (%)
	1.0	2.3	N/A	1.0	2.3	N/A	1.0	2.3	N/A
12/01/18	0	0.3	19.7	0	0.3	20.1	0	0.2	19.8
19/01/18	0	0.9	18.4	0	0.4	19.6	0	0	22.4
25/01/18	0	0.7	19.2	0	0.4	20.1	0	0	21
31/01/18	0	0.2	17.3	0	0.1	19.1	0	0.1	17.9
07/02/18	0	0.4	15.1	0	0.2	19	0	0.1	16.8
14/02/18	0	0.8	14.8	0	0.1	17.9	0	0.1	17.1
19/02/18	0	0.3	20.5	0	0.4	20.8	0	0.7	20.1
28/02/18	0.1	0.6	18.6	0.1	1	17.1	0	0.8	19.4
07/03/18	0	0.1	17.6	0	0.1	18.2	0	0	17.8
15/03/18	0	0.3	20.5	0	0.7	20.8	0	0.5	20.1
21/03/18	0.1	1	19.7	0	0.6	11.4	0.1	0.6	16.6
28/03/18	0.1	0	21.4	0.1	0.2	18.6	0	0.2	18.2

	Monitoring Point					
	BH27			BH28		
	CH4 (%)	CO2 (%)	O2 (%)	CH4 (%)	CO2 (%)	O2 (%)
	1.0	2.3	N/A	1.0	2.3	N/A
Compliance Limit (%)						
12/01/18	0	0.2	17	0	0.5	18
19/01/18	0	1.5	9.2	0	2.1	8.3
25/01/18	0	1.4	7.2	0	1.9	5.8
31/01/18	0	0.2	18.1	0.9	2.2	12.4
07/02/18	0.1	0.3	15.8	0	1.9	14.2
14/02/18	0	0.4	14.2	0.1	0.9	15.9
19/02/18	0	0.4	18	0	0.7	18
28/02/18	0	0.6	11.7	0.1	1.9	7.8
07/03/18	0.1	0.1	9.7	0.1	0.1	8.8
15/03/18	0	0.6	14	0	0.9	16.4
21/03/18	0.1	2.1	8.2	0.1	2.2	7.4
28/03/18	0.1	0.6	11.8	0.1	1.9	12.2

Notes:

 Denotes exceedance of compliance limit

- Not sampled

APPENDIX F

In-Waste Gas Results

Date	ID	CH4 (%)	CO2 (%)	O2 (%)	BARO (mb)	Vacuum (mb)	CO (ppm)	H2S (ppm)
11/01/2018	WIV GC MB	47.8	34.1	0.1	1001	-47	0	FILTERED
11/01/2018	WIVA MB	33.1	21.1	0	1001	-44	0	FILTERED
11/01/2018	WIVA0027	10.1	23.5	5	1001	0	0	FILTERED
11/01/2018	WIVA0026	29.9	20.5	5.2	1001	0	0	FILTERED
11/01/2018	WIVA0025	38.9	30	0.2	1001	-5	0	FILTERED
11/01/2018	WIVA0020	47.9	27.2	0.1	1001	-20	0	FILTERED
11/01/2018	WIVA0019	39.1	22.4	0.3	1001	-10	0	FILTERED
11/01/2018	WIVA0018	40.6	24.4	0.2	1001	-10	0	FILTERED
11/01/2018	WIVA0013	48.3	33.1	0.1	1001	-20	0	FILTERED
11/01/2018	WIVA0012	31.3	22.4	0.5	1001	-2	0	FILTERED
11/01/2018	WIVA0011	26.2	19	0.1	1001	0	0	FILTERED
11/01/2018	WIVA0010	32.2	21.6	0.2	1001	-1	0	FILTERED
11/01/2018	WIVA0001	10.3	13.2	0	1001	0	0	FILTERED
11/01/2018	WIVA0002	40.3	20.3	2.5	1001	-10	0	FILTERED
11/01/2018	WIVA0003	20.3	12.1	17.3	1001	0	0	FILTERED
11/01/2018	WIVA0004	19.9	16.2	0.3	1001	0	0	FILTERED
11/01/2018	WIVA0005	40.2	29.3	0.2	1001	-15	0	FILTERED
11/01/2018	WIVB MB	39.9	26.2	0.1	1001	-43	0	FILTERED
11/01/2018	WIVB0025	33.1	22.1	0.2	1001	-5	0	FILTERED
11/01/2018	WIVB0034	46.9	33.3	0.2	1001	-32	0	FILTERED
11/01/2018	WIVB0033	30.3	19.3	3.5	1001	0	0	FILTERED
11/01/2018	WIVB0032	22.5	18.9	0.3	1001	0	0	FILTERED
11/01/2018	WIVB0039	11.1	14.6	19.7	1001	0	0	FILTERED
11/01/2018	WIVB0040	10	0.8	10.9	1001	0	0	FILTERED
11/01/2018	WIVB0041	35.2	24.2	0.1	1001	-1	0	FILTERED
11/01/2018	WIVB0047	22.5	20.1	0.1	1001	0	0	FILTERED
11/01/2018	WIVB0046	24.2	20.2	16.7	1001	0	0	FILTERED
11/01/2018	WIVB0048	39.9	18.4	2.9	1001	-4	0	FILTERED
11/01/2018	WIVB MA	42	26.2	0.1	1001	-45	0	FILTERED
11/01/2018	WIVC MB	39.9	24.6	0.2	1001	-46	0	FILTERED
11/01/2018	WIVC0009	34.7	27.2	0.4	1001	-1	0	FILTERED
11/01/2018	WIVC0017	47.6	32.1	0.2	1001	-15	0	FILTERED
11/01/2018	WIVC0007	44.3	26.3	0.1	1001	-10	0	FILTERED
11/01/2018	WIVC0006	0.9	17	0.5	1001	0	0	FILTERED
11/01/2018	WIVC0014	33	23.4	0	1001	0	0	FILTERED
11/01/2018	WIVC0015	50.3	27.2	0	1001	-15	0	FILTERED
11/01/2018	WIVC0016	44	27.4	0	1001	-10	0	FILTERED
11/01/2018	WIVC0024	45.1	30.3	0.2	1001	-10	0	FILTERED
11/01/2018	WIVC0021	37.1	25.3	0.9	1001	-5	0	FILTERED
11/01/2018	WIVC0022	43.1	25	0.1	1001	-20	0	FILTERED
11/01/2018	WIVC0023	39.8	29.9	0.1	1001	-5	0	FILTERED
11/01/2018	WIVC0028	50.2	24.6	0.1	1001	-15	0	FILTERED
11/01/2018	WIVC0029	39.2	21	2.2	1001	-5	0	FILTERED
11/01/2018	WIVC0030	51.7	25.2	0.2	1001	-10	0	FILTERED
11/01/2018	WIVC MA	44.6	27.2	0.1	1001	-44	0	FILTERED

Date	ID	CH4 (%)	CO2 (%)	O2 (%)	BARO (mb)	Vacuum (mb)	CO (ppm)	H2S (ppm)
11/01/2018	WIVD MB	38.9	29.3	0.4	1001	-42	0	FILTERED
11/01/2018	WIVD0052	37.3	23.2	0.2	1001	-5	0	FILTERED
11/01/2018	WIVD0051	46.3	35.1	0	1001	-15	0	FILTERED
11/01/2018	WIVD0049	38.1	22.1	1.3	1001	-1	0	FILTERED
11/01/2018	WIVD0050	38.7	21.3	0.2	1001	-5	0	FILTERED
11/01/2018	WIVD0045	48.2	24.6	0.4	1001	-10	0	FILTERED
11/01/2018	WIVD0043	37.9	21.2	0.1	1001	-5	0	FILTERED
11/01/2018	WIVD0042	33.1	22.2	0.2	1001	-1	0	FILTERED
11/01/2018	WIVD0044	35.8	18.8	0.1	1001	-1	0	FILTERED
11/01/2018	WIVD0035	29.9	20.1	0.2	1001	0	0	FILTERED
11/01/2018	WIVD0036	44.1	24.1	0	1001	-5	0	FILTERED
11/01/2018	WIVD0037	35.1	21	0.2	1001	-1	0	FILTERED
11/01/2018	WIV0038	15.3	11.2	0.8	1001	0	0	FILTERED
11/01/2018	WIVD MA	41.1	28.7	0.1	1001	-41	0	FILTERED
11/01/2018	WIVE MB	37.9	28.2	0.3	1001	-43	0	FILTERED
11/01/2018	WIVE0053	36.6	22.6	2.9	1001	-2	0	FILTERED
11/01/2018	WIVE0054	20	21.1	0.2	1001	0	0	FILTERED
11/01/2018	WIVE0055	44.2	25.2	0.2	1001	-10	0	FILTERED
11/01/2018	WIVE0056	16.4	14.2	6.9	1001	0	0	FILTERED
11/01/2018	WIVE0061	38.1	20.1	0.2	1001	-5	0	FILTERED
11/01/2018	WIVE0062	25.2	23.2	0.1	1001	0	0	FILTERED
11/01/2018	WIVE0063	31.3	20.1	0.5	1001	0	0	FILTERED
11/01/2018	WIVE0064	41.2	28.9	0.2	1001	-15	0	FILTERED
11/01/2018	WIVE0069	0.3	4.7	20.1	1001	0	0	FILTERED
11/01/2018	WIVE MA	41.1	27.3	0.2	1001	-41	0	FILTERED
11/01/2018	WIVF MB	37.8	33.4	0.2	1001	-41	0	FILTERED
11/01/2018	WIVF0072	44.2	36	0.1	1001	-15	0	FILTERED
11/01/2018	WIVF0071	39.7	33.1	0.1	1001	-10	0	FILTERED
11/01/2018	WIVF0070	41.2	36.7	0.4	1001	-10	0	FILTERED
11/01/2018	WIVF0067	39.1	25.1	0.3	1001	-5	0	FILTERED
11/01/2018	WIVF0065	34.4	23.6	0.3	1001	-3	0	FILTERED
11/01/2018	WIVF0063	44.1	30.1	0.3	1001	-15	0	FILTERED
11/01/2018	WIVF0060	39.1	22.3	0.2	1001	-5	0	FILTERED
11/01/2018	WIVF0059	40.3	24.5	0.1	1001	-10	0	FILTERED
11/01/2018	WIVF0058	46.2	25.7	0.2	1001	-10	0	FILTERED
11/01/2018	WIVF0057	2.3	5.6	20.5	1001	0	0	FILTERED
11/01/2018	WIVF MA	43.6	35.8	0.1	1001	-39	0	FILTERED
11/01/2018	WIV0095	59.1	37.2	0.1	1001	-20	0	FILTERED
11/01/2018	WIV0097	52.2	33.2	0.1	1001	-20	0	FILTERED
11/01/2018	WIV0099	46.2	33.2	0.1	1001	-20	0	FILTERED
11/01/2018	WIV0096	54.2	34.2	0.2	1001	-20	0	FILTERED
11/01/2018	WIV0098	56.1	34.1	0.1	1001	-20	0	FILTERED
11/01/2018	WIV0100	59.1	32.2	0.1	1001	-20	0	FILTERED
11/01/2018	WIV00102	10.1	0.3	20.7	1001	0	0	FILTERED
11/01/2018	WIV0103	58.2	33.6	0.1	1001	-20	0	FILTERED

Date	ID	CH4 (%)	CO2 (%)	O2 (%)	BARO (mb)	Vacuum (mb)	CO (ppm)	H2S (ppm)
11/01/2018	WIV0118	56.3	44.1	0.1	1001	-20	0	FILTERED
11/01/2018	WIV0117	53.1	42	0.1	1001	-20	0	FILTERED
11/01/2018	WIV0017	10.2	11.3	20.8	1001	0	0	FILTERED
11/01/2018	WIV0119	54.1	38.2	0.1	1001	-20	0	FILTERED
11/01/2018	WIV0091	52.1	38.9	0.1	1001	-20	0	FILTERED
11/01/2018	LM5	48.2	34.2	2.4	1001	-20	0	FILTERED
11/01/2018	WIV0020	55.2	38.3	0.1	1001	-20	0	FILTERED
11/01/2018	WIV0012	52.1	38.6	0.1	1001	-20	0	FILTERED
11/01/2018	WIV0011	55.7	39.1	0.1	1001	-20	0	FILTERED
11/01/2018	WIV0092	0	0	0	1001	0	0	FILTERED
11/01/2018	L3	0	0	0	1001	0	0	FILTERED
11/01/2018	WIV0009	10.2	5.4	19.9	1001	0	0	FILTERED
11/01/2018	WIV00125	54.2	39.2	0.2	1001	-20	0	FILTERED
11/01/2018	WIV0112	58.3	41.1	0.1	1001	-20	0	FILTERED
11/01/2018	WIV0111	54.7	43.2	0.1	1001	-20	0	FILTERED
11/01/2018	WIV0114	50.2	39.1	0.2	1001	-20	0	FILTERED
11/01/2018	WIV0113	23.4	27.3	0.1	1001	0	0	FILTERED
11/01/2018	WIV0104	60.1	46.2	0.1	1001	-20	0	FILTERED
11/01/2018	WIV0105	52	39.8	0.2	1001	-20	0	FILTERED
11/01/2018	WIV0106	58.2	42.1	0.1	1001	-20	0	FILTERED
11/01/2018	VL2	0.3	2.9	20.2	1001	0	0	FILTERED
11/01/2018	WIV0107	13.5	14.8	0.8	1001	0	0	FILTERED
11/01/2018	VLM1	16.5	17.2	8.9	1001	0	0	FILTERED
11/01/2018	WIV0107	40.7	33	0.2	1001	-10	0	FILTERED
11/01/2018	WIV0109	44.2	36.2	0	1001	-10	0	FILTERED
11/01/2018	WIV0110	22.9	26.3	0	1001	0	0	FILTERED
11/01/2018	WIV0101	40.2	32.2	0	1001	-10	0	FILTERED
11/01/2018	RD1	39.2	27.9	0	1001	-5	0	FILTERED
11/01/2018	WIV0102	29.3	28.3	0	1001	0	0	FILTERED
11/01/2018	WIV0103	27.2	23.2	0.1	1001	0	0	FILTERED
11/01/2018	WIV0118	50.2	37.3	0.1	1001	-20	0	FILTERED
11/01/2018	WIV0116	55.3	41.9	0.1	1001	-20	0	FILTERED
11/01/2018	L5	30.3	29.9	0.6	1001	0	0	FILTERED
11/01/2018	L4	37.2	24.5	0.9	1001	-5	0	FILTERED
11/01/2018	WIVJ0020	47.4	38.3	0.2	1001	-10	0	FILTERED
11/01/2018	LM5	26.3	21.1	5.3	1001	-5	0	FILTERED
17/01/2018	WIV GC MB	48.1	37.1	0.1	1005	-42	0	FILTERED
17/01/2018	WIVA MB	36.1	26.7	0.2	1005	-39	0	FILTERED
17/01/2018	WIVA0027	17.2	12.5	4.5	1005	0	0	FILTERED
17/01/2018	WIVA0026	31.5	22.2	4.1	1005	-1	0	FILTERED
17/01/2018	WIVA0025	40.4	28.5	0.2	1005	-5	0	FILTERED
17/01/2018	WIVA0020	46	33.1	0.3	1005	-15	0	FILTERED
17/01/2018	WIVA0019	26.2	24.1	0.1	1005	0	0	FILTERED
17/01/2018	WIVA0018	44.1	28.2	0.2	1005	-15	0	FILTERED
17/01/2018	WIVA0013	40.2	32.1	0.1	1005	-10	0	FILTERED

Date	ID	CH4 (%)	CO2 (%)	O2 (%)	BARO (mb)	Vacuum (mb)	CO (ppm)	H2S (ppm)
17/01/2018	WIVA0012	22.3	19.3	0.1	1005	0	0	FILTERED
17/01/2018	WIVA0011	27.3	20.7	0.2	1005	0	0	FILTERED
17/01/2018	WIVA0010	22	20.1	0.2	1005	0	0	FILTERED
17/01/2018	WIVA0001	14.9	12.7	0.1	1005	0	0	FILTERED
17/01/2018	WIVA0002	42.3	21.2	2.5	1005	-5	0	FILTERED
17/01/2018	WIVA0003	12.6	12	19.3	1005	0	0	FILTERED
17/01/2018	WIVA0004	17.2	23.7	0.6	1005	0	0	FILTERED
17/01/2018	WIVA0005	44.4	28	0.1	1005	-37	0	FILTERED
17/01/2018	WIVB MB	33.1	26.4	0.1	1005	-37	0	FILTERED
17/01/2018	WIVB0025	32.1	23.1	0.1	1005	0	0	FILTERED
17/01/2018	WIVB0034	47.2	32.1	0.2	1005	-15	0	FILTERED
17/01/2018	WIVB0033	30.4	20.1	1.5	1005	0	0	FILTERED
17/01/2018	WIVB0032	25.3	18	0.1	1005	0	0	FILTERED
17/01/2018	WIVB0039	15.2	10.3	20.2	1005	0	0	FILTERED
17/01/2018	WIVB0040	17.4	0.2	19.9	1005	0	0	FILTERED
17/01/2018	WIVB0041	38.7	24.2	0.1	1005	-3	0	FILTERED
17/01/2018	WIVB0047	25.3	19.4	0.1	1005	0	0	FILTERED
17/01/2018	WIVB0046	21.3	20.9	18.7	1005	0	0	FILTERED
17/01/2018	WIVB0048	40.2	18.4	2.9	1005	-10	0	FILTERED
17/01/2018	WIVB MA	40.4	28.3	0.1	1005	-35	0	FILTERED
17/01/2018	WIVC MB	39	23.8	0.6	1005	-35	0	FILTERED
17/01/2018	WIVC0009	37.5	27.5	0.2	1005	-5	0	FILTERED
17/01/2018	WIVC0017	43.2	32.1	0.2	1005	-10	0	FILTERED
17/01/2018	WIVC0007	39.1	28.5	0.1	1005	-5	0	FILTERED
17/01/2018	WIVC0006	10.7	8.9	0.3	1005	0	0	FILTERED
17/01/2018	WIVC0014	32.1	22.4	0	1005	0	0	FILTERED
17/01/2018	WIVC0015	42.1	23.8	0	1005	-10	0	FILTERED
17/01/2018	WIVC0016	37.4	26.2	0	1005	-5	0	FILTERED
17/01/2018	WIVC0024	37.8	21.1	0.1	1005	-3	0	FILTERED
17/01/2018	WIVC0021	28.4	25.3	0.9	1005	0	0	FILTERED
17/01/2018	WIVC0022	40.2	25.4	0.1	1005	-15	0	FILTERED
17/01/2018	WIVC0023	33.5	24.7	0	1005	-1	0	FILTERED
17/01/2018	WIVC0028	29.9	24.6	0.1	1005	0	0	FILTERED
17/01/2018	WIVC0029	40.2	21.6	2	1005	-5	0	FILTERED
17/01/2018	WIVC0030	38.7	23.4	0.1	1005	-5	0	FILTERED
17/01/2018	WIVC MA	41.6	29.3	0	1005	-34	0	FILTERED
17/01/2018	WIVD MB	34.1	27	0.2	1005	-32	0	FILTERED
17/01/2018	WIVD0052	36.3	23.2	0.1	1005	-4	0	FILTERED
17/01/2018	WIVD0051	44.4	32.8	0	1005	-10	0	FILTERED
17/01/2018	WIVD0049	35.2	23.1	0.2	1005	-5	0	FILTERED
17/01/2018	WIVD0050	33.2	21.3	0.1	1005	-1	0	FILTERED
17/01/2018	WIVD0045	49.2	25.3	0.2	1005	-15	0	FILTERED
17/01/2018	WIVD0043	35.2	22.1	0.1	1005	-1	0	FILTERED
17/01/2018	WIVD0042	29.1	19.3	0.1	1005	0	0	FILTERED
17/01/2018	WIVD0044	38.1	20.2	0.1	1005	-1	0	FILTERED

Date	ID	CH4 (%)	CO2 (%)	O2 (%)	BARO (mb)	Vacuum (mb)	CO (ppm)	H2S (ppm)
17/01/2018	WIVD0035	23.1	19.9	0.2	1005	0	0	FILTERED
17/01/2018	WIVD0036	39.2	25.2	0	1005	-1	0	FILTERED
17/01/2018	WIVD0037	33.4	22.1	0.2	1005	0	0	FILTERED
17/01/2018	WIV0038	19.4	23.4	0.2	1005	0	0	FILTERED
17/01/2018	WIVD MA	40.1	28.7	0.1	1005	-30	0	FILTERED
17/01/2018	WIVE MB	39.4	25.3	0.2	1005	-30	0	FILTERED
17/01/2018	WIVE0053	31.8	22.2	0.9	1005	-5	0	FILTERED
17/01/2018	WIVE0054	17.2	22.1	0.3	1005	0	0	FILTERED
17/01/2018	WIVE0055	32.2	26	0.2	1005	0	0	FILTERED
17/01/2018	WIVE0056	10.4	13.2	15.3	1005	0	0	FILTERED
17/01/2018	WIVE0061	30.5	20.3	0.1	1005	0	0	FILTERED
17/01/2018	WIVE0062	22.4	20.1	0.2	1005	0	0	FILTERED
17/01/2018	WIVE0063	35.6	23.3	0.2	1005	-5	0	FILTERED
17/01/2018	WIVE0064	44.5	29.1	0	1005	-15	0	FILTERED
17/01/2018	WIVE0069	0	7.9	19.1	1005	0	0	FILTERED
17/01/2018	WIVE MA	40.4	21.3	0.2	1005	-30	0	FILTERED
17/01/2018	WIVF MB	34.8	30.2	0.4	1005	-30	0	FILTERED
17/01/2018	WIVF0072	40.7	36.3	0.2	1005	-10	0	FILTERED
17/01/2018	WIVF0071	40.3	29.3	0.1	1005	-10	0	FILTERED
17/01/2018	WIVF0070	45.2	33.6	0.2	1005	-15	0	FILTERED
17/01/2018	WIVF0067	40.2	24.4	0.1	1005	-5	0	FILTERED
17/01/2018	WIVF0065	30.2	23.9	0.2	1005	0	0	FILTERED
17/01/2018	WIVF0063	41.9	31.1	0.2	1005	-10	0	FILTERED
17/01/2018	WIVF0060	38.3	23.5	0.2	1005	-5	0	FILTERED
17/01/2018	WIVF0059	36.5	23.5	0.3	1005	-1	0	FILTERED
17/01/2018	WIVF0058	46.2	25.7	0.2	1005	-10	0	FILTERED
17/01/2018	WIVF0057	1.6	10.4	19.4	1005	0	0	FILTERED
17/01/2018	WIVF MA	42.1	35.8	0.1	1005	-30	0	FILTERED
17/01/2018	WIV0095	55.3	38	0.1	1005	-20	0	FILTERED
17/01/2018	WIV0097	56.2	37.2	0.1	1005	-20	0	FILTERED
17/01/2018	WIV0099	48.7	32.3	0.1	1005	-20	0	FILTERED
17/01/2018	WIV0096	53.2	34.6	0.1	1005	-20	0	FILTERED
17/01/2018	WIV0098	54.5	34.1	0.1	1005	-20	0	FILTERED
17/01/2018	WIV0100	51.4	32.2	0.1	1005	-20	0	FILTERED
17/01/2018	WIV00102	14.7	0.8	19.6	1005	0	0	FILTERED
17/01/2018	WIV0103	55.4	35.6	0.3	1005	-20	0	FILTERED
17/01/2018	WIV0118	58.3	39.3	0.1	1005	-20	0	FILTERED
17/01/2018	WIV0117	53.2	39.6	0.1	1005	-20	0	FILTERED
17/01/2018	WIV0017	20.3	20.7	19	1005	0	0	FILTERED
17/01/2018	WIV0119	57.3	39.9	0.1	1005	-20	0	FILTERED
17/01/2018	WIV0091	53.4	36.3	0.1	1005	-20	0	FILTERED
17/01/2018	LM5	50.1	34.2	1.8	1005	-20	0	FILTERED
17/01/2018	WIV0020	52.2	38.3	0.2	1005	-20	0	FILTERED
17/01/2018	WIV0012	55.5	38.6	0.1	1005	-20	0	FILTERED
17/01/2018	WIV0011	51.4	37.4	0.1	1005	-20	0	FILTERED

Date	ID	CH4 (%)	CO2 (%)	O2 (%)	BARO (mb)	Vacuum (mb)	CO (ppm)	H2S (ppm)
17/01/2018	WIV0092	10.4	13	0	1005	0	0	FILTERED
17/01/2018	L3	22.6	12.6	0	1005	0	0	FILTERED
17/01/2018	WIV0009	9.9	5.4	19.9	1005	0	0	FILTERED
17/01/2018	WIV00125	57.4	35.2	0.1	1005	-20	0	FILTERED
17/01/2018	WIV0112	55.4	41.1	0.1	1005	-20	0	FILTERED
17/01/2018	WIV0111	59.3	41.2	0.1	1005	-20	0	FILTERED
17/01/2018	WIV0114	51.1	39.1	0.2	1005	-20	0	FILTERED
17/01/2018	WIV0113	21.7	22.5	0.1	1005	0	0	FILTERED
17/01/2018	WIV0104	58.4	43.3	0.1	1005	-20	0	FILTERED
17/01/2018	WIV0105	55.5	39.8	0.2	1005	-20	0	FILTERED
17/01/2018	WIV0106	54.3	40	0.1	1005	-20	0	FILTERED
17/01/2018	VL2	12.8	5.7	18.3	1005	0	0	FILTERED
17/01/2018	WIV0107	30.4	20.4	0.2	1005	0	0	FILTERED
17/01/2018	VLM1	27.5	17.2	0.7	1005	0	0	FILTERED
17/01/2018	WIV0107	44.4	28.9	0.2	1005	-10	0	FILTERED
17/01/2018	WIV0109	39.6	36.2	0	1005	-5	0	FILTERED
17/01/2018	WIV0110	26.4	28.4	0	1005	0	0	FILTERED
17/01/2018	WIV0101	38.9	32.2	0	1005	-5	0	FILTERED
17/01/2018	RD1	47.4	29.9	0	1005	-10	0	FILTERED
17/01/2018	WIV0102	22.5	27.4	0	1005	0	0	FILTERED
17/01/2018	WIV0103	21.3	21.9	0.1	1005	0	0	FILTERED
17/01/2018	WIV0118	54.3	38.4	0.3	1005	-20	0	FILTERED
17/01/2018	WIV0116	58.4	41.9	0.1	1005	-20	0	FILTERED
17/01/2018	L5	37.4	28.3	0.2	1005	0	0	FILTERED
17/01/2018	L4	40.2	24.5	0.9	1005	-5	0	FILTERED
17/01/2018	WIVJ0020	51.3	38.3	0.2	1005	-20	0	FILTERED
17/01/2018	LM5	26.3	21.1	5.3	1005	-5	0	FILTERED
23/01/2018	WIV GC MB	48.1	37.1	0.1	999	-42	0	FILTERED
23/01/2018	WIVA MB	36.1	26.7	0.2	999	-39	0	FILTERED
23/01/2018	WIVA0027	17.2	12.5	4.5	999	0	0	FILTERED
23/01/2018	WIVA0026	31.5	22.2	4.1	999	-1	0	FILTERED
23/01/2018	WIVA0025	40.4	28.5	0.2	999	-10	0	FILTERED
23/01/2018	WIVA0020	46	33.1	0.3	999	-15	0	FILTERED
23/01/2018	WIVA0019	26.2	24.1	0.1	999	0	0	FILTERED
23/01/2018	WIVA0018	44.1	28.2	0.2	999	-15	0	FILTERED
23/01/2018	WIVA0013	40.2	32.1	0.1	999	-10	0	FILTERED
23/01/2018	WIVA0012	22.3	19.3	0.1	999	0	0	FILTERED
23/01/2018	WIVA0011	27.3	20.7	0.2	999	0	0	FILTERED
23/01/2018	WIVA0010	22	20.1	0.2	999	0	0	FILTERED
23/01/2018	WIVA0001	14.9	12.7	0.1	999	0	0	FILTERED
23/01/2018	WIVA0002	42.3	21.2	2.5	999	-10	0	FILTERED
23/01/2018	WIVA0003	12.6	12	19.3	999	0	0	FILTERED
23/01/2018	WIVA0004	17.2	23.7	0.6	999	0	0	FILTERED
23/01/2018	WIVA0005	44.4	28	0.1	999	-38	0	FILTERED
23/01/2018	WIVB MB	33.1	26.4	0.1	999	-37	0	FILTERED

Date	ID	CH4 (%)	CO2 (%)	O2 (%)	BARO (mb)	Vacuum (mb)	CO (ppm)	H2S (ppm)
23/01/2018	WIVB0025	32.1	23.1	0.1	999	-1	0	FILTERED
23/01/2018	WIVB0034	47.2	32.1	0.2	999	-15	0	FILTERED
23/01/2018	WIVB0033	30.4	20.1	1.5	999	0	0	FILTERED
23/01/2018	WIVB0032	25.3	18	0.1	999	0	0	FILTERED
23/01/2018	WIVB0039	15.2	10.3	20.2	999	0	0	FILTERED
23/01/2018	WIVB0040	17.4	0.2	19.9	999	0	0	FILTERED
23/01/2018	WIVB0041	38.7	24.2	0.1	999	-5	0	FILTERED
23/01/2018	WIVB0047	25.3	19.4	0.1	999	0	0	FILTERED
23/01/2018	WIVB0046	21.3	20.9	18.7	999	0	0	FILTERED
23/01/2018	WIVB0048	40.2	18.4	2.9	999	-10	0	FILTERED
23/01/2018	WIVB MA	40.4	28.3	0.1	999	-34	0	FILTERED
23/01/2018	WIVC MB	39	23.8	0.6	999	-34	0	FILTERED
23/01/2018	WIVC0009	37.5	27.5	0.2	999	-1	0	FILTERED
23/01/2018	WIVC0017	43.2	32.1	0.2	999	-10	0	FILTERED
23/01/2018	WIVC0007	39.1	28.5	0.1	999	-5	0	FILTERED
23/01/2018	WIVC0006	10.7	8.9	0.3	999	0	0	FILTERED
23/01/2018	WIVC0014	32.1	22.4	0	999	0	0	FILTERED
23/01/2018	WIVC0015	42.1	23.8	0	999	-10	0	FILTERED
23/01/2018	WIVC0016	37.4	26.2	0	999	-5	0	FILTERED
23/01/2018	WIVC0024	37.8	21.1	0.1	999	-3	0	FILTERED
23/01/2018	WIVC0021	28.4	25.3	0.9	999	0	0	FILTERED
23/01/2018	WIVC0022	40.2	25.4	0.1	999	-15	0	FILTERED
23/01/2018	WIVC0023	33.5	24.7	0	999	-1	0	FILTERED
23/01/2018	WIVC0028	29.9	24.6	0.1	999	0	0	FILTERED
23/01/2018	WIVC0029	40.2	21.6	2	999	-10	0	FILTERED
23/01/2018	WIVC0030	38.7	23.4	0.1	999	-5	0	FILTERED
23/01/2018	WIVC MA	41.6	29.3	0	999	-33	0	FILTERED
23/01/2018	WIVD MB	34.1	27	0.2	999	-32	0	FILTERED
23/01/2018	WIVD0052	36.3	23.2	0.1	999	-5	0	FILTERED
23/01/2018	WIVD0051	44.4	32.8	0	999	-10	0	FILTERED
23/01/2018	WIVD0049	35.2	23.1	0.2	999	-1	0	FILTERED
23/01/2018	WIVD0050	33.2	21.3	0.1	999	-1	0	FILTERED
23/01/2018	WIVD0045	49.2	25.3	0.2	999	-15	0	FILTERED
23/01/2018	WIVD0043	35.2	22.1	0.1	999	-5	0	FILTERED
23/01/2018	WIVD0042	29.1	19.3	0.1	999	0	0	FILTERED
23/01/2018	WIVD0044	38.1	20.2	0.1	999	-5	0	FILTERED
23/01/2018	WIVD0035	23.1	19.9	0.2	999	0	0	FILTERED
23/01/2018	WIVD0036	39.2	25.2	0	999	-5	0	FILTERED
23/01/2018	WIVD0037	33.4	22.1	0.2	999	0	0	FILTERED
23/01/2018	WIV0038	19.4	23.4	0.2	999	0	0	FILTERED
23/01/2018	WIVD MA	40.1	28.7	0.1	999	-30	0	FILTERED
23/01/2018	WIVE MB	39.4	25.3	0.2	999	-30	0	FILTERED
23/01/2018	WIVE0053	31.8	22.2	0.9	999	-10	0	FILTERED
23/01/2018	WIVE0054	17.2	22.1	0.3	999	0	0	FILTERED
23/01/2018	WIVE0055	32.2	26	0.2	999	-1	0	FILTERED

Date	ID	CH4 (%)	CO2 (%)	O2 (%)	BARO (mb)	Vacuum (mb)	CO (ppm)	H2S (ppm)
23/01/2018	WIVE0056	10.4	13.2	15.3	999	0	0	FILTERED
23/01/2018	WIVE0061	30.5	20.3	0.1	999	0	0	FILTERED
23/01/2018	WIVE0062	22.4	20.1	0.2	999	0	0	FILTERED
23/01/2018	WIVE0063	35.6	23.3	0.2	999	-5	0	FILTERED
23/01/2018	WIVE0064	44.5	29.1	0	999	-15	0	FILTERED
23/01/2018	WIVE0069	0	7.9	19.1	999	0	0	FILTERED
23/01/2018	WIVE MA	40.4	21.3	0.2	999	-30	0	FILTERED
23/01/2018	WIVF MB	34.8	30.2	0.4	999	-30	0	FILTERED
23/01/2018	WIVF0072	40.7	36.3	0.2	999	-10	0	FILTERED
23/01/2018	WIVF0071	40.3	29.3	0.1	999	-10	0	FILTERED
23/01/2018	WIVF0070	45.2	33.6	0.2	999	-15	0	FILTERED
23/01/2018	WIVF0067	40.2	24.4	0.1	999	-5	0	FILTERED
23/01/2018	WIVF0065	30.2	23.9	0.2	999	0	0	FILTERED
23/01/2018	WIVF0063	41.9	31.1	0.2	999	-5	0	FILTERED
23/01/2018	WIVF0060	38.3	23.5	0.2	999	-5	0	FILTERED
23/01/2018	WIVF0059	36.5	23.5	0.3	999	-1	0	FILTERED
23/01/2018	WIVF0058	46.2	25.7	0.2	999	-10	0	FILTERED
23/01/2018	WIVF0057	1.6	10.4	19.4	999	0	0	FILTERED
23/01/2018	WIVF MA	42.1	35.8	0.1	999	-30	0	FILTERED
23/01/2018	WIV0095	55.3	38	0.1	999	-20	0	FILTERED
23/01/2018	WIV0097	56.2	37.2	0.1	999	-20	0	FILTERED
23/01/2018	WIV0099	48.7	32.3	0.1	999	-20	0	FILTERED
23/01/2018	WIV0096	53.2	34.6	0.1	999	-20	0	FILTERED
23/01/2018	WIV0098	54.5	34.1	0.1	999	-20	0	FILTERED
23/01/2018	WIV0100	51.4	32.2	0.1	999	-20	0	FILTERED
23/01/2018	WIV00102	14.7	0.8	19.6	999	0	0	FILTERED
23/01/2018	WIV0103	55.4	35.6	0.3	999	-20	0	FILTERED
23/01/2018	WIV0118	58.3	39.3	0.1	999	-20	0	FILTERED
23/01/2018	WIV0117	53.2	39.6	0.1	999	-20	0	FILTERED
23/01/2018	WIV0017	20.3	20.7	19	999	0	0	FILTERED
23/01/2018	WIV0119	57.3	39.9	0.1	999	-20	0	FILTERED
23/01/2018	WIV0091	53.4	36.3	0.1	999	-20	0	FILTERED
23/01/2018	LM5	50.1	34.2	1.8	999	-20	0	FILTERED
23/01/2018	WIV0020	52.2	38.3	0.2	999	-20	0	FILTERED
23/01/2018	WIV0012	55.5	38.6	0.1	999	-20	0	FILTERED
23/01/2018	WIV0011	51.4	37.4	0.1	999	-20	0	FILTERED
23/01/2018	WIV0092	10.4	13	0	999	0	0	FILTERED
23/01/2018	L3	22.6	12.6	0	999	0	0	FILTERED
23/01/2018	WIV0009	9.9	5.4	19.9	999	0	0	FILTERED
23/01/2018	WIV00125	57.4	35.2	0.1	999	-20	0	FILTERED
23/01/2018	WIV0112	55.4	41.1	0.1	999	-20	0	FILTERED
23/01/2018	WIV0111	59.3	41.2	0.1	999	-20	0	FILTERED
23/01/2018	WIV0114	51.1	39.1	0.2	999	-20	0	FILTERED
23/01/2018	WIV0113	21.7	22.5	0.1	999	0	0	FILTERED
23/01/2018	WIV0104	58.4	43.3	0.1	999	-20	0	FILTERED

Date	ID	CH4 (%)	CO2 (%)	O2 (%)	BARO (mb)	Vacuum (mb)	CO (ppm)	H2S (ppm)
23/01/2018	WIV0105	55.5	39.8	0.2	999	-20	0	FILTERED
23/01/2018	WIV0106	54.3	40	0.1	999	-20	0	FILTERED
23/01/2018	VL2	12.8	5.7	18.3	999	0	0	FILTERED
23/01/2018	WIV0107	30.4	20.4	0.2	999	0	0	FILTERED
23/01/2018	VLM1	27.5	17.2	0.7	999	0	0	FILTERED
23/01/2018	WIV0107	44.4	28.9	0.2	999	-10	0	FILTERED
23/01/2018	WIV0109	39.6	36.2	0	999	-5	0	FILTERED
23/01/2018	WIV0110	26.4	28.4	0	999	0	0	FILTERED
23/01/2018	WIV0101	38.9	32.2	0	999	-5	0	FILTERED
23/01/2018	RD1	47.4	29.9	0	999	-5	0	FILTERED
23/01/2018	WIV0102	22.5	27.4	0	999	0	0	FILTERED
23/01/2018	WIV0103	21.3	21.9	0.1	999	0	0	FILTERED
23/01/2018	WIV0118	54.3	38.4	0.3	999	-20	0	FILTERED
23/01/2018	WIV0116	58.4	41.9	0.1	999	-20	0	FILTERED
23/01/2018	L5	37.4	28.3	0.2	999	-5	0	FILTERED
23/01/2018	L4	40.2	24.5	0.9	999	-5	0	FILTERED
23/01/2018	WIVJ0020	51.3	38.3	0.2	999	-20	0	FILTERED
23/01/2018	LM5	26.3	21.1	5.3	999	-5	0	FILTERED
02/02/2018	WIV GC MB	43	31.1	1	1000	-50	-	FILTERED
02/02/2018	WIVA MB	32.1	23.9	0.2	1000	-45	-	FILTERED
02/02/2018	WIVA0027	13.7	12.1	3.5	1000	0	-	FILTERED
02/02/2018	WIVA0026	22.9	16.7	6.8	1000	0	-	FILTERED
02/02/2018	WIVA0025	40	29.9	0.5	1000	10	-	FILTERED
02/02/2018	WIVA0020	48.3	28.7	0.2	1000	-15	-	FILTERED
02/02/2018	WIVA0019	36.3	23.6	0.1	1000	-15	-	FILTERED
02/02/2018	WIVA0018	44.1	25.7	0.1	1000	-10	-	FILTERED
02/02/2018	WIVA0013	53.8	30.4	0.1	1000	-10	-	FILTERED
02/02/2018	WIVA0012	33.1	21.4	0.1	1000	-1	-	FILTERED
02/02/2018	WIVA0011	29.7	21.5	0.2	1000	0	-	FILTERED
02/02/2018	WIVA0010	25.2	24.9	0.4	1000	0	-	FILTERED
02/02/2018	WIVA0001	17	16	0	1000	0	-	FILTERED
02/02/2018	WIVA0002	35	19.1	4.5	1000	-2	-	FILTERED
02/02/2018	WIVA0003	0.2	4.2	18	1000	0	-	FILTERED
02/02/2018	WIVA0004	17.4	16.3	0.4	1000	0	-	FILTERED
02/02/2018	WIVA0005	31.5	24.5	0.3	1000	-7	-	FILTERED
02/02/2018	WIVB MB	31.8	19.6	1.1	1000	-48	-	FILTERED
02/02/2018	WIVB0025	25.9	20.6	1.1	1000	0	-	FILTERED
02/02/2018	WIVB0034	39	23.9	0.3	1000	-5	-	FILTERED
02/02/2018	WIVB0033	32.6	14.2	5.4	1000	-1	-	FILTERED
02/02/2018	WIVB0032	29.2	19.9	0.1	1000	0	-	FILTERED
02/02/2018	WIVB0039	0.7	8.1	18.5	1000	0	-	FILTERED
02/02/2018	WIVB0040	0	3	20	1000	0	-	FILTERED
02/02/2018	WIVB0041	34	22.6	0.1	1000	-5	-	FILTERED
02/02/2018	WIVB0047	26.2	21.6	0.1	1000	0	-	FILTERED
02/02/2018	WIVB0046	20.6	7	12.7	1000	0	-	FILTERED

Date	ID	CH4 (%)	CO2 (%)	O2 (%)	BARO (mb)	Vacuum (mb)	CO (ppm)	H2S (ppm)
02/02/2018	WIVB0048	43	16.3	3.8	1000	-10	-	FILTERED
02/02/2018	WIVB MA	41.7	24	0.1	1000	-48	-	FILTERED
02/02/2018	WIVC MB	48.8	25.4	0.3	1000	-47	-	FILTERED
02/02/2018	WIVC0009	32.8	25	0.1	1000	0	-	FILTERED
02/02/2018	WIVC0017	50.3	29.1	0.1	1000	-10	-	FILTERED
02/02/2018	WIVC0007	51.3	27.9	0.1	1000	-10	-	FILTERED
02/02/2018	WIVC0006	11.4	21.4	0.1	1000	0	-	FILTERED
02/02/2018	WIVC0014	29.6	23.5	0	1000	0	-	FILTERED
02/02/2018	WIVC0015	46.7	26.9	0	1000	-5	-	FILTERED
02/02/2018	WIVC0016	43.3	26.7	0	1000	-5	-	FILTERED
02/02/2018	WIVC0024	49.2	29.5	0.1	1000	-10	-	FILTERED
02/02/2018	WIVC0021	36.8	23.9	1.9	1000	-1	-	FILTERED
02/02/2018	WIVC0022	49.1	26.2	0.1	1000	-10	-	FILTERED
02/02/2018	WIVC0023	54.5	28	0	1000	-10	-	FILTERED
02/02/2018	WIVC0028	64.5	27.2	0	1000	-15	-	FILTERED
02/02/2018	WIVC0029	33.5	19.3	3.4	1000	-1	-	FILTERED
02/02/2018	WIVC0030	61.5	28.1	0.1	1000	-10	-	FILTERED
02/02/2018	WIVC MA	49.7	26.8	0.3	1000	-45	-	FILTERED
02/02/2018	WIVD MB	38.1	26.9	5	1000	-44	-	FILTERED
02/02/2018	WIVD0052	54.9	20.6	0	1000	-10	-	FILTERED
02/02/2018	WIVD0051	48.1	22.2	0.1	1000	-10	-	FILTERED
02/02/2018	WIVD0049	33.9	18.6	3.6	1000	-1	-	FILTERED
02/02/2018	WIVD0050	62.2	17.2	0.2	1000	-15	-	FILTERED
02/02/2018	WIVD0045	67.4	25.3	0.2	1000	-15	-	FILTERED
02/02/2018	WIVD0043	39.4	19.1	0.1	1000	-5	-	FILTERED
02/02/2018	WIVD0042	39.1	20.1	0	1000	-5	-	FILTERED
02/02/2018	WIVD0044	30.7	18.8	0.1	1000	0	-	FILTERED
02/02/2018	WIVD0035	30.7	19.9	0.1	1000	0	-	FILTERED
02/02/2018	WIVD0036	60	20	0	1000	-10	-	FILTERED
02/02/2018	WIVD0037	42.4	18.8	0.1	1000	-5	-	FILTERED
02/02/2018	WIV0038	57.2	26	0.1	1000	-10	-	FILTERED
02/02/2018	WIVD MA	54.9	25	0.1	1000	-40	-	FILTERED
02/02/2018	WIVE MB	37.4	25.3	2.4	1000	-40	-	FILTERED
02/02/2018	WIVE0053	35.5	21.5	4.1	1000	-5	-	FILTERED
02/02/2018	WIVE0054	18.9	21.5	0.1	1000	0	-	FILTERED
02/02/2018	WIVE0055	68.2	26	0.5	1000	-10	-	FILTERED
02/02/2018	WIVE0056	8.8	12.2	10.7	1000	0	-	FILTERED
02/02/2018	WIVE0061	28.9	19.8	0.1	1000	0	-	FILTERED
02/02/2018	WIVE0062	29.8	21.5	0.1	1000	0	-	FILTERED
02/02/2018	WIVE0063	32.1	21.8	0.4	1000	0	-	FILTERED
02/02/2018	WIVE0064	41.5	29.1	0.1	1000	-15	-	FILTERED
02/02/2018	WIVE0069	0	7.9	19.1	1000	0	-	FILTERED
02/02/2018	WIVE MA	41.1	21.3	2.3	1000	-40	-	FILTERED
02/02/2018	WIVF MB	50.7	34.8	0.5	1000	-40	-	FILTERED
02/02/2018	WIVF0072	49.6	37.8	0.1	1000	-10	-	FILTERED

Date	ID	CH4 (%)	CO2 (%)	O2 (%)	BARO (mb)	Vacuum (mb)	CO (ppm)	H2S (ppm)
02/02/2018	WIVF0071	47.4	36.5	0.2	1000	-10	-	FILTERED
02/02/2018	WIVF0070	53	40	0.8	1000	-20	-	FILTERED
02/02/2018	WIVF0067	46.1	25.6	0.1	1000	-10	-	FILTERED
02/02/2018	WIVF0065	34.4	25.1	0.7	1000	-1	-	FILTERED
02/02/2018	WIVF0063	39.6	28.2	0.2	1000	-5	-	FILTERED
02/02/2018	WIVF0060	59.8	19.1	1.5	1000	-10	-	FILTERED
02/02/2018	WIVF0059	39.9	26	0	1000	-5	-	FILTERED
02/02/2018	WIVF0058	57.1	22.3	0.3	1000	-10	-	FILTERED
02/02/2018	WIVF0057	1	5.3	19.4	1000	0	-	FILTERED
02/02/2018	WIVF MA	47.5	35.8	0.4	1000	-39	-	FILTERED
02/02/2018	WIV0095	55.2	37.8	0.1	1000	-20	-	FILTERED
02/02/2018	WIV0097	57.7	37.2	0.1	1000	-20	-	FILTERED
02/02/2018	WIV0099	50.3	32.9	0.1	1000	-20	-	FILTERED
02/02/2018	WIV0096	52.9	34.6	0	1000	-20	-	FILTERED
02/02/2018	WIV0098	56.3	33.5	0.1	1000	-20	-	FILTERED
02/02/2018	WIV0100	54.2	32.2	0.1	1000	-20	-	FILTERED
02/02/2018	WIV00102	14.3	1.9	19.4	1000	0	-	FILTERED
02/02/2018	WIV0103	56.3	35	0.3	1000	-20	-	FILTERED
02/02/2018	WIV0118	55.2	40.1	0.1	1000	-20	-	FILTERED
02/02/2018	WIV0117	57.3	40	0.1	1000	-20	-	FILTERED
02/02/2018	WIV0017	22.5	21.3	19	1000	0	-	FILTERED
02/02/2018	WIV0119	56.4	38.5	0.1	1000	-20	-	FILTERED
02/02/2018	WIV0091	56.2	36.6	0.1	1000	-20	-	FILTERED
02/02/2018	LM5	58.3	36.7	0.8	1000	-20	-	FILTERED
02/02/2018	WIV0020	52.8	37.4	0.2	1000	-20	-	FILTERED
02/02/2018	WIV0012	58.8	38.6	0.1	1000	-20	-	FILTERED
02/02/2018	WIV0011	53.4	38.3	0.1	1000	-20	-	FILTERED
02/02/2018	WIV0092	11.5	20.3	0	1000	0	-	FILTERED
02/02/2018	L3	24.6	19.3	0	1000	0	-	FILTERED
02/02/2018	WIV0009	20.7	15	19.9	1000	0	-	FILTERED
02/02/2018	WIV00125	55.8	25.2	0.1	1000	-20	-	FILTERED
02/02/2018	WIV0112	57.3	41.1	0.1	1000	-20	-	FILTERED
02/02/2018	WIV0111	59.3	41.2	0.1	1000	-20	-	FILTERED
02/02/2018	WIV0114	52.7	40.2	0.2	1000	-20	-	FILTERED
02/02/2018	WIV0113	21.6	23.3	0.1	1000	0	-	FILTERED
02/02/2018	WIV0104	57.4	43.6	0.1	1000	-20	-	FILTERED
02/02/2018	WIV0105	57.8	40.4	0.2	1000	-20	-	FILTERED
02/02/2018	WIV0106	52.1	39.4	0.1	1000	-20	-	FILTERED
02/02/2018	VL2	12.4	5.9	19.3	1000	0	-	FILTERED
02/02/2018	WIV0107	34.9	23.6	0.2	1000	-5	-	FILTERED
02/02/2018	VLM1	28.5	17.2	0.7	1000	0	-	FILTERED
02/02/2018	WIV0107	50.3	28.4	0.2	1000	-20	-	FILTERED
02/02/2018	WIV0109	40.6	37.3	0	1000	-10	-	FILTERED
02/02/2018	WIV0110	34.7	29.4	0	1000	-3	-	FILTERED
02/02/2018	WIV0101	41.5	32.4	0	1000	-10	-	FILTERED

Date	ID	CH4 (%)	CO2 (%)	O2 (%)	BARO (mb)	Vacuum (mb)	CO (ppm)	H2S (ppm)
02/02/2018	RD1	50.1	29.9	0	1000	-20	-	FILTERED
02/02/2018	WIV0102	28.4	30.7	0	1000	0	-	FILTERED
02/02/2018	WIV0103	27.6	21.9	0.1	1000	0	-	FILTERED
02/02/2018	WIV0118	58.8	38.4	0.3	1000	-20	-	FILTERED
02/02/2018	WIV0116	55.4	40.2	0.1	1000	-20	-	FILTERED
02/02/2018	L5	37.4	28.3	0.2	1000	-5	-	FILTERED
02/02/2018	L4	47.7	26.3	0.3	1000	-10	-	FILTERED
02/02/2018	WIVJ0020	55.3	29.9	0.2	1000	-20	-	FILTERED
02/02/2018	LM5	38.6	23.9	5.3	1000	-2	-	FILTERED
06/02/2018	WIV GC MB	48.1	37.1	0.1	1004	-42	-	FILTERED
06/02/2018	WIVA MB	36.1	26.7	0.2	1004	-39	-	FILTERED
06/02/2018	WIVA0027	17.2	12.5	4.5	1004	0	-	FILTERED
06/02/2018	WIVA0026	31.5	22.2	4.1	1004	-1	-	FILTERED
06/02/2018	WIVA0025	40.4	28.5	0.2	1004	-10	-	FILTERED
06/02/2018	WIVA0020	46	33.1	0.3	1004	-15	-	FILTERED
06/02/2018	WIVA0019	26.2	24.1	0.1	1004	0	-	FILTERED
06/02/2018	WIVA0018	44.1	28.2	0.2	1004	-15	-	FILTERED
06/02/2018	WIVA0013	40.2	32.1	0.1	1004	-10	-	FILTERED
06/02/2018	WIVA0012	22.3	19.3	0.1	1004	0	-	FILTERED
06/02/2018	WIVA0011	27.3	20.7	0.2	1004	0	-	FILTERED
06/02/2018	WIVA0010	22	20.1	0.2	1004	0	-	FILTERED
06/02/2018	WIVA0001	14.9	12.7	0.1	1004	0	-	FILTERED
06/02/2018	WIVA0002	42.3	21.2	2.5	1004	-10	-	FILTERED
06/02/2018	WIVA0003	12.6	12	19.3	1004	0	-	FILTERED
06/02/2018	WIVA0004	17.2	23.7	0.6	1004	0	-	FILTERED
06/02/2018	WIVA0005	44.4	28	0.1	1004	-20	-	FILTERED
06/02/2018	WIVB MB	33.1	26.4	0.1	1004	-37	-	FILTERED
06/02/2018	WIVB0025	32.1	23.1	0.1	1004	-1	-	FILTERED
06/02/2018	WIVB0034	47.2	32.1	0.2	1004	-15	-	FILTERED
06/02/2018	WIVB0033	30.4	20.1	1.5	1004	0	-	FILTERED
06/02/2018	WIVB0032	25.3	18	0.1	1004	0	-	FILTERED
06/02/2018	WIVB0039	15.2	10.3	20.2	1004	0	-	FILTERED
06/02/2018	WIVB0040	17.4	0.2	19.9	1004	0	-	FILTERED
06/02/2018	WIVB0041	38.7	24.2	0.1	1004	-5	-	FILTERED
06/02/2018	WIVB0047	25.3	19.4	0.1	1004	0	-	FILTERED
06/02/2018	WIVB0046	21.3	20.9	18.7	1004	0	-	FILTERED
06/02/2018	WIVB0048	40.2	18.4	2.9	1004	-10	-	FILTERED
06/02/2018	WIVB MA	40.4	28.3	0.1	1004	-35	-	FILTERED
06/02/2018	WIVC MB	39	23.8	0.6	1004	-35	-	FILTERED
06/02/2018	WIVC0009	37.5	27.5	0.2	1004	-1	-	FILTERED
06/02/2018	WIVC0017	43.2	32.1	0.2	1004	-10	-	FILTERED
06/02/2018	WIVC0007	39.1	28.5	0.1	1004	-5	-	FILTERED
06/02/2018	WIVC0006	10.7	8.9	0.3	1004	0	-	FILTERED
06/02/2018	WIVC0014	32.1	22.4	0	1004	0	-	FILTERED
06/02/2018	WIVC0015	42.1	23.8	0	1004	-10	-	FILTERED

Date	ID	CH4 (%)	CO2 (%)	O2 (%)	BARO (mb)	Vacuum (mb)	CO (ppm)	H2S (ppm)
06/02/2018	WIVC0016	37.4	26.2	0	1004	-5	-	FILTERED
06/02/2018	WIVC0024	37.8	21.1	0.1	1004	-3	-	FILTERED
06/02/2018	WIVC0021	28.4	25.3	0.9	1004	0	-	FILTERED
06/02/2018	WIVC0022	40.2	25.4	0.1	1004	-15	-	FILTERED
06/02/2018	WIVC0023	33.5	24.7	0	1004	-1	-	FILTERED
06/02/2018	WIVC0028	29.9	24.6	0.1	1004	0	-	FILTERED
06/02/2018	WIVC0029	40.2	21.6	2	1004	-10	-	FILTERED
06/02/2018	WIVC0030	38.7	23.4	0.1	1004	-5	-	FILTERED
06/02/2018	WIVC MA	41.6	29.3	0	1004	-34	-	FILTERED
06/02/2018	WIVD MB	34.1	27	0.2	1004	-32	-	FILTERED
06/02/2018	WIVD0052	36.3	23.2	0.1	1004	-1	-	FILTERED
06/02/2018	WIVD0051	44.4	32.8	0	1004	-10	-	FILTERED
06/02/2018	WIVD0049	35.2	23.1	0.2	1004	-1	-	FILTERED
06/02/2018	WIVD0050	33.2	21.3	0.1	1004	-1	-	FILTERED
06/02/2018	WIVD0045	49.2	25.3	0.2	1004	-15	-	FILTERED
06/02/2018	WIVD0043	35.2	22.1	0.1	1004	-1	-	FILTERED
06/02/2018	WIVD0042	29.1	19.3	0.1	1004	0	-	FILTERED
06/02/2018	WIVD0044	38.1	20.2	0.1	1004	-2	-	FILTERED
06/02/2018	WIVD0035	23.1	19.9	0.2	1004	0	-	FILTERED
06/02/2018	WIVD0036	39.2	25.2	0	1004	-3	-	FILTERED
06/02/2018	WIVD0037	33.4	22.1	0.2	1004	-1	-	FILTERED
06/02/2018	WIV0038	19.4	23.4	0.2	1004	0	-	FILTERED
06/02/2018	WIVD MA	40.1	28.7	0.1	1004	-30	-	FILTERED
06/02/2018	WIVE MB	39.4	25.3	0.2	1004	-30	-	FILTERED
06/02/2018	WIVE0053	31.8	22.2	0.9	1004	-10	-	FILTERED
06/02/2018	WIVE0054	17.2	22.1	0.3	1004	0	-	FILTERED
06/02/2018	WIVE0055	32.2	26	0.2	1004	0	-	FILTERED
06/02/2018	WIVE0056	10.4	13.2	15.3	1004	0	-	FILTERED
06/02/2018	WIVE0061	30.5	20.3	0.1	1004	0	-	FILTERED
06/02/2018	WIVE0062	22.4	20.1	0.2	1004	0	-	FILTERED
06/02/2018	WIVE0063	35.6	23.3	0.2	1004	-2	-	FILTERED
06/02/2018	WIVE0064	44.5	29.1	0	1004	-15	-	FILTERED
06/02/2018	WIVE0069	0	7.9	19.1	1004	0	-	FILTERED
06/02/2018	WIVE MA	40.4	21.3	0.2	1004	-30	-	FILTERED
06/02/2018	WIVF MB	34.8	30.2	0.4	1004	-30	-	FILTERED
06/02/2018	WIVF0072	40.7	36.3	0.2	1004	-10	-	FILTERED
06/02/2018	WIVF0071	40.3	29.3	0.1	1004	-10	-	FILTERED
06/02/2018	WIVF0070	45.2	33.6	0.2	1004	-15	-	FILTERED
06/02/2018	WIVF0067	40.2	24.4	0.1	1004	-5	-	FILTERED
06/02/2018	WIVF0065	30.2	23.9	0.2	1004	0	-	FILTERED
06/02/2018	WIVF0063	41.9	31.1	0.2	1004	-5	-	FILTERED
06/02/2018	WIVF0060	38.3	23.5	0.2	1004	-5	-	FILTERED
06/02/2018	WIVF0059	36.5	23.5	0.3	1004	-1	-	FILTERED
06/02/2018	WIVF0058	46.2	25.7	0.2	1004	-10	-	FILTERED
06/02/2018	WIVF0057	1.6	10.4	19.4	1004	0	-	FILTERED

Date	ID	CH4 (%)	CO2 (%)	O2 (%)	BARO (mb)	Vacuum (mb)	CO (ppm)	H2S (ppm)
06/02/2018	WIVF MA	42.1	35.8	0.1	1004	-30	-	FILTERED
06/02/2018	WIV0095	55.3	38	0.1	1004	-20	-	FILTERED
06/02/2018	WIV0097	56.2	37.2	0.1	1004	-20	-	FILTERED
06/02/2018	WIV0099	48.7	32.3	0.1	1004	-20	-	FILTERED
06/02/2018	WIV0096	53.2	34.6	0.1	1004	-20	-	FILTERED
06/02/2018	WIV0098	54.5	34.1	0.1	1004	-20	-	FILTERED
06/02/2018	WIV0100	51.4	32.2	0.1	1004	-20	-	FILTERED
06/02/2018	WIV00102	14.7	0.8	19.6	1004	0	-	FILTERED
06/02/2018	WIV0103	55.4	35.6	0.3	1004	-20	-	FILTERED
06/02/2018	WIV0118	58.3	39.3	0.1	1004	-20	-	FILTERED
06/02/2018	WIV0117	53.2	39.6	0.1	1004	-20	-	FILTERED
06/02/2018	WIV0017	20.3	20.7	19	1004	0	-	FILTERED
06/02/2018	WIV0119	57.3	39.9	0.1	1004	-20	-	FILTERED
06/02/2018	WIV0091	53.4	36.3	0.1	1004	-20	-	FILTERED
06/02/2018	LM5	50.1	34.2	1.8	1004	-20	-	FILTERED
06/02/2018	WIV0020	52.2	38.3	0.2	1004	-20	-	FILTERED
06/02/2018	WIV0012	55.5	38.6	0.1	1004	-20	-	FILTERED
06/02/2018	WIV0011	51.4	37.4	0.1	1004	-20	-	FILTERED
06/02/2018	WIV0092	10.4	13	0	1004	0	-	FILTERED
06/02/2018	L3	22.6	12.6	0	1004	0	-	FILTERED
06/02/2018	WIV0009	9.9	5.4	19.9	1004	0	-	FILTERED
06/02/2018	WIV00125	57.4	35.2	0.1	1004	-20	-	FILTERED
06/02/2018	WIV0112	55.4	41.1	0.1	1004	-20	-	FILTERED
06/02/2018	WIV0111	59.3	41.2	0.1	1004	-20	-	FILTERED
06/02/2018	WIV0114	51.1	39.1	0.2	1004	-20	-	FILTERED
06/02/2018	WIV0113	21.7	22.5	0.1	1004	0	-	FILTERED
06/02/2018	WIV0104	58.4	43.3	0.1	1004	-20	-	FILTERED
06/02/2018	WIV0105	55.5	39.8	0.2	1004	-20	-	FILTERED
06/02/2018	WIV0106	54.3	40	0.1	1004	-20	-	FILTERED
06/02/2018	VL2	12.8	5.7	18.3	1004	0	-	FILTERED
06/02/2018	WIV0107	30.4	20.4	0.2	1004	0	-	FILTERED
06/02/2018	VLM1	27.5	17.2	0.7	1004	0	-	FILTERED
06/02/2018	WIV0107	44.4	28.9	0.2	1004	-10	-	FILTERED
06/02/2018	WIV0109	39.6	36.2	0	1004	-5	-	FILTERED
06/02/2018	WIV0110	26.4	28.4	0	1004	0	-	FILTERED
06/02/2018	WIV0101	38.9	32.2	0	1004	-5	-	FILTERED
06/02/2018	RD1	47.4	29.9	0	1004	-5	-	FILTERED
06/02/2018	WIV0102	22.5	27.4	0	1004	0	-	FILTERED
06/02/2018	WIV0103	21.3	21.9	0.1	1004	0	-	FILTERED
06/02/2018	WIV0118	54.3	38.4	0.3	1004	-20	-	FILTERED
06/02/2018	WIV0116	58.4	41.9	0.1	1004	-20	-	FILTERED
06/02/2018	L5	37.4	28.3	0.2	1004	0	-	FILTERED
06/02/2018	L4	40.2	24.5	0.9	1004	-5	-	FILTERED
06/02/2018	WIVJ0020	51.3	38.3	0.2	1004	-20	-	FILTERED
06/02/2018	LM5	26.3	21.1	5.3	1004	-5	-	FILTERED

Date	ID	CH4 (%)	CO2 (%)	O2 (%)	BARO (mb)	Vacuum (mb)	CO (ppm)	H2S (ppm)
15/02/2018	WIV GC MB	43	31.1	1	1010	-50	-	FILTERED
15/02/2018	WIVA MB	32.1	23.9	0.2	1010	-45	-	FILTERED
15/02/2018	WIVA0027	13.7	12.1	3.5	1010	0	-	FILTERED
15/02/2018	WIVA0026	22.9	16.7	6.8	1010	0	-	FILTERED
15/02/2018	WIVA0025	40	29.9	0.5	1010	0	-	FILTERED
15/02/2018	WIVA0020	48.3	28.7	0.2	1010	0	-	FILTERED
15/02/2018	WIVA0019	36.3	23.6	0.1	1010	0	-	FILTERED
15/02/2018	WIVA0018	44.1	25.7	0.1	1010	0	-	FILTERED
15/02/2018	WIVA0013	53.8	30.4	0.1	1010	-1	-	FILTERED
15/02/2018	WIVA0012	33.1	21.4	0.1	1010	0	-	FILTERED
15/02/2018	WIVA0011	29.7	21.5	0.2	1010	0	-	FILTERED
15/02/2018	WIVA0010	25.2	24.9	0.4	1010	0	-	FILTERED
15/02/2018	WIVA0001	17	16	0	1010	0	-	FILTERED
15/02/2018	WIVA0002	35	19.1	4.5	1010	0	-	FILTERED
15/02/2018	WIVA0003	0.2	4.2	18	1010	0	-	FILTERED
15/02/2018	WIVA0004	17.4	16.3	0.4	1010	0	-	FILTERED
15/02/2018	WIVA0005	31.5	24.5	0.3	1010	-7	-	FILTERED
15/02/2018	WIVB MB	31.8	19.6	1.1	1010	-48	-	FILTERED
15/02/2018	WIVB0025	25.9	20.6	1.1	1010	0	-	FILTERED
15/02/2018	WIVB0034	39	23.9	0.3	1010	-5	-	FILTERED
15/02/2018	WIVB0033	32.6	14.2	5.4	1010	-1	-	FILTERED
15/02/2018	WIVB0032	29.2	19.9	0.1	1010	0	-	FILTERED
15/02/2018	WIVB0039	0.7	8.1	18.5	1010	0	-	FILTERED
15/02/2018	WIVB0040	0	3	20	1010	0	-	FILTERED
15/02/2018	WIVB0041	34	22.6	0.1	1010	-1	-	FILTERED
15/02/2018	WIVB0047	26.6	21.6	0.1	1010	0	-	FILTERED
15/02/2018	WIVB0046	20.6	7	12.7	1010	0	-	FILTERED
15/02/2018	WIVB0048	43	16.3	3.8	1010	-10	-	FILTERED
15/02/2018	WIVB MA	41.7	24	0.1	1010	-47	-	FILTERED
15/02/2018	WIVC MB	48.8	25.4	0.3	1010	-47	-	FILTERED
15/02/2018	WIVC0009	32.8	25	0.1	1010	-1	-	FILTERED
15/02/2018	WIVC0017	50.3	29.1	0.1	1010	-10	-	FILTERED
15/02/2018	WIVC0007	51.3	27.9	0.1	1010	-10	-	FILTERED
15/02/2018	WIVC0006	11.4	21.4	0.1	1010	0	-	FILTERED
15/02/2018	WIVC0014	29.6	23.5	0	1010	0	-	FILTERED
15/02/2018	WIVC0015	46.7	26.9	0	1010	-10	-	FILTERED
15/02/2018	WIVC0016	43.3	26.7	0	1010	-10	-	FILTERED
15/02/2018	WIVC0024	49.2	29.5	0.1	1010	-10	-	FILTERED
15/02/2018	WIVC0021	36.8	23.9	1.9	1010	-1	-	FILTERED
15/02/2018	WIVC0022	49.1	26.2	0.1	1010	-15	-	FILTERED
15/02/2018	WIVC0023	54.5	28	0	1010	-20	-	FILTERED
15/02/2018	WIVC0028	64.5	27.2	0	1010	-20	-	FILTERED
15/02/2018	WIVC0029	33.5	19.3	3.4	1010	0	-	FILTERED
15/02/2018	WIVC0030	61.5	28.1	0.1	1010	-10	-	FILTERED
15/02/2018	WIVC MA	49.7	26.8	0.3	1010	-45	-	FILTERED

Date	ID	CH4 (%)	CO2 (%)	O2 (%)	BARO (mb)	Vacuum (mb)	CO (ppm)	H2S (ppm)
15/02/2018	WIVD MB	38.1	26.9	5	1010	-45	-	FILTERED
15/02/2018	WIVD0052	54.9	20.6	0	1010	-10	-	FILTERED
15/02/2018	WIVD0051	48.1	22.2	0.1	1010	-10	-	FILTERED
15/02/2018	WIVD0049	33.9	18.6	3.6	1010	-2	-	FILTERED
15/02/2018	WIVD0050	62.2	17.2	0.2	1010	-10	-	FILTERED
15/02/2018	WIVD0045	67.4	25.3	0.2	1010	-10	-	FILTERED
15/02/2018	WIVD0043	39.4	19.1	0.1	1010	-2	-	FILTERED
15/02/2018	WIVD0042	39.1	20.1	0	1010	-2	-	FILTERED
15/02/2018	WIVD0044	30.7	18.8	0.1	1010	0	-	FILTERED
15/02/2018	WIVD0035	30.7	19.9	0.1	1010	0	-	FILTERED
15/02/2018	WIVD0036	60	20	0	1010	-10	-	FILTERED
15/02/2018	WIVD0037	42.4	18.8	0.1	1010	-10	-	FILTERED
15/02/2018	WIV0038	57.2	26	0.1	1010	-10	-	FILTERED
15/02/2018	WIVD MA	54.9	25	0.1	1010	-44	-	FILTERED
15/02/2018	WIVE MB	37.4	25.3	2.4	1010	-44	-	FILTERED
15/02/2018	WIVE0053	35.5	21.5	4.1	1010	-5	-	FILTERED
15/02/2018	WIVE0054	18.9	21.5	0.1	1010	0	-	FILTERED
15/02/2018	WIVE0055	24.4	26	0.5	1010	0	-	FILTERED
15/02/2018	WIVE0056	8.8	12.2	10.7	1010	0	-	FILTERED
15/02/2018	WIVE0061	28.9	19.8	0.1	1010	0	-	FILTERED
15/02/2018	WIVE0062	29.8	21.5	0.1	1010	0	-	FILTERED
15/02/2018	WIVE0063	32.1	21.8	0.4	1010	0	-	FILTERED
15/02/2018	WIVE0064	41.5	29.1	0.1	1010	-15	-	FILTERED
15/02/2018	WIVE0069	0	7.9	19.1	1010	0	-	FILTERED
15/02/2018	WIVE MA	41.1	21.3	2.3	1010	-44	-	FILTERED
15/02/2018	WIVF MB	50.7	34.8	0.5	1010	-43	-	FILTERED
15/02/2018	WIVF0072	49.6	37.8	0.1	1010	-10	-	FILTERED
15/02/2018	WIVF0071	47.4	36.5	0.2	1010	-15	-	FILTERED
15/02/2018	WIVF0070	53	40	0.8	1010	-20	-	FILTERED
15/02/2018	WIVF0067	46.1	25.6	0.1	1010	-10	-	FILTERED
15/02/2018	WIVF0065	34.4	25.1	0.7	1010	-1	-	FILTERED
15/02/2018	WIVF0063	39.6	28.2	0.2	1010	-11	-	FILTERED
15/02/2018	WIVF0060	59.8	19.1	1.5	1010	-10	-	FILTERED
15/02/2018	WIVF0059	39.9	26	0	1010	-2	-	FILTERED
15/02/2018	WIVF0058	57.1	22.3	0.3	1010	-5	-	FILTERED
15/02/2018	WIVF0057	1	5.3	19.4	1010	0	-	FILTERED
15/02/2018	WIVF MA	47.5	35.8	0.4	1010	-42	-	FILTERED
15/02/2018	WIV0095	55.2	37.8	0.1	1010	-20	-	FILTERED
15/02/2018	WIV0097	57.7	37.2	0.1	1010	-20	-	FILTERED
15/02/2018	WIV0099	50.3	32.9	0.1	1010	-20	-	FILTERED
15/02/2018	WIV0096	52.9	34.6	0	1010	-20	-	FILTERED
15/02/2018	WIV0098	56.3	33.5	0.1	1010	-20	-	FILTERED
15/02/2018	WIV0100	54.2	32.2	0.1	1010	-20	-	FILTERED
15/02/2018	WIV00102	14.3	1.9	19.4	1010	0	-	FILTERED
15/02/2018	WIV0103	56.3	35	0.3	1010	-20	-	FILTERED

Date	ID	CH4 (%)	CO2 (%)	O2 (%)	BARO (mb)	Vacuum (mb)	CO (ppm)	H2S (ppm)
15/02/2018	WIV0118	55.2	40.1	0.1	1010	-20	-	FILTERED
15/02/2018	WIV0117	57.3	40	0.1	1010	-20	-	FILTERED
15/02/2018	WIV0017	22.5	21.3	19	1010	0	-	FILTERED
15/02/2018	WIV0119	56.4	38.5	0.1	1010	-20	-	FILTERED
15/02/2018	WIV0091	56.2	36.6	0.1	1010	-20	-	FILTERED
15/02/2018	LM5	58.3	36.7	0.8	1010	-20	-	FILTERED
15/02/2018	WIV0020	52.8	37.4	0.2	1010	-20	-	FILTERED
15/02/2018	WIV0012	58.8	38.6	0.1	1010	-20	-	FILTERED
15/02/2018	WIV0011	53.4	38.3	0.1	1010	-20	-	FILTERED
15/02/2018	WIV0092	11.5	20.3	0	1010	0	-	FILTERED
15/02/2018	L3	24.6	19.3	0	1010	0	-	FILTERED
15/02/2018	WIV0009	20.7	15	19.9	1010	0	-	FILTERED
15/02/2018	WIV00125	55.8	25.2	0.1	1010	-20	-	FILTERED
15/02/2018	WIV0112	57.3	41.1	0.1	1010	-20	-	FILTERED
15/02/2018	WIV0111	59.3	41.2	0.1	1010	-20	-	FILTERED
15/02/2018	WIV0114	52.7	40.2	0.2	1010	-20	-	FILTERED
15/02/2018	WIV0113	21.6	23.3	0.1	1010	0	-	FILTERED
15/02/2018	WIV0104	57.4	43.6	0.1	1010	-20	-	FILTERED
15/02/2018	WIV0105	57.8	40.4	0.2	1010	-20	-	FILTERED
15/02/2018	WIV0106	52.1	39.4	0.1	1010	-20	-	FILTERED
15/02/2018	VL2	12.4	5.9	19.3	1010	0	-	FILTERED
15/02/2018	WIV0107	34.9	23.6	0.2	1010	0	-	FILTERED
15/02/2018	VLM1	28.5	17.2	0.7	1010	0	-	FILTERED
15/02/2018	WIV0107	50.3	28.4	0.2	1010	-10	-	FILTERED
15/02/2018	WIV0109	40.6	37.3	0	1010	-5	-	FILTERED
15/02/2018	WIV0110	34.7	29.4	0	1010	0	-	FILTERED
15/02/2018	WIV0101	41.5	32.4	0	1010	-5	-	FILTERED
15/02/2018	RD1	50.1	29.9	0	1010	-5	-	FILTERED
15/02/2018	WIV0102	28.4	30.7	0	1010	0	-	FILTERED
15/02/2018	WIV0103	27.6	21.9	0.1	1010	0	-	FILTERED
15/02/2018	WIV0118	58.8	38.4	0.3	1010	-20	-	FILTERED
15/02/2018	WIV0116	55.4	40.2	0.1	1010	-20	-	FILTERED
15/02/2018	L5	37.4	28.3	0.2	1010	0	-	FILTERED
15/02/2018	L4	47.7	26.3	0.3	1010	-5	-	FILTERED
15/02/2018	WIVJ0020	55.3	29.9	0.2	1010	-20	-	FILTERED
15/02/2018	LM5	38.6	23.9	5.3	1010	-5	-	FILTERED
20/02/2018	WIV GC MB	49.1	38.8	0.3	1002	-39	-	FILTERED
20/02/2018	WIVA MB	39.4	26.3	0.4	1002	-10	-	FILTERED
20/02/2018	WIVA0027	25.3	17.8	3.6	1002	0	-	FILTERED
20/02/2018	WIVA0026	33.1	23.6	3.7	1002	-1	-	FILTERED
20/02/2018	WIVA0025	41.2	29.3	0.1	1002	-10	-	FILTERED
20/02/2018	WIVA0020	40.6	33.1	0.3	1002	-8	-	FILTERED
20/02/2018	WIVA0019	30.3	23.5	0.1	1002	0	-	FILTERED
20/02/2018	WIVA0018	43.2	30.1	0.1	1002	-15	-	FILTERED
20/02/2018	WIVA0013	40.4	33.1	0	1002	-10	-	FILTERED

Date	ID	CH4 (%)	CO2 (%)	O2 (%)	BARO (mb)	Vacuum (mb)	CO (ppm)	H2S (ppm)
20/02/2018	WIVA0012	27.2	20.1	0.1	1002	0	-	FILTERED
20/02/2018	WIVA0011	26.5	22.7	0.1	1002	0	-	FILTERED
20/02/2018	WIVA0010	25.8	21.8	0.4	1002	0	-	FILTERED
20/02/2018	WIVA0001	16.3	16.2	0.1	1002	0	-	FILTERED
20/02/2018	WIVA0002	40.3	25.6	0.5	1002	-10	-	FILTERED
20/02/2018	WIVA0003	10.8	17.9	19.9	1002	0	-	FILTERED
20/02/2018	WIVA0004	20.6	27.6	0.2	1002	0	-	FILTERED
20/02/2018	WIVA0005	42.4	30.1	0.1	1002	-35	-	FILTERED
20/02/2018	WIVB MB	38.2	23.1	0.1	1002	-35	-	FILTERED
20/02/2018	WIVB0025	34.1	24.5	0.1	1002	-1	-	FILTERED
20/02/2018	WIVB0034	44.2	32	0.1	1002	-15	-	FILTERED
20/02/2018	WIVB0033	32.6	24.7	0.5	1002	-1	-	FILTERED
20/02/2018	WIVB0032	25.3	20.4	0.1	1002	0	-	FILTERED
20/02/2018	WIVB0039	12.7	10.5	20	1002	0	-	FILTERED
20/02/2018	WIVB0040	22.5	10.6	19.9	1002	0	-	FILTERED
20/02/2018	WIVB0041	40.6	30.1	0.1	1002	-5	-	FILTERED
20/02/2018	WIVB0047	23.5	20.6	0.1	1002	0	-	FILTERED
20/02/2018	WIVB0046	19.6	19.5	20.7	1002	0	-	FILTERED
20/02/2018	WIVB0048	39.7	20.6	2.5	1002	-5	-	FILTERED
20/02/2018	WIVB MA	41.7	29.6	0.2	1002	-35	-	FILTERED
20/02/2018	WIVC MB	37.8	26.3	0.3	1002	-34	-	FILTERED
20/02/2018	WIVC0009	35.8	25.3	0.1	1002	-2	-	FILTERED
20/02/2018	WIVC0017	42.2	30.6	0.1	1002	-10	-	FILTERED
20/02/2018	WIVC0007	36.3	27.7	0.2	1002	-5	-	FILTERED
20/02/2018	WIVC0006	14.5	10.6	0.5	1002	0	-	FILTERED
20/02/2018	WIVC0014	33.3	21.7	0.1	1002	-1	-	FILTERED
20/02/2018	WIVC0015	44.1	23.8	0	1002	-10	-	FILTERED
20/02/2018	WIVC0016	36.3	28.3	0	1002	-5	-	FILTERED
20/02/2018	WIVC0024	39.9	21.7	0.1	1002	-3	-	FILTERED
20/02/2018	WIVC0021	30.2	24.4	0.3	1002	0	-	FILTERED
20/02/2018	WIVC0022	39.9	25.6	0.1	1002	-10	-	FILTERED
20/02/2018	WIVC0023	33.5	24.7	0	1002	0	-	FILTERED
20/02/2018	WIVC0028	30.1	26.7	0.1	1002	0	-	FILTERED
20/02/2018	WIVC0029	42.3	2.6	0.6	1002	-10	-	FILTERED
20/02/2018	WIVC0030	36.6	25.1	0.1	1002	-5	-	FILTERED
20/02/2018	WIVC MA	42.7	30.5	0	1002	-34	-	FILTERED
20/02/2018	WIVD MB	37.8	27.8	0.4	1002	-32	-	FILTERED
20/02/2018	WIVD0052	34.6	27.3	0.1	1002	-1	-	FILTERED
20/02/2018	WIVD0051	42.6	32.4	0.2	1002	-10	-	FILTERED
20/02/2018	WIVD0049	38.4	26.4	0.1	1002	-3	-	FILTERED
20/02/2018	WIVD0050	36.1	22.8	0.1	1002	-1	-	FILTERED
20/02/2018	WIVD0045	46.5	25.8	0.2	1002	-15	-	FILTERED
20/02/2018	WIVD0043	33.2	24.3	0.2	1002	-1	-	FILTERED
20/02/2018	WIVD0042	36.4	23	0.1	1002	-1	-	FILTERED
20/02/2018	WIVD0044	37.5	23.5	0.3	1002	-1	-	FILTERED

Date	ID	CH4 (%)	CO2 (%)	O2 (%)	BARO (mb)	Vacuum (mb)	CO (ppm)	H2S (ppm)
20/02/2018	WIVD0035	26.6	20.4	0.2	1002	0	-	FILTERED
20/02/2018	WIVD0036	40.1	25.2	0	1002	-10	-	FILTERED
20/02/2018	WIVD0037	31.3	23.4	0.1	1002	0	-	FILTERED
20/02/2018	WIV0038	24.5	25.1	0.2	1002	0	-	FILTERED
20/02/2018	WIVD MA	41.4	27	0	1002	-30	-	FILTERED
20/02/2018	WIVE MB	39.7	29.4	0.2	1002	-30	-	FILTERED
20/02/2018	WIVE0053	30.2	22.4	0.7	1002	-5	-	FILTERED
20/02/2018	WIVE0054	16.5	23.8	0.3	1002	0	-	FILTERED
20/02/2018	WIVE0055	33.7	23.5	0.1	1002	-1	-	FILTERED
20/02/2018	WIVE0056	10.6	12.6	18.9	1002	0	-	FILTERED
20/02/2018	WIVE0061	31.5	23.7	0	1002	0	-	FILTERED
20/02/2018	WIVE0062	30.6	23.6	0.1	1002	0	-	FILTERED
20/02/2018	WIVE0063	35.7	21.7	0.1	1002	-2	-	FILTERED
20/02/2018	WIVE0064	42.3	27.4	0.1	1002	-15	-	FILTERED
20/02/2018	WIVE0069	0	7.9	19.1	1002	0	-	FILTERED
20/02/2018	WIVE MA	41.9	21.3	0.2	1002	-30	-	FILTERED
20/02/2018	WIVF MB	37.6	29.9	0.4	1002	-30	-	FILTERED
20/02/2018	WIVF0072	38.9	34.5	0.1	1002	-5	-	FILTERED
20/02/2018	WIVF0071	43.6	30.2	0.1	1002	-10	-	FILTERED
20/02/2018	WIVF0070	42.2	32.7	0.2	1002	-10	-	FILTERED
20/02/2018	WIVF0067	40.2	30.3	0	1002	-10	-	FILTERED
20/02/2018	WIVF0065	30.2	23.9	0.2	1002	0	-	FILTERED
20/02/2018	WIVF0063	44.5	32.1	0.1	1002	-10	-	FILTERED
20/02/2018	WIVF0060	38.4	24.7	0.1	1002	-5	-	FILTERED
20/02/2018	WIVF0059	33.6	25.8	0.3	1002	0	-	FILTERED
20/02/2018	WIVF0058	45.7	28.3	0.2	1002	-10	-	FILTERED
20/02/2018	WIVF0057	2.9	11.8	19.3	1002	0	-	FILTERED
20/02/2018	WIVF MA	44.6	24.7	0.1	1002	-30	-	FILTERED
20/02/2018	WIV0095	55.2	37.8	0.1	1002	-20	-	FILTERED
20/02/2018	WIV0097	57.7	37.2	0.1	1002	-20	-	FILTERED
20/02/2018	WIV0099	50.3	32.9	0.1	1002	-20	-	FILTERED
20/02/2018	WIV0096	52.9	34.6	0	1002	-20	-	FILTERED
20/02/2018	WIV0098	56.3	33.5	0.1	1002	-20	-	FILTERED
20/02/2018	WIV0100	54.2	32.2	0.1	1002	-20	-	FILTERED
20/02/2018	WIV00102	14.3	1.9	19.4	1002	0	-	FILTERED
20/02/2018	WIV0103	56.3	35	0.3	1002	-20	-	FILTERED
20/02/2018	WIV0118	55.2	40.1	0.1	1002	-20	-	FILTERED
20/02/2018	WIV0117	57.3	40	0.1	1002	-20	-	FILTERED
20/02/2018	WIV0017	22.5	21.3	19	1002	0	-	FILTERED
20/02/2018	WIV0119	56.4	38.5	0.1	1002	-20	-	FILTERED
20/02/2018	WIV0091	56.2	36.6	0.1	1002	-20	-	FILTERED
20/02/2018	LM5	58.3	36.7	0.8	1002	-20	-	FILTERED
20/02/2018	WIV0020	52.8	37.4	0.2	1002	-20	-	FILTERED
20/02/2018	WIV0012	58.8	38.6	0.1	1002	-20	-	FILTERED
20/02/2018	WIV0011	53.4	38.3	0.1	1002	-20	-	FILTERED

Date	ID	CH4 (%)	CO2 (%)	O2 (%)	BARO (mb)	Vacuum (mb)	CO (ppm)	H2S (ppm)
20/02/2018	WIV0092	11.5	20.3	0	1002	0	-	FILTERED
20/02/2018	L3	24.6	19.3	0	1002	0	-	FILTERED
20/02/2018	WIV0009	20.7	15	19.9	1002	0	-	FILTERED
20/02/2018	WIV00125	55.8	25.2	0.1	1002	-20	-	FILTERED
20/02/2018	WIV0112	57.3	41.1	0.1	1002	-20	-	FILTERED
20/02/2018	WIV0111	59.3	41.2	0.1	1002	-20	-	FILTERED
20/02/2018	WIV0114	52.7	40.2	0.2	1002	-20	-	FILTERED
20/02/2018	WIV0113	21.6	23.3	0.1	1002	0	-	FILTERED
20/02/2018	WIV0104	57.4	43.6	0.1	1002	-20	-	FILTERED
20/02/2018	WIV0105	57.8	40.4	0.2	1002	-20	-	FILTERED
20/02/2018	WIV0106	52.1	39.4	0.1	1002	-20	-	FILTERED
20/02/2018	VL2	12.4	5.9	19.3	1002	0	-	FILTERED
20/02/2018	WIV0107	34.9	23.6	0.2	1002	0	-	FILTERED
20/02/2018	VLM1	28.5	17.2	0.7	1002	0	-	FILTERED
20/02/2018	WIV0107	50.3	28.4	0.2	1002	-10	-	FILTERED
20/02/2018	WIV0109	40.6	37.3	0	1002	-5	-	FILTERED
20/02/2018	WIV0110	34.7	29.4	0	1002	0	-	FILTERED
20/02/2018	WIV0101	41.5	32.4	0	1002	-5	-	FILTERED
20/02/2018	RD1	50.1	29.9	0	1002	-5	-	FILTERED
20/02/2018	WIV0102	28.4	30.7	0	1002	0	-	FILTERED
20/02/2018	WIV0103	27.6	21.9	0.1	1002	0	-	FILTERED
20/02/2018	WIV0118	58.8	38.4	0.3	1002	-20	-	FILTERED
20/02/2018	WIV0116	55.4	40.2	0.1	1002	-20	-	FILTERED
20/02/2018	L5	37.4	28.3	0.2	1002	0	-	FILTERED
20/02/2018	L4	47.7	26.3	0.3	1002	-5	-	FILTERED
20/02/2018	WIVJ0020	55.3	29.9	0.2	1002	-20	-	FILTERED
20/02/2018	LM5	38.6	23.9	5.3	1002	-5	-	FILTERED
01/03/2018	WIV GC MB	45.2	33.2	0.6	1000	-55	-	FILTERED
01/03/2018	WIVA MB	32.1	23.9	0.2	1000	-10	-	FILTERED
01/03/2018	WIVA0027	13.7	12.1	3.5	1000	0	-	FILTERED
01/03/2018	WIVA0026	22.9	16.7	6.8	1000	0	-	FILTERED
01/03/2018	WIVA0025	40	29.9	0.5	1000	-15	-	FILTERED
01/03/2018	WIVA0020	48.3	28.7	0.2	1000	-20	-	FILTERED
01/03/2018	WIVA0019	36.3	23.6	0.1	1000	-5	-	FILTERED
01/03/2018	WIVA0018	44.1	25.7	0.1	1000	-12	-	FILTERED
01/03/2018	WIVA0013	53.8	30.4	0.1	1000	-20	-	FILTERED
01/03/2018	WIVA0012	33.1	21.4	0.1	1000	-2	-	FILTERED
01/03/2018	WIVA0011	29.7	21.5	0.2	1000	0	-	FILTERED
01/03/2018	WIVA0010	25.2	24.9	0.4	1000	0	-	FILTERED
01/03/2018	WIVA0001	17	16	0	1000	0	-	FILTERED
01/03/2018	WIVA0002	35	19.1	4.5	1000	-2	-	FILTERED
01/03/2018	WIVA0003	0.2	4.2	18	1000	0	-	FILTERED
01/03/2018	WIVA0004	17.4	16.3	0.4	1000	0	-	FILTERED
01/03/2018	WIVA0005	31.5	24.5	0.3	1000	-3	-	FILTERED
							-	

Date	ID	CH4 (%)	CO2 (%)	O2 (%)	BARO (mb)	Vacuum (mb)	CO (ppm)	H2S (ppm)
01/03/2018	WIVB MB	31.8	19.6	1.1	1000	-48	-	FILTERED
01/03/2018	WIVB0025	25.9	20.6	1.1	1000	0	-	FILTERED
01/03/2018	WIVB0034	39	23.9	0.3	1000	-2	-	FILTERED
01/03/2018	WIVB0033	32.6	14.2	5.4	1000	-1	-	FILTERED
01/03/2018	WIVB0032	29.2	19.9	0.1	1000	0	-	FILTERED
01/03/2018	WIVB0039	0.7	8.1	18.5	1000	0	-	FILTERED
01/03/2018	WIVB0040	0	3	20	1000	0	-	FILTERED
01/03/2018	WIVB0041	34	22.6	0.1	1000	-1	-	FILTERED
01/03/2018	WIVB0047	26.2	21.6	0.1	1000	0	-	FILTERED
01/03/2018	WIVB0046	20.6	7	12.7	1000	0	-	FILTERED
01/03/2018	WIVB0048	43	16.3	3.8	1000	-5	-	FILTERED
01/03/2018	WIVB MA	41.7	24	0.1	1000	-47	-	FILTERED
01/03/2018	WIVC MB	48.8	25.4	0.3	1000	-46	-	FILTERED
01/03/2018	WIVC0009	32.8	25	0.1	1000	-1	-	FILTERED
01/03/2018	WIVC0017	50.3	29.1	0.1	1000	-10	-	FILTERED
01/03/2018	WIVC0007	51.3	27.9	0.1	1000	-10	-	FILTERED
01/03/2018	WIVC0006	11.4	21.4	0.1	1000	0	-	FILTERED
01/03/2018	WIVC0014	29.6	23.5	0	1000	0	-	FILTERED
01/03/2018	WIVC0015	46.7	26.9	0	1000	-10	-	FILTERED
01/03/2018	WIVC0016	43.3	26.7	0	1000	-10	-	FILTERED
01/03/2018	WIVC0024	49.2	29.5	0.1	1000	-10	-	FILTERED
01/03/2018	WIVC0021	36.8	23.9	1.9	1000	-1	-	FILTERED
01/03/2018	WIVC0022	49.1	26.2	0.1	1000	-15	-	FILTERED
01/03/2018	WIVC0023	54.5	28	0	1000	-10	-	FILTERED
01/03/2018	WIVC0028	64.5	27.2	0	1000	-20	-	FILTERED
01/03/2018	WIVC0029	33.5	19.3	3.4	1000	-1	-	FILTERED
01/03/2018	WIVC0030	61.5	28.1	0.1	1000	-10	-	FILTERED
01/03/2018	WIVC MA	49.7	26.8	0.3	1000	-44	-	FILTERED
01/03/2018	WIVD MB	38.1	26.9	5	1000	-43	-	FILTERED
01/03/2018	WIVD0052	54.9	20.6	0	1000	-10	-	FILTERED
01/03/2018	WIVD0051	48.1	22.2	0.1	1000	-10	-	FILTERED
01/03/2018	WIVD0049	33.9	18.6	3.6	1000	-2	-	FILTERED
01/03/2018	WIVD0050	62.2	17.2	0.2	1000	-10	-	FILTERED
01/03/2018	WIVD0045	67.4	25.3	0.2	1000	-10	-	FILTERED
01/03/2018	WIVD0043	39.4	19.1	0.1	1000	-5	-	FILTERED
01/03/2018	WIVD0042	39.1	20.1	0	1000	-4	-	FILTERED
01/03/2018	WIVD0044	30.7	18.8	0.1	1000	0	-	FILTERED
01/03/2018	WIVD0035	30.7	19.9	0.1	1000	0	-	FILTERED
01/03/2018	WIVD0036	60	20	0	1000	-10	-	FILTERED
01/03/2018	WIVD0037	42.4	18.8	0.1	1000	-10	-	FILTERED
01/03/2018	WIV0038	57.2	26	0.1	1000	-10	-	FILTERED
01/03/2018	WIVD MA	54.9	25	0.1	1000	-43	-	FILTERED
01/03/2018	WIVE MB	37.4	25.3	2.4	1000	-42	-	FILTERED
01/03/2018	WIVE0053	35.5	21.5	4.1	1000	-10	-	FILTERED
01/03/2018	WIVE0054	18.9	21.5	0.1	1000	0	-	FILTERED

Date	ID	CH4 (%)	CO2 (%)	O2 (%)	BARO (mb)	Vacuum (mb)	CO (ppm)	H2S (ppm)
01/03/2018	WIVE0055	68.2	26	0.5	1000	-10	-	FILTERED
01/03/2018	WIVE0056	8.8	12.2	10.7	1000	0	-	FILTERED
01/03/2018	WIVE0061	28.9	19.8	0.1	1000	0	-	FILTERED
01/03/2018	WIVE0062	29.8	21.5	0.1	1000	0	-	FILTERED
01/03/2018	WIVE0063	32.1	21.8	0.4	1000	-1	-	FILTERED
01/03/2018	WIVE0064	41.5	29.1	0.1	1000	-15	-	FILTERED
01/03/2018	WIVE0069	0	7.9	19.1	1000	0	-	FILTERED
01/03/2018	WIVE MA	41.1	21.3	2.3	1000	-42	-	FILTERED
01/03/2018	WIVF MB	50.7	34.8	0.5	1000	-42	-	FILTERED
01/03/2018	WIVF0072	49.6	37.8	0.1	1000	-10	-	FILTERED
01/03/2018	WIVF0071	47.4	36.5	0.2	1000	-15	-	FILTERED
01/03/2018	WIVF0070	53	40	0.8	1000	-20	-	FILTERED
01/03/2018	WIVF0067	46.1	25.6	0.1	1000	-10	-	FILTERED
01/03/2018	WIVF0065	34.4	25.1	0.7	1000	-1	-	FILTERED
01/03/2018	WIVF0063	39.6	28.2	0.2	1000	-5	-	FILTERED
01/03/2018	WIVF0060	59.8	19.1	1.5	1000	-10	-	FILTERED
01/03/2018	WIVF0059	39.9	26	0	1000	-5	-	FILTERED
01/03/2018	WIVF0058	57.1	22.3	0.3	1000	-10	-	FILTERED
01/03/2018	WIVF0057	1	5.3	19.4	1000	0	-	FILTERED
01/03/2018	WIVF MA	47.5	35.8	0.4	1000	-41	-	FILTERED
01/03/2018	WIV0095	63	36.9	0.1	1000	-20	-	FILTERED
01/03/2018	WIV0097	50	30.5	0.1	1000	-20	-	FILTERED
01/03/2018	WIV0099	0	7.9	19.1	1000	0	-	FILTERED
01/03/2018	WIV0096	10.2	21	0.1	1000	0	-	FILTERED
01/03/2018	WIV0098	58.7	33.7	0	1000	-20	-	FILTERED
01/03/2018	WIV0100	58.2	33.7	0.1	1000	-20	-	FILTERED
01/03/2018	WIV00102	5	0.3	20.7	1000	0	-	FILTERED
01/03/2018	WIV0103	59.2	34.9	0.1	1000	-20	-	FILTERED
01/03/2018	WIV0118	59.2	40.1	0.1	1000	-20	-	FILTERED
01/03/2018	WIV0117	58.7	40.6	0.1	1000	-20	-	FILTERED
01/03/2018	WIV0017	8	4	20.8	1000	0	-	FILTERED
01/03/2018	WIV0119	59	40.7	0.1	1000	-20	-	FILTERED
01/03/2018	WIV0091	59.5	40.7	0.1	1000	-20	-	FILTERED
01/03/2018	LM5	32.3	27.4	3.5	1000	-20	-	FILTERED
01/03/2018	WIV0020	60.1	39.8	0.1	1000	-20	-	FILTERED
01/03/2018	WIV0012	59.6	40.2	0.1	1000	-20	-	FILTERED
01/03/2018	WIV0011	59.4	40.2	0.1	1000	-20	-	FILTERED
01/03/2018	WIV0092	13.2	10.9	0	1000	0	-	FILTERED
01/03/2018	L3	22.5	12.4	0.4	1000	0	-	FILTERED
01/03/2018	WIV0009	4.7	2.3	19.4	1000	0	-	FILTERED
01/03/2018	WIV00125	55.8	25.2	0.1	1000	-20	-	FILTERED
01/03/2018	WIV0112	57.3	41.1	0.1	1000	-20	-	FILTERED
01/03/2018	WIV0111	59.3	41.2	0.1	1000	-20	-	FILTERED
01/03/2018	WIV0114	52.7	40.2	0.2	1000	-20	-	FILTERED
01/03/2018	WIV0113	21.6	23.3	0.1	1000	0	-	FILTERED

Date	ID	CH4 (%)	CO2 (%)	O2 (%)	BARO (mb)	Vacuum (mb)	CO (ppm)	H2S (ppm)
01/03/2018	WIV0104	57.4	43.6	0.1	1000	-20	-	FILTERED
01/03/2018	WIV0105	57.8	40.4	0.2	1000	-20	-	FILTERED
01/03/2018	WIV0106	52.1	39.4	0.1	1000	-20	-	FILTERED
01/03/2018	VL2	12.4	5.9	19.3	1000	0	-	FILTERED
01/03/2018	WIV0107	34.9	23.6	0.2	1000	-1	-	FILTERED
01/03/2018	VLM1	28.5	17.2	0.7	1000	0	-	FILTERED
01/03/2018	WIV0107	50.3	28.4	0.2	1000	-10	-	FILTERED
01/03/2018	WIV0109	40.6	37.3	0	1000	-10	-	FILTERED
01/03/2018	WIV0110	34.7	29.4	0	1000	-1	-	FILTERED
01/03/2018	WIV0101	41.5	32.4	0	1000	-5	-	FILTERED
01/03/2018	RD1	50.1	29.9	0	1000	-20	-	FILTERED
01/03/2018	WIV0102	28.4	30.7	0	1000	0	-	FILTERED
01/03/2018	WIV0103	27.6	21.9	0.1	1000	0	-	FILTERED
01/03/2018	WIV0118	58.8	38.4	0.3	1000	-20	-	FILTERED
01/03/2018	WIV0116	55.4	40.2	0.1	1000	-20	-	FILTERED
01/03/2018	L5	37.4	28.3	0.2	1000	-1	-	FILTERED
01/03/2018	L4	47.7	26.3	0.3	1000	-5	-	FILTERED
01/03/2018	WIVJ0020	55.3	29.9	0.2	1000	-20	-	FILTERED
01/03/2018	LM5	38.6	23.9	5.3	1000	-5	-	FILTERED
14/03/2018	WIV GC MB	49.8	38.2	0.1	1012	-40	-	FILTERED
14/03/2018	WIVA MB	39.1	25	0.2	1012	-37	-	FILTERED
14/03/2018	WIVA0027	18.2	15.3	3	1012	0	-	FILTERED
14/03/2018	WIVA0026	30.2	21.3	5.3	1012	0	-	FILTERED
14/03/2018	WIVA0025	38.8	32.1	0.1	1012	-5	-	FILTERED
14/03/2018	WIVA0020	48.2	32.1	0.1	1012	-15	-	FILTERED
14/03/2018	WIVA0019	27.1	22.2	0.1	1012	0	-	FILTERED
14/03/2018	WIVA0018	43.1	24.2	0.2	1012	-10	-	FILTERED
14/03/2018	WIVA0013	45.1	32.2	0.1	1012	-10	-	FILTERED
14/03/2018	WIVA0012	26.3	23.1	0.1	1012	0	-	FILTERED
14/03/2018	WIVA0011	28.3	19.9	0.1	1012	0	-	FILTERED
14/03/2018	WIVA0010	22.8	22.7	0.1	1012	0	-	FILTERED
14/03/2018	WIVA0001	17.7	13.9	0	1012	0	-	FILTERED
14/03/2018	WIVA0002	41.2	20.3	3.6	1012	-5	-	FILTERED
14/03/2018	WIVA0003	15.3	8	18.8	1012	0	-	FILTERED
14/03/2018	WIVA0004	28	23.7	0.6	1012	0	-	FILTERED
14/03/2018	WIVA0005	41.3	26.8	0.3	1012	-35	-	FILTERED
14/03/2018	WIVB MB	39.9	26.2	0.1	1012	-33	-	FILTERED
14/03/2018	WIVB0025	33.1	22.1	0.2	1012	0	-	FILTERED
14/03/2018	WIVB0034	46.9	33.3	0.2	1012	-15	-	FILTERED
14/03/2018	WIVB0033	30.3	19.3	3.5	1012	0	-	FILTERED
14/03/2018	WIVB0032	22.5	18.9	0.3	1012	0	-	FILTERED
14/03/2018	WIVB0039	11.1	14.6	19.7	1012	0	-	FILTERED
14/03/2018	WIVB0040	10	0.8	10.9	1012	0	-	FILTERED
14/03/2018	WIVB0041	35.2	24.2	0.1	1012	-3	-	FILTERED
14/03/2018	WIVB0047	22.5	20.1	0.1	1012	0	-	FILTERED

Date	ID	CH4 (%)	CO2 (%)	O2 (%)	BARO (mb)	Vacuum (mb)	CO (ppm)	H2S (ppm)
14/03/2018	WIVB0046	24.2	20.2	16.7	1012	0	-	FILTERED
14/03/2018	WIVB0048	39.9	18.4	2.9	1012	-5	-	FILTERED
14/03/2018	WIVB MA	42	26.2	0.1	1012	-32	-	FILTERED
14/03/2018	WIVC MB	39.9	24.6	0.2	1012	-33	-	FILTERED
14/03/2018	WIVC0009	34.7	27.2	0.4	1012	0	-	FILTERED
14/03/2018	WIVC0017	47.6	32.1	0.2	1012	-10	-	FILTERED
14/03/2018	WIVC0007	44.3	26.3	0.1	1012	-10	-	FILTERED
14/03/2018	WIVC0006	0.9	17	0.5	1012	0	-	FILTERED
14/03/2018	WIVC0014	33	23.4	0	1012	0	-	FILTERED
14/03/2018	WIVC0015	50.3	27.2	0	1012	-10	-	FILTERED
14/03/2018	WIVC0016	44	27.4	0	1012	-10	-	FILTERED
14/03/2018	WIVC0024	45.1	30.3	0.2	1012	-3	-	FILTERED
14/03/2018	WIVC0021	37.1	25.3	0.9	1012	-1	-	FILTERED
14/03/2018	WIVC0022	43.1	25	0.1	1012	-15	-	FILTERED
14/03/2018	WIVC0023	39.8	29.9	0.1	1012	0	-	FILTERED
14/03/2018	WIVC0028	50.2	24.6	0.1	1012	-10	-	FILTERED
14/03/2018	WIVC0029	39.2	21	2.2	1012	-5	-	FILTERED
14/03/2018	WIVC0030	51.7	25.2	0.2	1012	-10	-	FILTERED
14/03/2018	WIVC MA	44.6	27.2	0.1	1012	-31	-	FILTERED
14/03/2018	WIVD MB	38.9	29.3	0.4	1012	-30	-	FILTERED
14/03/2018	WIVD0052	37.3	23.2	0.2	1012	-5	-	FILTERED
14/03/2018	WIVD0051	46.3	35.1	0	1012	-10	-	FILTERED
14/03/2018	WIVD0049	38.1	22.1	1.3	1012	-1	-	FILTERED
14/03/2018	WIVD0050	38.7	21.3	0.2	1012	-5	-	FILTERED
14/03/2018	WIVD0045	48.2	24.6	0.4	1012	-10	-	FILTERED
14/03/2018	WIVD0043	37.9	21.2	0.1	1012	-5	-	FILTERED
14/03/2018	WIVD0042	33.1	22.2	0.2	1012	-1	-	FILTERED
14/03/2018	WIVD0044	35.8	18.8	0.1	1012	0	-	FILTERED
14/03/2018	WIVD0035	29.9	20.1	0.2	1012	0	-	FILTERED
14/03/2018	WIVD0036	44.1	24.1	0	1012	-5	-	FILTERED
14/03/2018	WIVD0037	35.1	21	0.2	1012	-2	-	FILTERED
14/03/2018	WIV0038	15.3	11.2	0.8	1012	0	-	FILTERED
14/03/2018	WIVD MA	41.1	28.7	0.1	1012	-30	-	FILTERED
14/03/2018	WIVE MB	38.9	26	1.9	1012	-30	-	FILTERED
14/03/2018	WIVE0053	34.3	21.5	4.1	1012	-26	-	FILTERED
14/03/2018	WIVE0054	18.9	21.5	0.1	1012	0	-	FILTERED
14/03/2018	WIVE0055	68.2	26	0.5	1012	0	-	FILTERED
14/03/2018	WIVE0056	8.8	12.2	10.7	1012	0	-	FILTERED
14/03/2018	WIVE0061	28.9	19.8	0.1	1012	0	-	FILTERED
14/03/2018	WIVE0062	29.8	21.5	0.1	1012	0	-	FILTERED
14/03/2018	WIVE0063	32.1	21.8	0.4	1012	0	-	FILTERED
14/03/2018	WIVE0064	41.5	29.1	0.1	1012	-15	-	FILTERED
14/03/2018	WIVE0069	0	7.9	19.1	1012	0	-	FILTERED
14/03/2018	WIVE MA	41.1	21.3	2.3	1012	-30	-	FILTERED
14/03/2018	WIVF MB	37.8	33.4	0.2	1012	-30	-	FILTERED

Date	ID	CH4 (%)	CO2 (%)	O2 (%)	BARO (mb)	Vacuum (mb)	CO (ppm)	H2S (ppm)
14/03/2018	WIVF0072	44.2	36	0.1	1012	-5	-	FILTERED
14/03/2018	WIVF0071	39.7	33.1	0.1	1012	-10	-	FILTERED
14/03/2018	WIVF0070	41.2	36.7	0.4	1012	-15	-	FILTERED
14/03/2018	WIVF0067	39.1	25.1	0.3	1012	-2	-	FILTERED
14/03/2018	WIVF0065	34.4	23.6	0.3	1012	0	-	FILTERED
14/03/2018	WIVF0063	44.1	30.1	0.3	1012	-5	-	FILTERED
14/03/2018	WIVF0060	39.1	22.3	0.2	1012	-10	-	FILTERED
14/03/2018	WIVF0059	40.3	24.5	0.1	1012	-5	-	FILTERED
14/03/2018	WIVF0058	46.2	25.7	0.2	1012	-5	-	FILTERED
14/03/2018	WIVF0057	2.3	5.6	20.5	1012	0	-	FILTERED
14/03/2018	WIVF MA	43.6	35.8	0.1	1012	-30	-	FILTERED
14/03/2018	WIV0095	59.1	37.2	0.1	1012	-20	-	FILTERED
14/03/2018	WIV0097	52.2	33.2	0.1	1012	-20	-	FILTERED
14/03/2018	WIV0099	46.2	33.2	0.1	1012	-20	-	FILTERED
14/03/2018	WIV0096	54.2	34.2	0.2	1012	-20	-	FILTERED
14/03/2018	WIV0098	56.1	34.1	0.1	1012	-20	-	FILTERED
14/03/2018	WIV0100	59.1	32.2	0.1	1012	-20	-	FILTERED
14/03/2018	WIV00102	10.1	0.3	20.7	1012	0	-	FILTERED
14/03/2018	WIV0103	58.2	33.6	0.1	1012	-20	-	FILTERED
14/03/2018	WIV0118	56.3	44.1	0.1	1012	-20	-	FILTERED
14/03/2018	WIV0117	53.1	42	0.1	1012	-20	-	FILTERED
14/03/2018	WIV0017	10.2	11.3	20.8	1012	0	-	FILTERED
14/03/2018	WIV0119	54.1	38.2	0.1	1012	-20	-	FILTERED
14/03/2018	WIV0091	52.1	38.9	0.1	1012	-20	-	FILTERED
14/03/2018	LM5	48.2	34.2	2.4	1012	-20	-	FILTERED
14/03/2018	WIV0020	55.2	38.3	0.1	1012	-20	-	FILTERED
14/03/2018	WIV0012	52.1	38.6	0.1	1012	-20	-	FILTERED
14/03/2018	WIV0011	55.7	39.1	0.1	1012	-20	-	FILTERED
14/03/2018	WIV0092	0	0	0	1012	0	-	FILTERED
14/03/2018	L3	0	0	0	1012	0	-	FILTERED
14/03/2018	WIV0009	10.2	5.4	19.9	1012	0	-	FILTERED
14/03/2018	WIV00125	54.2	39.2	0.2	1012	-20	-	FILTERED
14/03/2018	WIV0112	58.3	41.1	0.1	1012	-20	-	FILTERED
14/03/2018	WIV0111	54.7	43.2	0.1	1012	-20	-	FILTERED
14/03/2018	WIV0114	50.2	39.1	0.2	1012	-20	-	FILTERED
14/03/2018	WIV0113	23.4	27.3	0.1	1012	0	-	FILTERED
14/03/2018	WIV0104	60.1	46.2	0.1	1012	-20	-	FILTERED
14/03/2018	WIV0105	52	39.8	0.2	1012	-20	-	FILTERED
14/03/2018	WIV0106	58.2	42.1	0.1	1012	-20	-	FILTERED
14/03/2018	VL2		2.9	20.2	1012	0	-	FILTERED
14/03/2018	WIV0107	13.5	14.8	0.8	1012	0	-	FILTERED
14/03/2018	VLM1	16.5	17.2	8.9	1012	0	-	FILTERED
14/03/2018	WIV0107	40.7	33	0.2	1012	-10	-	FILTERED
14/03/2018	WIV0109	44.2	36.2	0	1012	-10	-	FILTERED
14/03/2018	WIV0110	22.9	26.3	0	1012	0	-	FILTERED

Date	ID	CH4 (%)	CO2 (%)	O2 (%)	BARO (mb)	Vacuum (mb)	CO (ppm)	H2S (ppm)
14/03/2018	WIV0101	40.2	32.2	0	1012	-5	-	FILTERED
14/03/2018	RD1	39.2	27.9	0	1012	-5	-	FILTERED
14/03/2018	WIV0102	29.3	28.3	0	1012	0	-	FILTERED
14/03/2018	WIV0103	27.2	23.2	0.1	1012	0	-	FILTERED
14/03/2018	WIV0118	50.2	37.3	0.1	1012	-10	-	FILTERED
14/03/2018	WIV0116	55.3	41.9	0.1	1012	-20	-	FILTERED
14/03/2018	L5	30.3	29.9	0.6	1012	0	-	FILTERED
14/03/2018	L4	37.2	24.5	0.9	1012	-5	-	FILTERED
14/03/2018	WIVJ0020	47.4	38.3	0.2	1012	-10	-	FILTERED
14/03/2018	LM5	26.3	21.1	5.3	1012	-5	-	FILTERED
22/03/2018	WIV GC MB	45.2	33.2	0.6	999	-55	-	FILTERED
22/03/2018	WIVA MB	32.1	23.9	0.2	999	-50	-	FILTERED
22/03/2018	WIVA0027	13.7	12.1	3.5	999	0	-	FILTERED
22/03/2018	WIVA0026	22.9	16.7	6.8	999	0	-	FILTERED
22/03/2018	WIVA0025	40	29.9	0.5	999	-15	-	FILTERED
22/03/2018	WIVA0020	48.3	28.7	0.2	999	-20	-	FILTERED
22/03/2018	WIVA0019	36.3	23.6	0.1	999	-15	-	FILTERED
22/03/2018	WIVA0018	44.1	25.7	0.1	999	-9	-	FILTERED
22/03/2018	WIVA0013	53.8	30.4	0.1	999	-10	-	FILTERED
22/03/2018	WIVA0012	33.1	21.4	0.1	999	-2	-	FILTERED
22/03/2018	WIVA0011	29.7	21.5	0.2	999	-1	-	FILTERED
22/03/2018	WIVA0010	25.2	24.9	0.4	999	0	-	FILTERED
22/03/2018	WIVA0001	17	16	0	999	0	-	FILTERED
22/03/2018	WIVA0002	35	19.1	4.5	999	-1	-	FILTERED
22/03/2018	WIVA0003	0.2	4.2	18	999	0	-	FILTERED
22/03/2018	WIVA0004	17.4	16.3	0.4	999	0	-	FILTERED
22/03/2018	WIVA0005	31.5	24.5	0.3	999	-10	-	FILTERED
22/03/2018	WIVB MB	31.8	19.6	1.1	999	-48	-	FILTERED
22/03/2018	WIVB0025	25.9	20.6	1.1	999	0	-	FILTERED
22/03/2018	WIVB0034	39	23.9	0.3	999	-5	-	FILTERED
22/03/2018	WIVB0033	32.6	14.2	5.4	999	-1	-	FILTERED
22/03/2018	WIVB0032	29.2	19.9	0.1	999	0	-	FILTERED
22/03/2018	WIVB0039	0.7	8.1	18.5	999	0	-	FILTERED
22/03/2018	WIVB0040	0	3	20	999	0	-	FILTERED
22/03/2018	WIVB0041	34	22.6	0.1	999	-2	-	FILTERED
22/03/2018	WIVB0047	26.2	21.6	0.1	999	0	-	FILTERED
22/03/2018	WIVB0046	20.6	7	12.7	999	0	-	FILTERED
22/03/2018	WIVB0048	43	16.3	3.8	999	-10	-	FILTERED
22/03/2018	WIVB MA	41.7	24	0.1	999	-47	-	FILTERED
22/03/2018	WIVC MB	48.8	25.4	0.3	999	-47	-	FILTERED
22/03/2018	WIVC0009	32.8	25	0.1	999	-1	-	FILTERED
22/03/2018	WIVC0017	50.3	29.1	0.1	999	-10	-	FILTERED
22/03/2018	WIVC0007	51.3	27.9	0.1	999	-10	-	FILTERED
22/03/2018	WIVC0006	11.4	21.4	0.1	999	0	-	FILTERED
22/03/2018	WIVC0014	29.6	23.5	0	999	0	-	FILTERED

Date	ID	CH4 (%)	CO2 (%)	O2 (%)	BARO (mb)	Vacuum (mb)	CO (ppm)	H2S (ppm)
22/03/2018	WIVC0015	46.7	26.9	0	999	-5	-	FILTERED
22/03/2018	WIVC0016	43.3	26.7	0	999	-5	-	FILTERED
22/03/2018	WIVC0024	49.2	29.5	0.1	999	-10	-	FILTERED
22/03/2018	WIVC0021	36.8	23.9	1.9	999	-1	-	FILTERED
22/03/2018	WIVC0022	49.1	26.2	0.1	999	-10	-	FILTERED
22/03/2018	WIVC0023	54.5	28	0	999	-10	-	FILTERED
22/03/2018	WIVC0028	64.5	27.2	0	999	-10	-	FILTERED
22/03/2018	WIVC0029	33.5	19.3	3.4	999	-1	-	FILTERED
22/03/2018	WIVC0030	61.5	28.1	0.1	999	-10	-	FILTERED
22/03/2018	WIVC MA	49.7	26.8	0.3	999	-46	-	FILTERED
22/03/2018	WIVD MB	38.1	26.9	5	999	-46	-	FILTERED
22/03/2018	WIVD0052	54.9	20.6	0	999	-10	-	FILTERED
22/03/2018	WIVD0051	48.1	22.2	0.1	999	-10	-	FILTERED
22/03/2018	WIVD0049	33.9	18.6	3.6	999	-2	-	FILTERED
22/03/2018	WIVD0050	62.2	17.2	0.2	999	-10	-	FILTERED
22/03/2018	WIVD0045	67.4	25.3	0.2	999	-10	-	FILTERED
22/03/2018	WIVD0043	39.4	19.1	0.1	999	-2	-	FILTERED
22/03/2018	WIVD0042	39.1	20.1	0	999	-5	-	FILTERED
22/03/2018	WIVD0044	30.7	18.8	0.1	999	0	-	FILTERED
22/03/2018	WIVD0035	30.7	19.9	0.1	999	0	-	FILTERED
22/03/2018	WIVD0036	60	20	0	999	-10	-	FILTERED
22/03/2018	WIVD0037	42.4	18.8	0.1	999	-5	-	FILTERED
22/03/2018	WIV0038	57.2	26	0.1	999	-10	-	FILTERED
22/03/2018	WIVD MA	54.9	25	0.1	999	-45	-	FILTERED
22/03/2018	WIVE MB	37.4	25.3	2.4	999	-46	-	FILTERED
22/03/2018	WIVE0053	35.5	21.5	4.1	999	-5	-	FILTERED
22/03/2018	WIVE0054	18.9	21.5	0.1	999	0	-	FILTERED
22/03/2018	WIVE0055	68.2	26	0.5	999	-10	-	FILTERED
22/03/2018	WIVE0056	8.8	12.2	10.7	999	0	-	FILTERED
22/03/2018	WIVE0061	28.9	19.8	0.1	999	0	-	FILTERED
22/03/2018	WIVE0062	29.8	21.5	0.1	999	0	-	FILTERED
22/03/2018	WIVE0063	32.1	21.8	0.4	999	0	-	FILTERED
22/03/2018	WIVE0064	41.5	29.1	0.1	999	-15	-	FILTERED
22/03/2018	WIVE0069	0	7.9	19.1	999	0	-	FILTERED
22/03/2018	WIVE MA	41.1	21.3	2.3	999	-46	-	FILTERED
22/03/2018	WIVF MB	50.7	34.8	0.5	999	-45	-	FILTERED
22/03/2018	WIVF0072	49.6	37.8	0.1	999	-5	-	FILTERED
22/03/2018	WIVF0071	47.4	36.5	0.2	999	-10	-	FILTERED
22/03/2018	WIVF0070	53	40	0.8	999	-15	-	FILTERED
22/03/2018	WIVF0067	46.1	25.6	0.1	999	-10	-	FILTERED
22/03/2018	WIVF0065	34.4	25.1	0.7	999	-2	-	FILTERED
22/03/2018	WIVF0063	39.6	28.2	0.2	999	-5	-	FILTERED
22/03/2018	WIVF0060	59.8	19.1	1.5	999	-10	-	FILTERED
22/03/2018	WIVF0059	39.9	26	0	999	-4	-	FILTERED
22/03/2018	WIVF0058	57.1	22.3	0.3	999	-12	-	FILTERED

Date	ID	CH4 (%)	CO2 (%)	O2 (%)	BARO (mb)	Vacuum (mb)	CO (ppm)	H2S (ppm)
22/03/2018	WIVF0057	1	5.3	19.4	999	0	-	FILTERED
22/03/2018	WIVF MA	47.5	35.8	0.4	999	-44	-	FILTERED
22/03/2018	WIV0095	63	36.9	0.1	999	-20	-	FILTERED
22/03/2018	WIV0097	50	30.5	0.1	999	-20	-	FILTERED
22/03/2018	WIV0099	12.5	0.3	0.1	999	0	-	FILTERED
22/03/2018	WIV0096	22.5	12.9	0	999	0	-	FILTERED
22/03/2018	WIV0098	58.7	33.7	0	999	-20	-	FILTERED
22/03/2018	WIV0100	58.2	33.7	0.1	999	-20	-	FILTERED
22/03/2018	WIV00102	5	0.3	20.7	999	0	-	FILTERED
22/03/2018	WIV0103	59.2	34.9	0.1	999	-20	-	FILTERED
22/03/2018	WIV0118	59.2	40.1	0.1	999	-20	-	FILTERED
22/03/2018	WIV0117	58.7	40.6	0.1	999	-20	-	FILTERED
22/03/2018	WIV0017	8	4	20.8	999	0	-	FILTERED
22/03/2018	WIV0119	59	40.7	0.1	999	-20	-	FILTERED
22/03/2018	WIV0091	59.5	40.7	0.1	999	-20	-	FILTERED
22/03/2018	LM5	32.3	27.4	3.5	999	-20	-	FILTERED
22/03/2018	WIV0020	60.1	39.8	0.1	999	-20	-	FILTERED
22/03/2018	WIV0012	59.6	40.2	0.1	999	-20	-	FILTERED
22/03/2018	WIV0011	59.4	40.2	0.1	999	-20	-	FILTERED
22/03/2018	WIV0092	10.6	5.5	0	999	0	-	FILTERED
22/03/2018	L3	0.9	0.1	0	999	0	-	FILTERED
22/03/2018	WIV0009	4.7	2.3	19.4	999	0	-	FILTERED
22/03/2018	WIV00125	55.8	25.2	0.1	999	-20	-	FILTERED
22/03/2018	WIV0112	57.3	41.1	0.1	999	-20	-	FILTERED
22/03/2018	WIV0111	59.3	41.2	0.1	999	-20	-	FILTERED
22/03/2018	WIV0114	52.7	40.2	0.2	999	-20	-	FILTERED
22/03/2018	WIV0113	21.6	23.3	0.1	999	0	-	FILTERED
22/03/2018	WIV0104	57.4	43.6	0.1	999	-20	-	FILTERED
22/03/2018	WIV0105	57.8	40.4	0.2	999	-20	-	FILTERED
22/03/2018	WIV0106	52.1	39.4	0.1	999	-20	-	FILTERED
22/03/2018	VL2	12.4	5.9	19.3	999	0	-	FILTERED
22/03/2018	WIV0107	34.9	23.6	0.2	999	0	-	FILTERED
22/03/2018	VLM1	28.5	17.2	0.7	999	0	-	FILTERED
22/03/2018	WIV0107	50.3	28.4	0.2	999	-10	-	FILTERED
22/03/2018	WIV0109	40.6	37.3	0	999	-5	-	FILTERED
22/03/2018	WIV0110	34.7	29.4	0	999	-1	-	FILTERED
22/03/2018	WIV0101	41.5	32.4	0	999	-5	-	FILTERED
22/03/2018	RD1	50.1	29.9	0	999	-5	-	FILTERED
22/03/2018	WIV0102	28.4	30.7	0	999	0	-	FILTERED
22/03/2018	WIV0103	27.6	21.9	0.1	999	0	-	FILTERED
22/03/2018	WIV0118	58.8	38.4	0.3	999	-20	-	FILTERED
22/03/2018	WIV0116	55.4	40.2	0.1	999	-20	-	FILTERED
22/03/2018	L5	37.4	28.3	0.2	999	0	-	FILTERED
22/03/2018	L4	47.7	26.3	0.3	999	-10	-	FILTERED
22/03/2018	WIVJ0020	55.3	29.9	0.2	999	-20	-	FILTERED

Date	ID	CH4 (%)	CO2 (%)	O2 (%)	BARO (mb)	Vacuum (mb)	CO (ppm)	H2S (ppm)
22/03/2018	LM5	38.6	23.9	5.3	999	-5	-	FILTERED
Notes:	-	dash denotes value not provided						

APPENDIX G

Gas Engine Emissions

Table 1: Point source emissions to air Engine Exhaust 1 and Engine Exhaust 2 in accordance with Table S4.2 of the permit

Monitoring Point		Engine Exhaust 1 (1514)			Engine Exhaust 2 (1538)		
	Compliance Limit (ppm)	22/01/2018	15/02/2018	09/03/2018	22/01/2018	15/02/2018	09/03/2018
Oxides of Nitrogen (NOx)	No Limit	499	374	522	270	539	406
Carbon Monoxide (CO)	No Limit	969	863	981	791	988	789