



Permit with introductory note

Pollution Prevention and Control (England & Wales) Regulations 2000

Amex Park
Mekatek Limited
Llanstephan Road
Johnstown
Carmarthen
SA31 3NF

Permit number

YP3937SH

Contents

Introductory note.....	ii
Permit.....	1
Conditions.....	2
1 General.....	2
2 Operating conditions.....	8
3 Records.....	20
4 Reporting.....	21
5 Notifications.....	23
6 Interpretation.....	25
Schedule 1 - Notification of abnormal emissions.....	27
Schedule 2 - Reporting of monitoring data.....	28
Schedule 3 - Forms to be used.....	29
Schedule 4 - Reporting of performance data.....	30
Schedule 5 - Site plan.....	31
Schedule 6A - Permitted wastes for Transfer Facility.....	32
Schedule 6B - Permitted wastes for Biodegradation Area.....	43
Schedule 6C - Permitted wastes for High Strength Biodegradable Effluent Area.....	48
Schedule 6D - Permitted wastes for Free Oil Separation Area.....	51
Schedule 6E - Permitted wastes for Soluble Oil Facility.....	54
Schedule 6F - Permitted wastes for Biological Treatment Plant and High Strength Biodegradable Effluent Area.....	56

Introductory note

This introductory note does not form a part of the Permit

The following Permit is issued under Regulation 10 of the Pollution Prevention and Control (England and Wales) Regulations 2000 (S.I.2000 No.1973), as amended, ("the PPC Regulations") to operate an installation carrying out activities covered by the description in Section 5.3 Part A(1)(a), 5.3 Part A(1)(b) and 5.3 Part A(1)(c)(i) in Part 1 of Schedule 1 of the PPC Regulations, to the extent authorised by the Permit namely:

Section 5.3 Part A(1)(a) Disposal of hazardous waste (other than by incineration or landfill) in a facility with a capacity of more than 10 tonnes per day

Section 5.3 Part A(1)(b) Disposal of waste oils (other than by incineration or landfill) in a facility with a capacity of more than 10 tonnes per day

Section 5.3 Part A(1)(c)(i) Disposal of non-hazardous waste in a facility with a capacity of more than 50 tonnes per day - biological treatment, not being treatment specified in any paragraph other than paragraph D8 of Annex IIA to Council Directive 75/442/EEC, which results in final compounds or mixtures which are discarded by means of any of the operations numbered D1 to D12 in that Annex (D8)

Aspects of the operation of the Permitted Installation which are not regulated by conditions of the Permit are subject to the condition implied by Regulation 12(10) of the PPC Regulations, i.e. the Operator shall use the best available techniques for preventing or, where that is not practicable, reducing emissions from the Permitted Installation.

Techniques include both the technology used and the way in which the Permitted Installation is designed, built, maintained, operated and decommissioned.

In some sections of the Permit conditions require the Operator to use Best Available Techniques (BAT), in each of the aspects of the management of the Permitted Installation, to prevent and where that is not practicable to reduce emissions. The conditions do not explain what is BAT. In determining BAT, the Operator should pay particular attention to relevant sections of the IPPC Sector guidance, appropriate Horizontal guidance and other relevant guidance.

A non-technical description of the installation is given in the Application, but the main features of the installation are as follows.

The Permitted Installation, covering an area of approximately 7 hectares, is situated on Amex Park, a small industrial estate in Johnstown (Grid Reference SN 3950 1950). It is approximately 4 kilometres from Carmarthen town centre. The Permitted Installation is based on the site of a previous dairy and its infrastructure and waste water treatment works have been adapted and modified by the permit holder to treat industrial waste effluents.

The installation carries out a variety of waste disposal and recovery processes. A summary of these is as follows:

Most of the effluents are delivered to the installation by road tanker. Effluents are filtered to remove solids during discharge and then undergo blending with high and low strength effluents in the high strength biodegradable effluent area before they are transferred for treatment into the main biological treatment plant where they undergo aerobic biological treatment. Removed solids are sent for disposal to landfill and the treated effluent is discharged into the River Tywi.

The recovery and disposal of waste oils and oil/water mixtures is carried out in the free oil separation area. The wastes are delivered to the site by road tanker, or in containers. Free oil/water mixtures are discharged to the free oil separation tanks where the oil is separated by gravity and heat which is provided by the on-site boiler. The separated water is filtered to remove solids before being transferred for further treatment in the main biological treatment plant.

The recovered waste oil is sent off-site for further processing or use as an alternative fuel. The oil contaminated solids are transferred for further treatment in the biodegradation facility on-site.

The recovery and disposal of soluble waste oils is carried out in the soluble oil facility where the wastes are delivered to the site by road tanker or in containers. On arrival they are discharged into a storage tank where they undergo treatment in the working tank via an ultrafiltration unit. The concentrated oil mixture is pH adjusted to aid further separation. The recovered oil is then sent off site for further processing or for use as an alternative fuel. The separated water is transferred to the main biological treatment plant for further treatment.

The disposal of hazardous drummed and containerised waste is carried out in the transfer facility. These wastes are stored in segregated bays according to their waste type and property, pending onward disposal off-site or disposal or recovery on-site via the waste oil recovery plants, biological treatment plant or biodegradation facility.

The biological treatment of hazardous sludges is carried out in the biodegradation area where waste absorbents and packaging are delivered to the installation in containers or skips. The biodegradation facility also accepts oil-contaminated solids from the installation's own oil recovery operations. The degradation of wastes involves inoculation with activated sludge from the main biological treatment plant or the use of specific bacterial inoculations. The process also involves mixing, watering and aeration to remove hazardous substances. The degraded wastes are then disposed of off site to landfill.

The installation is within the Agency's 1 in 75 years (or 1.3% in a year) or greater floodplain which indicates a significant chance of flooding, particularly for the lower, eastern, sections of the installation where the main biological treatment plant is situated.

The River Tywi, which flows north to south beyond the marsh at the eastern end of the site, is a Special Conservation Area (SAC) and is within 1 kilometre of the installation. There are also two Sites of Special Scientific Interest (SSSI) within 2 kilometres, east and north east of the installation.

The installation is situated on a minor aquifer, with soils of high leaching potential, and the underlying geology is that of fluvial glacial sands and gravels underlain by clay units. Within a kilometre south and south west of the installation there is housing, a school and a leisure centre.

The whole of the Permitted Installation's surface is, or will be, sealed with an impermeable pavement with surface water run off and roof water directed into the on-site treatment systems prior to discharge to the River Tywi.

At the time of Permit issue the only air emissions (excluding fugitive emissions) arise from the boiler stack. Emissions to controlled waters consist of discharges of treated effluents from on-site treatment systems directly into the River Tywi. There are no other process emissions, either to sewer or to land, from the installation.

Note that the Permit requires the submission of certain information to the Agency (see Sections 4 and 5). In addition, the Agency has the power to seek further information at any time under regulation 28 to the PPC Regulations provided that it acts reasonably.

Other PPC Permits relating to this installation

Permit holder	Permit Number	Date of Issue
Not applicable		

Other activities may take place on the site of this Permitted Installation which are not regulated under this Permit or any other PPC Permit referred to in the Table above.

Other existing Licences/Authorisations/Registrations relating to this site		
Holder	Reference Number	Date of issue
Mekatek Limited	Licence to Abstract Water 22/60/3/21	30/07/97
Mekatek Limited	Licence to Abstract Water 22/60/3/22	30/07/97

Note that the waste management licence shall cease to have effect if and to the extent that the treatment, keeping or disposal of waste authorised by the licence is authorised by this permit.

Superseded environmental licences/ partially superseded waste management licences/ authorisations/ consents/permits relating to this installation			
Holder	Reference Number	Date of Issue	Fully or Partially superseded
Mekatek Limited	Waste Management Licence: EAWML/34045	22/06/92	Partially
Mekatek Limited	Water Resources Act 1991, Consent to Discharge: 22/04/93 BH0061601		Fully

Public Registers

Considerable information relating to Permits including the Application is available on public registers in accordance with the requirements of the PPC Regulations. Certain information may be withheld from public registers where it is commercially confidential or contrary to national security.

Variations to the Permit

This Permit may be varied in the future (by the Agency serving a Variation Notice on the Operator). If the Operator itself wants any of the Conditions of the Permit to be changed, it must submit a formal Application. The Status Log within the Introductory Note to any such Variation Notice will include summary details of this Permit, variations issued up to that point in time and state whether a consolidated version of the Permit has been issued.

Surrender of the Permit

Before this Permit can be wholly or partially surrendered, an Application to surrender the Permit has to be made by the Operator. For the application to be successful, the Operator must be able to demonstrate to the Agency that there is no pollution risk and that no further steps are required to return the site to a satisfactory state.

Transfer of the Permit or part of the Permit

Before the Permit can be wholly or partially transferred to another person, an Application to transfer the Permit has to be made jointly by the existing and proposed holders. A transfer will be allowed unless the Agency considers that the proposed holder will not be the person who will have control over the operation of the Permitted Installation or will not comply with the conditions of the transferred Permit. If, however, the Permit authorises the carrying out of a specified waste management activity, the transfer will only be allowed if the proposed holder is also considered to be "a fit and proper person" as required by the PPC Regulations.

Talking to us

Please quote the Permit Number if you contact the Agency about this Permit.

To give a Notification under Condition 5.1.1, the Operator should use the Incident Hotline telephone number (0800 80 70 60) or any other number notified in writing to the Operator by the Agency for that purpose.

Status log

Detail	Date	Response Date
Application YP3937SH	Received 19/10/05	
Request for further information	Request dated 10/10/05	Response dated 17/10/05
Request to extend determination	Request dated 06/04/06	Request accepted 19/04/06
Request for further information	Request dated 27/04/06	Response dated 03/05/06
Permit determined	16/06/06	

End of Introductory Note.

Permit

Pollution Prevention and Control
Regulations 2000



**ENVIRONMENT
AGENCY**

Permit

Permit number

YP3937SH

The Environment Agency (the Agency) in exercise of its powers under Regulation 10 of the Pollution Prevention and Control (England and Wales) Regulations (SI 2000 No 1973), hereby authorises **Mekatek Limited** ("the Operator"),

whose Registered Office is

**28 Terminus Road,
Millhouses,
Sheffield
S7 2LH**

Company registration number **1905259**



to operate an Installation at

**Amex Park
Llanstephan Road
Johnstown
Carmarthen
SA31 3NF**

to the extent authorised by and subject to the conditions of this Permit.

Signed

Date

	
---	---

R Holland

Authorised to sign on behalf of the Agency

Conditions

1 General

1.1 Permitted activities

1.1.1 The Operator is authorised to carry out the activities and the associated activities specified in Table 1.1.1.

Table 1.1.1			
Activity listed in Schedule 1 of the PPC Regulations or Directly-associated Activity	Description of Specified Activity and WFD Annex IIA and IIB operations	Permitted Capacity of Specified Activity	Waste types by EWC
Section 5.3 Part A(1)(a) Disposal of hazardous waste (other than by incineration or landfill) in a facility with a capacity of more than 10 tonnes per day.	D15 , Storage pending disposal – classification and segregation into waste types during storage. D14 , Repackaging – Over drumming & re-containerising of wastes for transfer pending onward disposal. D13 , Mixing or blending – compatible wastes with same properties and hazards.	Transfer Facility (150 tonnes) In the location specified in site plan 1.1 dated Aug 2005 and figure 1 layout plan in appendix 10 of the application	Wastes specified in Schedule 6 A
	D15 , Storage pending disposal – Storage of solid wastes in sealed and closed skips.	Laydown Area (40 tonnes) In the location specified in site plan 1.1 dated Aug 2005 and figure 1 layout plan in appendix 10 of the application	17 06 01* insulation materials containing asbestos. 17 06 05* construction materials containing asbestos
	D8 , Biological treatment – dewatering of sludges, inoculation with bacteria, turning and watering of organic waste solids and sludges.	Biodegradation Area (100 tonnes) In the location specified in site plan 1.1 dated Aug 2005.	Wastes specified in Schedule 6 B
	D13 , Mixing or blending – compatible wastes , pH adjustment.	High Strength Biodegradable Effluent Area (total 1169.75 tonnes) consisting of the following tanks HSB A to I Tanks SOT A and SOT B (454 tonnes)	Wastes specified in Schedule 6 C

Table 1.1.1			
Activity listed in Schedule 1 of the PPC Regulations or Directly-associated Activity	Description of Specified Activity and WFD Annex IIA and IIB operations	Permitted Capacity of Specified Activity	Waste types by EWC
Directly associated activities Crushing and compaction of nominally empty drums and containers.	R3 , Recycling/reclamation of organic substances which or not used as solvents - recovery of plastic and plastic packaging. R4 , Recycling/reclamation of metals and metal compounds – recovery of metal and metal packaging.	Transfer Facility (150 tonnes) In the location specified in site plan 1.1 dated Aug 2005 and figure 1 layout plan in appendix 10 of the application.	15 01 10* packaging containing residues of or contaminated by dangerous substances
Directly associated activities Mixing or blending non-hazardous aqueous liquid wastes with aqueous liquid hazardous wastes.	D13 , Mixing or blending – compatible wastes , pH adjustment.	High Strength Biodegradable Effluent Area (total 1169.75 tonnes) consisting of the following tanks HSB A to I Tanks SOT A and SOT B (454 tonnes)	Wastes specified in Schedule 6 F
Section 5.3 Part A(1)(b) Disposal of waste oils (other than by incineration or landfill) in a facility with a capacity of more than 10 tonnes per day.	R13 , Storage pending recovery – oils for onward recovery. R3 , Recycling/reclamation of organic substances which are not used as solvents - recovery of oil.	Free Oil Separation Area (104.4 tonnes) Tanks FOS A to FOS F In the location specified in site plan 1.1 dated Aug 2005 and plan No. 6 dated February 2005 in appendix A6 of the application.	Wastes specified in Schedule 6 D
		Soluble Oil Facility (508.4 tonnes) Tanks SOT A to SOT H In the location specified in site plan 1.1 dated Aug 2005 and plan No. 5 dated August 2005 in appendix A6 of the application.	Wastes specified in Schedule 6 E

Table 1.1.1			
Activity listed in Schedule 1 of the PPC Regulations or Directly-associated Activity	Description of Specified Activity and WFD Annex IIA and IIB operations	Permitted Capacity of Specified Activity	Waste types by EWC
Section 5.3 Part A(1)(c) Disposal of non-hazardous waste in a facility with a capacity of more than 50 tonnes per day by - (i) biological treatment, not being treatment specified in any paragraph other than paragraph D8 in Annex IIA to Council Directive 75/442/EEC, which results in final compounds or mixtures which are discarded by means of any of the operations numbered D1 to D12 in that Annex (D8).	D8 , Biological treatment - inoculation with bacteria, aeration, sludge activation, settlement and clarification.	Biological Treatment Plant (total 4817.5 tonnes) consisting of the following tanks: HSB A to I (715.75 tonnes), BTP 1 to 4 (1089.6 tonnes), BTP SST 1 to 3 (104.75 tonnes), Aeration tanks 5 to 7 (1954 tonnes), Primary clarifiers 1 and 2 (544.8 tonnes), Secondary clarifiers 1 and 2 (408.6 tonnes) In the locations specified in site plan 1.1 dated Aug 2005 and plan No. 7 dated August 2005 in appendix A6 of the application.	Wastes specified in Schedule 6 F
Directly associated activities Storage and mixing or blending of non-hazardous wastes pending disposal by biological treatment.	D15 , Storage pending disposal D13 , Mixing or blending – wastes	Biological Treatment Plant Tanks HSB A to I (715.75 tonnes), In the locations specified in site plan 1.1 dated Aug 2005	

- 1.1.2 Where there are wastes on site that are not subject to this permit then the wastes subject to the activities authorised under condition 1.1.1 shall be clearly identified.

1.2 Site

- 1.2.1 The activities authorised under condition 1.1.1 shall not extend beyond the Site, being the land shown edged in green on the Site Plan at Schedule 5 to this Permit.

1.3 Overarching management condition

- 1.3.1 Without prejudice to the other conditions of this Permit, the Operator shall implement and maintain a management system, organisational structure and allocate resources that are sufficient to achieve compliance with the limits and conditions of this Permit.

1.4 Improvement programme

- 1.4.1 The Operator shall complete the improvements specified in Table 1.4.1 by the date specified in that table, and shall send written notification of the date of completion of each requirement to the Agency within 14 days of the completion of each such requirement.

Table 1.4.1: Improvement programme		
Reference	Requirement	Date to be achieved by
IC1	The Operator shall provide a procedure / work instruction that shall be submitted for approval by the Agency for the operation of the continuous pH meter having regard to the calibration requirements given in BS6068-2.50:1995, ISO 10523:1984.	01/09/06
IC2	The Operator shall provide a report in writing to the Agency detailing the monitoring method used to determine effluent flow at W1. The monitoring method shall be submitted for approval by the Agency.	01/09/06
IC3	The Operator shall review the written accident management plan (Emergency Plan MP26) with regard to the requirements set out in Section 2.3 (Management) of Sector Guidance Note S5.06 December 2004. Upon completion of the review the document shall be submitted to the Agency for approval.	01/09/06
IC4	The Operator shall install a pH meter that has MCERTS conformance certification for the monitoring method specified for monitoring pH in table 2.2.5 of this Permit.	01/12/06 unless otherwise approved in writing by the Agency
IC5	The Operator shall revise the procedures used to monitor the discharge at emission point W1 and shall implement an effluent monitoring programme for the parameters listed in Table 2.2.5 to the frequencies, and using the methods, specified in that table.	01/12/06
IC6	The Operator shall implement procedures and carry out any necessary works to prevent tidal waters from entering the biological effluent treatment systems via the effluent discharge pipe. Written proposals for any works to be carried out, and their operational details, shall be submitted to the Agency for approval prior to their construction.	01/12/06
IC7	The Operator shall implement and maintain an infrastructure maintenance and improvement plan throughout the operational life of the Installation. The written procedures (and any amendments to them) shall accord with section 2.3 (Management) of Sector Guidance Note S5.06, December 2004 and shall be submitted for approval by the Agency.	01/12/06
IC8	The Operator shall assess the risk of release from overfilling of storage vessels and identify and implement measures for minimising this risk. A timetable to undertake any measures identified for minimising these risks shall be submitted in writing for approval by the Agency.	01/12/06
IC9	The Operator shall provide adequate infrastructure and implement procedures to ensure wastes stored in the transfer facility are suitably identified, segregated and contained in accordance with section 2.1.3 (Waste Storage) IPPC Sector Guidance Note S5.06, December 2004.	01/12/06
IC10	The Operator shall assess the risk of flooding to operational areas of the site and provide and implement a flood risk action plan with procedures to mitigate the impacts of polluting substances entering controlled waters. The flood risk action plan shall be submitted for approval by the Agency.	01/12/06
IC11	The Operator shall identify, secure and provide containment measures for all pipework that contains liquids whose spillage could be harmful to the environment. The containment measures shall take into account the requirements of section 2.2.5 of the Agency Guidance Note IPPC S5.06, December 2004. A written report summarising the findings, including a timescale for the implementation of specified measures, shall be submitted to the Agency for approval.	01/03/07

Table 1.4.1: Improvement programme

Reference	Requirement	Date to be achieved by
IC12	The Operator shall undertake an assessment of the surfacing and containment measures on site. The assessment shall take into account the requirements of section 2.2.5 of the Agency Guidance Note IPPC S5.06, December 2004. A written report summarising the findings shall be submitted to the Agency. A timescale for implementation of any improvements shall be submitted to the Agency for approval.	01/03/07
IC13	The Operator shall undertake an assessment of subsurface structures and their potential to cause fugitive emissions to surface water and groundwater. The assessment shall take into account the requirements of section 2.2.5 of the Agency Guidance Note IPPC S5.06, December 2004. A written report summarising the findings and a timescale for implementation of any improvements shall be submitted for approval by the Agency.	01/06/07
IC14	The Operator shall install the infrastructure required to ensure that drums that are not able to be re-used are cleaned to facilitate recycling or recovery by other means, in accordance with Section 2.1.13 of Sector Guidance Note S5.06, December 2004.	01/12/07
IC15	The Operator shall develop a written Site Closure Plan, having regard to the requirements set out in Section 2.11 of the Agency Guidance Note IPPC S5.06, December 2004, and shall submit the plan to the Agency for approval.	01/12/07
IC16	The Operator shall assess the current method for effluent flow with the requirements given in the MCERTS standard 'Minimum requirements for the self-monitoring of effluent flow' version 2, Aug 2004. A written report shall be provided to the Agency detailing how this standard is to be achieved and shall include timescales for implementation.	01/06/07, unless otherwise approved in writing by the Agency
IC17	<p>The Operator shall develop an odour management plan for the installation. The plan shall have regard to the requirements set out in Section 2.2.6 of the Agency Guidance Note IPPC S5.06, December 2004 and shall consider:</p> <ul style="list-style-type: none"> • Activities and materials that may have a potential for odour • Conditions under which an odour release will occur • Prevention of release of odorous material <p>The plan, including a timescale for any improvements identified, shall be submitted to the Agency for approval.</p>	01/06/07, unless otherwise approved in writing by the Agency

- 1.4.2 Where the Operator fails to comply with any requirement by the date specified in Table 1.4.1 the Operator shall send written notification of such failure to the Agency within 14 days of such date.

1.5 Minor operational changes

- 1.5.1 The Operator shall seek the Agency's written agreement to any minor operational changes under condition 2.1.1 of this Permit by sending to the Agency: written notice of the details of the proposed change including an assessment of its possible effects (including waste production) on risks to the environment from the Permitted Installation; any relevant supporting assessments and drawings; and the proposed implementation date.
- 1.5.2 Any such change shall not be implemented until agreed in writing by the Agency. As from the agreed implementation date, the Operator shall operate the Permitted Installation in accordance with that change, and relevant provisions in the Application shall be deemed to be amended.

- 1.5.3 When the qualification “unless otherwise agreed in writing” is used elsewhere in this Permit, the Operator shall seek such agreement by sending to the Agency written notice of the details of the proposed method(s) or techniques.
- 1.5.4 Any such method(s) or techniques shall not be implemented until agreed in writing by the Agency. As from the agreed implementation date, the Operator shall operate the Permitted Installation using that method or technique, and relevant provisions in the Application and the Site Protection and Monitoring Programme, as the case may be, shall be deemed to be amended.

1.6 Pre-operational conditions

- 1.6.1 There are no pre-operational conditions.

1.7 Off-site conditions

- 1.7.1 There are no off-site conditions.

2 Operating conditions

2.1 In-process controls

- 2.1.1 The Permitted Installation shall, subject to the conditions of this Permit, be operated using the techniques and in the manner described in the documentation specified in Table 2.1.1, or as otherwise agreed in writing by the Agency in accordance with conditions 1.5.1 and 1.5.2 of this Permit.

Table 2.1.1: Operating techniques

Description	Parts	Date Received
Application	The response to questions B2.1.2, to B2.1.23, given in pages 13 to 25 of the application, excluding sections B2.1.4, B2.1.5, B2.1.12, B2.1.13, B2.1.17, B2.1.18, and B2.1.19.	19/10/05
Supplementary document and additional information to questions in sections B2.2.10 to 2.12.1 of the application provided by Mekatek Limited in their letter to the Environment Agency dated 17 October 2005	The response to sections B2.2.12 to B2.2.44 given in the additional information excluding responses to sections B2.2.14, B2.2.15, B2.2.16, B2.2.18, B2.2.24 and B2.2.36.	19/10/05

- 2.1.2 The Permitted Installation shall, subject to the other conditions of this Permit, be operated using the techniques and in the manner described in the Site Protection and Monitoring Programme submitted under condition 4.1.7 of this Permit (as amended from time to time under condition 4.1.7), or as otherwise agreed in writing by the Agency.
- 2.1.3 Site security systems shall be provided at all times during the subsistence of this permit to prevent access which is not authorised either by the PPC permit or under legal powers of entry.

2.2 Emissions

2.2.1 Emissions to air, (including heat, but excluding odour, noise or vibration) from specified points

- 2.2.1.1 This Part 2.2.1 of this Permit shall not apply to releases of odour, noise or vibration.
- 2.2.1.2 Emissions to air from the emission points in Table 2.2.1 shall only arise from the source specified in that Table. There are no specific controls imposed upon emissions to air in Part 2.2.1 of this Permit.

Table 2.2.1 : Emission points to air

Emission point reference or description	Source	Location of emission point
A1	Boiler stack	Boiler Unit on Plan No. 6 in Appendix A6 of the Site Report dated February 2005.

2.2.2 Emissions to water (other than groundwater), including heat, from specified points

- 2.2.2.1 This Part 2.2.2 of this Permit shall not apply to releases of odour, noise or vibration or to releases to groundwater.
- 2.2.2.2 Conditions 2.2.2.3 - 2.2.2.6 shall not apply to emissions to sewer.
- 2.2.2.3 No emission from the Permitted Installation shall be made to water except via the Operator's on-site biological effluent treatment plant as specified in this Permit.

Table 2.2.4: Emission point to water

Emission Point Reference or description	Source	Receiving Water
W1 on effluent water quality location plan.	Treated liquid effluent from the biological treatment plant, and roof and surface waters via the treatment plant.	River Tywi

- 2.2.2.4 The limits for the emissions to water for the parameters and emission point set out in Table 2.2.5 shall not be exceeded.

Table 2.2.5 : Emission limits to water and monitoring

Emission point reference	Parameter	Limit (including Reference Period)	Monitoring frequency	Monitoring method ¹
W1	Suspended solids	75mg/l (winter period) ² 60mg/l (summer period) ³	Daily spot sample. Monthly analysis of bulk daily sample.	BS EN 872:1996, BS 6068-2.54:1996. To cease on completion of improvement condition IC5
			Continuous flow proportional sample over 24-hours. Monthly.	BS EN 872:1996, BS 6068-2.54:1996. To commence on completion of improvement condition IC5
W1	Total ammonium as N	20mg/l (winter period) ² 15mg/l (summer period) ³	Daily spot sample.	SCA blue book 48 ISBN 0117516139

Table 2.2.5 : Emission limits to water and monitoring

Emission point reference	Parameter	Limit (including Reference Period)	Monitoring frequency	Monitoring method ¹
W1	Mercury and its compounds as Hg	0.02µg/l	Daily spot sample. Monthly analysis of bulk daily sample.	SCA blue book 48 ISBN 0117516139 To cease on completion of improvement condition IC5
			Continuous flow proportional sample over 24-hours. Monthly.	BS EN 13506:2002, BS 6068-2.74:2002 To commence on completion of improvement condition IC5
W1	Cadmium and its compounds as Cd	0.3µg/l	Daily spot sample. Monthly analysis of bulk daily sample.	BS EN ISO 5961:1995, BS 6068-2.21:1995 To cease on completion of improvement condition IC5
			Continuous flow proportional sample over 24-hours. Monthly.	BS EN ISO 5961:1995, BS 6068-2.21:1995 To commence on completion of improvement condition IC5
W1	Lead and its compounds as Pb	15µg/l	Daily spot sample. Monthly analysis of bulk daily sample.	BS 6068: Section 2.60 1998. To cease on completion of improvement condition IC5
			Continuous flow proportional sample over 24-hours. Monthly.	BS 6068: Section 2.60 1998. To commence on completion of improvement condition IC5
W1	Nickel and its compounds as Ni	30µg/l	Daily spot sample. Monthly analysis of bulk daily sample.	BS 6068: Section 2.60 1998. To cease on completion of improvement condition IC5
			Continuous flow proportional sample over 24-hours. Monthly.	BS 6068: Section 2.60 1998. To commence on completion of improvement condition IC5

Table 2.2.5 : Emission limits to water and monitoring

Emission point reference	Parameter	Limit (including Reference Period)	Monitoring frequency	Monitoring method ¹
W1	Zinc and its compounds as Zn	100µg/l	Daily spot sample. Monthly analysis of bulk daily sample.	BS 6068: Section 2.60 1998. To cease on completion of improvement condition IC5
			Continuous flow proportional sample over 24-hours. Monthly.	BS 6068: Section 2.60 1998. To commence on completion of improvement condition IC5
W1	Chromium and its compounds as Cr	30µg/l	Daily spot sample. Monthly analysis of bulk daily sample.	BS EN 1233:1997, BS 6068-2.38:1997. To cease on completion of improvement condition IC5
			Continuous flow proportional sample over 24-hours. Monthly.	BS EN 1233:1997, BS 6068-2.38:1997. To commence on completion of improvement condition IC5
W1	Copper and its compounds as Cu	20µg/l	Daily spot sample. Monthly analysis of bulk daily sample.	BS 6068: Section 2.60 1998. To cease on completion of improvement condition IC5
			Continuous flow proportional sample over 24-hours. Monthly.	BS 6068: Section 2.60 1998. To commence on completion of improvement condition IC5
W1	Biochemical oxygen demand (5 day)	75mg/l (winter period) ² 40 mg/l (summer period) ³	Monthly spot sample.	BS EN 1899-2 (1998).
W1	Oils and grease	No visible release	Daily	Visual inspection
W1	Temperature	≤24°C	Three readings per day reported as daily averages.	As agreed with the Agency.
W1	pH	6 to 8.5	Three samples per day reported as daily averages.	BS 6068-2.50: 1995, ISO 10523: 1994. To cease on completion of improvement conditions IC4 and IC5
			Continuous, reported as daily averages.	To commence on completion of improvement conditions IC4 and IC5.

Table 2.2.5 : Emission limits to water and monitoring

Emission point reference	Parameter	Limit (including Reference Period)	Monitoring frequency	Monitoring method ¹
W1	Flow	39l/second	Continuous, reported as daily averages.	To be agreed with the Agency
		2500m ³ /day	Continuous.	

Footnote ¹ or to a relevant EN, BS, ISO or SCA blue book method as agreed with the Agency.

Footnote ² winter period is defined as 01 October to 31 March.

Footnote ³ summer period is defined as 01 April to 30 September.

- 2.2.2.6 Total emissions to water in any year of a substance listed in Table 2.2.6 shall not exceed the relevant limit in that Table

Table 2.2.6 Annual emission limits

Substance	Limit – kg
Total ammonium as N	2920kg

2.2.3 Emissions to groundwater

- 2.2.3.1 No emission from the Permitted Installation shall give rise to the introduction into groundwater of any substance in List I (as defined in the Groundwater Regulations 1998 (S.I. 1998 No. 2746)).
- 2.2.3.2 No emission from within the Permitted Installation shall give rise to the introduction into groundwater of any substance in List II (as defined in the Groundwater Regulations 1998 (S.I. 1998 No. 2746)) so as to cause pollution (as defined in the Groundwater Regulations 1998 (S.I. 1998 No. 2746)).
- 2.2.3.3 For substances other than those in List I or II (as defined in the Groundwater Regulations 1998 (S.I. 1998 No. 2746)), the Operator shall use BAT to prevent or where that is not practicable to reduce emissions to groundwater from the Permitted Installation provided always that the techniques used by the Operator shall be no less effective than those described in the Application.

2.2.4 Fugitive emissions of substances to air

- 2.2.4.1 The Operator shall use BAT so as to prevent or where that is not practicable to reduce fugitive emissions of substances to air from the Permitted Installation in particular from:
- storage areas
 - buildings
 - pipes, valves and other transfer systems
 - open surfaces

provided always that the techniques used by the Operator shall be no less effective than those described in the Application, where relevant.

2.2.5 Fugitive emissions of substances to water and sewer

2.2.5.1 Subject to condition 2.2.5.2 below, the Operator shall use BAT so as to prevent or where that is not practicable to reduce fugitive emissions of substances to water (other than Groundwater) and sewer from the Permitted Installation in particular from:

- all structures under or over ground
- surfacing
- bunding
- storage areas

provided always that the techniques used by the Operator shall be no less effective than those described in the Application, where relevant.

2.2.5.2 There shall be no release to water that would cause a breach of an EQS established by the UK Government to implement the Dangerous Substances Directive 76/464/EEC.

2.2.6 Odour

2.2.6.1 The Operator shall use BAT so as to prevent or where that is not practicable to reduce odorous emissions from the Permitted Installation, in particular by:

- limiting the use of odorous materials
- restricting odorous activities
- controlling the storage conditions of odorous materials
- controlling processing parameters to minimise the generation of odour
- optimising the performance of abatement systems
- timely monitoring, inspection and maintenance
- employing, where appropriate, an approved odour management plan

provided always that the techniques used by the Operator shall be no less effective than those described in the Application, where relevant.

2.2.7 Emissions to land

2.2.7.1 This Part 2.2.7 of this Permit shall not apply to emissions to groundwater.

2.2.7.2 No emission from the Permitted installation shall be made to land.

2.3 Management (and fit and proper person for specified waste management activities (SWMAs)).

2.3.1 A copy of this Permit and those parts of the application referred to in this Permit shall be available, at all times, for reference by all staff carrying out work subject to the requirements of the Permit.

Training

- 2.3.2 The Permitted Installation shall be supervised by staff who are suitably trained and fully conversant with the requirements of this Permit.
- 2.3.3 All staff shall be fully conversant with those aspects of the Permit conditions that are relevant to their duties and shall be provided with adequate professional technical development and training and written operating instructions to enable them to carry out their duties.
- 2.3.4 The Operator shall maintain a record of the skills and training requirements for all staff whose tasks in relation to the Permitted Installation may have an impact on the environment and shall keep records of all relevant training.

Maintenance

- 2.3.5 All plant and equipment used in operating the Permitted Installation, the failure of which could lead to an adverse impact on the environment, shall be maintained in good operating condition.
- 2.3.6 The Operator shall maintain a record of relevant plant and equipment covered by condition 2.3.5 and for such plant and equipment:
 - 2.3.6.1 a written or electronic maintenance programme; and
 - 2.3.6.2 records of its maintenance.

Incidents and complaints

- 2.3.7 The Operator shall maintain and implement written procedures for:
 - 2.3.7.1 taking prompt remedial action, investigating and reporting actual or potential non-compliance with operating procedures or emission limits; and
 - 2.3.7.2 investigating incidents, (including any malfunction, breakdown or failure of plant, equipment or techniques, down time, any short term and long term remedial measures and near misses) and prompt implementation of appropriate actions; and
 - 2.3.7.3 ensuring that detailed records are made of all such actions and investigations.
- 2.3.8 The Operator shall record and investigate complaints concerning the Permitted Installation's effects or alleged effects on the environment. The record shall give the date and nature of complaint, time of complaint, name of complainant (if given), a summary of any investigation and the results of such investigation and any actions taken.
- 2.3.9 **Fit and Proper Person** . Where Regulation 4 of the Regulations applies to a relevant activity/associated activity carried on at the Permitted Installation, as authorised under condition 1.1.1,
 - 2.3.9.1 Any changes in technically competent management and the name of any incoming person together with evidence that such person has the required technical competence shall be submitted to the Agency in writing within 5 working days of the change in management. Technically competent management and technical competence shall be as prescribed under Section 74 of the Environmental Protection Act 1990.

- 2.3.9.2 In the event of the Operator and/or any relevant person being convicted of any relevant offence and which is in addition to any already notified to the Agency, then full details shall be provided to the Agency within 14 days of conviction, whether or not the conviction is subsequently appealed. Such details shall include, in respect of each relevant person (as defined in section 74(7) of the Environmental Protection Act 1990 or any subsequent amendments to that section), the nature of the offence, the place and date of conviction, any sentence, and any fine or other penalty imposed; and
- 2.3.9.3 In the event that the Operator and/or any relevant person lodges an appeal against any such conviction, the Operator shall notify the Agency of this within 14 days of the lodging. The Operator shall notify the Agency of the results of that appeal, within 14 days of the appeal being decided.

2.4 Efficient use of raw materials

2.4.1 The Operator shall -

- 2.4.1.1 maintain the raw materials table or descriptions submitted in Section 2.4 of the Application and in particular consider on a periodic basis whether there are suitable alternative materials to reduce environmental impact;
- 2.4.1.2 carry out periodic waste minimisation audits and water use efficiency audits. The first such audit shall take place within 2 years of the Permit issue date. The methodology used and an action plan for increasing the efficiency of the use of raw materials or water shall be submitted to the Agency within 2 months of completion of each such audit and a review of the audit and a description of progress made against the action plan shall be submitted to the Agency at least every 4 years thereafter; and
- 2.4.1.3 ensure that incoming water use is directly measured and recorded.

2.5 Waste storage and handling

- 2.5.1 The Operator shall design, maintain and operate all facilities for the storage and handling of waste on the Permitted installation such that there are no releases to water or land during normal operation and that emissions to air and the risk of accidental release to water or land are minimised.
- 2.5.2 The Operator shall use BAT so as to prevent or where that is not practicable to reduce emissions of litter from the Permitted Installation provided always that the techniques used by the Operator shall be no less effective than those described in the Application, where relevant.

2.6 Waste recovery or disposal

2.6.1 Waste produced at the Permitted Installation shall be:

2.6.1.1 recovered to no lesser extent than described in the Application; and

2.6.1.2 where not recovered, disposed of while avoiding or reducing any impacts on the environment provided always that this is not done in any way that would have a greater effect on the environment than that described in the Application.

2.6.2 The Operator shall maintain the waste recovery or disposal table or description submitted in Section B2.1.2 of the Application and in particular review the available options for waste recovery and disposal for the purposes of complying with condition 2.6.1 above.

2.6.3 The Operator shall maintain and implement a system which ensures that a record is made of the quantity, composition, origin, destination (including whether this is a recovery or disposal operation) and where relevant removal date of any waste that is produced at the Permitted Installation.

2.6.4 The Operator shall maintain and implement a system which ensures that a record is made of the quantity, composition, the EWC code, consignment or transfer note reference number, origin, delivery date and the disposal or recovery operation it is to be subjected to of any waste that is received for disposal or recovery at the permitted Installation.

2.6.5 The Operator shall ensure that where waste produced at the permitted Installation is sent to a waste recovery or disposal facility, the facility in question is provided with the following information, prior to receipt of the waste:

- The nature of the process producing the waste, including variability of the process
- The composition of the waste
- The handling requirements of the waste
- The hazard classification associated with the waste
- The EWC code of the waste

2.6.6 The Operator shall ensure that where waste produced at the Permitted Installation is sent to a landfill site it meets the waste acceptance criteria for that landfill.

2.7 Energy efficiency

2.7.1 The Operator shall produce a report on the energy consumed at the Permitted Installation over the previous calendar year, by 31 January each year, providing the information required by condition 4.1.2.

2.7.2 The Operator shall maintain and update annually an energy management system which shall include, in particular, the monitoring of energy flows and targeting of areas for improving energy efficiency.

2.7.3 The Operator shall design, maintain and operate the Permitted Installation so as to secure energy efficiency, taking into account relevant guidance including the Agency's Energy Efficiency Horizontal Guidance Note as from time to time amended. Energy efficiency shall be secured in particular by:

- ensuring that the appropriate operating and maintenance systems are in place;
- ensuring that all plant is adequately insulated to minimise energy loss or gain;
- ensuring that all appropriate containment methods, (e.g. seals and self-closing doors) are employed and maintained to minimise energy loss;
- employing appropriate basic controls, such as simple sensors and timers, to avoid unnecessary discharge of heated water or air;
- where building services constitute more than 5% of the total energy consumption of the Permitted Installation, identifying and employing the appropriate energy efficiency techniques for building services, having regard in particular to the Building services part of the Agency's Energy Efficiency Horizontal Guidance Note H2; and

maintaining and implementing an energy efficiency plan which identifies energy saving techniques that are applicable to the activities and their associated environmental benefit and prioritises them, having regard to the appraisal method in the Agency's Energy Efficiency Horizontal Guidance Note H2.

2.8 Accident prevention and control

2.8.1 The Operator shall maintain and implement when necessary the accident management plan submitted or described in Section 2.8 of the Application. The plan shall be reviewed at least every 2 years or as soon as practicable after an accident, whichever is the earlier, and the Agency notified of the results of the review within 2 months of its completion.

2.9 Noise and vibration

2.9.1 The Operator shall use BAT so as to prevent or where that is not practicable to reduce emissions of noise and vibration from the Permitted Installation, in particular by:

- equipment maintenance, eg. of fans, pumps, motors, conveyors and mobile plant;
- use and maintenance of appropriate attenuation, eg. silencers, barriers, enclosures;
- timing and location of noisy activities and vehicle movements;
- periodic checking of noise emissions, either qualitatively or quantitatively; and
- maintenance of building fabric,

provided always that the techniques used by the Operator shall be no less effective than those described in the Application, where relevant.

2.10 On-site monitoring

- 2.10.1 The Operator shall maintain and implement an emissions monitoring programme which ensures that emissions are monitored from the specified points, for the parameters listed in and to the frequencies and methods described in Table 2.2.5 unless otherwise required by, or agreed in writing with, the Agency and that the results of such monitoring are assessed. The programme shall ensure that monitoring is carried out under an appropriate range of operating conditions.
- 2.10.2 No condition applies.
- 2.10.3 No condition applies.
- 2.10.4 No condition applies.
- 2.10.5 The Operator shall notify the Agency at least 14 days in advance of undertaking monitoring and/ or spot sampling, where such notification has been requested in writing by the Agency.
- 2.10.6 The Operator shall maintain records of all monitoring taken or carried out (this includes records of the taking and analysis of samples instrument measurements (periodic and continual), calibrations, examinations, tests and surveys) and any assessment or evaluation made on the basis of such data.
- 2.10.7 Monitoring equipment, techniques, personnel and organisations employed for the emissions monitoring programme in condition 2.10.1 of this Permit shall have either MCERTS certification or MCERTS accreditation (as appropriate) unless otherwise agreed in writing.
- 2.10.8 There shall be provided:
- 2.10.8.1 safe and permanent means of access to enable sampling/monitoring to be carried out in relation to the emission points specified in Schedule 2 to this Permit, unless otherwise specified in that Schedule; and
- 2.10.8.2 safe means of access to other sampling/monitoring points when required by the Agency.
- 2.10.9 The Operator shall carry out the on-going monitoring identified in the Site Protection and Monitoring Programme submitted under condition 4.1.7, unless otherwise agreed in writing by the Agency.
- 2.10.10 The Operator shall, within 6 months of the issue of this Permit, in accordance with and using the format given in the Land Protection Guidance:
- 2.10.10.1 collect the site reference data identified in the Site Protection and Monitoring Programme submitted under condition 4.1.7, and
- 2.10.10.2 report that site reference data to the Agency,
- unless otherwise agreed in writing by the Agency.

2.11 Closure and decommissioning

- 2.11.1 The Operator shall maintain and operate the Permitted Installation so as to prevent or minimise any pollution risk, including the generation of waste, on closure and decommissioning in particular by:-
- 2.11.1.1 attention to the design of new plant or equipment;

- 2.11.1.2 the maintenance of a record of any events which have, or might have, impacted on the condition of the site along with any further investigation or remediation work carried out; and
- 2.11.1.3 the maintenance of a site closure plan to demonstrate that the Permitted Installation can be decommissioned avoiding any pollution risk and returning the site of operation to a satisfactory state.
- 2.11.2 Notwithstanding condition 2.11.1 of this Permit, the Operator shall carry out a full review of the Site Closure Plan at least every 4 years.
- 2.11.3 The site closure plan shall be implemented on final cessation or decommissioning of the Permitted activities or part thereof.
- 2.11.4 The Operator shall give at least 30 days written notice to the Agency before implementing the site closure plan.

2.12 Multiple Operator installations

- 2.12.1 This is not a multi-Operator installation.

3 Records

- 3.1 The Operator shall ensure that all records required to be made by this Permit and any other records made by it in relation to the operation of the Permitted Installation shall:-
- 3.1.1 be made available for inspection by the Agency at any reasonable time;
 - 3.1.2 be supplied to the Agency on demand and without charge;
 - 3.1.3 be legible;
 - 3.1.4 be made as soon as reasonably practicable;
 - 3.1.5 indicate any amendments that have been made and shall include the original record wherever possible;
 - 3.1.6 be retained at the Permitted Installation, or other location agreed by the Agency in writing, for a minimum period of 4 years from the date when the records were made, unless otherwise agreed in writing; and
 - 3.1.7 where they concern the condition of the site of the Installation or are related to the implementation of the Site Protection and Monitoring Programme, be kept at the Permitted Installation, or other location agreed by the Agency in writing, until all parts of the Permit have been surrendered.

4 Reporting

- 4.1.1 All reports and written and or oral notifications required by this Permit and notifications required by Regulation 16 of the PPC Regulations shall be made or sent to the Agency using the contact details notified in writing to the Operator by the Agency.
- 4.1.2 The Operator shall, unless otherwise agreed in writing, submit reports of the monitoring and assessment carried out in accordance with the conditions of this permit, as follows:-
 - 4.1.2.1 in respect of the parameters and emission points specified in Table S2 to Schedule 2;
 - 4.1.2.2 for the reporting periods specified in Table S2 to Schedule 2 and using the forms specified in Table S3 to Schedule 3;
 - 4.1.2.3 giving the information from such results and assessments as may be required by the forms specified in those Tables; and
 - 4.1.2.4 to the Agency within 28 days of the end of the reporting period.
- 4.1.3 The Operator shall submit to the Agency a report on the performance of the Permitted Installation over the previous year, by 31 January each year, providing the information listed in Tables S4.1 and S4.2 of Schedule 4, assessed at any frequency specified therein, and using the form specified in Table S3 to Schedule 3.
- 4.1.4 The Operator shall review fugitive emissions, having regard to the application of BAT, on an annual basis, or such other period as shall be agreed in writing by the Agency, and a summary report on this review shall be sent to the Agency detailing such releases and the measures taken to reduce them within 3 months of the end of such period.
- 4.1.5 Where the Operator has a formal environmental management system applying to the Permitted Installation which encompasses annual improvement targets the Operator shall, not later than 31 January in each year, provide a summary report of the previous year's progress against such targets.
- 4.1.6 The Operator shall, within 6 months of receipt of written notice from the Agency, submit to the Agency a report assessing whether all appropriate preventive measures continue to be taken against pollution, in particular through the application of the best available techniques, at the Permitted Installation. The report shall consider any relevant published technical guidance current at the time of the notice which is either supplied with or referred to in the notice, and shall assess the costs and benefits of applying techniques described in that guidance, or otherwise identified by the Operator, that may provide environmental improvement.
- 4.1.7 The Operator shall, within two months of the date of this permit, submit a detailed Site Protection and Monitoring Programme, in accordance with and using the appropriate template format given in the Land Protection Guidance. The Operator shall implement and maintain the Site Protection and Monitoring Programme (SPMP) submitted under this condition, and shall carry out regular reviews of it at a minimum frequency of every 2 years. The results of such reviews and any changes made to the SPMP shall be reported to the Agency within 1 month of the review or change.
- 4.1.8 No condition applies.

- 4.1.9 The Operator shall submit to the Agency a summary report setting out the types and quantities of waste accepted and removed from the site for each quarter of the financial year and shall be submitted to the Agency within 1 month of the end of that quarter. The summary report shall be in the format detailed in Schedule 3 or otherwise agreed with the Agency in writing.

5 Notifications

5.1.1 The Operator shall notify the Agency **without delay** of:-

- 5.1.1.1 the detection of an emission of any substance which exceeds any limit or criterion in this Permit specified in relation to the substance;
- 5.1.1.2 the detection of any fugitive emission which has caused, is causing or may cause significant pollution;
- 5.1.1.3 the detection of any malfunction, breakdown or failure of plant or techniques which has caused, is causing or has the potential to cause significant pollution; and
- 5.1.1.4 any accident which has caused, is causing or has the potential to cause significant pollution.

5.1.2 The Operator shall submit written confirmation to the Agency of any notification under condition 5.1.1, by sending:-

- 5.1.2.1 the information listed in Part A of Schedule 1 to this Permit within 24 hours of such notification; and
- 5.1.2.2 the more detailed information listed in Part B of that Schedule as soon as practicable thereafter;

and such information shall be in accordance with that Schedule.

5.1.3 The Operator shall give written notification as soon as practicable prior to any of the following:-

- 5.1.3.1 permanent cessation of the operation of part or all of the Permitted Installation;
- 5.1.3.2 cessation of operation of part or all of the Permitted Installation for a period likely to exceed 1 year; and
- 5.1.3.3 resumption of the operation of part or all of the Permitted Installation after a cessation notified under condition 5.1.3.2.

5.1.4 The Operator shall notify the Agency, as soon as reasonably practicable, of any information concerning the state of the Site which adds to that provided to the Agency as part of the Application or to that in the Site Protection and Monitoring Programme submitted under condition 4.1.7 of this Permit.

5.1.5 The Operator shall notify the following matters to the Agency in writing within 14 days of their occurrence:

5.1.5.1 where the Operator is a registered company:-

- any change in the Operator's trading name, registered name or registered office address;
- any change to particulars of the Operator's ultimate holding company (including details of an ultimate holding company where an Operator has become a subsidiary)
- any steps taken with a view to the Operator going into administration, entering into a company voluntary arrangement or being wound up;

5.1.5.2 where the Operator is a corporate body other than a registered company:

- any change in the Operator's name or address;
- any steps taken with a view to the dissolution of the Operator.

5.1.5.3 In any other case: -

- the death of any of the named Operators (where the Operator consists of more than one named individual);

- any change in the Operator's name(s) or address(es);
- any steps taken with a view to the Operator, or any one of them, going into bankruptcy, entering into a composition or arrangement with creditors, or, in the case them being in a partnership, dissolving the partnership;

5.1.6 Where the Operator has entered into a Climate Change Agreement with the Government, the Operator shall notify the Agency within one month of:-

5.1.6.1 a decision by the Secretary of State not to re-certify that Agreement.

5.1.6.2 a decision by either the Operator or the Secretary of State to terminate that agreement.

5.1.6.3 any subsequent decision by the Secretary of State to re-certify such an Agreement.

5.1.7 Where the Operator has entered into a Direct Participant Agreement in the Emissions Trading Scheme which covers emissions relating to the energy consumption of the activities, the Operator shall notify the Agency within one month of:-

5.1.7.1 a decision by the Operator to withdraw from or the Secretary of State to terminate that agreement.

5.1.7.2 a failure to comply with an annual target under that Agreement at the end of the trading compliance period.

5.1.8 The Operator shall notify the Agency in writing, of any known or planned introduction or material emission from the permitted installation to sewer that may increase the concentration of any "dangerous substance", as defined in List I and List II of the Dangerous Substances Directive, 76/464/EEC, and its daughter directives.

6 Interpretation

6.1.1 In this Permit, the following expressions shall have the following meanings:-

"Application" means the application for this Permit, together with any response to a notice served under Schedule 4 to the PPC Regulations and any operational change agreed under the conditions of this Permit.

"background concentration" means such concentration of that substance as is present in:

water supplied to the site; or

where more than 50% of the water used at the site is directly abstracted from ground or surface water on site, the abstracted water; or

where the Permitted Installation uses no significant amount of supplied or abstracted water, the precipitation on to the site.

"BAT" means best available techniques means the most effective and advanced stage of development of activities and their methods of operation which indicates the practical suitability of particular techniques to prevent and where that is not practicable to reduce emissions and the impact on the environment as a whole. For these purposes: "available techniques" means "those techniques which have been developed on a scale which allows implementation in the relevant industrial sector, under economically and technically viable conditions, taking into consideration the cost and advantages, whether or not the techniques are used or produced inside the United Kingdom, as long as they are reasonably accessible to the operator"; "best" means "in relation to techniques, the most effective in achieving a high general level of protection of the environment as a whole" and "techniques" "includes both the technology used and the way in which the Permitted Installation is designed, built, maintained, operated and decommissioned". In addition, Schedule 2 of the PPC Regulations has effect in relation to the determination of BAT.

"Disposal" Shall mean any of the operations provided for in Annex II.A to Directive 75/442/EEC

"EWC" means List of Waste (England) Regulations 2005 (SI2005 No. 895)

"Fugitive emission" means an emission to air or water (including sewer) from the Permitted Installation which is not controlled by an emission or background concentration limit under conditions 2.2.1.3, 2.2.2.4, 2.2.2.5, 2.2.2.8 or 2.2.2.9 of this Permit.

"Groundwater" means all water which is below the surface of the ground in the saturation zone and in direct contact with the ground or subsoil.

"Land Protection Guidance" means the version of the Agency guidance note "H7 - Guidance on the Protection of Land under the PPC Regime: Application Site Report and Site Protection and Monitoring Programme", including its appended templates for data reporting, which is current at the time of issue of the Permit.

" $L_{Aeq,T}$ " means the equivalent continuous A-weighted sound pressure level in dB determined over time period, T.

" $L_{A90,T}$ " means the A-weighted sound pressure level in dB exceeded for 90% of the time period, T.

" L_{AFmax} " means the maximum A weighted sound level measurement in dB measured with a fast time weighting.

"MCERTS" means the Environment Agency's Monitoring Certification Scheme.

"Monitoring" includes the taking and analysis of samples, instrumental measurements (periodic and continual), calibrations, examinations, tests and surveys.

"PCBs" means any of the following substances - polychlorinated biphenyls, polychlorinated terphenyls, monomethyl-dibromo-diphenyl methane, monomethyl-dichloro-diphenyl methane, and monomethyl-tetrachlorodiphenyl methane.

"Permitted Installation" means the activities and the limits to those activities described in Table 1.1.1 of this Permit.

"PPC Regulations" means the Pollution, Prevention and Control (England and Wales) Regulations SI 2000 No.1973 (as amended) and words and expressions defined in the PPC Regulations shall have the same meanings when used in this Permit save to the extent they are specifically defined in this Permit.

"Recovery" Shall mean any of the operations provided for in Annex II.B to Directive 75/442/EEC

"Sewer" means sewer within the meaning of section 219(1) of the Water Industry Act 1991.

"Staff" includes employees, directors or other officers of the Operator, and any other person under the Operator's direct or indirect control, including contractors.

VOCs emissions refer to High Risk, Class A and Class B compounds (see proposed EU Directive "The Limitation of Organic Solvents from Certain Processes and Industrial Installations") examples include

- High Risk: benzene, vinyl chloride;
- Class A: benzyl chloride, carbon tetrachloride;
- Class B: toluene, acetone, propylene.

"WFD" means Waste Framework Directive (75/442/EEC)

"Year" means calendar year ending 31 December.

- 6.1.2 Where a minimum limit is set for any emission parameter, for example pH, reference to exceeding the limit shall mean that the parameter shall not be less than that limit.
- 6.1.3 Unless otherwise stated, any references in this Permit to concentrations of substances in emissions into air means:-
- 6.1.3.1 in relation to gases from combustion processes, the concentration in dry air at a temperature of 273K, at a pressure of 101.3 kPa and with an oxygen content of 3% dry for liquid and gaseous fuels, 6% dry for solid fuels; and/or
- 6.1.3.2 in relation to gases from non-combustion sources, the concentration at a temperature of 273K and at a pressure of 101.3 kPa, with no correction for water vapour content
- 6.1.4 Where any condition of this Permit refers to the whole or parts of different documents, in the event of any conflict between the wording of such documents, the wording of the document(s) with the most recent date shall prevail to the extent of such conflict.

Schedule 1 - Notification of abnormal emissions

This page outlines the information that the Operator must provide to satisfy conditions 5.1.1 and 5.1.2 of this Permit.

Units of measurement used in information supplied under Part A and B requirements shall be appropriate to the circumstances of the emission. Where appropriate, a comparison should be made of actual emissions and authorised emission limits.

If any information is considered commercially confidential, it should be separated from non-confidential information, supplied on a separate sheet and accompanied by an application for commercial confidentiality under the provisions of the PPC Regulations.

Part A

Permit Number	YP3937SH
Name of Operator	Mekatek Limited
Location of Installation	Amex Park, Johnstown, Carmarthen, SA31 3NF
Location of the emission	
Time and date of the emission	

Substance(s) emitted	Media <i>eg air, groundwater</i>	Best estimate of the quantity or the rate of emission	Time during which the emission took place

Measures taken, or intended to be taken, to stop the emission	
---	--

Part B

Any more accurate information on the matters for notification under Part A.	
Measures taken, or intended to be taken, to prevent a recurrence of the incident	
Measures taken, or intended to be taken, to rectify, limit or prevent any pollution of the environment or harm which has been or may be caused by the emission	
The dates of any unauthorised emissions from the installation in the preceding 24 months.	

Name*	
Post	
Signature	
Date	

* authorised to sign on behalf of Mekatek Limited

Schedule 2 - Reporting of monitoring data

Parameters, for which reports shall be made, in accordance with conditions 4.1.2 and 4.1.3 of this Permit, are listed below.

Table S2: Reporting of monitoring data			
Parameter	Emission reference point	Reporting period	Period begins
Suspended solids mg/l	W1	Every 3 months	01/06/06
Total ammonium as N mg/l	W1	Every 3 months	01/06/06
Mercury and its compounds µg/l	W1	Every 3 months	01/06/06
Cadmium and its compounds µg/l	W1	Every 3 months	01/06/06
Lead and its compounds µg/l	W1	Every 3 months	01/06/06
Nickel and its compounds µg/l	W1	Every 3 months	01/06/06
Zinc and its compounds µg/l	W1	Every 3 months	01/06/06
Chromium and its compounds µg/l	W1	Every 3 months	01/06/06
Copper and its compounds µg/l	W1	Every 3 months	01/06/06
Biochemical oxygen demand mg/l	W1	Every 3 months	01/06/06
Maximum temperature °C	W1	Every 3 months	01/06/06
Maximum flow rate l/second	W1	Every 3 months	01/06/06
Oils and grease	W1	Every 3 months	01/06/06
pH	W1	Every 3 months	01/06/06
Daily flow m³/day	W1	Every 3 months	01/06/06
Waste disposal and/or recovery tonnes	N/A	Every 3 months	01/06/06
Water usage m³	N/A	Annually	01/01/06
Total ammonium as N kg/year	W1	Annually	01/01/06

Schedule 3 - Forms to be used

Table S3: Reporting Forms		
Media / parameter	Form Number	Date of Form
Water	W1	13/03/06
Waste Returns Reporting Form	WMS1 & WMS3	N/A
Water usage	WU1	13/03/06
Performance indicators	PI1	13/03/06

Schedule 4 - Reporting of performance data


Data required be recording and reporting by Condition 4.1.3. The data should be assessed at the frequency given and reported annually to the Agency.

Table S4.1: Annual Consumption/Treatment	
Waste treated through biological effluent treatment plant	m ³
Mains water	m ³
Site borehole(s)	m ³
Abstraction from Tawelan brook	m ³

Table S4.2: Performance parameters			
Parameter		Frequency assessment	of Performance indicator
Biological effluent treatment plant waste treatment throughput		Quarterly	tonnes
Mains water usage per unit of waste biologically treated		Quarterly	m ³ /tonne
Abstracted water usage per unit of waste biologically treated		Quarterly	m ³ /tonne

Schedule 5 - Site plan

"Reproduced from the Ordnance Survey map with the permission of the Controller of Her Majesty's Stationery Office ©Crown Copyright 2000. Unauthorised reproduction infringes Crown Copyright and may lead to prosecution or civil proceedings."



Schedule 6A – Permitted wastes for Transfer Facility

Section 5.3 Part A(1)(a) Transfer Facility

The following permitted specified hazardous wastes with a six digit code in Table 6A below shall only be accepted at the Transfer Facility as specified in Table 1.1.1 providing that a suitable recovery or disposal option has been predetermined.

The permitted wastes shall only possess one or more of the following hazardous properties:

- H2 Oxidising
- H3A Highly Flammable
- H3B Flammable
- H4 Irritant
- H5 Harmful
- H6 Toxic
- H7 Carcinogenic
- H8 Corrosive
- H9 Carcinogenic
- H12 Substances and preparations which release toxic or very toxic gases in contact with water, air or an acid
- H13 Substances and preparations capable by any means, after disposal, of yielding another substance, e.g. a leachate, which possesses any of the characteristics listed above.
- H14 Ecotoxic

Table 6A	Permitted Wastes
EWC	EWC Description
01	WASTES RESULTING FROM EXPLORATION, MINING, QUARRYING, AND PHYSICAL AND CHEMICAL TREATMENT OF MINERALS
01 05	drilling muds and other drilling wastes
01 05 05*	oil-containing drilling muds and wastes
01 05 06*	drilling muds and other drilling wastes containing dangerous substances
02	WASTES FROM AGRICULTURE, HORTICULTURE, AQUACULTURE, FORESTRY, HUNTING AND FISHING, FOOD PREPARATION AND PROCESSING
02 01	wastes from agriculture, horticulture, aquaculture, forestry, hunting and fishing
02 01 08*	agrochemical waste containing dangerous substances
03	WASTES FROM WOOD PROCESSING AND THE PRODUCTION OF PANELS AND FURNITURE, PULP, PAPER AND CARDBOARD
03 01	wastes from wood processing and the production of panels and furniture
03 01 04*	sawdust, shavings, cuttings, wood, particle board and veneer containing dangerous substances
03 02	wastes from wood preservation
03 02 01*	non-halogenated organic wood preservatives
03 02 02*	organochlorinated wood preservatives
03 02 03*	organometallic wood preservatives
03 02 04*	inorganic wood preservatives
03 02 05*	other wood preservatives containing dangerous substances
04	WASTES FROM THE LEATHER, FUR AND TEXTILE INDUSTRIES
04 01	wastes from the leather and fur industry
04 01 03*	degreasing wastes containing solvents without a liquid phase
04 02	wastes from the textile industry
04 02 14*	wastes from finishing containing organic solvents
04 02 16*	dye stuffs and pigments containing dangerous substances
04 02 19*	sludges from on-site effluent treatment containing dangerous substances
05	WASTES FROM PETROLEUM REFINING, NATURAL GAS PURIFICATION AND PYROLYTIC TREATMENT OF COAL
05 01	wastes from petroleum refining
05 01 02*	desalter sludges

05 01 03*	tank bottom sludges
05 01 04*	acid alkyl sludges
05 01 05*	oil spills
05 01 06*	oily sludges from maintenance operations of the plant or equipment
05 01 07*	acid tars
05 01 08*	other tars
05 01 09*	sludges from on-site effluent treatment containing dangerous substances
05 01 11*	wastes from cleaning of fuels with bases
05 01 12*	oil containing acids
05 01 15*	spent filter clays
05 06	wastes from the pyrolytic treatment of coal
05 06 01*	acid tars
05 06 03*	other tars
05 07	wastes from natural gas purification and transportation
05 07 01*	wastes containing mercury
06	WASTES FROM INORGANIC CHEMICAL PROCESSES
06 01	wastes from the manufacture, formulation, supply and use (MFSU) of acids
06 01 01*	sulphuric acid and sulphurous acid
06 01 02*	hydrochloric acid
06 01 03*	hydrofluoric acid
06 01 04*	phosphoric and phosphorous acid
06 01 05*	nitric acid and nitrous acid
06 01 06*	other acids
06 02	wastes from the MFSU of bases
06 02 01*	calcium hydroxide
06 02 03*	ammonium hydroxide
06 02 04*	sodium and potassium hydroxide
06 02 05*	other bases
06 03	wastes from the MFSU of salts and their solutions and metallic oxides
06 03 11*	solid salts and solutions containing cyanides
06 03 13*	solid salts and solutions containing heavy metals
06 03 15*	metallic oxides containing heavy metals
06 04	metal-containing wastes other than those mentioned in 06 03
06 04 03*	wastes containing arsenic
06 04 04*	wastes containing mercury
06 04 05*	wastes containing other heavy metals
06 05	sludges from on-site effluent treatment
06 05 02*	sludges from on-site effluent treatment containing dangerous substances
06 06	wastes from the MFSU of sulphur chemicals, sulphur chemical processes and desulphurisation processes
06 06 02*	wastes containing dangerous sulphides
06 07	wastes from the MFSU of halogens and halogen chemical processes
06 07 01*	wastes containing asbestos from electrolysis
06 07 02*	activated carbon from chlorine production
06 07 03*	barium sulphate sludge containing mercury
06 07 04*	solutions and acids, for example contact acid
06 08	wastes from the MFSU of silicon and silicon derivatives
06 08 02*	wastes containing dangerous silicones
06 10	wastes from the MFSU of nitrogen chemicals, nitrogen chemical processes and fertiliser manufacture
06 10 02*	wastes containing dangerous substances
06 13	wastes from inorganic chemical processes not otherwise specified
06 13 01*	inorganic plant protection products, wood-preserving agents and other biocides.
06 13 02*	spent activated carbon (except 06 07 02)

06 13 04*	wastes from asbestos processing
06 13 05*	soot
07	WASTES FROM ORGANIC CHEMICAL PROCESSES
07 01	wastes from the manufacture, formulation, supply and use (MFSU) of basic organic chemicals
07 01 01*	aqueous washing liquids and mother liquors
07 01 03*	organic halogenated solvents, washing liquids and mother liquors
07 01 04*	other organic solvents, washing liquids and mother liquors
07 01 07*	halogenated still bottoms and reaction residues
07 01 08*	other still bottoms and reaction residues
07 01 09*	halogenated filter cakes and spent absorbents
07 01 10*	other filter cakes and spent absorbents
07 01 11*	sludges from on-site effluent treatment containing dangerous substances
07 02	wastes from the MFSU of plastics, synthetic rubber and man-made fibres
07 02 01*	aqueous washing liquids and mother liquors
07 02 03*	organic halogenated solvents, washing liquids and mother liquors
07 02 04*	other organic solvents, washing liquids and mother liquors
07 02 07*	halogenated still bottoms and reaction residues
07 02 08*	other still bottoms and reaction residues
07 02 09*	halogenated filter cakes and spent absorbents
07 02 10*	other filter cakes and spent absorbents
07 02 11*	sludges from on-site effluent treatment containing dangerous substances
07 02 14*	wastes from additives containing dangerous substances
07 02 16*	wastes containing dangerous silicones
07 03	wastes from the MFSU of organic dyes and pigments (except 06 11)
07 03 01*	aqueous washing liquids and mother liquors
07 03 03*	organic halogenated solvents, washing liquids and mother liquors
07 03 04*	other organic solvents, washing liquids and mother liquors
07 03 07*	halogenated still bottoms and reaction residues
07 03 08*	other still bottoms and reaction residues
07 03 09*	halogenated filter cakes and spent absorbents
07 03 10*	other filter cakes and spent absorbents
07 03 11*	sludges from on-site effluent treatment containing dangerous substances
07 04	wastes from the MFSU of organic plant protection products (except 02 01 08 and 02 01 09), wood preserving agents (except 03 02) and other biocides
07 04 01*	aqueous washing liquids and mother liquors
07 04 03*	organic halogenated solvents, washing liquids and mother liquors
07 04 04*	other organic solvents, washing liquids and mother liquors
07 04 07*	halogenated still bottoms and reaction residues
07 04 08*	other still bottoms and reaction residues
07 04 09*	halogenated filter cakes and spent absorbents
07 04 10*	other filter cakes and spent absorbents
07 04 11*	sludges from on-site effluent treatment containing dangerous substances
07 04 13*	solid wastes containing dangerous substances
07 05	wastes from the MFSU of pharmaceuticals
07 05 01*	aqueous washing liquids and mother liquors
07 05 03*	organic halogenated solvents, washing liquids and mother liquors
07 05 04*	other organic solvents, washing liquids and mother liquors
07 05 07*	halogenated still bottoms and reaction residues
07 05 08*	other still bottoms and reaction residues
07 05 09*	halogenated filter cakes and spent absorbents
07 05 10*	other filter cakes and spent absorbents
07 05 11*	sludges from on-site effluent treatment containing dangerous substances
07 05 13*	solid wastes containing dangerous substances

07 06	wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics
07 06 01*	aqueous washing liquids and mother liquors
07 06 03*	organic halogenated solvents, washing liquids and mother liquors
07 06 04*	other organic solvents, washing liquids and mother liquors
07 06 07*	halogenated still bottoms and reaction residues
07 06 08*	other still bottoms and reaction residues
07 06 09*	halogenated filter cakes and spent absorbents
07 06 10*	other filter cakes and spent absorbents
07 06 11*	sludges from on-site effluent treatment containing dangerous substances
07 07	wastes from the MFSU of fine chemicals and chemical products not otherwise specified
07 07 01*	aqueous washing liquids and mother liquors
07 07 03*	organic halogenated solvents, washing liquids and mother liquors
07 07 04*	other organic solvents, washing liquids and mother liquors
07 07 07*	halogenated still bottoms and reaction residues
07 07 08*	other still bottoms and reaction residues
07 07 09*	halogenated filter cakes and spent absorbents
07 07 10*	other filter cakes and spent absorbents
07 07 11*	sludges from on-site effluent treatment containing dangerous substances
08	WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS
08 01	wastes from MFSU and removal of paint and varnish
08 01 11*	waste paint and varnish containing organic solvents or other dangerous substances
08 01 13*	sludges from paint or varnish containing organic solvents or other dangerous substances
08 01 15*	aqueous sludges containing paint or varnish containing organic solvents or other dangerous substances
08 01 17*	wastes from paint or varnish removal containing organic solvents or other dangerous substances
08 01 19*	aqueous suspensions containing paint or varnish containing organic solvents or other dangerous substances
08 01 21*	waste paint or varnish remover
08 03	wastes from MFSU of printing inks
08 03 12*	waste ink containing dangerous substances
08 03 14*	ink sludges containing dangerous substances
08 03 16*	waste etching solutions
08 03 17*	waste printing toner containing dangerous substances
08 03 19*	disperse oil
08 04	wastes from MFSU of adhesives and sealants (including waterproofing products)
08 04 09*	waste adhesives and sealants containing organic solvents or other dangerous substances
08 04 11*	adhesive and sealant sludges containing organic solvents or other dangerous substances
08 04 13*	aqueous sludges containing adhesives or sealants containing organic solvents or other dangerous substances
08 04 15*	aqueous liquid waste containing adhesives or sealants containing organic solvents or other dangerous substances
08 04 17*	rosin oil
08 05	wastes not otherwise specified in 08
08 05 01*	waste isocyanates
09	WASTES FROM THE PHOTOGRAPHIC INDUSTRY
09 01	wastes from the photographic industry
09 01 01*	water-based developer and activator solutions
09 01 02*	water-based offset plate developer solutions
09 01 03*	solvent-based developer solutions
09 01 04*	fixer solutions
09 01 05*	bleach solutions and bleach fixer solutions
09 01 06*	wastes containing silver from on-site treatment of photographic wastes
09 01 13*	aqueous liquid waste from on-site reclamation of silver other than those mentioned in 09 01 06

10	WASTES FROM THERMAL PROCESSES
10 01	wastes from power stations and other combustion plants (except 19)
10 01 04*	oil fly ash and boiler dust
10 01 09*	sulphuric acid
10 01 13*	fly ash from emulsified hydrocarbons used as fuel
10 01 14*	bottom ash, slag and boiler dust from co-incineration containing dangerous substances
10 01 16*	fly ash from co-incineration containing dangerous substances
10 01 18*	wastes from gas cleaning containing dangerous substances
10 01 20*	sludges from on-site effluent treatment containing dangerous substances
10 01 22*	aqueous sludges from boiler cleansing containing dangerous substances
10 02	wastes from the iron and steel industry
10 02 07*	solid wastes from gas treatment containing dangerous substances
10 02 11*	wastes from cooling-water treatment containing oil
10 02 13*	sludges and filter cakes from gas treatment containing dangerous substances
10 03	wastes from aluminium thermal metallurgy
10 03 04*	primary production slags
10 03 08*	salt slags from secondary production
10 03 09*	black drosses from secondary production
10 03 15*	skimmings that are flammable or emit, upon contact with water, flammable gases in dangerous quantities
10 03 17*	tar-containing wastes from anode manufacture
10 03 19*	flue-gas dust containing dangerous substances
10 03 21*	other particulates and dust (including ball-mill dust) containing dangerous substances
10 03 23*	solid wastes from gas treatment containing dangerous substances
10 03 25*	sludges and filter cakes from gas treatment containing dangerous substances
10 03 27*	wastes from cooling-water treatment containing oil
10 03 29*	wastes from treatment of salt slags and black drosses containing dangerous substances
10 04	wastes from lead thermal metallurgy
10 04 01*	slags from primary and secondary production
10 04 02*	dross and skimmings from primary and secondary production
10 04 03*	calcium arsenate
10 04 04*	flue-gas dust
10 04 05*	other particulates and dust
10 04 06*	solid wastes from gas treatment
10 04 07*	sludges and filter cakes from gas treatment
10 04 09*	wastes from cooling-water treatment containing oil
10 05	wastes from zinc thermal metallurgy
10 05 03*	flue-gas dust
10 05 05*	solid waste from gas treatment
10 05 06*	sludges and filter cakes from gas treatment
10 05 08*	wastes from cooling-water treatment containing oil
10 05 10*	dross and skimmings that are flammable or emit, upon contact with water, flammable gases in dangerous quantities
10 06	wastes from copper thermal metallurgy
10 06 03*	flue-gas dust
10 06 06*	solid wastes from gas treatment
10 06 07*	sludges and filter cakes from gas treatment
10 06 09*	wastes from cooling-water treatment containing oil
10 07	wastes from silver, gold and platinum thermal metallurgy
10 07 07*	wastes from cooling-water treatment containing oil
10 08	wastes from other non-ferrous thermal metallurgy
10 08 10*	dross and skimmings that are flammable or emit, upon contact with water, flammable gases in dangerous quantities
10 08 12*	tar-containing wastes from anode manufacture

10 08 15*	flue-gas dust containing dangerous substances
10 08 17*	sludges and filter cakes from flue-gas treatment containing dangerous substances
10 08 19*	wastes from cooling-water treatment containing oil
10 09	wastes from casting of ferrous pieces
10 09 05*	casting cores and moulds which have not undergone pouring containing dangerous substances
10 09 07*	casting cores and moulds which have undergone pouring containing dangerous substances
10 09 09*	flue-gas dust containing dangerous substances
10 09 11*	other particulates containing dangerous substances
10 09 15*	waste crack-indicating agent containing dangerous substances
10 10	wastes from casting of non-ferrous pieces
10 10 05*	casting cores and moulds which have not undergone pouring, containing dangerous substances
10 10 07*	casting cores and moulds which have undergone pouring, containing dangerous substances
10 10 09*	flue-gas dust containing dangerous substances
10 10 11*	other particulates containing dangerous substances
10 10 13*	waste binders containing dangerous substances
10 10 15*	waste crack-indicating agent containing dangerous substances
10 11	wastes from manufacture of glass and glass products
10 11 09*	waste preparation mixture before thermal processing, containing dangerous substances
10 11 11*	waste glass in small particles and glass powder containing heavy metals (for example from cathode ray tubes)
10 11 13*	glass-polishing and -grinding sludge containing dangerous substances
10 11 15*	solid wastes from flue-gas treatment containing dangerous substances
10 11 17*	sludges and filter cakes from flue-gas treatment containing dangerous substances
10 11 19*	solid wastes from on-site effluent treatment containing dangerous substances
10 12	wastes from manufacture of ceramic goods, bricks, tiles and construction products
10 12 09*	solid wastes from gas treatment containing dangerous substances
10 12 11*	wastes from glazing containing heavy metals
10 13	wastes from manufacture of cement, lime and plaster and articles and products made from them
10 13 09*	wastes from asbestos-cement manufacture containing asbestos
10 13 12*	solid wastes from gas treatment containing dangerous substances
11	WASTES FROM CHEMICAL SURFACE TREATMENT AND COATING OF METALS AND OTHER MATERIALS; NON-FERROUS HYDRO-METALLURGY
11 01	wastes from chemical surface treatment and coating of metals and other materials (for example galvanic processes, zinc coating processes, pickling processes, etching, phosphatising, alkaline degreasing, anodising)
11 01 05*	pickling acids
11 01 06*	acids not otherwise specified
11 01 07*	pickling bases
11 01 08*	phosphatising sludges
11 01 09*	sludges and filter cakes containing dangerous substances
11 01 11*	aqueous rinsing liquids containing dangerous substances
11 01 13*	degreasing wastes containing dangerous substances
11 01 15*	eluate and sludges from membrane systems or ion exchange systems containing dangerous substances
11 01 16*	saturated or spent ion exchange resins
11 02	wastes from non-ferrous hydrometallurgical processes
11 02 02*	sludges from zinc hydrometallurgy (including jarosite, goethite)
11 02 05*	wastes from copper hydrometallurgical processes containing dangerous substances
11 02 07*	other wastes containing dangerous substances
11 03	sludges and solids from tempering processes
11 03 01*	wastes containing cyanide
11 03 02*	other wastes
11 05	wastes from hot galvanising processes
11 05 03*	solid wastes from gas treatment
11 05 04*	spent flux

12	WASTES FROM SHAPING AND PHYSICAL AND MECHANICAL SURFACE TREATMENT OF METALS AND PLASTICS
12 01	wastes from shaping and physical and mechanical surface treatment of metals and plastics
12 01 06*	mineral-based machining oils containing halogens (except emulsions and solutions)
12 01 07*	mineral-based machining oils free of halogens (except emulsions and solutions)
12 01 08*	machining emulsions and solutions containing halogens
12 01 09*	machining emulsions and solutions free of halogens
12 01 10*	synthetic machining oils
12 01 12*	spent waxes and fats
12 01 14*	machining sludges containing dangerous substances
12 01 16*	waste blasting material containing dangerous substances
12 01 18*	metal sludge (grinding, honing and lapping sludge) containing oil
12 01 19*	readily biodegradable machining oil
12 01 20*	spent grinding bodies and grinding materials containing dangerous substances
12 03	wastes from water and steam degreasing processes (except 11)
12 03 01*	aqueous washing liquids
12 03 02*	steam degreasing wastes
13	OIL WASTES AND WASTES OF LIQUID FUELS (except edible oils, and those in chapters 05, 12 and 19)
13 01	waste hydraulic oils
13 01 01*	hydraulic oils, containing PCBs ¹
13 01 04*	chlorinated emulsions
14	WASTE ORGANIC SOLVENTS, REFRIGERANTS AND PROPELLANTS (except 07 and 08)
14 06	waste organic solvents, refrigerants and foam/aerosol propellants
14 06 01*	chlorofluorocarbons, HCFC, HFC
14 06 02*	other halogenated solvents and solvent mixtures
14 06 03*	other solvents and solvent mixtures
14 06 04*	sludges or solid wastes containing halogenated solvents
14 06 05*	sludges or solid wastes containing other solvents
15	WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED
15 01	packaging (including separately collected municipal packaging waste)
15 01 10*	packaging containing residues of or contaminated by dangerous substances
15 01 11*	metallic packaging containing a dangerous solid porous matrix (for example asbestos), including empty pressure containers
15 02	absorbents, filter materials, wiping cloths and protective clothing
15 02 02*	absorbents, filter materials (including oil filters not otherwise specified), wiping cloths, protective clothing contaminated by dangerous substances
16	WASTES NOT OTHERWISE SPECIFIED IN THE LIST
16 01	end-of-life vehicles from different means of transport (including off-road machinery) and wastes from dismantling of end-of-life vehicles and vehicle maintenance (except 13, 14, 16 06 and 16 08)
16 01 07*	oil filters
16 01 09*	components containing PCBs
16 01 11*	brake pads containing asbestos
16 01 13*	brake fluids
16 01 14*	antifreeze fluids containing dangerous substances
16 01 21*	hazardous components other than those mentioned in 16 01 07 to 16 01 11 and 16 01 13 and 16 01 14
16 02	wastes from electrical and electronic equipment
16 02 10*	discarded equipment containing or contaminated by PCBs other than those mentioned in 16 02 09
16 02 11*	discarded equipment containing chlorofluorocarbons, HCFC, HFC
16 02 12*	discarded equipment containing free asbestos
16 02 13*	discarded equipment containing hazardous components ² other than those mentioned in 16 02 09 to 16 02 12

¹ For the purpose of this list of wastes, PCBs will be defined as in Directive 96/59/EC.

² Hazardous components from electrical and electronic equipment may include accumulators and batteries mentioned in 16 06 and

16 02 15*	hazardous components removed from discarded equipment
16 03	off-specification batches and unused products
16 03 03*	inorganic wastes containing dangerous substances
16 03 05*	organic wastes containing dangerous substances
16 05	gases in pressure containers and discarded chemicals
16 05 04*	gases in pressure containers (including halons) containing dangerous substances
16 05 06*	laboratory chemicals, consisting of or containing dangerous substances, including mixtures of laboratory chemicals
16 05 07*	discarded inorganic chemicals consisting of or containing dangerous substances
16 05 08*	discarded organic chemicals consisting of or containing dangerous substances
16 06	batteries and accumulators
16 06 01*	lead batteries
16 06 02*	Ni-Cd batteries
16 06 03*	mercury-containing batteries
16 06 06*	separately collected electrolyte from batteries and accumulators
16 07	wastes from transport tank, storage tank and barrel cleaning (except 05 and 13)
16 07 08*	wastes containing oil
16 07 09*	wastes containing other dangerous substances
16 08	spent catalysts
16 08 02*	spent catalysts containing dangerous transition metals ³ or dangerous transition metal compounds
16 08 05*	spent catalysts containing phosphoric acid
16 08 06*	spent liquids used as catalysts
16 08 07*	spent catalysts contaminated with dangerous substances
16 09	oxidising substances
16 09 01*	permanganates, for example potassium permanganate
16 09 02*	chromates, for example potassium chromate, potassium or sodium dichromate
16 09 03*	peroxides, for example hydrogen peroxide
16 10	aqueous liquid wastes destined for off-site treatment
16 10 01*	aqueous liquid wastes containing dangerous substances
16 10 03*	aqueous concentrates containing dangerous substances
16 11	waste linings and refractories
16 11 01*	carbon-based linings and refractories from metallurgical processes containing dangerous substances
16 11 03*	other linings and refractories from metallurgical processes containing dangerous substances
16 11 05*	linings and refractories from non-metallurgical processes containing dangerous substances
17	CONSTRUCTION AND DEMOLITION WASTES (INCLUDING EXCAVATED SOIL FROM CONTAMINATED SITES)
17 01	concrete, bricks, tiles and ceramics
17 01 06*	mixtures of, or separate fractions of concrete, bricks, tiles and ceramics containing dangerous substances
17 02	wood, glass and plastic
17 02 04*	glass, plastic and wood containing or contaminated with dangerous substances
17 03	bituminous mixtures, coal tar and tarred products
17 03 01*	bituminous mixtures containing coal tar
17 03 03*	coal tar and tarred products
17 04	metals (including their alloys)
17 04 09*	metal waste contaminated with dangerous substances
17 04 10*	cables containing oil, coal tar and other dangerous substances

marked as hazardous; mercury switches, glass from cathode ray tubes and other activated glass, etc.

³ For the purpose of this entry, transition metals are: scandium, vanadium, manganese, cobalt, copper, yttrium, niobium, hafnium, tungsten, titanium, chromium, iron, nickel, zinc, zirconium, molybdenum and tantalum. These metals or their compounds are dangerous if they are classified as dangerous substances. The classification of dangerous substances shall determine which among those transition metals and which transition metal compounds are hazardous.

17 05	soil (including excavated soil from contaminated sites), stones and dredging spoil
17 05 03*	soil and stones containing dangerous substances
17 05 05*	dredging spoil containing dangerous substances
17 05 07*	track ballast containing dangerous substances
17 06	insulation materials and asbestos-containing construction materials
17 06 01*	insulation materials containing asbestos
17 06 03*	other insulation materials consisting of or containing dangerous substances
17 06 05*	construction materials containing asbestos ⁴
17 08	gypsum-based construction material
17 08 01*	gypsum-based construction materials contaminated with dangerous substances
17 09	other construction and demolition wastes
17 09 01*	construction and demolition wastes containing mercury
17 09 02*	construction and demolition wastes containing PCB (for example PCB-containing sealants, PCB-containing resin-based floorings, PCB-containing sealed glazing units, PCB-containing capacitors)
17 09 03*	other construction and demolition wastes (including mixed wastes) containing dangerous substances
18	WASTES FROM HUMAN OR ANIMAL HEALTH CARE AND/OR RELATED RESEARCH (except kitchen and restaurant wastes not arising from immediate health care)
18 01	wastes from natal care, diagnosis, treatment or prevention of disease in humans
18 01 06*	chemicals consisting of or containing dangerous substances
18 02	wastes from research, diagnosis, treatment or prevention of disease involving animals
18 02 05*	chemicals consisting of or containing dangerous substances
19	WASTES FROM WASTE MANAGEMENT FACILITIES, OFF-SITE WASTE WATER TREATMENT PLANTS AND THE PREPARATION OF WATER INTENDED FOR HUMAN CONSUMPTION AND WATER FOR INDUSTRIAL USE
19 01	wastes from incineration or pyrolysis of waste
19 01 05*	filter cake from gas treatment
19 01 06*	aqueous liquid wastes from gas treatment and other aqueous liquid wastes
19 01 07*	solid wastes from gas treatment
19 01 10*	spent activated carbon from flue-gas treatment
19 01 11*	bottom ash and slag containing dangerous substances
19 01 13*	fly ash containing dangerous substances
19 01 15*	boiler dust containing dangerous substances
19 01 17*	pyrolysis wastes containing dangerous substances
19 02	wastes from physico/chemical treatments of waste (including dechromatation, decyanidation, neutralisation)
19 02 04*	premixed wastes composed of at least one hazardous waste
19 02 05*	sludges from physico/chemical treatment containing dangerous substances
19 02 07*	oil and concentrates from separation
19 02 08*	liquid combustible wastes containing dangerous substances
19 02 09*	solid combustible wastes containing dangerous substances
19 02 11*	other wastes containing dangerous substances

⁴ As far as the landfilling of waste is concerned, Member States may decide to postpone the entry into force of this entry until the establishment of appropriate measures for the treatment and disposal of waste from construction material containing asbestos. These measures are to be established according to the procedure referred to in Article 17 of Council Directive 1999/31/EC on the landfill of waste (OJ L 182, 16.7.1999,p.1) and shall be adopted by 16 July 2002 at the latest.'

19 03	stabilised/solidified wastes ⁵
19 03 04*	wastes marked as hazardous, partly ⁶ stabilised
19 03 06*	wastes marked as hazardous, solidified
19 04 02*	fly ash and other flue-gas treatment wastes
19 04 03*	non-vitrified solid phase
19 04	vitrified waste and wastes from vitrification
19 04 02*	fly ash and other flue-gas treatment wastes
19 07	landfill leachate
19 07 02*	landfill leachate containing dangerous substances
19 08	wastes from waste water treatment plants not otherwise specified
19 08 06*	saturated or spent ion exchange resins
19 08 07*	solutions and sludges from regeneration of ion exchangers
19 08 08*	membrane system waste containing heavy metals
19 08 10*	grease and oil mixture from oil/water separation other than those mentioned in 19 08 09
19 08 11*	sludges containing dangerous substances from biological treatment of industrial waste water
19 08 13*	sludges containing dangerous substances from other treatment of industrial waste water
19 10	wastes from shredding of metal-containing wastes
19 10 03*	fluff-light fraction and dust containing dangerous substances
19 10 05*	other fractions containing dangerous substances
19 11	wastes from oil regeneration
19 11 01*	spent filter clays
19 11 02*	acid tars
19 11 03*	aqueous liquid wastes
19 11 04*	wastes from cleaning of fuel with bases
19 11 05*	sludges from on-site effluent treatment containing dangerous substances
19 11 07*	wastes from flue-gas cleaning
19 12	wastes from the mechanical treatment of waste (for example sorting, crushing, compacting, pelletising) not otherwise specified
19 12 06*	wood containing dangerous substances
19 12 11*	other wastes (including mixtures of materials) from mechanical treatment of waste containing dangerous substances
19 13	wastes from soil and groundwater remediation
19 13 01*	solid wastes from soil remediation containing dangerous substances
19 13 03*	sludges from soil remediation containing dangerous substances
19 13 05*	sludges from groundwater remediation containing dangerous substances
19 13 07*	aqueous liquid wastes and aqueous concentrates from groundwater remediation containing dangerous substances
20	MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS
20 01	separately collected fractions (except 15 01)
20 01 13*	solvents
20 01 14*	acids
20 01 15*	alkalines
20 01 17*	photochemicals
20 01 19*	pesticides
20 01 21*	fluorescent tubes and other mercury-containing waste
20 01 23*	discarded equipment containing chlorofluorocarbons

⁵ Stabilisation processes change the dangerousness of the constituents in the waste and thus transform hazardous waste into non-hazardous waste. Solidification processes only change the physical state of the waste (e.g. liquid into solid) by using additives without changing the chemical properties of the waste.

⁶ A waste is considered as partly stabilised if, after the stabilisation process, dangerous constituents which have not been changed completely into non-dangerous constituents could be released into the environment in the short, middle or long term.

20 01 25	edible oil and fat
20 01 26*	oil and fat other than those mentioned in 20 01 25
20 01 27*	paint, inks, adhesives and resins containing dangerous substances
20 01 29*	detergents containing dangerous substances
20 01 31*	cytotoxic and cytostatic medicines
20 01 35*	discarded electrical and electronic equipment other than those mentioned in 20 01 21 and 20 01 23 containing hazardous components (6)
20 01 37*	wood containing dangerous substances

Schedule 6B - Permitted wastes for Biodegradation Area

Section 5.3 Part A(1)(a) Biodegradation Area

The following permitted specified hazardous wastes with a six digit code in Table 6B below shall only be accepted at the Biodegradation Area specified in Table 1.1.1 providing that the wastes are biodegradable or enhance the biodegradation processes.

The permitted wastes shall only possess one or more of the following hazardous properties:

- H3B Flammable
- H4 Irritant
- H5 Harmful
- H7 Carcinogenic

Table 6B	Permitted Wastes
EWC	EWC Description
01	WASTES RESULTING FROM EXPLORATION, MINING, QUARRYING, AND PHYSICAL AND CHEMICAL TREATMENT OF MINERALS
01 05	drilling muds and other drilling wastes
01 05 05*	oil-containing drilling muds and wastes
03	WASTES FROM WOOD PROCESSING AND THE PRODUCTION OF PANELS AND FURNITURE, PULP, PAPER AND CARDBOARD
03 01 04*	sawdust, shavings, cuttings, wood, particle board and veneer containing dangerous substances
03 02	wastes from wood preservation
03 02 01*	non-halogenated organic wood preservatives
04	WASTES FROM THE LEATHER, FUR AND TEXTILE INDUSTRIES
04 01	wastes from the leather and fur industry
04 01 03*	degreasing wastes containing solvents without a liquid phase
04 02	wastes from the textile industry
04 02 16*	dyestuffs and pigments containing dangerous substances
05	WASTES FROM PETROLEUM REFINING, NATURAL GAS PURIFICATION AND PYROLYTIC TREATMENT OF COAL
05 01	wastes from petroleum refining
05 01 02*	desalter sludges
05 01 03*	tank bottom sludges
05 01 04*	acid alkyl sludges
05 01 05*	oil spills
05 01 06*	oily sludges from maintenance operations of the plant or equipment
05 01 07*	acid tars
05 01 08*	other tars
05 01 09*	sludges from on-site effluent treatment containing dangerous substances
05 01 11*	wastes from cleaning of fuels with bases
05 01 12*	oil containing acids
05 06	wastes from the pyrolytic treatment of coal
05 06 01*	acid tars
05 06 03*	other tars
06	WASTES FROM INORGANIC CHEMICAL PROCESSES
06 05	sludges from on-site effluent treatment
06 05 02*	sludges from on-site effluent treatment containing dangerous substances
06 13	wastes from inorganic chemical processes not otherwise specified
06 13 02*	spent activated carbon (except 06 07 02)
06 13 05*	soot

07	WASTES FROM ORGANIC CHEMICAL PROCESSES
07 01	wastes from the manufacture, formulation, supply and use (MFSU) of basic organic chemicals
07 01 08*	other still bottoms and reaction residues
07 01 10*	other filter cakes and spent absorbents
07 01 11*	sludges from on-site effluent treatment containing dangerous substances
07 02	wastes from the MFSU of plastics, synthetic rubber and man-made fibres
07 02 08*	other still bottoms and reaction residues
07 02 10*	other filter cakes and spent absorbents
07 02 11*	sludges from on-site effluent treatment containing dangerous substances
07 03	wastes from the MFSU of organic dyes and pigments (except 06 11)
07 03 08*	other still bottoms and reaction residues
07 03 10*	other filter cakes and spent absorbents
07 03 11*	sludges from on-site effluent treatment containing dangerous substances
07 04	wastes from the MFSU of organic plant protection products (except 02 01 08 and 02 01 09), wood preserving agents (except 03 02) and other biocides
07 04 08*	other still bottoms and reaction residues
07 04 10*	other filter cakes and spent absorbents
07 04 11*	sludges from on-site effluent treatment containing dangerous substances
07 05	wastes from the MFSU of pharmaceuticals
07 05 08*	other still bottoms and reaction residues
07 05 10*	other filter cakes and spent absorbents
07 05 11*	sludges from on-site effluent treatment containing dangerous substances
07 06	wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics
07 06 08*	other still bottoms and reaction residues
07 06 10*	other filter cakes and spent absorbents
07 06 11*	sludges from on-site effluent treatment containing dangerous substances
07 07	wastes from the MFSU of fine chemicals and chemical products not otherwise specified
07 07 08*	other still bottoms and reaction residues
07 07 10*	other filter cakes and spent absorbents
07 07 11*	sludges from on-site effluent treatment containing dangerous substances
08	WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS
08 01	wastes from MFSU and removal of paint and varnish
08 01 11*	waste paint and varnish containing organic solvents or other dangerous substances
08 01 13*	sludges from paint or varnish containing organic solvents or other dangerous substances
08 01 15*	aqueous sludges containing paint or varnish containing organic solvents or other dangerous substances
08 01 17*	wastes from paint or varnish removal containing organic solvents or other dangerous substances
08 01 19*	aqueous suspensions containing paint or varnish containing organic solvents or other dangerous substances
08 03	wastes from MFSU of printing inks
08 03 12*	waste ink containing dangerous substances
08 03 14*	ink sludges containing dangerous substances
08 04	wastes from MFSU of adhesives and sealants (including waterproofing products)
08 04 09*	waste adhesives and sealants containing organic solvents or other dangerous substances
08 04 11*	adhesive and sealant sludges containing organic solvents or other dangerous substances
08 04 13*	aqueous sludges containing adhesives or sealants containing organic solvents or other dangerous substances
08 04 15*	aqueous liquid waste containing adhesives or sealants containing organic solvents or other dangerous substances
08 04 17*	rosin oil
10	WASTES FROM THERMAL PROCESSES
10 01	wastes from power stations and other combustion plants (except 19)
10 01 20*	sludges from on-site effluent treatment containing dangerous substances
10 01 22*	aqueous sludges from boiler cleansing containing dangerous substances
10 02	wastes from the iron and steel industry
10 02 11*	wastes from cooling-water treatment containing oil

10 02 13*	sludges and filter cakes from gas treatment containing dangerous substances
10 03	wastes from aluminium thermal metallurgy
10 03 17*	tar-containing wastes from anode manufacture
10 04	wastes from lead thermal metallurgy
10 04 09*	wastes from cooling-water treatment containing oil
10 05	wastes from zinc thermal metallurgy
10 05 08*	wastes from cooling-water treatment containing oil
10 06	wastes from copper thermal metallurgy
10 06 09*	wastes from cooling-water treatment containing oil
10 07	wastes from silver, gold and platinum thermal metallurgy
10 07 07*	wastes from cooling-water treatment containing oil
10 08	wastes from other non-ferrous thermal metallurgy
10 08 19*	wastes from cooling-water treatment containing oil
10 09	wastes from casting of ferrous pieces
10 09 13*	waste binders containing dangerous substances
10 09 15*	waste crack-indicating agent containing dangerous substances
10 10	wastes from casting of non-ferrous pieces
10 10 13*	waste binders containing dangerous substances
10 10 15*	waste crack-indicating agent containing dangerous substances
10 11	wastes from manufacture of glass and glass products
10 11 09*	waste preparation mixture before thermal processing, containing dangerous substances
10 11 17*	sludges and filter cakes from flue-gas treatment containing dangerous substances
10 11 19*	solid wastes from on-site effluent treatment containing dangerous substances
11	WASTES FROM CHEMICAL SURFACE TREATMENT AND COATING OF METALS AND OTHER MATERIALS; NON-FERROUS HYDRO-METALLURGY
11 01	wastes from chemical surface treatment and coating of metals and other materials (for example galvanic processes, zinc coating processes, pickling processes, etching, phosphatising, alkaline degreasing, anodising)
11 01 13*	degreasing wastes containing dangerous substances
11 01 15*	eluate and sludges from membrane systems or ion exchange systems containing dangerous substances
12	WASTES FROM SHAPING AND PHYSICAL AND MECHANICAL SURFACE TREATMENT OF METALS AND PLASTICS
12 01	wastes from shaping and physical and mechanical surface treatment of metals and plastics
12 01 07*	mineral-based machining oils free of halogens (except emulsions and solutions)
12 01 09*	machining emulsions and solutions free of halogens
12 01 10*	synthetic machining oils
12 01 12*	spent waxes and fats
12 01 14*	machining sludges containing dangerous substances
12 01 18*	metal sludge (grinding, honing and lapping sludge) containing oil
12 01 19*	readily biodegradable machining oil
12 03	wastes from water and steam degreasing processes (except 11)
12 03 01*	aqueous washing liquids
12 03 02*	steam degreasing wastes
13	OIL WASTES AND WASTES OF LIQUID FUELS (except edible oils, and those in chapters 05, 12 and 19)
13 01	waste hydraulic oils
13 01 12*	readily biodegradable hydraulic oils
13 02	waste engine, gear and lubricating oils
13 02 07*	readily biodegradable engine, gear and lubricating oils
13 03	waste insulating and heat transmission oils
13 03 09*	readily biodegradable insulating and heat transmission oils
13 05	oil/water separator contents
13 05 01*	solids from grit chambers and oil/water separators
13 05 02*	sludges from oil/water separators

13 05 03*	interceptor sludges
13 05 08*	mixtures of wastes from grit chambers and oil/water separators
13 08	oil wastes not otherwise specified
13 08 01*	desalter sludges or emulsions
14	WASTE ORGANIC SOLVENTS, REFRIGERANTS AND PROPELLANTS (except 07 and 08)
14 06 05*	sludges or solid wastes containing other solvents
15	WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED
15 01	packaging (including separately collected municipal packaging waste)
15 01 10*	packaging containing residues of or contaminated by dangerous substances
15 02	absorbents, filter materials, wiping cloths and protective clothing
15 02 02*	absorbents, filter materials (including oil filters not otherwise specified), wiping cloths, protective clothing contaminated by dangerous substances
16	WASTES NOT OTHERWISE SPECIFIED IN THE LIST
16 01	end-of-life vehicles from different means of transport (including off-road machinery) and wastes from dismantling of end-of-life vehicles and vehicle maintenance (except 13, 14, 16 06 and 16 08)
16 01 07*	oil filters
16 07	wastes from transport tank, storage tank and barrel cleaning (except 05 and 13)
16 07 08*	wastes containing oil
16 10	aqueous liquid wastes destined for off-site treatment
16 10 01*	aqueous liquid wastes containing dangerous substances
16 10 03*	aqueous concentrates containing dangerous substances
17	CONSTRUCTION AND DEMOLITION WASTES (INCLUDING EXCAVATED SOIL FROM CONTAMINATED SITES)
17 02	wood, glass and plastic
17 02 04*	glass, plastic and wood containing or contaminated with dangerous substances
17 03	bituminous mixtures, coal tar and tarred products
17 03 01*	bituminous mixtures containing coal tar
17 03 03*	coal tar and tarred products
17 04	metals (including their alloys)
17 04 09*	metal waste contaminated with dangerous substances
17 04 10*	cables containing oil, coal tar and other dangerous substances
17 05	soil (including excavated soil from contaminated sites), stones and dredging spoil
17 05 03*	soil and stones containing dangerous substances
17 05 05*	dredging spoil containing dangerous substances
17 05 07*	track ballast containing dangerous substances
17 09	other construction and demolition wastes
17 09 03*	other construction and demolition wastes (including mixed wastes) containing dangerous substances
19	WASTES FROM WASTE MANAGEMENT FACILITIES, OFF-SITE WASTE WATER TREATMENT PLANTS AND THE PREPARATION OF WATER INTENDED FOR HUMAN CONSUMPTION AND WATER FOR INDUSTRIAL USE
19 02	wastes from physico/chemical treatments of waste (including dechromatation, decyanidation, neutralisation)
19 02 04*	premixed wastes composed of at least one hazardous waste
19 02 05*	sludges from physico/chemical treatment containing dangerous substances
19 02 07*	oil and concentrates from separation
19 02 08*	liquid combustible wastes containing dangerous substances
19 02 09*	solid combustible wastes containing dangerous substances
19 07	landfill leachate
19 07 02*	landfill leachate containing dangerous substances
19 08	wastes from waste water treatment plants not otherwise specified
19 08 10*	grease and oil mixture from oil/water separation other than those mentioned in 19 08 09
19 08 11*	sludges containing dangerous substances from biological treatment of industrial waste water
19 08 13*	sludges containing dangerous substances from other treatment of industrial waste water

19 10	wastes from shredding of metal-containing wastes
19 10 03*	fluff-light fraction and dust containing dangerous substances
19 11	wastes from oil regeneration
19 11 01*	spent filter clays
19 11 02*	acid tars
19 11 03*	aqueous liquid wastes
19 11 04*	wastes from cleaning of fuel with bases
19 11 05*	sludges from on-site effluent treatment containing dangerous substances
19 12	wastes from the mechanical treatment of waste (for example sorting, crushing, compacting, pelletising) not otherwise specified
19 12 06*	wood containing dangerous substances
19 12 11*	other wastes (including mixtures of materials) from mechanical treatment of waste containing dangerous substances
19 13	wastes from soil and groundwater remediation
19 13 01*	solid wastes from soil remediation containing dangerous substances
19 13 03*	sludges from soil remediation containing dangerous substances
19 13 05*	sludges from groundwater remediation containing dangerous substances
19 13 07*	aqueous liquid wastes and aqueous concentrates from groundwater remediation containing dangerous substances
20	MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS
20 01	separately collected fractions (except 15 01)
20 01 29*	detergents containing dangerous substances
20 01 37*	wood containing dangerous substances

Schedule 6C - Permitted wastes for High Strength Biodegradable Effluent Area

Section 5.3 Part A(1)(b) High Strength Biodegradable Effluent Area

The following permitted specified hazardous wastes with a six digit code in Table 6C below shall only be accepted at the High Strength Biodegradable Effluent Area specified in Table 1.1.1 providing that the wastes are biodegradable or enhance the biodegradation processes.

The permitted wastes shall only possess one or more of the following hazardous properties:

- H3B Flammable
- H4 Irritant
- H5 Harmful
- H7 Carcinogenic

Table 6C	Permitted Wastes
EWC	EWC Description
01	WASTES RESULTING FROM EXPLORATION, MINING, QUARRYING, AND PHYSICAL AND CHEMICAL TREATMENT OF MINERALS
01 05	drilling muds and other drilling wastes
01 05 05*	oil-containing drilling muds and wastes
01 05 06*	drilling muds and other drilling wastes containing dangerous substances
04	WASTES FROM THE LEATHER, FUR AND TEXTILE INDUSTRIES
04 02	wastes from the textile industry
04 02 16*	dye stuffs and pigments containing dangerous substances
04 02 19*	sludges from on-site effluent treatment containing dangerous substances
05	WASTES FROM PETROLEUM REFINING, NATURAL GAS PURIFICATION AND PYROLYTIC TREATMENT OF COAL
05 01	wastes from petroleum refining
05 01 09*	sludges from on-site effluent treatment containing dangerous substances
06	WASTES FROM INORGANIC CHEMICAL PROCESSES
06 01	wastes from the manufacture, formulation, supply and use (MFSU) of acids
06 01 01*	sulphuric acid and sulphurous acid
06 01 02*	hydrochloric acid
06 01 04*	phosphoric and phosphorous acid
06 01 05*	nitric acid and nitrous acid
06 01 06*	other acids
06 02	wastes from the MFSU of bases
06 02 01*	calcium hydroxide
06 02 03*	ammonium hydroxide
06 02 04*	sodium and potassium hydroxide
06 02 05*	other bases
06 05	sludges from on-site effluent treatment
06 05 02*	sludges from on-site effluent treatment containing dangerous substances
06 10	wastes from the MFSU of nitrogen chemicals, nitrogen chemical processes and fertiliser manufacture
06 10 02*	wastes containing dangerous substances
07	WASTES FROM ORGANIC CHEMICAL PROCESSES
07 01	wastes from the manufacture, formulation, supply and use (MFSU) of basic organic chemicals
07 01 01*	aqueous washing liquids and mother liquors
07 01 11*	sludges from on-site effluent treatment containing dangerous substances
07 02	wastes from the MFSU of plastics, synthetic rubber and man-made fibres
07 02 01*	aqueous washing liquids and mother liquors
07 02 11*	sludges from on-site effluent treatment containing dangerous substances

07 03	wastes from the MFSU of organic dyes and pigments (except 06 11)
07 03 01*	aqueous washing liquids and mother liquors
07 03 11*	sludges from on-site effluent treatment containing dangerous substances
07 04	wastes from the MFSU of organic plant protection products (except 02 01 08 and 02 01 09), wood preserving agents (except 03 02) and other biocides
07 04 01*	aqueous washing liquids and mother liquors
07 04 11*	sludges from on-site effluent treatment containing dangerous substances
07 05	wastes from the MFSU of pharmaceuticals
07 05 01*	aqueous washing liquids and mother liquors
07 05 11*	sludges from on-site effluent treatment containing dangerous substances
07 06	wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics
07 06 01*	aqueous washing liquids and mother liquors
07 06 11*	sludges from on-site effluent treatment containing dangerous substances
07 07	wastes from the MFSU of fine chemicals and chemical products not otherwise specified
07 07 01*	aqueous washing liquids and mother liquors
07 07 11*	sludges from on-site effluent treatment containing dangerous substances
08	WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS
08 03	wastes from MFSU of printing inks
08 03 12*	waste ink containing dangerous substances
08 03 14*	ink sludges containing dangerous substances
08 03 16*	waste etching solutions
08 03 17*	waste printing toner containing dangerous substances
08 03 19*	disperse oil
08 04	wastes from MFSU of adhesives and sealants (including waterproofing products)
08 04 13*	aqueous sludges containing adhesives or sealants containing organic solvents or other dangerous substances
08 04 15*	aqueous liquid waste containing adhesives or sealants containing organic solvents or other dangerous substances
09	WASTES FROM THE PHOTOGRAPHIC INDUSTRY
09 01	wastes from the photographic industry
09 01 01*	water-based developer and activator solutions
09 01 02*	water-based offset plate developer solutions
09 01 13*	aqueous liquid waste from on-site reclamation of silver other than those mentioned in 09 01 06
10	WASTES FROM THERMAL PROCESSES
10 01	wastes from power stations and other combustion plants (except 19)
10 01 20*	sludges from on-site effluent treatment containing dangerous substances
10 01 22*	aqueous sludges from boiler cleansing containing dangerous substances
11	WASTES FROM CHEMICAL SURFACE TREATMENT AND COATING OF METALS AND OTHER MATERIALS; NON-FERROUS HYDRO-METALLURGY
11 01	wastes from chemical surface treatment and coating of metals and other materials (for example galvanic processes, zinc coating processes, pickling processes, etching, phosphatising, alkaline degreasing, anodising)
11 01 05*	pickling acids
11 01 06*	acids not otherwise specified
11 01 07*	pickling bases
11 01 08*	phosphatising sludges
11 01 09*	sludges and filter cakes containing dangerous substances
11 01 11*	aqueous rinsing liquids containing dangerous substances
11 01 13*	degreasing wastes containing dangerous substances
11 01 15*	eluate and sludges from membrane systems or ion exchange systems containing dangerous substances
16 03	off-specification batches and unused products
16 03 03*	inorganic wastes containing dangerous substances
16 03 05*	organic wastes containing dangerous substances

16 05	gases in pressure containers and discarded chemicals
16 05 06*	laboratory chemicals, consisting of or containing dangerous substances, including mixtures of laboratory chemicals
16 05 07*	discarded inorganic chemicals consisting of or containing dangerous substances
16 05 08*	discarded organic chemicals consisting of or containing dangerous substances
16 07	wastes from transport tank, storage tank and barrel cleaning (except 05 and 13)
16 07 09*	wastes containing other dangerous substances
16 10	aqueous liquid wastes destined for off-site treatment
16 10 01*	aqueous liquid wastes containing dangerous substances
16 10 03*	aqueous concentrates containing dangerous substances
19	WASTES FROM WASTE MANAGEMENT FACILITIES, OFF-SITE WASTE WATER TREATMENT PLANTS AND THE PREPARATION OF WATER INTENDED FOR HUMAN CONSUMPTION AND WATER FOR INDUSTRIAL USE
19 07	landfill leachate
19 07 02*	landfill leachate containing dangerous substances
19 08	wastes from waste water treatment plants not otherwise specified
19 08 07*	solutions and sludges from regeneration of ion exchangers
19 08 10*	grease and oil mixture from oil/water separation other than those mentioned in 19 08 09
19 08 11*	sludges containing dangerous substances from biological treatment of industrial waste water
19 08 13*	sludges containing dangerous substances from other treatment of industrial waste water
19 13	wastes from soil and groundwater remediation
19 13 03*	sludges from soil remediation containing dangerous substances
19 13 05*	sludges from groundwater remediation containing dangerous substances
19 13 07*	aqueous liquid wastes and aqueous concentrates from groundwater remediation containing dangerous substances
20	MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS
20 01	separately collected fractions (except 15 01)
20 01 15*	alkalines
20 01 17*	photochemicals

Schedule 6D - Permitted wastes for Free Oil Separation Area

Section 5.3 Part A(1)(b) Free Oil Separation Area.

The following permitted specified hazardous wastes with a six digit code in Table 6D below shall only be accepted at the Free Oil Separation Area specified in Table 1.1.1 providing that the wastes are recoverable or enhance the recovery processes.

The permitted wastes shall not contain PCBs at a concentration equal to or greater than 50 parts per million and shall only possess one or more of the following hazardous properties:

- H3B Flammable
- H4 Irritant
- H5 Harmful
- H7 Carcinogenic
- H8 Corrosive

Table 6D	Permitted Wastes
EWC	EWC Description
01	WASTES RESULTING FROM EXPLORATION, MINING, QUARRYING, AND PHYSICAL AND CHEMICAL TREATMENT OF MINERALS
01 05	drilling muds and other drilling wastes
01 05 05*	oil-containing drilling muds and wastes
05	WASTES FROM PETROLEUM REFINING, NATURAL GAS PURIFICATION AND PYROLYTIC TREATMENT OF COAL
05 01	wastes from petroleum refining
05 01 02*	desalter sludges
05 01 03*	tank bottom sludges
05 01 04*	acid alkyl sludges
05 01 05*	oil spills
08	WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS
08 03	wastes from MFSU of printing inks
08 03 19*	disperse oil
10	WASTES FROM THERMAL PROCESSES
10 02	wastes from the iron and steel industry
10 02 11*	wastes from cooling-water treatment containing oil
10 03	wastes from aluminium thermal metallurgy
10 03 27*	wastes from cooling-water treatment containing oil
10 04	wastes from lead thermal metallurgy
10 04 09*	wastes from cooling-water treatment containing oil
10 05	wastes from zinc thermal metallurgy
10 05 08*	wastes from cooling-water treatment containing oil
10 06	wastes from copper thermal metallurgy
10 06 09*	wastes from cooling-water treatment containing oil
10 07	wastes from silver, gold and platinum thermal metallurgy
10 07 07*	wastes from cooling-water treatment containing oil
10 08	wastes from other non-ferrous thermal metallurgy
10 08 19*	wastes from cooling-water treatment containing oil
12	WASTES FROM SHAPING AND PHYSICAL AND MECHANICAL SURFACE TREATMENT OF METALS AND PLASTICS
12 01	wastes from shaping and physical and mechanical surface treatment of metals and plastics
12 01 06*	mineral-based machining oils containing halogens (except emulsions and solutions)
12 01 07*	mineral-based machining oils free of halogens (except emulsions and solutions)
12 01 19*	readily biodegradable machining oil

12 03	wastes from water and steam degreasing processes (except 11)
12 03 01*	aqueous washing liquids
12 03 02*	steam degreasing wastes
13	OIL WASTES AND WASTES OF LIQUID FUELS (except edible oils, and those in chapters 05, 12 and 19)
13 01	waste hydraulic oils
13 01 10*	mineral based non-chlorinated hydraulic oils
13 01 11*	synthetic hydraulic oils
13 01 12*	readily biodegradable hydraulic oils
13 01 13*	other hydraulic oils
13 02	waste engine, gear and lubricating oils
13 02 04*	mineral-based chlorinated engine, gear and lubricating oils
13 02 05*	mineral-based non-chlorinated engine, gear and lubricating oils
13 02 06*	synthetic engine, gear and lubricating oils
13 02 07*	readily biodegradable engine, gear and lubricating oils
13 02 08*	other engine, gear and lubricating oils
13 03	waste insulating and heat transmission oils
13 03 07*	mineral-based non-chlorinated insulating and heat transmission oils
13 03 08*	synthetic insulating and heat transmission oils
13 03 09*	readily biodegradable insulating and heat transmission oils
13 03 10*	other insulating and heat transmission oils
13 04	bilge oils
13 04 01*	bilge oils from inland navigation
13 04 02*	bilge oils from jetty sewers
13 04 03*	bilge oils from other navigation
13 05	oil/water separator contents
13 05 01*	solids from grit chambers and oil/water separators
13 05 02*	sludges from oil/water separators
13 05 03*	interceptor sludges
13 05 06*	oil from oil/water separators
13 05 07*	oily water from oil/water separators
13 05 08*	mixtures of wastes from grit chambers and oil/water separators
13 07	wastes of liquid fuels
13 07 01*	fuel oil and diesel
13 07 03*	other fuels (including mixtures)
13 08	oil wastes not otherwise specified
13 08 01*	desalter sludges or emulsions
13 08 02*	other emulsions
16	WASTES NOT OTHERWISE SPECIFIED IN THE LIST
16 03	off-specification batches and unused products
16 03 03*	inorganic wastes containing dangerous substances
16 03 05*	organic wastes containing dangerous substances
16 07	wastes from transport tank, storage tank and barrel cleaning (except 05 and 13)
16 07 08*	wastes containing oil
16 10	aqueous liquid wastes destined for off-site treatment
16 10 01*	aqueous liquid wastes containing dangerous substances
16 10 03*	aqueous concentrates containing dangerous substances
19	WASTES FROM WASTE MANAGEMENT FACILITIES, OFF-SITE WASTE WATER TREATMENT PLANTS AND THE PREPARATION OF WATER INTENDED FOR HUMAN CONSUMPTION AND WATER FOR INDUSTRIAL USE
19 02	wastes from physico/chemical treatments of waste (including dechromatation, decyanidation, neutralisation)
19 02 07*	oil and concentrates from separation

19 11	wastes from oil regeneration
19 11 03*	aqueous liquid wastes
19 11 04*	wastes from cleaning of fuel with bases
19 11 05*	sludges from on-site effluent treatment containing dangerous substances
20	MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS
20 01	separately collected fractions (except 15 01)
20 01 26*	oil and fat other than those mentioned in 20 01 25

Schedule 6E - Permitted wastes for Soluble Oil Facility

Section 5.3 Part A(1)(b) Soluble Oil Facility

The following permitted specified hazardous wastes specified with a six digit code in Table 6E below shall only be accepted at the Soluble Oil Facility specified in Table 1.1.1 providing that the wastes are recoverable or enhance the recovery processes.

The permitted wastes shall only possess one or more of the following hazardous properties:

- H3B Flammable
- H4 Irritant
- H5 Harmful
- H7 Carcinogenic
- H8 Corrosive

Table 6D	Permitted Wastes
EWC	EWC Description
10	WASTES FROM THERMAL PROCESSES
10 04	wastes from lead thermal metallurgy
10 04 09*	wastes from cooling-water treatment containing oil
10 05	wastes from zinc thermal metallurgy
10 05 08*	wastes from cooling-water treatment containing oil
10 06	wastes from copper thermal metallurgy
10 06 09*	wastes from cooling-water treatment containing oil
10 07	wastes from silver, gold and platinum thermal metallurgy
10 07 07*	wastes from cooling-water treatment containing oil
10 08	wastes from other non-ferrous thermal metallurgy
10 08 19*	wastes from cooling-water treatment containing oil
11	WASTES FROM CHEMICAL SURFACE TREATMENT AND COATING OF METALS AND OTHER MATERIALS; NON-FERROUS HYDRO-METALLURGY
11 01	wastes from chemical surface treatment and coating of metals and other materials (for example galvanic processes, zinc coating processes, pickling processes, etching, phosphatising, alkaline degreasing, anodising)
11 01 11*	aqueous rinsing liquids containing dangerous substances
11 01 13*	degreasing wastes containing dangerous substances
11 01 15*	eluate and sludges from membrane systems or ion exchange systems containing dangerous substances
12	WASTES FROM SHAPING AND PHYSICAL AND MECHANICAL SURFACE TREATMENT OF METALS AND PLASTICS
12 01	wastes from shaping and physical and mechanical surface treatment of metals and plastics
12 01 09*	machining emulsions and solutions free of halogens
12 01 10*	synthetic machining oils
12 03	wastes from water and steam degreasing processes (except 11)
12 03 01*	aqueous washing liquids
12 03 02*	steam degreasing wastes
13	OIL WASTES AND WASTES OF LIQUID FUELS (except edible oils, and those in chapters 05, 12 and 19)
13 01	waste hydraulic oils
13 01 05*	non-chlorinated emulsions
13 08	oil wastes not otherwise specified
13 08 01*	desalter sludges or emulsions
13 08 02*	other emulsions

16	WASTES NOT OTHERWISE SPECIFIED IN THE LIST
16 01	end-of-life vehicles from different means of transport (including off-road machinery) and wastes from dismantling of end-of-life vehicles and vehicle maintenance (except 13, 14, 16 06 and 16 08)
16 01 07*	oil filters
16 03	off-specification batches and unused products
16 03 03*	inorganic wastes containing dangerous substances
16 03 05*	organic wastes containing dangerous substances
16 07	wastes from transport tank, storage tank and barrel cleaning (except 05 and 13)
16 07 08*	wastes containing oil
16 10	aqueous liquid wastes destined for off-site treatment
16 10 01*	aqueous liquid wastes containing dangerous substances
16 10 03*	aqueous concentrates containing dangerous substances
19	WASTES FROM WASTE MANAGEMENT FACILITIES, OFF-SITE WASTE WATER TREATMENT PLANTS AND THE PREPARATION OF WATER INTENDED FOR HUMAN CONSUMPTION AND WATER FOR INDUSTRIAL USE
19 02	wastes from physico/chemical treatments of waste (including dechromatation, decyanidation, neutralisation)
19 02 07*	oil and concentrates from separation
19 11	wastes from oil regeneration
19 11 03*	aqueous liquid wastes
19 11 04*	wastes from cleaning of fuel with bases
19 11 05*	sludges from on-site effluent treatment containing dangerous substances
20	MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS
20 01	separately collected fractions (except 15 01)
20 01 26*	oil and fat other than those mentioned in 20 01 25

Schedule 6F - Permitted wastes for Biological Treatment Plant, and; High Strength Biodegradable Effluent Area

Section 5.3 Part A(1)(c)(i) in Biological Treatment Plant and directly associated activity High Strength Biodegradable Effluent Area.

The following permitted specified non-hazardous wastes with a six digit code in Table 6F below shall only be accepted at the Biological Treatment Plant and High Strength Biodegradable Effluent Area specified in Table 1.1.1 providing that the wastes are biodegradable or enhance the biodegradation processes:

Table 6F	Permitted Wastes
EWC	EWC Description
01	WASTES RESULTING FROM EXPLORATION, MINING, QUARRYING, AND PHYSICAL AND CHEMICAL TREATMENT OF MINERALS
01 05	drilling muds and other drilling wastes
01 05 04	freshwater drilling muds and wastes
01 05 07	barite-containing drilling muds and wastes other than those mentioned in 01 05 05 and 01 05 06
01 05 08	chloride-containing drilling muds and wastes other than those mentioned in 01 05 05 and 01 05 06
02	WASTES FROM AGRICULTURE, HORTICULTURE, AQUACULTURE, FORESTRY, HUNTING AND FISHING, FOOD PREPARATION AND PROCESSING
02 01	wastes from agriculture, horticulture, aquaculture, forestry, hunting and fishing
02 01 01	sludges from washing and cleaning
02 01 02	animal-tissue waste
02 01 03	plant-tissue waste
02 01 06	animal faeces, urine and manure (including spoiled straw), effluent, collected separately and treated off-site
02 02	wastes from the preparation and processing of meat, fish and other foods of animal origin
02 02 01	sludges from washing and cleaning
02 02 02	animal-tissue waste
02 02 03	materials unsuitable for consumption or processing
02 02 04	sludges from on-site effluent treatment
02 03	wastes from fruit, vegetables, cereals, edible oils, cocoa, coffee, tea and tobacco preparation and processing; conserve production; yeast and yeast extract production, molasses preparation and fermentation
02 03 01	sludges from washing, cleaning, peeling, centrifuging and separation
02 03 02	wastes from preserving agents
02 03 04	materials unsuitable for consumption or processing
02 03 05	sludges from on-site effluent treatment
02 03 99	wastes not otherwise specified
02 04	wastes from sugar processing
02 04 02	off-specification calcium carbonate
02 04 03	sludges from on-site effluent treatment
02 05	wastes from the dairy products industry
02 05 01	materials unsuitable for consumption or processing
02 05 02	sludges from on-site effluent treatment
02 06	wastes from the baking and confectionery industry
02 06 01	materials unsuitable for consumption or processing
02 06 02	wastes from preserving agents
02 06 03	sludges from on-site effluent treatment
02 07	wastes from the production of alcoholic and non-alcoholic beverages (except coffee, tea and cocoa)
02 07 01	wastes from washing, cleaning and mechanical reduction of raw materials
02 07 02	wastes from spirits distillation

02 07 03	wastes from chemical treatment
02 07 04	materials unsuitable for consumption or processing
02 07 05	sludges from on-site effluent treatment
03	WASTES FROM WOOD PROCESSING AND THE PRODUCTION OF PANELS AND FURNITURE, PULP, PAPER AND CARDBOARD
03 03	wastes from pulp, paper and cardboard production and processing
03 03 02	green liquor sludge (from recovery of cooking liquor)
03 03 05	de-inking sludges from paper recycling
03 03 09	lime mud waste
03 03 10	fibre rejects, fibre-, filler- and coating-sludges from mechanical separation
03 03 11	sludges from on-site effluent treatment other than those mentioned in 03 03 10
04	WASTES FROM THE LEATHER, FUR AND TEXTILE INDUSTRIES
04 01	wastes from the leather and fur industry
04 01 07	sludges, in particular from on-site effluent treatment free of chromium
04 02	wastes from the textile industry
04 02 17	dyestuffs and pigments other than those mentioned in 04 02 16
04 02 20	sludges from on-site effluent treatment other than those mentioned in 04 02 19
04 02 21	wastes from unprocessed textile fibres
04 02 22	wastes from processed textile fibres
05	WASTES FROM PETROLEUM REFINING, NATURAL GAS PURIFICATION AND PYROLYTIC TREATMENT OF COAL
05 01	wastes from petroleum refining
05 01 10	sludges from on-site effluent treatment other than those mentioned in 05 01 09
05 01 13	boiler feedwater sludges
05 01 14	wastes from cooling columns
05 06	wastes from the pyrolytic treatment of coal
05 06 04	waste from cooling columns
06	WASTES FROM INORGANIC CHEMICAL PROCESSES
06 05	sludges from on-site effluent treatment
06 05 03	sludges from on-site effluent treatment other than those mentioned in 06 05 02
07	WASTES FROM ORGANIC CHEMICAL PROCESSES
07 01	wastes from the manufacture, formulation, supply and use (MFSU) of basic organic chemicals
07 01 12	sludges from on-site effluent treatment other than those mentioned in 07 01 11
07 02	wastes from the MFSU of plastics, synthetic rubber and man-made fibres
07 02 12	sludges from on-site effluent treatment other than those mentioned in 07 02 11
07 03	wastes from the MFSU of organic dyes and pigments (except 06 11)
07 03 12	sludges from on-site effluent treatment other than those mentioned in 07 03 11
07 04	wastes from the MFSU of organic plant protection products (except 02 01 08 and 02 01 09), wood preserving agents (except 03 02) and other biocides
07 04 12	sludges from on-site effluent treatment other than those mentioned in 07 04 11
07 05	wastes from the MFSU of pharmaceuticals
07 05 12	sludges from on-site effluent treatment other than those mentioned in 07 05 11
07 06	wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics
07 06 12	sludges from on-site effluent treatment other than those mentioned in 07 06 11
07 07	wastes from the MFSU of fine chemicals and chemical products not otherwise specified
07 07 12	sludges from on-site effluent treatment other than those mentioned in 07 07 11
08	WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS
08 02	wastes from MFSU of other coatings (including ceramic materials)
08 02 02	aqueous sludges containing ceramic materials
08 02 03	aqueous suspensions containing ceramic materials

08 03	wastes from MFSU of printing inks
08 03 07	aqueous sludges containing ink
08 03 08	aqueous liquid waste containing ink
08 03 13	waste ink other than those mentioned in 08 03 12
08 03 15	ink sludges other than those mentioned in 08 03 14
08 04	wastes from MFSU of adhesives and sealants (including waterproofing products)
08 04 14	aqueous sludges containing adhesives or sealants other than those mentioned in 08 04 13
08 04 16	aqueous liquid waste containing adhesives or sealants other than those mentioned in 08 04 15
10	WASTES FROM THERMAL PROCESSES
10 01	wastes from power stations and other combustion plants (except 19)
10 01 21	sludges from on-site effluent treatment other than those mentioned in 10 01 20
10 01 23	aqueous sludges from boiler cleansing other than those mentioned in 10 01 22
10 01 26	wastes from cooling-water treatment
10 02	wastes from the iron and steel industry
10 02 12	wastes from cooling-water treatment other than those mentioned in 10 02 11
10 03	wastes from aluminium thermal metallurgy
10 03 28	wastes from cooling-water treatment other than those mentioned in 10 03 27
10 04	wastes from lead thermal metallurgy
10 04 10	wastes from cooling-water treatment other than those mentioned in 10 04 09
10 05	wastes from zinc thermal metallurgy
10 05 09	wastes from cooling-water treatment other than those mentioned in 10 05 08
10 06	wastes from copper thermal metallurgy
10 06 10	wastes from cooling-water treatment other than those mentioned in 10 06 09
10 07	wastes from silver, gold and platinum thermal metallurgy
10 07 08	wastes from cooling-water treatment other than those mentioned in 10 07 07
10 08	wastes from other non-ferrous thermal metallurgy
10 08 20	wastes from cooling-water treatment other than those mentioned in 10 08 19
10 12	wastes from manufacture of ceramic goods, bricks, tiles and construction products
10 12 13	sludge from on-site effluent treatment
11	WASTES FROM CHEMICAL SURFACE TREATMENT AND COATING OF METALS AND OTHER MATERIALS; NON-FERROUS HYDRO-METALLURGY
11 01	wastes from chemical surface treatment and coating of metals and other materials (for example galvanic processes, zinc coating processes, pickling processes, etching, phosphatising, alkaline degreasing, anodising)
11 01 10	sludges and filter cakes other than those mentioned in 11 01 09
11 01 12	aqueous rinsing liquids other than those mentioned in 11 01 11
11 01 14	degreasing wastes other than those mentioned in 11 01 13
16	WASTES NOT OTHERWISE SPECIFIED IN THE LIST
16 03	off-specification batches and unused products
16 03 04	inorganic wastes other than those mentioned in 16 03 03
16 03 06	organic wastes other than those mentioned in 16 03 05
16 05	gases in pressure containers and discarded chemicals
16 05 08*	discarded organic chemicals consisting of or containing dangerous substances
16 05 09	discarded chemicals other than those mentioned in 16 05 06, 16 05 07 or 16 05 08
16 10	aqueous liquid wastes destined for off-site treatment
16 10 02	aqueous liquid wastes other than those mentioned in 16 10 01
16 10 04	aqueous concentrates other than those mentioned in 16 10 03
19	WASTES FROM WASTE MANAGEMENT FACILITIES, OFF-SITE WASTE WATER TREATMENT PLANTS AND THE PREPARATION OF WATER INTENDED FOR HUMAN CONSUMPTION AND WATER FOR INDUSTRIAL USE
19 07	landfill leachate
19 07 03	landfill leachate other than those mentioned in 19 07 02

19 08	wastes from waste water treatment plants not otherwise specified
19 08 05	sludges from treatment of urban waste water
19 08 09	grease and oil mixture from oil/water separation containing only edible oil and fats
19 08 12	sludges from biological treatment of industrial waste water other than those mentioned in 19 08 11
19 08 14	sludges from other treatment of industrial waste water other than those mentioned in 19 08 13
19 09	wastes from the preparation of water intended for human consumption or water for industrial use
19 09 02	sludges from water clarification
19 09 03	sludges from decarbonation
19 09 06	solutions and sludges from regeneration of ion exchangers
19 13	wastes from soil and groundwater remediation
19 13 04	sludges from soil remediation other than those mentioned in 19 13 03
19 13 06	sludges from groundwater remediation other than those mentioned in 19 13 05
19 13 08	aqueous liquid wastes and aqueous concentrates from groundwater remediation other than those mentioned in 19 13 07
20	MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS
20 03	other municipal wastes
20 03 04	septic tank sludge
20 03 06	waste from sewage cleaning

END OF PERMIT