



Mr. Liam Brown  
Of Greenerth Hydro Limited

Your reference: PAN-003639 & PAN-003640

On behalf of Mr. Aled Jones

[liam@greenerthhydro.co.uk](mailto:liam@greenerthhydro.co.uk)

Date: 12 November 2018

Dear Liam,

### Invalid Application

Application numbers PAN-003639 & PAN-003640

We have received your application for a licence, but it is not complete.

### Applicant

The applicant (partnership), as stated in Section 2 of Application Form WRA, is JW & O & AW Jones. Please provide the full names as per the below guidance:

If the applicant is...	Then they must provide:
An individual	their full name
A company	the address of the Registered Office and a company registration number, in line with Companies House records
An organisation of individuals (other than partnerships, trusts secretary or other person and charities – see below)	<ul style="list-style-type: none"> <li>• full names and addresses of all partners</li> <li>• the trading name</li> <li>• the trading address</li> </ul>
A club or charity	<ul style="list-style-type: none"> <li>• give the full names and addresses of all trustees</li> <li>• give the name and address of the person authorised to receive the licence on their behalf</li> </ul>

### Entitlement to Apply

In Section 4 of Application Form WRA it is stated that the applicant is the owner/occupier of the land, you have provide a map entitled 'Site Location Plan' to show this. The landownership boundary is not shown to extend around the abstraction point. Please clarify which side of the landownership boundary marked in blue shows the land owned by the applicant.

### Drawings

The datum points and levels are summarised in a table in the drawings titled 'Front Elevation, Levels and Take Calculations – 18101301', 'Intake Overall Dimensions – 18101304' and 'Outfall Detail – 18101202' however; the points specified in the table are not labelled on the drawings. Please make sure the datum levels are clearly shown.



**Cyfoeth  
Naturiol  
Cymru  
Natural  
Resources  
Wales**

If we have not received the information we have asked for within 28 days of the date of this letter, we cannot accept your application and we will return it to you, along with your application fee.

If you have any questions about your application, please contact me (see below for details).

Yours sincerely

A handwritten signature in black ink that reads "Pearce." with a period at the end.

Hannah Pearce  
Water Resources Permitting Officer

Direct phone line: 0300 065 4554  
Direct e-mail: hannah.pearce@cyfoethnaturiolcymru.gov.uk