

	EPR Compliance Assessment Report	Report ID: GP3830BG/0223390	
This form will report compliance with your permit as determined by an NRW officer			
Site	Chirk Landfill Site	Permit Ref	GP3830BG
Operator/ Permit holder	FCC Waste Services (UK) Limited		
Date	30/12/2014	Time in	Out
What parts of the permit were assessed	Routine Monitoring Data		
Assessment	Report/data review	EPR Activity:	Installation: X Waste Op: Water Discharge:
Recipient's name/position	Colin Shaw		
Officer's name	Stuart Ross	Date issued	30/12/2014

Section 1 - Compliance Assessment Summary

This is based on the requirements of the permit under the Environmental Permitting Regulations. A detailed explanation and any action you may need to take are given in the "Detailed Assessment of Compliance" (section 3). This summary details where we believe any non-compliance with the permit has occurred, the relevant condition and how the non-compliance has been categorised using our Compliance Classification Scheme (CCS). CCS scores can be consolidated or suspended, where appropriate, to reflect the impact of some non-compliances more accurately. For more details of our CCS scheme, contact your local office.

Permit Conditions and Compliance Summary

Condition(s) breached

a) Permitted activities	1. Specified by permit	N	
b) Infrastructure	1. Engineering for prevention & control of pollution	C4	2.9.1
	2. Closure & decommissioning	N	
	3. Site drainage engineering (clean & foul)	N	
	4. Containment of stored materials	N	
	5. Plant and equipment	N	
c) General management	1. Staff competency/ training	N	
	2. Management system & operating procedures	N	
	3. Materials acceptance	N	
	4. Storage handling, labelling, segregation	N	
d) Incident management	1. Site security	N	
	2. Accident, emergency & incident planning	N	
e) Emissions	1. Air	C4	3.1.2
	2. Land & Groundwater	C4	3.2.3
	3. Surface water	A	
	4. Sewer	N	
	5. Waste	N	
f) Amenity	1. Odour	N	
	2. Noise	N	
	3. Dust/fibres/particulates	N	
	4. Pests, birds & scavengers	N	
	5. Deposits on road	N	
g) Monitoring and records, maintenance and reporting	1. Monitoring of emissions & environment	A	
	2. Records of activity, site diary, journal & events	N	
	3. Maintenance records	N	
	4. Reporting & notification	A	
h) Resource efficiency	1. Efficient use of raw materials	N	
	2. Energy	N	

KEY: C1, C2, C3, C4 = CCS breach category (* suspended scores are marked with an asterisk), A = Assessed (no evidence of non-compliance), N = Not assessed, NA = Not Applicable, O = Ongoing non-compliance – not scored

Number of breaches recorded	3	Total compliance score (see section 5 for scoring scheme)	0.3
------------------------------------	---	---	-----

If the Total No Breaches is greater than zero, then please see Section 3 for details of our proposed enforcement response

Section 2 – Compliance Assessment Report Detail

This section contains a report of our findings and will usually include information on:

- the part(s) of the permit that were assessed (e.g. maintenance, training, combustion plant, etc)
- where the type of assessment was 'Data Review' details of the report/results triggering the assessment
- any non-compliances identified
- any non-compliances with directly applicable legislation
- details of any multiple non-compliances
- information on the compliance score accrued inc. details of suspended or consolidated scores.
- details of advice given
- any other areas of concern
- all actions requested
- any examples of good practice.
- a reference to photos taken

This report should be clear, comprehensive, unambiguous and normally completed within 14 days of an assessment.

In this document 'Natural Resources Wales' means the Natural Resources Body for Wales established by Article 3 of the Natural Resources Body for Wales (Establishment) Order 2012.

Comments

This Compliance Assessment Report follows a review of routine monitoring data for the period 1st July 2014 - 30th September 2014.

1. Leachate Heads

Leachate heads were compliant (<1m) throughout the period with two exceptions;

31/7/14 LM5B 1.16m, LC5B 1.35m - part A & B notifications received.

FCC report that a faulty level control device on a leachate storage tank caused leachate pumps in the field to stop operating. Level control floats were checked quarterly and are not checked at least monthly. Leachate heads had returned to compliance by the following day.

The exceedance of the leachate head limit is a breach of permit condition 2.9.1. Leachate heads are consistently <1m and this brief excursion is unlikely to give rise to any environmental impact. CCS4.

2. Groundwater Quality Monitoring

Monthly and Quarterly monitoring suites completed as per permit requirements. During this period there was one ammoniacal nitrogen groundwater trigger level exceedance for monitoring well T10 on 17/09/14. Result 2.3mg/l, permit limit 1.9mg/l. No further exceedances have been reported.

Thank you for your letter dated 15/08/14 regarding elevated ammoniacal nitrogen retest results from samples collected during the previous quarter. Ammoniacal nitrogen trigger limits were confirmed for wells BH4 (3.1mg/l, limit 3.0mg/l) and BH11 (0.9mg/l, limit 0.39mg/l). I agree to disregard the result for BH4 as it is within the quoted measurement uncertainty.

The exceedances for T10 and BH11 attract a consolidated CCS4 (no environmental impact). Permit condition 3.2.3.

3. Perimeter Gas Monitoring

Monitoring in accordance with the permit. During the period there were a number of marginal CO2 trigger limit breaches as detailed below.

There were no methane trigger breaches during this period.

4th July – G1, G3, G4, G8 and G12 plus T4, T6 and T10 with a peak level of 11.0% (v/v) in T10.

19th August – G1, G3, G4, G5, G8 and G9 plus T1, T3, T8 and T10 with a peak level of 8.6% (v/v) in borehole T8.

10th September – G1, G3, G4, G5 and G8 plus T1 and T10 – peak reading of 13.5% (v/v) in borehole T10

Part A and B notifications received as required. Trigger level exceedances are in breach of permit condition 3.1.2. The trigger breaches are marginal and have been consolidated with a single CCS score of 4 awarded.

FCC have submitted a permit variation to remove CO2 trigger limits in accordance with the agreed Industry Code of Practice.

4. Surface Water Quality Monitoring

No discharges from the surface water lagoons / grass pots reported during this period.

Samples collected from the River Dee upstream and downstream of the landfill are indicative of a high quality watercourse. No issues noted.

	EPR Compliance Assessment Report	Report ID: GP3830BG/0223390	
This form will report compliance with your permit as determined by an NRW officer			
Site	Chirk Landfill Site	Permit	GP3830BG
Operator/ Permit	FCC Waste Services (UK) Limited	Date	30/12/2014

Section 3- Enforcement Response	Only one of the boxes below should be ticked
You must take immediate action to rectify any non-compliance and prevent repetition. Non-compliance with your permit conditions constitutes an offence and can result in criminal prosecutions and/or suspension or revocation of a permit. Please read the detailed assessment in Section 2 and the steps you need to take in Section 4 below.	
Other than the provision of advice and guidance, at present we do not intend to take further enforcement action in respect of the non-compliance identified above. This does not preclude us from taking enforcement action if further relevant information comes to light or advice isn't followed.	☐
In respect of the above non-compliance you have been issued with a warning. At present we do not intend to take further enforcement action. This does not preclude us from taking additional enforcement action if further relevant information comes to light or offences continue.	☒
We will now consider what enforcement action is appropriate and notify you, referencing this form.	☐

Section 4- Action(s)			
Where non-compliance has been detected and an enforcement response has been selected above, this section summarises the steps you need to take to return to compliance and also provides timescales for this to be done.			
Criteria Ref.	CCS Category	Action Required/Advised	Due Date
See Section 1 above			
B1	C4	No action specified	N/A
E1	C4	No action specified	N/A
E2	C4	No action specified	N/A

Section 5 - Compliance notes for the Operator

To ensure you correct actual or potential non-compliance we may

- advise on corrective actions verbally or in writing
- require you to take specific actions in writing
- issue a notice
- require you to review your procedures or management system
- change some of the conditions of your permit
- decide to undertake a full review of your permit

Any breach of a permit condition is an offence and we may take legal action against you.

● We will normally provide advice and guidance to assist you to come back into compliance either after an offence is committed or where we consider that an offence is likely to be committed. This is without prejudice to any other enforcement response that we consider may be required.

● Enforcement action can include the issue of a formal caution, prosecution, the service of a notice and or suspension or revocation of the permit.

See our Enforcement and Civil Sanctions guidance for further information

This report does not relieve the site operator of the responsibility to

- ensure you comply with the conditions of the permit at all times and prevent pollution of the environment
- ensure you comply with other legislative provisions which may apply.

Non-compliance scores and categories

CCS category	Description	Score
C1	A non-compliance which could have a major environmental effect	60
C2	A non-compliance which could have a significant environmental effect	31
C3	A non-compliance which could have a minor environmental effect	4
C4	A non-compliance which has no potential environmental effect	0.1

Operational Risk Appraisal (Opra) - Compliance assessment findings may affect your Opra score and/or your charges. This score influences the resource we use to assess permit compliance.

Section 6 – General Information

Data protection notice

The information on this form will be processed by the Natural Resources Wales (NRW) to fulfill its regulatory and monitoring functions and to maintain the relevant public register(s). The NRW may also use and/or disclose it in connection with:

- offering/providing you with its literature/services relating to environmental matters
- consulting with the public, public bodies and other organisations (e.g. Health and Safety Executive, local authorities) on environmental issues
- carrying out statistical analysis, research and development on environmental issues
- providing public register information to enquirers
- investigating possible breaches of environmental law and taking any resulting action
- preventing breaches of environmental law
- assessing customer service satisfaction and improving its service
- Freedom of Information Act/Environmental Information Regulations request.

The NRW may pass it on to its agents/representatives to do these things on its behalf. You should ensure that any persons named on this form are informed of the contents of this data protection notice.

Disclosure of information

The NRW will provide a copy of this report to the public register(s). However, if you consider that any information contained in this report should not be released to the public register(s) on the grounds of commercial confidentiality, you must write to your local area office within twenty working days of receipt of this form indicating which information it concerns and why it should not be released, giving your reasons in full.

Customer charter

What can I do if I disagree with this compliance assessment report?

If you are unable to resolve the issue with your site officer, you should firstly discuss the matter with the officer's line managers. If you wish to raise your dispute further through our official Complaints and Commendations procedure, phone our general enquiry number 0300 065 3000 (Mon to Fri 08.00–18.00) and ask for the Customer Contact team or send an email to enquiries@naturalresourceswales.gov.uk. If you are still dissatisfied you can make a complaint to the Public Services Ombudsman for Wales. For advice on how to complain to the Ombudsman phone their helpline on 0845 607 0987.