

Permit Number: EA/EPR/BW99991GNV003

Operator: Kronospan Ltd

Facility: Chirk Particle Board Factory

Form Number: Water1 / 040209

Water1 / 040209

Reporting of emissions to water (other than to sewer) and land for the period from 01/07/2014 to 30/09/2014



Emission Point	Substance / Parameter	Emission Limit Value	Result ⁽¹⁾	Test Method	Sample Date	Uncertainty
W1	BOD	9.5 mg/l	6.4 mg/l	As Permit	19/07/2014	0.011
W1	Suspended Solids	100mg/l	92.5 mg/l	As Permit	22/09/2014	0.208
W1	pH	6 - 9	6.18 - 7.70	As Permit	22/09/2014 - 13/08/2014	0.004
W1	Ammonia	3.5 mg/l	4.47 mg/l	As Permit	01/07/2014	0.006
W1	Oil and Grease	15mg/l	13.0 mg/l	As Permit	06/09/2014	0.007
W1	Formaldehyde	1.5 mg/l	1.6 mg/l	As Permit	10/07/2014 & 08/08/2014	0.003
W1	Discharge Volume	N/A	60487 m ³	As Permit	N/A	N/A

(1) The result given is the maximum value (or the minimum value in the case of a limit that is expressed as a minimum) obtained during the reporting period, expressed in the same terms as the emission limit value. Where the emission limit value is expressed as a range, the result is given as the 'minimum - maximum' measured values.

Signed [Signature] Date 02/10/2014
(Authorised to sign as representative of Operator)

Corrections have been made as per condition 3.1.4

ADMINISTRATIVE RETURN N/A/L/S

DISCLOSED IN AUTOMISATION

REVISIONS

DATE

02/10

2-10-14

6/10

UB

Edman

