

Bradford, Julie

From: Oakes, Ian
Sent: 08 December 2014 16:04
To: Bradford, Julie
Subject: FW: Temporary Consent Limits
Attachments: Ian Oakes 11112014 Final.doc

PR

From: Baker, Keith [mailto:K.Baker@KRONOSPAN.co.uk]
Sent: 13 November 2014 08:58
To: Oakes, Ian
Subject: Temporary Consent Limits

Hi Ian
Please find the attached letter as requested to extend the temporary consent limits for Ammonia and Formaldehyde in the surface water discharge to the Afon Bradley, let me know if I need to change anything in the letter. Thanks Keith.

Chemical and Petroleum Bund minor works – Update

I now have 3 firm quotes for the minor work to the site bunds and I will be placing an order within the next few days.

Kind regards

Keith Baker
EHS Manager



KRONOSPAN Ltd Chirk
Wrexham LL14 5NT.

T +44 (0)1691 775320
F +44 (0)1691 776581
M +44 (0)7795 438249

K.Baker@KRONOSPAN.co.uk
www.kronospan.co.uk
www.kronospan-worldwide.com

Kronospan Limited registered in England.
Company Registration No 981905 CEO Mr. L.A. Scheibler

	NOTES	DATE
ON FOR PUBLIC REGISTER	<input checked="" type="checkbox"/>	16/12/14
COPIED TO PUBLIC REGISTER	<input type="checkbox"/>	

Mr Ian Oakes
Regulatory Officer
Chester Road
Buckley
Flintshire
CH7 3AJ

Ref:
KB/IO/04

Telephone Number:
01691 775320

Date:
11th November 2014

**Subject: Environmental Permitting (England and Wales) Regulations 2010
EA/EPR/BW9999IG – Extension of our temporary consent for Ammonia and
Formaldehyde in the surface water discharge to the Afon Bradley.**

Dear Ian,

As discussed at our meeting on the 9th September 2014, we are continuing to work on the Lagoon aeration, bacterial treatment, and wetlands project with Living Water Ecosystems. We have recently agreed with them that, due to the fact we are still commissioning the continuous monitoring equipment (stage 1), we will split rest of the project into 2 further stages:

1. The second stage will cover aeration, pumice baskets, and bacterial gel in all three lagoons.
2. The third stage will consist of floating wetland plant rafts as a final polishing stage before discharge to the Afon Bradley.

As part of this project we discussed the possibility of carrying out some cleaning work in and around the Afon Bradley.

Temporary Consents

At the beginning of this project we stated in discussion with the then Environment Agency Wales, that under the current Lagoon surface water management systems we could not achieve the emission limits set in our Permit. As a result, temporary elevated limits were agreed for formaldehyde and ammonia. This was documented in a letter from Julia Frost dated 11/08/2011. It was agreed at our meeting on the 9th September that we should formally request for an extension of the temporary emission limits by the end of December 2014.

I would like to formally request an extension of our temporary relaxation for the emission limit values to water as detailed below;

Ammonia temporary elv 5 mg/l,
Formaldehyde temporary elv 2 mg/l.

All other emission limit values in table 4.2 of our permit are to remain unaltered, as do the monitoring and reporting requirements.

This temporary relaxation is to allow for the completion of stage 1 and 2 of our proposals (as detailed in Environment Agency letter of 9th August 2011) and for the wetland area in stage 3 to become established.

Progress reports will be sent on a regular basis.

I hope this meets with your approval.

Yours sincerely,

Keith Baker
EH&SManager