

ALS Environmental Ltd
Torrington Avenue
Coventry
CV4 9GU

T: +44 (0)24 7642 1213
F: +44 (0)24 7685 6575
www.alsenvironmental.co.uk

Mr Coppard
2 Sisters Red Meat Ltd
Pengarnddu Industrial Estate
Dowlais Top
Merthyr CF48 2TA
Glamorgan

25 February 2016

Test Report: COV/1256111/2016

Dear Mr Coppard

Analysis of your sample(s) submitted on 04 February 2016 is now complete and we have pleasure in enclosing the appropriate test report(s).

An invoice for the analysis carried out will be sent under separate cover.

Should you have any queries regarding this report(s) or any part of our service, please contact Customer Services on +44 (0)24 7642 1213 who will be happy to discuss your requirements.

If you would like to arrange any further analysis, please contact Customer Services. To arrange container delivery or sample collection, please call the Couriers Department directly on 024 7685 6562.

Thank you for using ALS Environmental Ltd and we look forward to receiving your next samples.

Yours Sincerely,


Signed: 

Name: A. Zunzunegui

Title: Organic Team Leader



Report Summary



1314
0897
4409



**Mr Mike Coppard
2 Sisters Red Meat Ltd
Pengarnddu Industrial Estate
Dowlais Top
Merthyr
Glamorgan
CF48 2TA**

Date of Issue: **25 February 2016**

Report Number: **COV/1256111/2016**

Issue **1**

Job Description: PP8/W1/TPH Analysis

Job Location: PP8/W1/TPH Analysis

Number of Samples
included in this report **2**

Job Received: **04 February 2016**

Number of Test Results
included in this report **46**

Analysis Commenced: **08 February 2016**

Signed:

Name: **A. Zunzunegui**

Date: **25 February 2016**

Title: **Organic Team Leader**

ALS Environmental Ltd was not responsible for sampling unless otherwise stated. Sampling is not covered by our UKAS accreditation.

Information on the methods of analysis and performance characteristics are available on request.


Opinions and interpretations expressed herein are outside the scope of UKAS accreditation. The results relate only to the items tested.

Tests marked 'Not UKAS Accredited' in this Report/Certificate are not included in the UKAS Accreditation Schedule for our laboratory.

This communication has been sent to you by ALS Environmental Ltd. Registered in England and Wales. Registration No. 02148934. Registered Office: ALS Environmental Limited, Torrington Avenue, Coventry, CV4 9GU.

(c) ALS Environmental Ltd 2016. All rights reserved. We, ALS Environmental Ltd, are the owner of all copyright in this report. You must not copy, reproduce, amend or adapt this report, its contents or any format in which it is delivered without our prior written agreement. If you copy, reproduce, amend, or adapt this report in any way without our agreement you will be liable for any damage or loss to us. In the event of a dispute the copy of the report held by us shall be the reference copy.

Certificate of Analysis



Report Number: **COV/1256111/2016**

Issue **1**

Laboratory Number: **15106756**

Sample **1** of **2**

Sample Source: **2 Sisters Red Meat Ltd**

Sample Point Description: **St. Merry's Meat**

Sample Description: **W1**

Sample Matrix: **Trade Effluent**

Sample Date/Time: **04 February 2016**

Sample Received: **04 February 2016**

Analysis Complete: **25 February 2016**

Test Description	Result	Units	Analysis Date	Accreditation	Method
Demeton-S-Methyl	<0.001	ug/l	16/02/2016	N Wak	WPC46
Disulphoton	<0.002	ug/l	16/02/2016	N Wak	WPC46
Oil and Grease	<0.60	mg/l	15/02/2016	N S	SUBCON
Dissolved Oxygen, Fixed	10.1	mg/l	09/02/2016	N Cov	WAS052
Azinphos-ethyl	<0.004	ug/l	10/02/2016	Y Cov	GEO47
Azinphos-methyl	<0.002	ug/l	16/02/2016	Y Cov	GEO47
Carbophenothion	<0.003	ug/l	10/02/2016	Y Cov	GEO47
Chlorfenvinphos	<0.002	ug/l	10/02/2016	Y Cov	GEO47
Chlorpyrifos	<0.002	ug/l	10/02/2016	Y Cov	GEO47
Diazinon	0.011	ug/l	10/02/2016	Y Cov	GEO47
Dichlorvos	<0.002	ug/l	10/02/2016	Y Cov	GEO47
Dimethoate	<0.020	ug/l	10/02/2016	Y Cov	GEO47
Fenitrothion	<0.002	ug/l	16/02/2016	Y Cov	GEO47
Fenthion	<0.002	ug/l	10/02/2016	Y Cov	GEO47
Malathion	<0.004	ug/l	10/02/2016	Y Cov	GEO47
Mevinphos	<0.020	ug/l	16/02/2016	Y Cov	GEO47
Parathion-ethyl	<0.003	ug/l	10/02/2016	Y Cov	GEO47
Parathion-methyl	<0.003	ug/l	10/02/2016	Y Cov	GEO47
Phorate	<0.004	ug/l	10/02/2016	Y Cov	GEO47
Phosalone	<0.004	ug/l	10/02/2016	Y Cov	GEO47
Pirimiphos-methyl	<0.005	ug/l	10/02/2016	Y Cov	GEO47
Propetamphos	<0.003	ug/l	10/02/2016	Y Cov	GEO47
Triazophos	<0.002	ug/l	10/02/2016	Y Cov	GEO47

Analyst Comments for 15106756:

This sample has been analysed for Dissolved Oxygen, Fixed outside recommended stability times. It is therefore possible that the results provided may be compromised.

Accreditation Codes: Y = UKAS / ISO17025 Accredited, N = Not UKAS / ISO17025 Accredited, M = MCERTS.

Analysed at: Cov = Coventry(CV4 9GU), Che = Chester(CH4 9EP), Ott = Otterbourne(SO21 2SW), S = Subcontracted, Trb = Subcontracted to Trowbridge(BA14 0XD), Wak = Wakefield(WF5 9TG).

For Microbiological determinands 0 or ND=Not Detected, For Legionella ND=Not Detected in volume of sample filtered. The LOD for the Legionella analysis will increase where the volume analysed is


<1000g (1g is approximately equivalent to 1ml for sample volume analysed).

I/S=Insufficient sample For soil/sludge samples: AR=As received, DW=Dry weight.

ALS Environmental Ltd

Torrington Avenue, Coventry, CV4 9GU
Tel:+44 (0)24 7642 1213 Fax:+44 (0)24 7685 6575

Signed:

A handwritten signature in black ink, appearing to read 'A. Zunzunegui', enclosed within a thin black rectangular border.

Name: **A. Zunzunegui**

Date: **25 February 2016**

Title: **Organic Team Leader**

Certificate of Analysis



Report Number: **COV/1256111/2016**

Issue **1**

Laboratory Number: **15106757**

Sample **2** of **2**

Sample Source: **2 Sisters Red Meat Ltd**

Sample Point Description: **St. Merry's Meat**

Sample Description: **W2**

Sample Matrix: **Trade Effluent**

Sample Date/Time: **04 February 2016**

Sample Received: **04 February 2016**

Analysis Complete: **25 February 2016**

Test Description	Result	Units	Analysis Date	Accreditation	Method
Demeton-S-Methyl	<0.005	ug/l	25/02/2016	N Wak	WPC46
Disulphoton	<0.010	ug/l	25/02/2016	N Wak	WPC46
Oil and Grease	3.68	mg/l	15/02/2016	N S	SUBCON
Dissolved Oxygen, Fixed	11.3	mg/l	09/02/2016	N Cov	WAS052
Azinphos-ethyl	<0.004	ug/l	10/02/2016	Y Cov	GEO47
Azinphos-methyl	<0.002	ug/l	16/02/2016	Y Cov	GEO47
Carbophenothion	<0.003	ug/l	10/02/2016	Y Cov	GEO47
Chlorfenvinphos	<0.002	ug/l	10/02/2016	Y Cov	GEO47
Chlorpyrifos	<0.002	ug/l	10/02/2016	Y Cov	GEO47
Diazinon	0.004	ug/l	10/02/2016	Y Cov	GEO47
Dichlorvos	<0.002	ug/l	10/02/2016	Y Cov	GEO47
Dimethoate	<0.020	ug/l	10/02/2016	Y Cov	GEO47
Fenitrothion	<0.002	ug/l	16/02/2016	Y Cov	GEO47
Fenthion	<0.002	ug/l	10/02/2016	Y Cov	GEO47
Malathion	<0.004	ug/l	10/02/2016	Y Cov	GEO47
Mevinphos	<0.020	ug/l	16/02/2016	Y Cov	GEO47
Parathion-ethyl	<0.003	ug/l	10/02/2016	Y Cov	GEO47
Parathion-methyl	<0.003	ug/l	10/02/2016	Y Cov	GEO47
Phorate	<0.004	ug/l	10/02/2016	Y Cov	GEO47
Phosalone	<0.004	ug/l	10/02/2016	Y Cov	GEO47
Pirimiphos-methyl	<0.005	ug/l	10/02/2016	Y Cov	GEO47
Propetamphos	<0.003	ug/l	10/02/2016	Y Cov	GEO47
Triazophos	<0.002	ug/l	10/02/2016	Y Cov	GEO47

Analyst Comments for 15106757:

This sample has been analysed for Dissolved Oxygen, Fixed outside recommended stability times. It is therefore possible that the results provided may be compromised.

{/*}WPC46 Extra Pests - Sample analysed on x5 dilution due to surrogate failure, LOD's raised accordingly.{*/}

Accreditation Codes: Y = UKAS / ISO17025 Accredited, N = Not UKAS / ISO17025 Accredited, M = MCERTS.

Analysed at: Cov = Coventry(CV4 9GU), Che = Chester(CH4 9EP), Ott = Otterbourne(SO21 2SW), S = Subcontracted, Trb = Subcontracted to Trowbridge(BA14 0XD), Wak = Wakefield(WF5 9TG).


For Microbiological determinands 0 or ND=Not Detected, For Legionella ND=Not Detected in volume of sample filtered. The LOD for the Legionella analysis will increase where the volume analysed is <1000g (1g is approximately equivalent to 1ml for sample volume analysed).

I/S=Insufficient sample For soil/sludge samples: AR=As received, DW=Dry weight.

ALS Environmental Ltd

Torrington Avenue, Coventry, CV4 9GU
Tel:+44 (0)24 7642 1213 Fax:+44 (0)24 7685 6575

Signed:

A handwritten signature in black ink, appearing to read 'A. Zunzunegui', enclosed within a thin black rectangular border.

Name: **A. Zunzunegui**

Date: **25 February 2016**

Title: **Organic Team Leader**