

Application for an environmental permit: Part B6.5 Discharging treated domestic sewage effluent of up to 15 cubic metres a day into ground or up to 20 cubic metres a day onto surface water

About you

Please give details of the individual, or where relevant for groups or organisations of individuals, the main representative.	
Title:	MR
First name:	Stuart
Last name:	Reid

Who will be named on the permit?
An individual

Your address

For companies this must be the address on record at Companies House.	
Address	TY CARREG DINGESTOW MONMOUTH
Postcode	NP25 4EB
Telephone - mobile	07775853939
Telephone - office	07775853939
E-mail address	STUART@REIDBROS.UK

About this application

Have you spoken to us already about this application?
If you have had discussions with us before your application, give us the case reference or details.
NRW-WQE075938

About your sewage treatment facility:

The term 'sewage treatment facility' is used throughout this application form. That term is explained in more detail in the guidance document that accompanies this application form.

Where is the sewage treatment facility?

Address TY CARREG
DINGESTOW
MONMOUTH

Postcode NP2 4EB

Telephone - mobile -

Telephone - office -

E-mail address -

National Grid Reference for the centre of your sewage treatment facility (12 digit)

SO4515612217

Your management system

Your permit requires you (as the operator) to ensure that you manage and operate your activities in accordance with a written management system. You can find guidance on management systems in the guidance notes to part B6.5 and on our website. Please tick the box below to confirm this.

I confirm that I have read the application form guidance and that my management system will meet NRW requirements.

About your discharge

What type of premises does your sewage treatment facility serve?

For example, the number of houses or a description such as a pub, café, restaurant, office and so on.

1 HOUSE

When did your discharge start? (New or existing)

On or after 1 April 2010 - New

If existing, when was it built (DD/MM/YYYY)?

01/01/2014

New discharges only

How far away is the nearest foul sewer from the boundary of the premises (in metres)?

Foul sewer means public or private foul sewer.

You will need to check this with your sewerage undertaker (usually your local water company) and you may also need to check if it is possible to connect to a private sewer.

NONE

What is the maximum volume of effluent you will discharge in a day (in cubic metres)?

There are two charges depending on volume of the discharge. Anything below 5 cubic metres costs £129 and over 5 cubic metres is £912.

What is the maximum volume of effluent you will discharge in a day (in m3)?

1.5M3

Your sample and discharge points

What type of sewage treatment system will you be using to treat your effluent?

Package treatment plant that meets British Standard BS 12566

Sample Point location

This does not apply if you are discharging to ground up to 5 cubic metres (5m3) a day from an existing system.

You must provide a sample point where a sample of your discharge can be safely taken before it has mixed with any other discharges such as rainwater run off if you are making:

- an existing or new discharge to surface water
- an existing discharge to groundwater and the volume is more than 5 cubic metres (5m3) a day
- a new discharge to groundwater

You must also identify it on your plan.

Tell us where your sample point is:

Same as outlet point

Discharge point location

Please give the national grid reference for the discharge point (12 digit)

SO4515612217

Where will your treated effluent discharge to?

If you are proposing to discharge multiple effluents, you must complete a separate application form for each effluent and submit the form, along with the correct application fee, for assessment.

Onto land (eg. via reed bed or grass plot)

Discharges onto land

Select from the type of area where the effluent is disposed of

Unlined reed bed

What is the surface area (in square metres) of the land used for your disposal?

50

Is any part of your infiltration system within 50 metres of a well, spring or borehole?

No

Is any part of your infiltration system within 10 metres of a watercourse?

No

Discharges to tidal river, tidal stream, estuary or coastal waters

Is the discharge into

An estuary

Is the discharge point above the mean low water spring tide mark?

No

Does the discharge reach the tidal river, tidal stream, estuary or area of coastal water by flowing through a surface water sewer?

No

Your site plan (see guidance note to part B6.5)

Please upload your plan here

- File: http://idox.monmouthshire.gov.uk_WAM_doc_Drawing-234240.pdf_extension=.pdf - [Download](#)

Payment

What date do you want the permit for this effluent to start?

Please note that this is the date that your annual subsistence charges will start, even if you have not started to discharge, unless you contact us to change (delay) the start date.

* 20/07/2022

Will the discharge take place all year?

Yes

Is the maximum volume of effluent you will discharge five cubic metres (m3) or less a day?

Yes - The reduced fee applies (£129) and you do not have to pay an annual subsistence charge.

Who can we talk to about your billing or invoice?

Same as application contact

How do you want to pay for your application fee?

Credit or debit card

Data Protection

You can ask for information to be made confidential by ticking the box below and enclosing a letter with your application giving your reasons.

If we agree with your request, we will tell you and not include the information in the public register. If we do not agree with your request, we will let you know how to appeal against our decision, or you can withdraw your application.

Confidentiality is unlikely to be applicable for a small-scale sewage discharge except for information about ex-directory telephone numbers. In those cases please write to tell us that information should not go on the public register.

Only tick the box below if you wish to claim confidentiality for your application.

Please treat the information in my application as confidential

Declaration

If you knowingly or recklessly make a statement which is false or misleading to help you get an environmental permit (for yourself or another person), you are committing an offence under the Environmental Permitting (England and Wales) Regulations 2016.

I declare that the information in this application is true to the best of my knowledge and belief. I understand that this application may be refused or approval withdrawn if I give false or incomplete information.

I understand that if I knowingly or recklessly make a false or misleading statement:

- I may be prosecuted; and
- if convicted, I may have to pay a fine and/or go to prison.

By signing below, you are confirming that you understand and agree with the declaration above.

Title	MR
First name	STUART
Last name	REID
On behalf of (if relevant)	N/A
Today's date	20/07/2022