

Notice of request for more information

Environmental Permitting (England and Wales)
Regulations 2016

Notice requiring further information

To: Company Secretary
The Royal Mint
Llantrisant
Pontyclun
Rhondda Cynon Taf
CF72 8YT

Application number: PAN-016079 (EPR/KP3135KV/V005)

Natural Resources Wales, in exercise of its powers under paragraph 4 of Part 1 of Schedule 5 of the above Regulations, requires you to provide the information detailed in the attached schedule. The information is required in order to determine your application for a permit, dated 01/04/2022. The information requested should be sent to the following address by 05/09/2022.

This notice has been sent to Martyn Grant.

Information should be sent to:

William Wallace
Permitting Service
Natural Resources Wales
Cambria House
29 Newport Road
Cardiff
CF24 0TP

Name	Date
William Wallace	08 08 2022

Permitting Officer (Regulated Industry)
Authorised on behalf of Natural Resources Wales

Ffôn/Tel 03000 65 4448
Ebost/Email name@cyfoethnaturiolcymru.gov.uk
name@naturalresourceswales.gov.uk

Gwasanaeth Trwyddedu, Cyfoeth Naturiol Cymru, Tŷ Cambria, 29 Heol Casnewydd, Caerdydd. CF24 0TP
Permitting Service, Natural Resources Wales, Cambria House, 29 Newport Road, Cardiff. CF24 0TP

Gwefan/Website www.cyfoethnaturiolcymru.gov.uk Croesewir gohebiaeth yn y Gymraeg a'r Saesneg
www.naturalresourceswales.gov.uk Correspondence welcomed in Welsh and English

Schedule

The notice specifies what you need to send and when you must send it by. If we do not receive it by the date set out in the notice then we may treat your application as having been withdrawn.

Please provide:

- A noise impact assessment on the proposed facilities/ changes to the installation on the nearest residential receptors. This should fulfil the requirements of BS4142 and the environment agencies' [guidance on noise monitoring](#). As outlined in the guidance, noise impact assessment and any noise measurements should be carried out by a qualified person.
- Noise management plan which should be in line with the [guidance on noise management plan](#).

END OF SCHEDULE