

Permit Number: TP3535LH

Operator:

ConvaTec Limited

Installation: Rhymney Alginate Fibre Plant

Form Number:

Air1 / 16.10.2006 v2017

Reporting of Emissions to Air for the period from01 Jul 2018.....to.....30 Sep 2018.....


Emission Point	Substance / Parameter	Emission Limit Value	Reference Period	Result	Test Method ⁽²⁾	Sample Date and Times ⁽³⁾	Uncertainty ⁽⁴⁾
A1	Total Organic Carbon (TOC)	- (1)	Hourly averages over a 4-hour period	74.7 / 80.9 / 90.0 / 39.8 mgC/m ³	BS EN 12619:2013	19 OCT 2018 14:00 -17:59	±5.3 mg/m ³
A2	Total Organic Carbon (TOC)	- (1)	Hourly averages over a 4-hour period	3.5 / 17.7 / 0.3 / 10.7 mgC/m ³	BS EN 12619:2013	19 OCT 2018 14:00 -17:59	±9.2 mg/m ³
A3	Total Organic Carbon (TOC)	- (1)	Hourly averages over a 4-hour period	86.6 / 72.6 / 77.4 / 101.2 mgC/m ³	BS EN 12619:2013	19 OCT 2018 14:00 -17:59	±12.5 mg/m ³

[1] Each hourly average to be reported.

[2] Where an internationally recognised standard test method is used the reference number is given. Where another method that has been formally agreed with the Agency is used, then the appropriate identifier is given. In other cases the principal technique is stated, e.g. gas chromatography.

[3] For non-continuous measurements the date and time of the sample that produced the result is given.

[4] The uncertainty associated with the quoted result at the 95% confidence interval, unless otherwise stated.

Signed 

(Authorised to sign as representative of Operator)

Date: 31 OCT 2018

Permit Number: TP3535LH

Operator:

ConvaTec Limited

Installation: Rhymney Alginate Fibre Plant

Form Number:

Sewer 1 / 16.10.2006 v2017

Reporting of emissions to sewer for the three month period from01 Jul 2018.....to.....30 Sep 2018.....


Emission Point	Substance / Parameter	Emission Limit Value	Reference Period	Result ⁽¹⁾	Test Method ⁽²⁾	Sample Date and Times ⁽³⁾	Uncertainty ⁽⁴⁾
S1	Flow (m ³ /day)	-	Average over 3 month period	51.3	n/a	n/a	n/a
S1	Acetone (mg/l)	-	Spot sample	Acetone not used	n/a	-	-
S1	Dichloromethane	1.0 mg/l	Spot sample	Not a determinant on WW reports	n/a	-	-

[1] The result given is the maximum value (or the minimum value in the case of a limit that is expressed as a minimum) obtained during the reporting period, expressed in the same terms as the emission limit value. Where the emission limit value is expressed as a range, the result is given as the 'minimum – maximum' measured values.

[2] Where an internationally recognised standard test method is used the reference number is given. Where another method that has been formally agreed with the Agency is used, then the appropriate identifier is given. In other cases the principal technique is stated, e.g. gas chromatography.

[3] For non-continuous measurements the date and time of the sample that produced the result is given. For continuous measurements the percentage of the process operating time covered by the result is given.

[4] The uncertainty associated with the quoted result at the 95% confidence interval, unless otherwise stated.

Signed 
(Authorised to sign as representative of Operator)

Date: 31 Oct 2018