



ENVIRONMENT
AGENCY

WATER RESOURCES ACT 1991 (schedule 10)

(as amended by the Environment Act 1995)

Application for new consent/variation to an existing consent* to discharge
(* delete as appropriate)

Regional/Area Address:

ENVIRONMENT AGENCY
RIVERS HOUSE
ST. MELLONS BUSINESS PARK
ST. MELLONS
CARDIFF CF3 0LT
F.A.O. PAUL GIBSON.

Official Use Only

Dist/Area Ref:

Application No. CG0352901

Date Received: 11/3/02

Fee Received: N/A

Each applicant must complete the main form and may need to complete a separate annexe if appropriate. Please look through the form and read the notes carefully before you complete it. Processing of your application will be aided by full and accurate completion of all the relevant sections and provision of the necessary plans. If you have any queries regarding the form please contact the person given in the notes.

NOTE:

All information contained within this application will be made available on the public register unless there is a request to withhold any of it. Any such request should provide a full justification stating why the information needs to be withheld (see note xiii).

1 SITE ADDRESS

1.1 Address or other sufficient description of land or premises to which this application applies:

Beddgelert Forest Campsite
Beddgelert
Gwynedd

Post Code:

LL55 4UU



CG0352901_2006_03_03

2 DETAILS OF DISCHARGE(S)

2.1 State the nature of the discharge(s) (see note i and ii) - tick one or more boxes as appropriate:

Sewage Effluent - volume of 5 cubic metres per day or less ☒

Sewage Effluent - volume greater than 5 cubic metres per day (complete annexe 1) ☒

Sewage Effluent discharged under storm or emergency conditions (complete annexe 2) ☐

Cooling Water (complete annexe 3) ☐

Trade Effluent (including site drainage) (complete annexe 3) ☐

Others (please specify) ☐

*Average water less than 5 m³ / Summer 50 m³
Maximum in one day 100 m³ approx*

2.2 Please state the maximum quantity it is proposed to discharge in any one day m³/day
Briefly state how this figure was calculated (see note ii).

*From tables provided - calculations based
on Estimated / actual numbers.*

2.3 a) Indicate proposed means of discharge - tick as appropriate and show on plan:
(for 1, 2 & 3 please state dimensions below)

1. Pipe ☒

4. Borehole ☐

7. Sub-Irrigation System ☐

2. Channel ☐

5. Well ☐

8. Combination of 6. & 7. ☐

3. Culvert ☐

6. Soakaway ☐

9. Other (please specify below) ☐

b) National Grid Reference(s) of point(s) of discharge (see note iii).

/ / (please indicate on accompanying plans)

2.4 a) The Agency will normally require adequate provision for the taking of samples of the discharge in a safe and convenient manner at any time. Please indicate the means proposed (see note iv) - tick as appropriate and show on plan:-

At the outlet ☒

At a manhole or sampling chamber ☐

Other (please specify)

b) National Grid Reference(s) of sampling point(s). (If different from 2.3 b) above)

/ / (please indicate on accompanying plans)

c) What flow measurement facilities will be provided (see note v)?

Please give details.

None

2.5 a) Type of Treatment Plant(s) to be used (please specify make and model) - tick as appropriate:-

Septic Tank ☐

Package Sewage Treatment Works ☒

Other ☐

S.A.R.T.E.C. Activated aerated Sewage treatment Plant
discharge to river via pipework & inspection chamber

b) Will the treatment process involve the use of any chemicals (eg ferric salts, polyelectrolytes) ☒ ~~Y~~/N

If yes please give details.

2.6 a) On what date do you anticipate the discharge will commence?

In 1994

b) If you require the consent for a limited time period please give dates; from:

1/1

to:

1/1

c) If the discharge is not continuous please detail the period/circumstances when it will occur.

Campsite - roadways closed in summer period & shoulder months of
say April / May - September October. Far less in winter.

2.7 a) Are there any existing consents for discharge from the premises (see note vi)?

☒ Y ~~N~~

If yes, please give the reference numbers. (Any further information should be given in section 5.3).

C6 0352901. Revived 24/10/94.

b) Has any person had a Prohibition Notice served on them in respect of this site?

☒ ~~Y~~/N

If yes, please give the reference number.

No.

3 SITE DETAILS

3.1 Please give the name of the relevant Planning Authority.

Shropshire National Park Penrhyndendraeth.

3.2 Please give details of the premises - tick as appropriate:-

1. Single Dwelling ☒

6. Fish Farm ☐

2. Multiple Dwellings ☐

7. Mineral Workings ☐

3. Industrial Premises ☐

8. Water Services plc STW ☐

4. Vehicle Parking Area ☐

9. Water Supply ☐

5. Commercial Premises (please specify) ☒

10. Other (please specify) ☐

Campsite

Residential (No)

3.3 Please indicate source(s) of water as appropriate:-

- | | | | |
|--|-------------------------------------|---|--------------------------|
| 1. Well | <input type="checkbox"/> | 5. River (please give name below) | <input type="checkbox"/> |
| 2. Borehole | <input type="checkbox"/> | 6. Estuary (please give name below) | <input type="checkbox"/> |
| 3. Precipitation (eg. rain on surface) | <input type="checkbox"/> | 7. Coastal Water (please give name below) | <input type="checkbox"/> |
| 4. Mains (please state water supply authority) | <input checked="" type="checkbox"/> | | |

Wink Water

4 DETAILS OF RECEIVING ENVIRONMENT

4.1 Receiving Medium - tick the category(s) to which the proposed discharge(s) is(are) to be made:-

- | | | | |
|--|-------------------------------------|---------------------------------|--------------------------|
| 1. Estuarial Water (tidal river or stream) | <input type="checkbox"/> | 5. Into Land | <input type="checkbox"/> |
| 2. River or Stream (non-tidal) | <input checked="" type="checkbox"/> | 6. Onto Land | <input type="checkbox"/> |
| 3. Canal | <input type="checkbox"/> | 7. Directly into Groundwater | <input type="checkbox"/> |
| 4. Lake, Loch or Pond | <input type="checkbox"/> | 8. Coastal Water (see note vii) | <input type="checkbox"/> |

State name of receiving water if known:

AFON COLWYN

4.2 In the case of sub-irrigation systems, soakaways or boreholes:-

(a) Is any part of the system within 5 metres of the boundary of the premises? ☐ Y/N

(b) Is any part of the system within 10 metres of a watercourse? ☐ Y/N

(c) Is any part of the system within 50 metres of a borehole or spring? ☐ Y/N

(d) For wells and boreholes state dimension(s) in metres. m

(e) For sub-irrigation systems, soakaway pits, wells and boreholes, state maximum depth in metres. m

(f) For boreholes, state details of lining in metres:

(i) Depth of lining m

(ii) Depth of perforated lining m

(iii) Depth of unperforated lining m

(g) A percolation test must be carried out in accordance with British Standard BS6297:1983.

Have the results been provided? ☐ Y/N

4.3 Is there a foul sewer available to which the discharge(s) could be made (see note viii)? ☐ Y/N

If yes, please give the reasons it is not practical to connect to it (eg. distance, flow etc.):

Foul sewer in Beddgelert Village too far away.

5 DETAILS OF APPLICANT AND OTHER INFORMATION

5.1 (See general notes and note ix)

- (a) Full name and postal address of applicant. This should be the person who will become the consent holder should consent be issued.

*
*
*
*
*
*

FORESTRY COMMISSION
FOREST HOLIDAYS BUILDING SURVIVOR
BUKKER HILL

Post Code: LK6 7XR

KENNEDY LK6 7XR

Daytime Telephone Number:

(01342) 8 334 93

Company Registration Number (if appropriate):

- (b) Agent (if any) - Full name and postal address.

*
*
*
*
*
*

Post Code:

Contact Name and Daytime Telephone Number:

5.2

Please give full name and address to which bills should be sent if different to that given above:

*
*
*
*
*
*

AS ABOVE

Post Code:

Daytime Telephone Number:

5.3 Are there any other factors to be taken into account? Please continue on a separate sheet if necessary.


No This application follows on from Crown Exemption
/Discharge arrangements to Discharge consents.
No charge. Copies attached.

DECLARATION

I/We:

1. apply under the Water Resources Act 1991 (as amended by the Environment Act 1995) for consent to discharge, as described in this Application. "This Application" means this page, all the other pages of this form and any attached annexes, the attached plan(s), any other sheets attached, and any other written information supplied to support the application.
2. enclose the required application fee, payable to the Environment Agency (see note x).
3. enclose 3 copies of the plan(s) and location maps with all relevant information clearly marked (see note xi).
4. will pay required advertising costs (see note xii).
5. confirm that I/we* will notify the Environment Agency of any changes in the information in this application which might be material to the continuation of the consent.
6. confirm that the information given in this application and any questions which the Environment Agency may have about it is/will* be true to the best of my/our* knowledge, information and belief and am/are* not aware of any other facts or information which might affect the granting of a consent, or conditions which might be put on it (see note xiii).
7. confirm that I/we* will pay any annual charges due should a consent be granted YES/NO*. If no please indicate who will by completing section 5.2 above (see note xiv).

(* Delete as appropriate)

SIGNED:  PRINT NAME: A W. L. NITSCHUK
ON BEHALF OF: FORESTRY COMMISSION DATED: 20/2/97

o o o

CONFIDENTIALITY

I/we apply for commercial confidentiality and enclose a full written justification (see note xv).

SIGNED: DATED:

PLEASE RETURN THIS FORM TO THE ADDRESS GIVEN ON THE FRONT PAGE



ENVIRONMENT AGENCY

ANNEXE 1

SEWAGE EFFLUENT GREATER THAN 5 CUBIC METRES PER DAY

Please complete this annexe if you are proposing to discharge more than 5 cubic metres per day of sewage effluent (if the effluent is to contain a trade component Annexe 3 should also be completed).

Official Use Only
Application No.

1. Site Name.

BEDDYGERT FOREST CAMPSITE
Beddygert Gwynedd

2. Please detail the type and number of treatment units you are proposing to use.

SARTAC Activated aerated Sewage Treatment Plant
discharge to river

3. Volume, rates and overflow settings. (Please give volumes in cubic metres per day or litres per second as indicated below)

- a) Maximum flow to full treatment.
(see note (ii) in main guidance notes for population equivalents).
- b) Dry weather flow of discharge(s).
- c) Average daily flow.
- d) Maximum rate of discharge(s).

100 m³/d

m³/d

5/50 m³/d

5 l/s

4. Will there be provisions for storm/emergency discharges?

Y/N

If yes, please complete Annexe 2.

5. a) Will any self monitoring take place?

Y/N

If yes, please give details.

Service Maintenance agreement
FC Staff monitor conditions / System operation

b) Will automatic sampling equipment be provided?

Y/N

If yes, please give details of type and location (please indicate on plan).

N/A

6. a) Please state the maximum population served by the treatment works.

1500 + Campers 1 Residential unit
3 persons at present.

- b) Please give reasons for any variations in population eg. holiday resort, training area, seasonal industry etc. and detail the periods/times involved.

Campsite - open all year but obviously far more popular Summer than winter

- c) Please state type of catchment/site being served eg. residential, resort, industrial etc.

Campsite / 1 Residential / Recreational

7. Will a maintenance agreement be set up to manage the sewage works? (see note b)

☒ Y/N

If yes, please give details.

Yes. At present Service maintenance contract with water water.

8. Does the effluent contain a trade component?

☒ Y/N

If yes, please complete appropriate section on Annex 3 for authorised discharges of trade effluent to the sewerage system.

Notes (see also the notes attached to the main form):

- a) For significant sewage treatment plants full details of the plant design, dry weather flow and Biochemical Oxygen Demand load, along with information on all discharges from the works must be included in order for the application to be processed. Flow monitoring will normally be required for such discharges and details of siting and type of flow recorders should be provided.
- b) The Agency require a single body or company to be responsible for the discharge and any bills raised under the Charges for Discharges Scheme. Where multiple dwellings under different ownership are connected to the same system a management company should be set up.



Our ref:3/EQ/PC/1831
Your ref:

Mr. A. Welnitschuk
Clerk of Works
Forest Enterprise
Government Buildings
Arran Road
Dolgellau
Gwynedd
LL40 1LW

October 27, 1994

Dear Sir/Madam,

"DISCHARGE CHARGING ARRANGEMENT"

Further to your application, I enclose the Authority's formal arrangement to discharge sewage effluent from Forestry Commission, Beddgelert Forest Campsite, Beddgelert, Gwynedd LL55 4UU.

From 1st April 1994 most crown discharges to controlled waters, whether they have consent or a 'discharge arrangement' are subject to an annual charge, except where the discharge is of sewage effluent of five cubic metres or less per day. This charge is based on information derived from the conditions attached to the discharge arrangement, as outlined in the enclosed leaflet. You will receive an annual bill in due course.

Where there is a change of ownership of the discharge, the Authority should be informed in writing in order that an apportioned charge may be raised.

Yours faithfully,

A. G. Dixon
Area Environmental Quality Manager

Enc

Please ask for:
Mr. Emyr Jones

Reference No.	CG0352901
---------------	-----------

The National Rivers Authority hereby serves this

D I S C H A R G E A R R A N G E M E N T

Page 1 of 2

On : Forest Enterprise

Of : Government Buildings, Arran Road, Dolgellau, Gwynedd LL40 1LW

For : A discharge of sewage effluent

To : Afon Colwyn

From : Forestry Commission, Beddgelert Forest Campsite, Beddgelert, Gwynedd LL55 4UU.

CONDITIONS OF ARRANGEMENT

1. The discharge shall consist solely of biologically treated sewage effluent.
2. The discharge shall be made from a 110mm diameter pipe at National Grid Reference SH 5790 4890 into Afon Colwyn as shown marked "Discharge Point" on the attached plan number CG0352901.
3. The outlet to the watercourse, as shown marked "Sampling Point" on the attached plan number CG0352901, shall be constructed, maintained and appropriately labelled so that a representative sample of the biologically treated sewage effluent discharged may be obtained.
4. The volume of effluent discharged shall not exceed 100 cubic metres in any period of 24 consecutive hours. The rate of discharge shall not exceed 5 litres per second.

continued.....

Reference No. CG0352901

Continuation Sheet


page 2 of 2

5. The quality of effluent discharged at all flow rates up to the maximum specified in Condition 4 shall not be inferior to the following numerical limits:
 - (a) 50 milligrams per litre of biochemical oxygen demand (measured after 5 days at 20 degrees Celsius with nitrification suppressed by the addition of allyl-thiourea)
 - (b) 60 milligrams per litre of suspended solids (measured after drying at 105 degrees Celsius).
6. As far as is reasonably practicable, the works shall be operated so as to prevent:
 - (a) any matter being present in the effluent, other than matter specifically covered by numerical conditions in this arrangement, to such an extent as to cause the receiving waters, or any waters of which the receiving waters are a tributary, to be poisonous or injurious to fish in those waters, or to the spawning grounds, spawn or food of fish in those waters, or otherwise cause damage to the ecology of those waters; and
 - (b) the treated effluent from having any other adverse environmental impact.

This Discharge Arrangement is served on: 24th October, 1994 on behalf of

the Authority by:

Area Environmental Quality Manager



DWYFOR DISTRICT

Eich cyf/Your ref.

Ein cyf/Our ref. PPC/WQ/C36/PG/CG0352901

Dyddiad/Date: 11 March 1997

Forest Holidays Building Surveyor
Forestry Commission
Buller Hill
Kennford
Exeter
EX6 7XR

Dear Sir,

WATER RESOURCES ACT 1991, SCHEDULE 10 (AS AMENDED BY THE ENVIRONMENT ACT 1995), APPLICATION TO DISCHARGE TREATED SEWAGE EFFLUENT FROM PREMISES AT BEDDGELERT FOREST CAMPSITE, BEDDGELERT. APPLICATION NO CG0352901.

I acknowledge receipt of your application for a discharge consent. Please quote the application number in any communication with us.

The Agency is required to publish notice of the application unless it considers that the proposed discharge will not have any appreciable effect on the receiving water course. This would require the placing of two newspaper advertisements and a notice in the London Gazette. Any advertising costs must be met by the applicant. I will write to you again shortly should publication be required.

We will do all we can to deal with your application promptly, but if the application is not determined within 4 months of registration it will be deemed to have been refused and you will have a right of appeal to the Secretary of State for Wales at the Welsh Office, Cathays Park, Cardiff, CF1 3NQ.

The applicant may, however, by agreement in writing with the Agency extend the determination period.

Yours faithfully,

B Wilcock (Miss)
Consents and Compliance Officer

Please ask for P Gibson

Asiantaeth yr Amgylchedd
Plas yr Afon, Parc Busnes Llaneirwg, Llaneirwg, Caerdydd CF3 0LT
Cyfeiriad DX 121375, Ffon 01222 770088, Ffacs 01222 798555, GTN 7-26 X 1000

Environment Agency
Rivers House, St.Mellons Business Park, St.Mellons, Cardiff CF3 0LT
DX Address 121375, Tel 01222 770088, Fax 01222 798555, GTN 7-26 X 1000

ADVERTISEMENT OF CONSENT APPLICATIONS

TO BE COMPLETED AND RETURNED BY THE POLLUTION CONTROL OFFICER

DATE

11/3/97

AYDA/EA

10 MAR 1997

REF

603524101

TO: L. Colledge

-

Monmouth

J. Roach

-

Haverfordwest

R. Williams

-

Bangor

<input type="checkbox"/>
<input type="checkbox"/>
<input checked="" type="checkbox"/>

FROM: Paul Gibson

-

St. Mellons

<input checked="" type="checkbox"/>

The above referenced consent application for:

BEDDSE/ERT FORKST CAMPSITE, BEDDSE/ERT

was received on

TO BE COMPLETED BY THE POLLUTION CONTROL OFFICER

Name of P.C.O. dealing with
this application:

Do you require this application
to be advertised ?

Yes

<input type="checkbox"/>

No

<input checked="" type="checkbox"/>

Existing discharge

If yes:

Is this discharge within the Welsh
political boundary? (if yes, the notice
will be placed bilingually)

Which local paper is the advertisement
to be placed in ?

If more than one paper is to be used
please give reasons

What is the name and address of the
relevant district council ?

Any other information:

Authorised by DPCM

Please return this form to St. Mellons within 10 days of receipt.

For Thomas *pp. Dave Andrew*

Water Resources Act 1991
as amended by the Environment Act 1995
Consents to Discharge
Certificate of Holder



ASiantaeth Yr
Amgylchedd Cymru
Environment
Agency Wales

PR

Part A FOREST HOLIDAYS
To: FORESTRY COMMISSION
231 CORSTOPHINE ROAD
EDINBURGH
SCOTLAND EH12 7AT



NB: For a body corporate the job title is a point of contact.
Holder Start Date: 10/04/02

The Environment Agency ("the Agency") hereby confirm that the above named person is a/the registered holder of
consent CG0352901 Consent Issued: 02/05/1997

Nature of Discharge(s); STEC Treated sewage Effluent - Continuous
at SH5790048900 BEDDGELERT FOREST CAMPSITE BEDDGE

Note: This certificate should be kept with the consent document for future reference. If you transfer responsibility for the discharge to somebody else you must pass the consent to them and tell the Agency within 21 days. **Responsibility for the consent cannot be disclaimed by the holder but the registration of holder may be transferred to a successor.** To do this please complete the form below, then tear it off and return it to the address shown. If you fail to transfer the consent, even though you are no longer on the site, you may still be liable for prosecution for pollution. If you transfer the consent but do not tell us, you will be committing an offence. In case of any queries please contact your local Environment Agency office.

-----cut here-----

Part B Please complete in block capitals or type.

To:

Water Resources Act 1991: Notice of transfer of consent to discharge

Consent CG0352901 **Name:** FOREST HOLIDAYS
Consent Issued: 02/05/1997 **Address:** FORESTRY COMMISSION
231 CORSTOPHINE ROAD
EDINBURGH
SCOTLAND EH12 7AT

I/We* hereby serve notice on the Agency that I/we* am/are* no longer a/the* Holder of the above
consent which will be/was* transferred to:

* delete as appropriate

Name(s) of new holder(s):

Address:

Post Code:

Date of Transfer to new Holder(s);

Signed:..... **Dated:**

Name (block capitals):..... **Position:**

Deddf Adnoddau Dwr 1991
fel y'i diwygiwyd gan Ddeddf yr Amgylchedd 1995
Caniatâd Gollwng
Tystysgrif Daliwr



ASiantaeth yr
AMGYLCHEDD

Rhan A

At:

FOREST HOLIDAYS
FORESTERY COMMISSION
231 CORSTOPHINE ROAD
EDINBURGH
SCOTLAND EH12 7AT

DS: I gorff corfforedig mae teitl y swydd yn bwynt cysylltu.
Dyddiad Cychwyn Daliwr: 10/04/02

Mae **Asiantaeth yr Amgylchedd** ("yr Asiantaeth") yn sefyllu'n ddaliwr cofrestredig yw/yn ddaliwr cofrestredig uy caniatâd

STEC Treated sewage Effluent - Continuous

Natur y gollwng 0048900 BEDDGELERT FOREST CAMPSITE BEDDGE
yn

Nodyn: Dylid cadw'r dystysgrif hon gyda'r ddogfen ganiatâd i gyfeirio ati yn y dyfodol. Os byddwch yn trosglwyddo cyfrifoldeb y gollwng i rywun arall, rhaid i chi gyflwyno'r caniatâd iddo ef neu hi a dweud wrth yr Asiantaeth cyn pen 21 diwrnod. **Ni all y daliwr wadu cyfrifoldeb y gollwng, ond gall cofrestriad y daliwr gael ei drosglwyddo i olynnydd.** I wneud hynny, byddwch cystal â llenwi'r ffurflen isod, ei datgysylltu a'i dychwelyd i'r cyfeiriad a nodir. Os methwch drosglwyddo'r caniatâd, hyd yn oed os nad ydych ar y safle mwyach, gallwch fod yn agored yr un fath i gael eich erlyn am lygru. Os trosglwyddwch y caniatâd ond heb ddweud wrthom, byddwch yn cyflawni trosedd. Os bydd gennych ymholiadau, byddwch cystal â chysylltu â swyddfa Asiantaeth yr Amgylchedd yn lleol.

Rhan B Llenwch mewn priflythrennau bras neu deipio.

At:

Deddf Adnoddau Dwr 1991: Hysbysiad am drosglwyddo caniatâd gollwng
CG0352901

Caniatâd:

Enw:

FOREST HOLIDAYS

Cyhoeddwyd Caniatâd: 02/05/1997

Cyfeiriad:

FORESTERY COMMISSION

231 CORSTOPHINE ROAD

EDINBURGH

SCOTLAND EH12 7AT

Yr wyf fi/Yr ydym ni* drwy hyn yn hysbysu'r Asiantaeth nad fi/ni/nad wyf/ydym mwyach yw/yn* Ddeiliad y caniatâd uchod. Caiff/Cafodd hwnnw ei drosglwyddo i:

*dilewch yn ôl yr angen

Enw(au) y Daliwr/Dalwyr newydd:

Cyfeiriad:

Cod Post:

Dyddiad Trosglwyddo i'r Daliwr/Dalwyr newydd:

Llofnodwyd:..... **Dyddiedig:**

Enw Enw (priflythrennau bras):..... **Safle:**



CFD Input - Bullee only amended 14/06/02



Forestry Commission

Environment Agency Wales
PO Box 663
Cardiff
CF24 0YD

FAO :- James Cheeseman

COPY

By FAX - 02920 450889

Ref:- FH15/12

10 April, 2002

Dear Mr Cheeseman,

Change of address for invoices

As per my earlier telephone conversation with one of your colleagues could you please arrange for any future correspondence relating to Beddgelert Caravan and Camping site, your account reference W00110208C, to be sent to the following address:-

Forest Holidays
Forestry Commission
231 Corstorphine Road
Edinburgh
EH12 7AT

260352901
W00110208C

Thank you for your assistance with this matter.

Yours sincerely

L. Haslett

Lorna Haslett
Operations Manager

Attorney

28/06/02

SB

Forest Holidays

Forest Holidays
231 Corstorphine Road
Edinburgh
EH12 7AT

Tel: 0131 314 6100/6505

Fax: 0131 334 0849

Email: fe.holidays@forestry.gsi.gov.uk

www.forestholidays.co.uk

CONSENT NO.

CG0352901



ASiantaeth YR
AMGYLCHEDD
ENVIRONMENT
AGENCY

WATER RESOURCES ACT 1991

SECTION 88 - SCHEDULE 10

(AS AMENDED BY THE ENVIRONMENT ACT 1995)

CONSENT TO DISCHARGE

TO: Building Surveyor
Forest Holidays
Forestry Commission
Buller Hill
Kennford
Exeter
EX6 7XR.

The **ENVIRONMENT AGENCY** ("The Agency") in pursuance of its powers under the Water Resources Act 1991 **HEREBY CONSENTS** to the making of a discharge OF **SEWAGE EFFLUENT**, as follows:

Biologically Treated Sewage Effluent

FROM: Beddgelert Forest Campsite

AT: Beddgelert, Gwynedd

TO: Afon Colwyn

SUBJECT TO the conditions set out in the following schedule(s):

Biologically Treated Sewage Effluent

Schedule No. CG035290101

Subject to the provisions of Paragraphs 7 and 8 of Schedule 10 of the Water Resources Act 1991, no notice shall be served by the Agency, altering this consent, without the agreement in writing of the discharger, during a period of 4 years from the date this consent takes effect.

This consent is issued and takes effect on the 2nd day of May 1997

Signed

Area Water Quality Manager

Asiantaeth yr Amgylchedd

Llwyn Brain, Ffordd Penlan, Parc Menai, Bangor LL57 4DE. Ffon 01248 670770, Ffacs 01248 670561

Environment Agency

Llwyn Brain, Ffordd Penlan, Parc Menai, Bangor LL57 4DE. Tel 01248 670770, Fax 01248 670561



CONSENT NO.	CG0352901
SCHEDULE NO.	CG035290101
DATE ISSUED	02/05/97



**ASiantaeth YR
AMGYLCHEDD
ENVIRONMENT
AGENCY**

CONDITIONS OF CONSENT TO DISCHARGE

Biologically Treated Sewage Effluent ("the Discharge")

FROM: Beddgelert Forest Campsite

1. (a) The Discharge shall not contain any poisonous, noxious or polluting matter or solid waste matter.
- (b) Provided that the Discharge hereby consented is made in accordance with the following conditions of this consent, such discharge shall not be taken to be in breach of condition (a) above by reason of containing substances or having properties identified in and controlled by these conditions.

NATURE

2. The Discharge shall consist solely of biologically treated sewage effluent containing no trade effluent.

LOCATION

3. The Discharge shall be made in the manner and at the place specified as:
 - (a) discharging via a 110 millimetre diameter pipe;
 - (b) discharging to Afon Colwyn;
 - (c) at National Grid Reference SH 5790 4890;
 - (d) shown marked "Discharge Point" on Plan CG0352901 attached as Annex 1.

SAMPLING POINTS

4. The outlet to the watercourse shall be constructed and maintained so that a representative sample of the Discharge may be obtained at National Grid Reference SH 5790 4890 as shown marked "Sampling Point" on Plan CG0352901.



CONSENT NO.	CG0352901
SCHEDULE NO.	CG035290101



ASiantaeth YR
AMGYLCHEDD
ENVIRONMENT
AGENCY

VOLUME


5. The volume of the Discharge shall not exceed 100 cubic metres per day.
6. The rate of discharge shall not exceed 5 litres per second.

COMPOSITION

7. The Discharge shall not contain more than:
 - (i) 40 milligrammes per litre of biochemical oxygen demand (measured after 5 days at 20°C with nitrification suppressed by the addition of allyl-thiourea);
 - (ii) 60 milligrammes per litre of suspended solids (measured after drying at 105°C).
8. As far as is reasonably practicable, the works shall be operated so as to prevent:
 - (a) any matter being present in the Discharge, other than matter specifically covered by numerical conditions in this consent, to such an extent as to cause the receiving waters, or any waters of which the receiving waters are a tributary, to be poisonous or injurious to fish in those waters, or to the spawning grounds, spawn or food of fish in those waters, or otherwise cause damage to the ecology of those waters; and
 - (b) the Discharge from having any other adverse environmental impact.



PLAN CG0352901





ENVIRONMENT
AGENCY

WATER RESOURCES ACT 1991 (schedule 10)

(as amended by the Environment Act 1995)

Application for new consent/variation to an existing consent* to discharge

(* delete as appropriate) *

Regional/Area Address:

ENVIRONMENT AGENCY
RIVERS HOUSE
ST. MELLONS BUSINESS PARK
ST. MELLONS
CARDIFF CF3 0LT
F.A.O. PAUL GIBSON.

Official Use Only

Dist/Area Ref:

Application No. CG0352901

Date Received: 11/3/97

Fee Received:

Each applicant must complete the main form and may need to complete a separate annex if appropriate. Please look through the form and read the notes carefully before you complete it. Processing of your application will be aided by full and accurate completion of all the relevant sections and provision of the necessary plans. If you have any queries regarding the form please contact the person given in the notes.

NOTE:

All information contained within this application will be made available on the public register unless there is a request to withhold any of it. Any such request should provide a full justification stating why the information needs to be withheld (see note xiii).

1 SITE ADDRESS

1.1 Address or other sufficient description of land or premises to which this application applies.

Beddgelert Forest Campsite
Beddgelert
Gwynedd.

Post Code:

LL55 400

2 DETAILS OF DISCHARGE(S)

2.1 State the nature of the discharge(s) (see note i and ii) - tick one or more boxes as appropriate:-

Sewage Effluent - volume of 5 cubic metres per day or less ☒

~~Sewage Effluent - volume greater than 5 cubic metres per day (complete annexe 1)~~ ☒

Sewage Effluent discharged under storm or emergency conditions (complete annexe 2) ☐

Cooling Water (complete annexe 3) ☐

Trade Effluent (including site drainage) (complete annexe 3) ☐

Others (please specify) ☐

*Average water less than 5 m³ / Summer 50 m³
Maximum in one day 100 m³ approx*

2.2 Please state the maximum quantity it is proposed to discharge in any one day m³/day
Briefly state how this figure was calculated (see note ii).

*From tables provided - calculations based
on Estimated / actual numbers.*

2.3 a) Indicate proposed means of discharge - tick as appropriate and show on plan:-
(for 1, 2 & 3 please state dimensions below)

1. Pipe ☒

4. Borehole ☐

7. Sub-Irrigation System ☐

2. Channel ☐

5. Well ☐

8. Combination of 6. & 7. ☐

3. Culvert ☐

6. Soakaway ☐

9. Other (please specify below) ☐

b) National Grid Reference(s) of point(s) of discharge (see note iii).

/ / (please indicate on accompanying plans)

2.4 a) The Agency will normally require adequate provision for the taking of samples of the discharge in a safe and convenient manner at any time. Please indicate the means proposed (see note iv) - tick as appropriate and show on plan:-

At the outlet ☒

At a manhole or sampling chamber ☐

Other (please specify)

b) National Grid Reference(s) of sampling point(s). (If different from 2.3 b) above)

/ / (please indicate on accompanying plans)

c) What flow measurement facilities will be provided (see note v)?
Please give details.

None

2.5 a) Type of Treatment Plant(s) to be used (please specify make and model) - tick as appropriate:-

Septic Tank ☐

Package Sewage Treatment Works ☒

Other ☐

S.A.R.T.K.C. Activated airted Sewage Treatment Plant
discharge to river via pipework & inspection chamber

b) Will the treatment process involve the use of any chemicals (eg ferric salts, polyelectrolytes) ☒ ~~Y/N~~

If yes please give details.

2.6 a) On what date do you anticipate the discharge will commence?

In 1991

b) If you require the consent for a limited time period please give dates; from:

1/1

to:

1/1

c) If the discharge is not continuous please detail the period/circumstances when it will occur.

Campsite - roadways heavier in summer period & shoulder months of
say April / May - September October. Far less in winter.

2.7 a) Are there any existing consents for discharge from the premises (see note vi)?

☒ ~~Y/N~~

If yes, please give the reference numbers (Any further information should be given in section 5.3).

CG 0352901. Received 24/10/94.

b) Has any person had a Prohibition Notice served on them in respect of this site?

☒ ~~Y/N~~

If yes, please give the reference number.

No.

3 SITE DETAILS

3.1 Please give the name of the relevant Planning Authority.

Penrith National Park Penrith National Park.

3.2 Please give details of the premises - tick as appropriate:-

1. Single Dwelling

☒

6. Fish Farm

☐

2. Multiple Dwellings

☐

7. Mineral Workings

☐

3. Industrial Premises

☐

8. Water Services plc STW

☐

4. Vehicle Parking Area

☐

9. Water Supply

☐

5. Commercial Premises (please specify)

☒

10. Other (please specify)

☐

Campsite.

Residential (No)

DECLARATION

I/We:

1. apply under the Water Resources Act 1991 (as amended by the Environment Act 1995) for consent to discharge, as described in this Application. "This Application" means this page, all the other pages of this form and any attached annexes, the attached plan(s), any other sheets attached, and any other written information supplied to support the application.
2. enclose the required application fee, payable to the Environment Agency (see note x).
3. enclose 3 copies of the plan(s) and location maps with all relevant information clearly marked (see note xi).
4. will pay required advertising costs (see note xii).
5. confirm that I/we* will notify the Environment Agency of any changes in the information in this application which might be material to the continuation of the consent.
6. confirm that the information given in this application and any questions which the Environment Agency may have about it is/will* be true to the best of my/our* knowledge, information and belief and am/are* not aware of any other facts or information which might affect the granting of a consent, or conditions which might be put on it (see note xiii).
7. confirm that I/we* will pay any annual charges due should a consent be granted YES/NO* If no, please indicate who will by completing section 5.2 above (see note xiv).

(* Delete as appropriate)

SIGNED:  PRINT NAME: A. W. L. NITSCHUK

ON BEHALF OF: FORESTRY COMMISSION DATED: 20/2/97

o o o

CONFIDENTIALITY

I/we apply for commercial confidentiality and enclose a full written justification (see note xv).

SIGNED: DATED:

PLEASE RETURN THIS FORM TO THE ADDRESS GIVEN ON THE FRONT PAGE

3.3 Please indicate source of the water supply - tick as appropriate:-

1. Well
2. Borehole
3. Precipitation (eg. rain or snow)
4. Mains (please state water supply company)

- ☐ 5. River (please give name below)
☐ 6. Estuary (please give name below)
☐ 7. Coastal Water (please give name below)



West Water

4 DETAILS OF RECEIVING ENVIRONMENT

4.1 Receiving Medium - tick the category(s) to which the proposed discharge(s) is(are) to be made:-

1. Estuarial Water (tidal river or stream)
2. River or Stream (non-tidal)
3. Canal
4. Lake, Loch or Pond



5. Into Land

6. Onto Land

7. Directly into Groundwater

8. Coastal Water (see note vii)



State name of receiving water if known:

AFON COLWYN

4.2 In the case of sub-irrigation systems, soakaways or boreholes:-

(a) Is any part of the system within 5 metres of the boundary of the premises?

Y/N

(b) Is any part of the system within 10 metres of a watercourse?

Y/N

(c) Is any part of the system within 50 metres of a borehole or spring?

Y/N

(d) For wells and boreholes state dimension(s) in metres.

m

(e) For sub-irrigation systems, soakaway pits, wells and boreholes, state maximum depth in metres.

m

(f) For boreholes, state details of lining in metres:

(i) Depth of lining

m

(ii) Depth of perforated lining

m

(iii) Depth of unperforated lining

m

(g) A percolation test must be carried out in accordance with British Standard BS6297:1983.

Have the results been provided?

Y/N

4.3 Is there a foul sewer available to which the discharge(s) could be made (see note viii)?

Y/N

If yes, please give the reasons it is not practical to connect to it (eg. distance, flow etc.).

Foul sewer in Biddgelet Village too far away.

5-DETAILS OF APPLICANT AND OTHER INFORMATION

5.1 (See general notes and note ix)

- (a) Full name and postal address of applicant. This should be the person who will become the consent holder should consent be issued.

*
*
*
*
*
*

FORESTRY COMMISSION
FOREST HOLIDAYS BUILDING SURVEYOR
BUKKER HILL

Post Code: EX6 7XR

KENN FORD EXETER

Daytime Telephone Number:

(0392) 8 334 93

Company Registration Number (if appropriate):

- (b) Agent (if any) - Full name and postal address.

*
*
*
*
*
*

Post Code:

Contact Name and Daytime Telephone Number:

5.2

Please give full name and address to which bills should be sent if different to that given above:

*
*
*
*
*
*

AS ABOVE

Post Code:

Daytime Telephone Number:

5.3 Are there any other factors to be taken into account? Please continue on a separate sheet if necessary.

No This application follows on from Crown Exemption
/Discharge arrangements to Discharge consents.
No charge. Copies attached.



ENVIRONMENT AGENCY

ANNEXE 1

SEWAGE EFFLUENT GREATER THAN 5 CUBIC METRES PER DAY

Please complete this annexe if you are proposing to discharge more than 5 cubic metres per day of sewage effluent (if the effluent is to contain a trade component Annexe 3 should also be completed).

Official Use Only
Application No.

1. Site Name.

BROOKLYN FOREST CAMPSITE
Beddelyett Gwynedd

2. Please detail the type and number of treatment units you are proposing to use.

SARTAC Activated aerated Sewage treatment Plant
discharge to river

3. Volume, rates and overflow settings. (Please give volumes in cubic metres per day or litres per second as indicated below)

- a) Maximum flow to full treatment.
(see note (ii) in main guidance notes for population equivalents).
- b) Dry weather flow of discharge(s).
- c) Average daily flow.
- d) Maximum rate of discharge(s)

100 m³/d

m³/d

5/50 m³/d

5 l/s

4. Will there be provisions for storm/emergency discharges?
If yes, please complete Annexe 2.

☒ Y/N

5. a) Will any self monitoring take place?
If yes, please give details.

☒ Y/N

Service Maintenance Agreement
F.C Staff monitor conditions / System operation

b) Will automatic sampling equipment be provided?
If yes, please give details of type and location (please indicate on plan).

☒ Y/N

N/A

6. a) Please state the maximum population served by the treatment works.

1500 + Campers 1 Residential unit
3 persons at present.

- b) Please give reasons for any variations in population eg. holiday resort, training area, seasonal industry etc. and detail the periods/times involved.

Campsite - open all year but obviously far more popular Summer than winter

- c) Please state type of catchment/site being served eg. residential, resort, industrial etc.

Campsite / 1 Residential / Recreational

7. Will a maintenance agreement be set up to manage the sewage works? (see note b) ☒ Y/N
If yes, please give details.

Yes. At present Service maintenance contract with local water.

8. Does the effluent contain a trade component? ☒ Y/N
If yes, please complete appropriate section on Annex 3 for authorised discharges of trade effluent to the sewerage system.

Notes (see also the notes attached to the main form):

- a) For significant sewage treatment plants full details of the plant design, dry weather flow and Biochemical Oxygen Demand load, along with information on all discharges from the works must be included in order for the application to be processed. Flow monitoring will normally be required for such discharges and details of siting and type of flow recorders should be provided.
- b) The Agency require a single body or company to be responsible for the discharge and any bills raised under the Charges for Discharges Scheme. Where multiple dwellings under different ownership are connected to the same system a management company should be set up.

Water Resources Act 1991
as amended by the Environment Act 1995
Consent to Discharge
Certificate of Holder



**ENVIRONMENT
AGENCY**

Part A

To: FOREST HOLIDAYS
BUILDING SURVEYOR
FORESTRY COMMISSION
BULLER HILL, KENNFORD
EXETER EX6 7XR

NB: For a body corporate the job title is a point of contact.

The **Environment Agency** ("the Agency") hereby confirm that the above named person is a/the registered holder of consent CG0352901 Consent Issued: 02-MAY-97

Nature of Discharge(s); SEWAGE EFF/TREATED EFF/CONTINUOUS
at

BEDDGELERT FOREST CAMPSITE, BEDDGELERT

Note: This certificate should be kept with the consent document for future reference. If you transfer responsibility for the discharge to somebody else you must pass the consent to them and tell the Agency within 21 days. **Responsibility for the consent cannot be disclaimed by the holder but the registration of holder may be transferred to a successor.** To do this please complete the form below, then tear it off and return it to the address shown. If you fail to transfer the consent, even though you are no longer on the site, you may still be liable for prosecution for pollution. If you transfer the consent but do not tell us, you will be committing an offence. In case of any queries please contact your local Environment Agency office.

Part B

Please complete in block capitals or type.

To:

Water Resources Act 1991: Notice of transfer of consent to discharge

Consent: CG0352901

Name: FOREST HOLIDAYS

Consent Issued: 02-MAY-97

Address:
BUILDING SURVEYOR
FORESTRY COMMISSION
BULLER HILL, KENNFORD
EXETER EX6 7XR

I/We* hereby serve notice on the Agency that I/we* am/are* no longer a/the* Holder of the above consent which will be/was* transferred to: * delete as appropriate

Name(s) of new holder(s):

Address:

Post Code:

Date of Transfer to new Holder(s):

Signed: **Dated:**

Name (block capitals): **Position:**

(to be completed when signing
on behalf of corporate bodies)



Water Resources Act 1991
as amended by the Environment Act 1995
Consent to Discharge
Certificate of Holder



**ENVIRONMENT
AGENCY**

Part A

To: FOREST ENTERPRISE
AREA LAND AGENT
VICTORIA TERRACE

ABERYSTWYTH SY23 2DQ

* SEE PAPERWORK
- ~~ORIGINAL~~ FORM
RECEIVED WITH S.WEST
MUSA CONSENTS IN SEPTEMBER
∴ UPDATED FROM POLGELWAL
BADDRESS. AGREED WITH
ENYR TO LEAVE + AWAIT
TRANSFER IF APPROPRIATE *
Box 27.2.97

The **Environment Agency** ("the Agency") hereby confirm that the above named person is a/the registered holder of consent CG0352901

Nature of Discharge(s); SEWAGE EFF/TREATED EFF/CONTINUOUS
at

BEDDGELERT FOREST CAMPSITE BEDDGELERT

Note: This certificate should be kept with the consent document for future reference. If you transfer responsibility for the discharge to somebody else you must pass the consent to them and tell the Agency within 21 days. **Responsibility for the consent cannot be disclaimed by the holder but the registration of holder may be transferred to a successor.** To do this please complete the form below, then tear it off and return it to the address shown. If you fail to transfer the consent, even though you are no longer on the site, you may still be liable for prosecution for pollution. If you transfer the consent but do not tell us, you will be committing an offence. In case of any queries please contact your local Environment Agency office.

Part B Please complete in block capitals or type.

To:

Water Resources Act 1991: Notice of transfer of consent to discharge

Consent:

Name:
Address:

I/We* hereby serve notice on the Agency that I/we* am/are* no longer a/the* Holder of the above consent which will be/was* transferred to:

* delete as appropriate

Name(s) of new holder(s):
Address:

Post Code:

Date of Transfer to new Holder(s);

Signed:..... Dated:.....

Name (block capitals): Position:



10760

V ~~Updated~~ DR

NOTICE TO THE ENVIRONMENT AGENCY*

Environment Act 1995, Schedule 23, para 21(2)(b)(ii)

updated
19.12.96
Ber

*The notes below may help in completing this notice.

WITH RESPECT TO THE FOLLOWING CONSENT [as given by the National Rivers Authority (or its predecessors)] WHICH WAS IN FORCE ON 31st MARCH 1996,

Name on former NRA Register on 31/3/96 *136954* *clerk of works Forest Enterprise*Consent Number *CG0352901* Date consent was given *24/10/94*
or last reviewedfor the making of a discharge/several discharges of *Treated Sewage Effluent*
at Discharge Site Address *Beddgelert Forest Campsite*
Beddgelert Gwynedd

I HEREBY GIVE NOTICE TO THE ENVIRONMENT AGENCY THAT I AM THE PERSON MAKING THE DISCHARGE(S) REFERRED TO ABOVE AND THAT I PROPOSE TO RELY ON this consent / the consents on the attached signed and dated list** Delete as appropriate

AFTER 1st OCTOBER 1996 AND WISH TO BE REGISTERED AS THE CONSENT HOLDER.

Name of Consent Holder ('the Discharger') *Building Surveyor Forest Enterprise*

<If you are a body corporate please complete with the registered name/address of the body corporate - see note 2 below>

Address *Government Buildings Aran Road Dolgellau*
Gwynedd Post Code *LL40 1LW*SIGNED *[Signature]* DATED *15/4/96*

BUILDING SURVEYOR

<job title.....*11285*>

<being the person with the delegated authority to sign of behalf of a body corporate - see note 2 below>

NOTES TO HELP YOU TO COMPLETE THIS NOTICE

1. If you are attaching a list of consents (as prepared by us from the NRA Register as on 31/3/96) then please overwrite the top section of this notice with the words 'Consents as on attached signed and dated list'. You should thoroughly check this list and modify and initial where necessary before signing and dating each page of the list and attaching to this completed notice. You may of course use your own list of consents you propose to rely on provided that the information above is included in full and each page is signed and dated.

2. In addition to an individual, a 'person' in legal terms may refer to a 'body corporate' (e.g. public limited company ('plc'), limited company, local authority etc.). In these cases the body corporate will be registered as the consent holder. The person signing on behalf of the body corporate will be the person who has the power to do so (usually the Company Secretary for a plc or limited company, the Chief Executive for a local authority etc). The legal validity of the signatory is the responsibility of the body corporate. If you are signing with the delegated authority of the body corporate, please indicate your job title.

3. Legal advice may be advisable for some situations (e.g. grant maintained schools outside of local authority control).

4. If you are a partnership or registered charity then up to 4 partners/trustees should individually complete this notice. These partners/trustees will then be registered as joint consent holders.

5. If you share the making of the discharge(s) with another person(s) then you should all complete the notice and be registered as joint consent holders. (e.g. householders individually and severally discharging via a common private sewage treatment works).

6. If in doubt, it may help to consider the 'person' as the person, either individually or severally, who would apply for the consent if an application were in future to be made to the Environment Agency. Under the amended legislation, ONLY the registered consent holder may in future apply to the Agency for a variation of the consent.

NOTE: The responsibility for this notice rests entirely with you and the Agency cannot be held responsible in any way for mistakes made as a result of the notes above (or otherwise) which are given in good faith.

FORESTRY COMMISSION

CLERK OF WORKS (FOREST ENT)
GOVERNMENT BUILDINGS
ARRAN ROAD
DOLGELLAU
GWYNEDD
LL40 1LW

*Building Surveyor
Forest Enterprise*



ASiantaeth YR
AMGYLCHEDD
ENVIRONMENT
AGENCY

Consent Number	Effluent Type
-------------------	------------------

Date Consent Given or Last Reviewed	FOR OFFICE USE ONLY Chargeable? (Y/N)
---	--

CG0352801	TREATED SEWAGE EFFLUENT
Discharge Site : MAESGWM CENTRE, GANLLWYD, DOLGELLAU, GWYNEDD	

24-OCT-94	Y
-----------	---

CG0352901	TREATED SEWAGE EFFLUENT
Discharge Site : BEDDGELERT FOREST CAMPSITE, BEDDGELLERT, GWYNEDD	

24-OCT-94	Y
-----------	---

Signed: *[Signature]*

Date: *15/4/96*



Environment Act 1995, Schedule 23, para 21(2)(b)(ii)



**The notes below may help in completing this notice.*

WITH RESPECT TO THE FOLLOWING CONSENT [as given by the National Rivers Authority (or its predecessors)] WHICH WAS IN FORCE ON 31st MARCH 1996,

CONSENTS AS ON ATTACHED SIGNED AND DATED LISTS

Name on former NRA Register on 31/3/96

Consent Number **Date consent was given or last reviewed**

for the making of a discharge/several discharges of

at Discharge Site Address

I HEREBY GIVE NOTICE TO THE ENVIRONMENT AGENCY THAT I AM THE PERSON MAKING THE DISCHARGE(S) REFERRED TO ABOVE AND THAT I PROPOSE TO RELY ON this consent / the consents as on the attached signed and dated list Delete as appropriate**
AFTER 1st OCTOBER 1996 AND WISH TO BE REGISTERED AS THE CONSENT HOLDER.

Name of Consent Holder ('the Discharger') FOREST ENTERPRISE FORESTRY COMMISSION

You are a body corporate please complete with the registered name/address of the body corporate - see note 2 below

Address FOREST ENTERPRISE VICTORIA TERRACE

ABERYSTWYTH CEREDIGION **Post Code** SY23 2DQ

SIGNED

DATED 12/9/96

<job title> Regional Land Agent.

<being the person with the delegated authority to sign on behalf of a body corporate - see note 2 below>

NOTES TO HELP YOU TO COMPLETE THIS NOTICE

1. If you are attaching a list of consents (as prepared by us from the NRA Register as on 31/3/96) then please overwrite the top section of this notice with the words 'Consents as on attached signed and dated list'. You should thoroughly check this list and modify and initial where necessary before signing and dating each page of the list and attaching to this completed notice. You may of course use your own list of consents you propose to rely on provided that the information above is included in full and each page is signed and dated.

2. In addition to an individual, a 'person' in legal terms may refer to a 'body corporate' (e.g. public limited company ('plc'), limited company, local authority etc.). In these cases the body corporate will be registered as the consent holder. The person signing on behalf of the body corporate will be the person who has the power to do so (usually the Company Secretary for a plc or limited company, the Chief Executive for a local authority etc). The legal validity of the signatory is the responsibility of the body corporate. If you are signing with the delegated authority of the body corporate, please indicate your job title.

3. Legal advice may be advisable for some situations (e.g. grant maintained schools outside of local authority control).

4. If you are a partnership or registered charity then up to 4 partners/trustees should individually complete this notice. These partners/trustees will then be registered as joint consent holders.

If you share the making of the discharge(s) with another person(s) then you should all complete the notice and be registered as joint consent holders. (e.g. householders individually and severally discharging via a common private sewage treatment works).

If in doubt, it may help to consider the 'person' as the person, either individually or severally, who would apply for the consent on an application were in future to be made to the Environment Agency. Under the amended legislation, ONLY the registered consent holder may in future apply to the Agency for a variation of the consent.

NOTE: The responsibility for this notice rests entirely with you and the Agency cannot be held responsible in any way for mistakes made as a result of the notes above (or otherwise) which are given in good faith.

Environment Agency, Rivers House, St Mellons Business Park, CARDIFF. CF3 0LT

Noted when signing
of corporate bodies



COMMISSION



ASiantaeth Yr
AMGYLCHEDD
ENVIRONMENT
AGENCY

CLERK OF WORKS (FOREST ENT)
GOVERNMENT BUILDINGS
ARRAN ROAD
DOLGELLAU
GWYNEDD
LL40 1XW

Consent
Number

Effluent
Type

CG0352801 TREATED SEWAGE EFFLUENT
Discharge Site : MAESGWM CENTRE, GANLLWYD, DOLGELLAU, GWYNEDD

CG0352901 TREATED SEWAGE EFFLUENT
Discharge Site : BEDDGELERT FOREST CAMPSITE, BEDDGELLERT, GWYNEDD

Date
Consent
Given or
Last
Reviewed

FOR OFFICE
USE ONLY
Chargeable?
(Y/N)

24-OCT-94

Y

24-OCT-94

Y

Signed

Date:

12-9-96

REGISTER

AAC



NRA

Reference No.	CG0352901
---------------	-----------

The National Rivers Authority hereby serves this

D I S C H A R G E A R R A N G E M E N T

Page 1 of 2

On : Forest Enterprise
Of : Government Buildings, Arran Road, Dolgellau, Gwynedd LL40 1LW
For : A discharge of sewage effluent
To : Afon Colwyn
From : Forestry Commission, Beddgelert Forest Campsite, Beddgelert,
Gwynedd LL55 4UU.

CONDITIONS OF ARRANGEMENT

1. The discharge shall consist solely of biologically treated sewage effluent.
2. The discharge shall be made from a 110mm diameter pipe at National Grid Reference SH 5790 4890 into Afon Colwyn as shown marked "Discharge Point" on the attached plan number CG0352901.
3. The outlet to the watercourse, as shown marked "Sampling Point" on the attached plan number CG0352901, shall be constructed, maintained and appropriately labelled so that a representative sample of the biologically treated sewage effluent discharged may be obtained.
4. The volume of effluent discharged shall not exceed 100 cubic metres in any period of 24 consecutive hours. The rate of discharge shall not exceed 5 litres per second.

continued.....

Reference No.	CG0352901
---------------	-----------


Continuation Sheet

page 2 of 2

5. The quality of effluent discharged at all flow rates up to the maximum specified in Condition 4 shall not be inferior to the following numerical limits:
 - (a) 50 milligrams per litre of biochemical oxygen demand (measured after 5 days at 20 degrees Celsius with nitrification suppressed by the addition of allyl-thiourea)
 - (b) 60 milligrams per litre of suspended solids (measured after drying at 105 degrees Celsius).
6. As far as is reasonably practicable, the works shall be operated so as to prevent:
 - (a) any matter being present in the effluent, other than matter specifically covered by numerical conditions in this arrangement, to such an extent as to cause the receiving waters, or any waters of which the receiving waters are a tributary, to be poisonous or injurious to fish in those waters, or to the spawning grounds, spawn or food of fish in those waters, or otherwise cause damage to the ecology of those waters; and
 - (b) the treated effluent from having any other adverse environmental impact.

This Discharge Arrangement is served on: 24th October, 1994 on behalf of
 the Authority by:

Area Environmental Quality Manager



NATIONAL RIVERS AUTHORITY WATER RESOURCES ACT 1991

Application for consent to discharge
Schedule 1C



The Consents Officer,
National Rivers Authority,
Welsh Region,
Plas-yr-Afon, Riccarton House,
St Mellons Business Park,
Cardiff,
CF3 0LT

Official Use Only Dist/Area Ref. <i>North</i>
Application No. <i>CG0352901</i>
Date Received: <i>3/10/94</i>

PLEASE REFER TO THE ATTACHED NOTES WHEN COMPLETING THE APPLICATION

I/We hereby apply for consent under the provisions of the Water Resources Act 1991 to make a discharge of effluent as described in this application and on the attached plan(s). I/We will bear the costs of any advertisement (see note 1).

I/We enclose a cheque for £ *26/9/94* to cover the cost of this application (see note 2).

Signed *[Signature]* Date *26/9/94*

Authorised on behalf of *FOREST ENTERPRISE*

Have you made, or do you intend to make, an application to the Secretary of State for exemption from publicity? (See note 3.) *YES/NO**

Has this application been made in response to the service of a relevant prohibition? *YES/NO**

If yes please give reference number:

<p>1a Full name and postal address of applicant. (See note 4.)</p> <p>Post Code: Daytime telephone number:</p>	<p>CLERK OF WORKS FOREST ENTERPRISE GOVERNMENT BUILDINGS ARRAN ROAD DOLGELLAU GWYNEDD LL40 1LW</p>
<p>1b Agent (if any) Full name and postal address</p> <p>Contact name and daytime telephone number</p>	<p>CLERK OF WORKS</p> <p><i>A. WILKINSON (0341) 422289</i></p> <p>Note: if this box is completed, all correspondence will be sent to this address.</p>

NOTE: The application should be accompanied by 3 copies of an adequate plan and details of any environmental impact assessment. Failure to do so may result in a delay in processing the application. (See note 5.)

*Delete as necessary

<p>2a) Address or other sufficient description of land or premises to which this application relates.</p>	<p>FORKSTY COMMISSION BRADGAKKRT FORKST CAMPSITE BRADGAKKRT GMYNKRA LL 55 400.</p>																				
<p>2b) National Grid Reference of point of discharge.</p>	<p>SH 57.7 4.91</p>																				
<p>2c) District Council area.</p>	<p>Duffel</p>																				
<p>3 State the nature of the discharge. Tick one or more boxes as appropriate. (See note 6.)</p>	<p> <input type="checkbox"/> Sewage effluent <input checked="" type="checkbox"/> Storm/emergency sewage effluent <input type="checkbox"/> Trade effluent <input checked="" type="checkbox"/> Any other matter (inc. surface water). </p>																				
<p>4 For sewage and trade effluent, and storm/emergency discharges, state:-</p> <p>a) Maximum quantity it is proposed to discharge in one day. (See note 7.)</p> <p>b) Highest rate at which it is proposed to operate the discharge.</p> <p>c) Periods during which the discharge will take place.</p>	<p> 100. Average less than 20 m³/day m³/day 5. l/sec All year. </p>																				
<p>5 For rainfall dependent discharges, state the area to be drained. (Roof areas and other impervious areas should be separately identified.)</p>	<p>m²</p>																				
<p>6 Receiving medium</p> <p>Tick the category to which the proposed discharge(s) are to be made.</p> <table border="0"> <tr> <td>TIDAL RIVER OR STREAM</td> <td><input type="checkbox"/></td> <td>INTO LAND</td> <td><input type="checkbox"/></td> </tr> <tr> <td>NON-TIDAL RIVER OR STREAM</td> <td><input checked="" type="checkbox"/></td> <td>ONTO LAND</td> <td><input type="checkbox"/></td> </tr> <tr> <td>CANAL</td> <td><input type="checkbox"/></td> <td>DIRECTLY INTO GROUNDWATER</td> <td><input type="checkbox"/></td> </tr> <tr> <td>LAKE, LOCH OR POND</td> <td><input type="checkbox"/></td> <td>INTO LAND AND WATERCOURSE</td> <td><input type="checkbox"/></td> </tr> <tr> <td>(not discharging to a river or stream)</td> <td></td> <td>COASTAL WATER (see Note 8.)</td> <td><input type="checkbox"/></td> </tr> </table> <p>State name of watercourse, if known:-</p> <p>Afau Coluya.</p>		TIDAL RIVER OR STREAM	<input type="checkbox"/>	INTO LAND	<input type="checkbox"/>	NON-TIDAL RIVER OR STREAM	<input checked="" type="checkbox"/>	ONTO LAND	<input type="checkbox"/>	CANAL	<input type="checkbox"/>	DIRECTLY INTO GROUNDWATER	<input type="checkbox"/>	LAKE, LOCH OR POND	<input type="checkbox"/>	INTO LAND AND WATERCOURSE	<input type="checkbox"/>	(not discharging to a river or stream)		COASTAL WATER (see Note 8.)	<input type="checkbox"/>
TIDAL RIVER OR STREAM	<input type="checkbox"/>	INTO LAND	<input type="checkbox"/>																		
NON-TIDAL RIVER OR STREAM	<input checked="" type="checkbox"/>	ONTO LAND	<input type="checkbox"/>																		
CANAL	<input type="checkbox"/>	DIRECTLY INTO GROUNDWATER	<input type="checkbox"/>																		
LAKE, LOCH OR POND	<input type="checkbox"/>	INTO LAND AND WATERCOURSE	<input type="checkbox"/>																		
(not discharging to a river or stream)		COASTAL WATER (see Note 8.)	<input type="checkbox"/>																		

7 The Authority will normally require adequate provision for the taking of samples of the discharge. Please indicate the means proposed. (See note 9.)

At the outlet



At a manhole or
sampling chamber



See plan



Other



If other, please give further details:-

8 Indicate proposed means of discharge:-

1. Pipe



4. Soakaway



7. Culvert



2. Channel



5. Well



8. Soakaway &
sub-irrigation
system



3. Borehole



6. Sub-irrigation
system



9. Other



If 9 please give further details:-

9 Give details as appropriate

a) For pipes, channels, wells and boreholes, state diameter in millimetres or dimension(s) in metres.

a) 110 mm.

b) For sub-irrigation systems, soakaway pits, wells and boreholes, state depth in metres and geological stratum, if known.

b)

c) For boreholes, state details of lining:

c)

Type of lining

: metres

Depth of lining

: metres

Depth of perforated lining

: metres

Depth of unperforated lining

: metres

10 Is there a foul sewer available to which the discharge could be made?

~~YES~~/NO*

If yes give reason for not connecting.

:

Distance from nearest foul sewer.

:

11 Give brief details of:

a) Source of water supply (eg mains, well, borehole, etc.)

a)

mains supply.

b) General purpose for which water is used (eg domestic, cooling, etc.)

b)

campsite use.

*Delete as necessary

12	Is consent required for a limited period? If yes give relevant dates	YES/NO*
13	Consent to discharge has it begun to be used?	Presumably in use & has been in for quite some time.
14	Does it discharge effluent into watercourse? If yes give details	YES/NO*
15	Are there any existing consents for discharge from the premises? (see note 10.) If yes, give details, numbers, if known.	YES/NO* Clean Property
16	Please give details of the premises - tick as appropriate:- 1. Single dwelling <input checked="" type="checkbox"/> 2. Multiple dwellings <input type="checkbox"/> 3. Licenced premises <input type="checkbox"/> 4. Vehicle parking area <input type="checkbox"/> 5. Industrial premises <input type="checkbox"/> 6. Fish farm <input type="checkbox"/> 7. Mineral workings <input type="checkbox"/> 8. WSPLC STW <input type="checkbox"/> 9. Water supply <input type="checkbox"/> 10. Other <input checked="" type="checkbox"/> If other, please give further details.	Camper site.
17	IN THE CASE OF SUB-IRRIGATION SYSTEMS AND SOAKAWAYS	
a)	Is any part of the system within 10 metres of the site boundary?	YES/NO*
b)	Is any part of the system within 10 metres of a watercourse?	YES/NO*
c)	Is the land in which the disposal system is to be constructed under-drained with land drains discharging to a watercourse or to be so under-drained?	YES/NO*
d)	If the answer to either (b) or (c) is "YES" please state the name of the watercourse or sufficient information to identify it.	
e)	Attach details of the percolation test carried out.	Attached
18	FOR SEWAGE TREATMENT PLANTS	
a)	State the population served/population equivalent/estimated population*	*All year 2 persons plus *Summer Campers. *Winter Campers.
b)	Give details of the treatment plant to be used (see note 11.)	S.A.R.T.E.C Sewage treatment Plant.

*Delete as necessary

FOR TRADE EFFLUENT AND SEWAGE DISCHARGES
CONTAINING TRADE EFFLUENT

10. a) Describe the trade effluent and the processes from which it arises. (See note 12.)

Campsite.

No trade effluent.

b) Maximum temperature of the effluent as discharged °C

c) Does the effluent contain any of the following? *~~YES~~/NO

If yes, underline those present and give full details (including maximum, minimum and mean values) separately.

- | | |
|--|--|
| 1. Aldrin, dieldrin, endrin and isodrin | 25. Iron |
| 2. Arsenic | 26. Lead |
| 3. Atrazine | 27. Malathion |
| 4. Azinphos-ethyl | 28. Mercury and its compounds |
| 5. Azinphos-methyl | 29. Nickel |
| 6. Boron | 30. Parathion |
| 7. Cadmium and its compound | 31. Parathion-methyl |
| 8. Carbon tetrachloride | 32. PCSD's |
| 9. Chloroform | 33. Pentachlorophenol (PCP) |
| 10. Chromium | 34. Perchloroethylene |
| 11. Copper | 35. Permethrin |
| 12. Cyanide | 36. pH if outside the range 5.5 to 9.0 |
| 13. Cyfluthrin | 37. Polychlorinated biphenyls |
| 14. DDT | 38. Simazine |
| 15. 1, 2-Dichloroethane | 39. Sulcofuron |
| 16. Dichlorvos | 40. Tetrachloroethylene |
| 17. Dioxins | 41. Tributyltin compounds |
| 18. Endosulfan | 42. Trichlorobenzene |
| 19. Fenitrothion | 43. Trichloroethane |
| 20. Fenthion | 44. Trichloroethylene |
| 21. Flucosufuron | 45. Trifluralin |
| 22. Hexachlorobenzene (HCB) | 46. Triphenyltin compounds |
| 23. Hexachlorobutadiene (HCBD) | 47. Vanadium |
| 24. Hexachlorocyclohexane
(lindane and related compounds) | 48. Zinc |

d) Give full details of any other significant chemical components contained in the effluent:—

20 FOR STORM AND EMERGENCY DISCHARGES AND SURFACE WATER SEWERS

State the type of discharge. Tick one or more boxes as appropriate.

Storm tanks
Storm overflow from sewer
Storm overflow from pumping station
Emergency overflow from sewer
Emergency overflow from pumping station
Surface Water
Other

☐
☐
☐
☐
☒
☐
☐

Answer all except 23 & 26
Answer all except 23 & 26
Answer all sections in this
Answer 22a, 24, 25, 27, 28
Answer all except 23 & 22
Answer 25, 27
Answer as appropriate

If other, please give further details:-

21	a) State dry weather flow to pumping station/in sewer	<i>/</i>	m ³ /day
	b) State flow at which storm discharge will commence	<i>/</i>	l/sec
22	Expected frequency of operation	<i>/</i>	per annum
23	State volume of storm tank(s).	<i>/</i>	m ³
24	State volume of wet well	<i>/</i>	m ³
25	What provisions have been made to raise alarms? (eg telemetry)	None	
26	What facilities have been provided to prevent the discharge of gross solids? (For screens, give bar spacing or aperture.)	Normal gully gratings etc.	
27	What provisions have been included to deal with a) power failure? b) mechanical breakdown? c) rising main failure?	Maintenance contract in force with Welsh Water.	
28	What facilities have been provided for flow measurements?	None	
29	Are there any other factors to be taken into account?		
	No.		