

Schedule 5 - Notification

This page outlines the information that the Operator must provide.

Units of measurement used in information supplied under Part A and B requirements shall be appropriate to the circumstances of the emission. Where appropriate, a comparison should be made of actual emissions and authorised emission limits.

If any information is considered commercially confidential, it should be separated from non-confidential information, supplied on a separate sheet, and accompanied by an application for commercial confidentiality under the provisions of the EP Regulations.

Part A

Permit Number	EPR/PR3733PC V013
Name of Operator	Biffa Waste Services Limited
Location of Installation	Trecatti Landfill Site Fochriw Road Merthyr Tydfil Mid Glamorgan CF48 4AB
Time and date of the detection	30/12/22

(a) Notification requirements for any malfunction, breakdown or failure of equipment or techniques, accident, or fugitive emission which has caused, is causing or may cause significant pollution

To be notified within 24 hours of detection	
--	--

Date and Time of the event	n/a
Reference or description of the location of the event	n/a
Description of where any release into the environment took place	n/a
Substances(s) potentially released	n/a
Best estimate of the quantity or rate of release of substances	n/a
Measures taken, or intended to be taken, to stop any emission	n/a
Description of the failure or accident.	n/a

(b) Notification requirements for the breach of a limit	
To be notified within 24 hours of detection unless otherwise specified below	
Emission point reference/ source	SWB (81702002)
Parameter(s)	pH
Limit	pH – 6 to 8
Measured value and uncertainty	pH – 9.4
Date and time of monitoring	20/12/2022
Measures taken, or intended to be taken, to stop the emission	

Time periods for notification following detection of a breach of a limit	
Parameter	Notification period
Surface Water	Quarterly

(c) Notification requirements for the detection of any significant adverse environmental effect	
To be notified within 24 hours of detection	
Description of where the effect on the environment was detected	n/a
Substances(s) detected	n/a
Concentrations of substances detected	n/a
Date of monitoring/sampling	n/a

Part B to be supplied as soon as practicable

Any more accurate information on the matters for notification under Part A.	The flow rate and volume of water discharging from SWB was very low when the sample was taken. The location of the monitoring point is heavily influenced by run-off from the surrounding grazing land. All other determinants were compliant.
Measures taken, or intended to be taken, to prevent a recurrence of the incident	Continued monitoring of the surface waters as per the permit and closely trend compliance limits
Measures taken, or intended to be taken, to rectify, limit or prevent any pollution of the environment which has been or may be caused by the emission	No pollution to the environment occurred.
The dates of any unauthorised emissions from the installation in the preceding 24 months.	Please see previous Schedule 5 Notifications

Name	Simon Milford
Post	Landfill Site Manager
Signature	S Milford
Date	23/01/2023

* authorised to sign on behalf of *Biffa Waste Services Limited*