

CONSENT NO.

BP0256301



ASiantaeth Yr
Amgylchedd Cymru
ENVIRONMENT
AGENCY WALES

WATER RESOURCES ACT 1991

SECTION 88 - SCHEDULE 10

(AS AMENDED BY THE ENVIRONMENT ACT 1995)

VARIATION OF CONSENT TO DISCHARGE

TO: Aggregate Industries UK Ltd
Bardon Hill
Coalville
LE67 1TL

In pursuance of an application by the consent holder for variation of consent, the **ENVIRONMENT AGENCY** ("The Agency") in pursuance of its powers under the Water Resources Act 1991 **HEREBY VARIES ITS CONSENT** to the making a discharge **OF TRADE EFFLUENT**, as follows:

SETTLED SITE DRAINAGE

FROM: CWM NANT LLEICI QUARRY

AT: GELLIFOWY ROAD, YNYSMEUDWY

TO: TRIB. OF THE NANT CWMDU

HEREAFTER SUBJECT TO the conditions set out in the following schedule(s):

SETTLED SITE DRAINAGE

Schedule No. BP0256301 01

Subject to the provisions of Paragraphs 7 and 8 of Schedule 10 of the Water Resources Act 1991, no notice shall be served by the Agency, which alters the effect of variations made to this consent, without the agreement in writing of the consent holder, during a period of 4 years from the date this variation is issued.

This variation of consent is issued and takes effect on the 15th day of May 2001

Signed
Water Quality Consents Team Leader

Asiantaeth yr Amgylchedd Cymru
Glan Tawe, 154 Ffordd Sant Helen, Abertawe SA1 4DF, Ffon 01792 645300, Ffacs 01792 648652

Environment Agency Wales
Glan Tawe, 154 St Helens Road, Swansea, Tel 01792 645300, Fax 01792 648652



CONSENT NO.	BP0256301
SCHEDULE NO.	BP0256301 01
DATE ISSUED	15th May 2001



**ASiantaeth Yr
Amgylchedd Cymru
ENVIRONMENT
AGENCY WALES**

CONDITIONS OF CONSENT TO DISCHARGE

SETTLED SITE DRAINAGE ("the Discharge")

FROM: CWM NANT LLEICI QUARRY, GELLIFOWY ROAD, YNYSMEUDWY

1. (a) The Discharge shall not contain any poisonous, noxious or polluting matter or solid waste matter.
- (b) Provided that the Discharge hereby consented is made in accordance with the following conditions of this consent, such discharge shall not be taken to be in breach of condition (a) above by reason of containing substances or having properties identified in and controlled by these conditions.

NATURE

2. The Discharge shall consist solely of trade effluent comprising of settled site drainage from an area of 75,000 m².

LOCATION

3. The Discharge shall be made in the manner and at the place specified as:
 - (a) discharging via a 300mm diameter pipe;
 - (b) discharging to a tributary of the Nant Cwm Du;
 - (c) at National Grid Reference SN 7337 0728;
 - (d) shown marked 'Consent Point' on Plan BP0256301 attached as Annex 1.

SAMPLE POINT

4. The outlet to the watercourse shall be maintained and appropriately labelled so that a representative sample of the Discharge may be obtained at National Grid Reference SN 7337 0728, as shown marked 'Consent Point' on Plan BP0256301.





ASiantaeth YR
AMGYLCHEDD CYMRU
ENVIRONMENT
AGENCY WALES

Eich cyf/Your ref.

Ein cyf/Our ref. 2/EQ/BP0256301/HJH/EAP

Dyddiad/Date: Date as Postmark

Aggregate Industries UK Ltd
Bardon Hill
Coalville
LE67 1TL

Dear Sir/Madam

RE: WATER RESOURCES ACT 1991, SCHEDULE 10 (AS AMENDED BY THE ENVIRONMENT ACT 1995) APPLICATION FOR VARIATION OF CONSENT TO DISCHARGE NO BP0256301.

Further to your application for variation of consent of the Agency to discharge under the provisions of Section 88 of the Water Resources Act 1991, I enclose the Agency's formal notice of the variations made to the conditions of the consent to discharge trade effluent from Cwm Nant Lleici Quarry at Gellifowy Road, Ynysmeudwy.

Under the present Scheme of Charges for Discharges to Controlled Waters an annual charge will be made for all consents to discharge, except where the discharge is of sewage effluent of five cubic metres or less per day. This charge is based on information derived from the conditions attached to the consent to discharge, as outlined in the enclosed leaflet. A change in conditions may therefore result in a change in annual charge, you may therefore receive a revised bill in due course.

If you are not satisfied with the new conditions of the consent you may appeal against the decision to the National Assembly for Wales, Cathays Park, Cardiff CF10 3NQ.

Please take careful note that if the holder of the consent changes, you must inform the Agency **IN WRITING** as soon as possible of the name of the new holder. This to ensure that the rights and charges associated with the Consent are transferred to the new holder. A certificate of Holder notice will be sent to you shortly which is designed for this purpose, and should be kept safely with the Consent until required.

Cont/d...2

Asiantaeth yr Amgylchedd Cymru
Llys Afon, Hawthorn Rise, Hwlfordd, Sir Benfro. SA61 2BQ
Ffon: 01437 760081, Ffacs: 01437 760881

Environment Agency Wales
Llys Afon, Hawthorn Rise, Haverfordwest, Pembrokeshire. SA61 2BQ
Tel: 01437 760081, Fax: 01437 760881



If you have any queries regarding the enforcement of this consent, please do not hesitate to contact Mr Huw Davies, Team Leader Environment Protection, Environment Agency, Glan Tawe, 154 St Helens Road, Swansea, SA1 4DF.

Yours faithfully

H. J. Hughes
for **NIALL REYNOLDS**
Environment Planning Manager

Enc.

Asiantaeth yr Amgylchedd Cymru
Llys Afon, Hawthorn Rise, Hwlfordd, Sir Benfro. SA61 2BQ
Ffon: 01437 760081, Ffacs: 01437 760881

Environment Agency Wales
Llys Afon, Hawthorn Rise, Haverfordwest, Pembrokeshire. SA61 2BQ
Tel: 01437 760081, Fax: 01437 760881

CONSENT NO.	BP0256301
SCHEDULE NO.	BP0256301 01



**ASiantaeth Yr
Amgylchedd Cymru
Environment
Agency Wales**

VOLUME

5. The volume of the Discharge shall be dependent on rainfall.
6. The rate of discharge shall not exceed 25 litres per second.

COMPOSITION

7. The Discharge shall not contain:
 - (a) more than 50 milligrammes per litre of suspended solids (measured after drying at 105°C);
 - (b) any visible oil or grease.
9. The Discharge shall not have a pH value less than 6.0 nor greater than 9.0 pH Units.
10. As far as is reasonably practicable, the treatment system shall be operated so as to prevent:
 - (a) any matter being present in the Discharge, other than matter specifically covered by numerical conditions in this consent, to such an extent as to cause the receiving waters, or any waters of which the receiving waters are a tributary, to be poisonous or injurious to fish in those waters, or to the spawning grounds, spawn or food of fish in those waters, or otherwise cause damage to the ecology of those waters; and
 - (b) the Discharge from having any other adverse environmental impact.

MAINTENANCE


12. The treatment system shall be operated and maintained in accordance with good operational practice such that:
 - (a) it remains fully operational except at times of unavoidable mechanical or electrical breakdown which shall be attended to, and the Agency informed of the failure, as soon as practicable after the failure;
 - (b) following a failure all equipment shall be returned to normal operation as soon as practicable;
 - (c) the settlement lagoon(s) shall be desludged at sufficient frequency and in such a manner to prevent excessive carryover of suspended solids.



**CWM NANT LLEICI QUARRY,
GELLIFOWY ROAD,
YNYSMEUDWY**

ANNEX 1 BP0256301

CONSENT POINT



NC 5889
chg 171256



ENVIRONMENT
AGENCY

WATER RESOURCES ACT 1991 (schedule 10)

(as amended by the Environment Act 1995)

Application for ~~new consent~~/variation to an existing consent* to discharge
(* delete as appropriate)

Regional/Area Address:	<i>Official Use Only</i>
	<i>Dist/Area Ref:</i>
	<i>Application No.</i> Bp0256301
	<i>Date Received:</i> 30/10/00
	<i>Fee Received:</i> £645.00 (?)

Each applicant must complete the main form and may need to complete a separate annexe if appropriate. Please look through the form and read the notes carefully before you complete it. Processing of your application will be aided by full and accurate completion of all the relevant sections and provision of the necessary plans. If you have any queries regarding the form please contact the person given in the notes.

NOTE:

All information contained within this application will be made available on the public register unless there is a request to withhold any of it. Any such request should provide a full justification stating why the information needs to be withheld

1 SITE ADDRESS

1.1 Address or other sufficient description of land or premises to which this application applies.

CWM NANT LLEICI QUARRY
GELLIFOWY ROAD
YNYSMEUDWY
SWANSEA.

Post Code:

SA8 4TU

2 DETAILS OF DISCHARGE(S)

2.1 State the nature of the discharge(s) (see note i and ii) - tick one or more boxes as appropriate:-

- Sewage Effluent - volume of 5 cubic metres per day or less
- Sewage Effluent - volume greater than 5 cubic metres per day (complete annexe 1)
- Sewage Effluent discharged under storm or emergency conditions (complete annexe 2)
- Cooling Water (complete annexe 3)
- Trade Effluent (including site drainage) (complete annexe 3)
- Others (please specify)

2.2 Please state the maximum quantity it is proposed to discharge in any one day _____ m³/day
Briefly state how this figure was calculated (see note ii).

ENTIRELY DEPENDENT ON RAINFALL (AS EXISTING CONSENT)

2.3 a) Indicate proposed means of discharge - tick as appropriate and show on plan:-
(for 1, 2 & 3 please state dimensions below)

- | | | |
|--|--------------------------------------|--|
| 1. Pipe <input checked="" type="checkbox"/> | 4. Borehole <input type="checkbox"/> | 7. Sub-Irrigation System <input type="checkbox"/> |
| 2. Channel <input checked="" type="checkbox"/> | 5. Well <input type="checkbox"/> | 8. Combination of 6. & 7. <input type="checkbox"/> |
| 3. Culvert <input type="checkbox"/> | 6. Soakaway <input type="checkbox"/> | 9. Other (please specify below) <input type="checkbox"/> |

CHANNEL INTO 300MM PIPE.

b) National Grid Reference(s) of point(s) of discharge (see note iii).

S N / 7 3 3 8 / 0 7 2 9 (please indicate on accompanying plans)

2.4 a) The Agency will normally require adequate provision for the taking of samples of the discharge in a safe and convenient manner at any time. Please indicate the means proposed (see note iv) - tick as appropriate and show on plan:-

At the outlet At a manhole or sampling chamber

Other (please specify)

b) National Grid Reference(s) of sampling point(s). (If different from 2.3 b) above)

 / / (please indicate on accompanying plans)
AS ABOVE.

c) What flow measurement facilities will be provided (see note v)?

Please give details.

PLATE WEIR.

2.5 a) Type of Treatment Plant(s) to be used (please specify make and model) - tick as appropriate:-

Septic Tank

Package Sewage Treatment Works

Other

TREATMENT LAGOON SYSTEM (REFER TO ATTACHED SCHEME).

b) Will the treatment process involve the use of any chemicals (eg ferric salts, polyelectrolytes) Y N
If yes please give details.

NOT PROPOSED AT THIS TIME.

2.6 a) On what date do you anticipate the discharge will commence?

AS / AP /

b) If you require the consent for a limited time period please give dates; from:

/ /

to:

/ /

c) If the discharge is not continuous please detail the period/circumstances when it will occur.

DEPENDENT ON RAINFALL.

2.7 a) Are there any existing consents for discharge from the premises (see note vi)? Y N
If yes, please give the reference numbers (Any further information should be given in section 5.3).

BP 0256301

b) Has any person had a Prohibition Notice served on them in respect of this site? Y N
If yes, please give the reference number.

3 SITE DETAILS

3.1 Please give the name of the relevant Planning Authority.

NEATH PORT TALBOT COUNTY BOROUGH COUNCIL.

3.2 Please give details of the premises - tick as appropriate:-

1. Single Dwelling

6. Fish Farm

2. Multiple Dwellings

7. Mineral Workings

3. Industrial Premises

8. Water Services plc STW

4. Vehicle Parking Area

9. Water Supply

5. Commercial Premises (please specify)

10. Other (please specify)

3.3 Please indicate source of the water supply - tick as appropriate:-

- | | | | |
|--|-------------------------------------|---|--------------------------|
| 1. Well | <input type="checkbox"/> | 5. River (please give name below) | <input type="checkbox"/> |
| 2. Borehole | <input type="checkbox"/> | 6. Estuary (please give name below) | <input type="checkbox"/> |
| 3. Precipitation (eg. rain or snow) | <input checked="" type="checkbox"/> | 7. Coastal Water (please give name below) | <input type="checkbox"/> |
| 4. Mains (please state water supply company) | <input type="checkbox"/> | | |

4 DETAILS OF RECEIVING ENVIRONMENT

4.1 Receiving Medium - tick the category(s) to which the proposed discharge(s) is(are) to be made:-

- | | | | |
|--|-------------------------------------|---------------------------------|--------------------------|
| 1. Estuarial Water (tidal river or stream) | <input type="checkbox"/> | 5. Into Land | <input type="checkbox"/> |
| 2. River or Stream (non-tidal) | <input checked="" type="checkbox"/> | 6. Onto Land | <input type="checkbox"/> |
| 3. Canal | <input type="checkbox"/> | 7. Directly into Groundwater | <input type="checkbox"/> |
| 4. Lake, Loch or Pond | <input type="checkbox"/> | 8. Coastal Water (see note vii) | <input type="checkbox"/> |

State name of receiving water if known:

TRIBUTARY OF RIVER CWM DU

4.2 In the case of sub-irrigation systems, soakaways or boreholes:-

- (a) Is any part of the system within 5 metres of the boundary of the premises? Y/N
- (b) Is any part of the system within 10 metres of a watercourse? Y/N
- (c) Is any part of the system within 50 metres of a borehole or spring? Y/N
- (d) For wells and boreholes state dimension(s) in metres. m
- (e) For sub-irrigation systems, soakaway pits, wells and boreholes, state maximum depth in metres. m
- (f) For boreholes, state details of lining in metres:
- (i) Depth of lining m
- (ii) Depth of perforated lining m
- (iii) Depth of unperforated lining m
- (g) A percolation test must be carried out in accordance with British Standard BS6297:1983.
Have the results been provided? Y/N

4.3 Is there a foul sewer available to which the discharge(s) could be made (see note viii)? Y/N
If yes, please give the reasons it is not practical to connect to it (eg. distance, flow etc.).

5 DETAILS OF APPLICANT AND OTHER INFORMATION

5.1 (See general notes and note ix)

(a) Full name and postal address of applicant. This should be the person who will become the consent holder should consent be issued.

* AGGREGATE INDUSTRIES UK LIMITED
* BARDON HILL
* COALVILLE
* LEICESTERSHIRE.

Post Code: LE67 1TL

Daytime Telephone Number: 01530 510066

Company Registration Number (if appropriate):

(b) Agent (if any) - Full name and postal address.

* AGGREGATE INDUSTRIES UK LIMITED
* CALLOW ROCK QUARRY
* SHIPHAM GORGE
* CHEDDAR
* SOMERSET.

Post Code: BS27 3DQ

Contact Name and Daytime Telephone Number: ROB WESTELL 01934 745036

5.2

Please give full name and address to which bills should be sent if different to that given above:

* AS 5.1 (b)

Post Code:

Daytime Telephone Number:

5.3 Are there any other factors to be taken into account? Please continue on a separate sheet if necessary.

APPLICATION TO CHANGE DISCHARGE POSITION WHICH INCORPORATES NEW WATER TREATMENT SYSTEM (REFER TO ATTACHED SCHEME).

DECLARATION

I/We:

1. apply under the Water Resources Act 1991 (as amended by the Environment Act 1995) for consent to discharge, as described in this Application. "This Application" means this page, all the other pages of this form and any attached annexes, the attached plan(s), any other sheets attached, and any other written information supplied to support the application.
2. enclose the required application fee, payable to the Environment Agency (see note x).
3. enclose 3 copies of the plan(s) and location maps with all relevant information clearly marked (see note xi).
4. will pay required advertising costs (see note xii).
5. confirm that I/we* will notify the Environment Agency of any changes in the information in this application which might be material to the continuation of the consent.
6. confirm that the information given in this application and any questions which the Environment Agency may have about it is/will* be true to the best of my/our* knowledge, information and belief and am/are* not aware of any other facts or information which might affect the granting of a consent, or conditions which might be put on it (see note xiii).
7. confirm that I/we* will pay any annual charges due should a consent be granted YES/NO*. If no please indicate who will by completing section 5.2 above (see note xiv).

(* Delete as appropriate)

SIGNED: <i>Robert Westell</i>	PRINT NAME: ROBERT WESTELL.....
ON BEHALF OF: AGGREGATE INDUSTRIES UK LIMITED.....	DATED: 23/10/00.....

o o o

CONFIDENTIALITY

I/we apply for commercial confidentiality and enclose a full written justification (see note xv).

SIGNED:	DATED:
---------------	--------------

PLEASE RETURN THIS FORM TO THE ADDRESS GIVEN ON THE FRONT PAGE



ENVIRONMENT AGENCY

ANNEXE 3 TRADE EFFLUENT DISCHARGES

Please complete this annexe if you are proposing to discharge trade effluent (this includes site drainage).

Official Use Only
Application No.

1. Site Name.

CWM NANT LLEIGI QUARRY
GELLIFOWY ROAD
YNYSMEUDWY SWANSEA

2. a) Describe in full the trade effluent and the process(es) from which it arises.

PRECIPITATION ARISING ON SITE. WATER NOT INVOLVED IN ANY PROCESS OTHER THAN DUST SUPPRESSION.

b) Please state the type and number of treatment units you are proposing to use (if site drainage please include details of oil/petrol interception facilities).

SETTLEMENT LAGOONS (SEE ATTACHED SCHEME) INCORPORATING OIL CATCHMENT BUNDS AS NECESSARY.

3. Rainfall Dependent Discharges

a) Is the volume going to be rainfall dependent?

Y N

b) If yes, please give the total area drained.

51,000 m²

c) Please give details of any activities which occur in the drainage area which could contaminate surface water (see note b)

AGGREGATE PROCESSING, MOBILE PLANT, STORAGE OF BUNDED OILS, FUELS AND LUBRICANTS.

4. Rainfall Independent Discharges

a) What is the maximum rate of discharge?

l/s

b) What is the average daily flow?

m³/d

c) For discharges where the source of supply is other than mains water:

i) give the abstraction licence number.

ii) give the National Grid Reference of a point where the influent can be sampled.

 / /

(please mark on the plan)

5. a) Will any self monitoring take place?
If yes, please give details.

Y N

FLOW MONITORING (CONSTANT)
SAMPLING TESTS (QUARTERLY MINIMUM)

- b) Will automatic sampling equipment be provided?

Y N

If yes, please give details of type, frequency and location (*please indicate on plan*).

6. a) Please state the maximum temperature in degrees Celsius of the effluent when discharged if different from ambient.

AMBIENT

- b) Will the discharge be monitored for temperature?

Y N

If yes, please give details of type and location (*please indicate on plan*).

7. Has an application for Authorisation been made for a 'prescribed process' as defined in Part 1 of the Environmental Protection Act 1990?

Y N

If yes, please complete the following:

- a) The application reference.

E3/1/25

- c) Contact name of case officer.

NEATH PORT TALBOT EHO

8. a) Please indicate if any of the specified substances given below or their compounds will be present in the effluent and if so at what maximum concentration (please give values in micrograms per litre - ug/l). Please see note c. **NONE REPORTED**

SUBSTANCE	CONCENTRATION (ug/l)			SUBSTANCE	CONCENTRATION (ug/l)		
	Max	Min	Mean		Max	Min	Mean
Iron				Lead			
Arsenic				Malathion			
Atrazine				Mercury			
Azinphos-ethyl				Nickel			
Azinphos-methyl				PCB's			
Boron				PCSD's			
Cadmium				Parathion			
Carbon tetrachloride				Parathion-methyl			
Chloroform				Pentachlorophenol (PCP)			
Chromium				Perchloroethylene			
Copper				Permethrin			
Cyanide				pH < 5.5 or > 9.0			
Cyfluthrin				Phosphorus			
DDT				Polychlorinated biphenyls			
1,2 Dichloroethane				Simazine			
Dichlorvos				Sulcofuron			
Dioxins				Tetrachloroethylene			
Drins (eg. Aldrin, Dieldrin)				Tributyltin compounds			
Endosulfan				Trichlorobenzene			
Fenitrothion				Trichloroethane			
Fenthion				Trichloroethylene			
Fluocifuron				Trifluralin			
Hexachlorobenzene (HCB)				Triphenyltin compounds			
Hexachlorobutadiene (HCBd)				Vanadium			
Hexachlorocyclohexanes (HCH's)				Zinc			

- b) Are there any other significant chemical components used on site which may be contained in the effluent, including biocides or additives? Y N
 If yes, please give details.

Notes (see also the notes attached to the main form):

- a) For direct trade effluent discharges, full details of the type of the effluent are required (eg. cooling water from air conditioning units), along with typical analytical details and the results of any toxicity studies on the effluent or its constituents. In certain circumstances the Agency may require that specific samples be taken and tests and analysis carried out. The Agency is empowered to recover any costs incurred as a result of special studies.*
- b) Possible sources of contamination include oil/chemical storage areas, vehicle loading/unloading areas, heavy vehicle parking areas and oil/petrol filling points. Any other potential sources of contamination should be detailed.*
- c) Where discharges of trade effluent take place to a sewerage system, as covered by this application, please give details of all authorised discharges of substances listed in table 8 overleaf.*



ASiantaeth Yr
AMGYLCHEDD CYMRU
ENVIRONMENT
AGENCY WALES

Eich cyf/Your ref.

Ein cyf/Our ref. 2/EQ/BP0256301/HJH/EAP

Dyddiad/Date: Date as Postmark

Aggregate Industries UK Ltd
Bardon Hill
Coalville
LE67 1TL

Dear Sir/Madam

RE: WATER RESOURCES ACT 1991, SCHEDULE 10 (AS AMENDED BY THE ENVIRONMENT ACT 1995) APPLICATION FOR VARIATION OF CONSENT TO DISCHARGE NO BP0256301.

Further to your application for variation of consent of the Agency to discharge under the provisions of Section 88 of the Water Resources Act 1991, I enclose the Agency's formal notice of the variations made to the conditions of the consent to discharge trade effluent from Cwm Nant Lleici Quarry at Gellifowy Road, Ynysmeudwy.

Under the present Scheme of Charges for Discharges to Controlled Waters an annual charge will be made for all consents to discharge, except where the discharge is of sewage effluent of five cubic metres or less per day. This charge is based on information derived from the conditions attached to the consent to discharge, as outlined in the enclosed leaflet. A change in conditions may therefore result in a change in annual charge, you may therefore receive a revised bill in due course.

If you are not satisfied with the new conditions of the consent you may appeal against the decision to the National Assembly for Wales, Cathays Park, Cardiff CF10 3NQ.

Please take careful note that if the holder of the consent changes, you must inform the Agency **IN WRITING** as soon as possible of the name of the new holder. This to ensure that the rights and charges associated with the Consent are transferred to the new holder. A certificate of Holder notice will be sent to you shortly which is designed for this purpose, and should be kept safely with the Consent until required.

Cont/d...2

Asiantaeth yr Amgylchedd Cymru
Llys Afon, Hawthorn Rise, Hwlfordd, Sir Benfro. SA61 2BQ
Ffon: 01437 760081, Ffacs: 01437 760881

Environment Agency Wales
Llys Afon, Hawthorn Rise, Haverfordwest, Pembrokeshire. SA61 2BQ
Tel: 01437 760081, Fax: 01437 760881



If you have any queries regarding the enforcement of this consent, please do not hesitate to contact Mr Huw Davies, Team Leader Environment Protection, Environment Agency, Glan Tawe, 154 St Helens Road, Swansea, SA1 4DF.

Yours faithfully

H. J. Hughes
for **NIALL REYNOLDS**
Environment Planning Manager

Enc.

Asiantaeth yr Amgylchedd Cymru
Llys Afon, Hawthorn Rise, Hwlfordd, Sir Benfro. SA61 2BQ
Ffon: 01437 760081, Ffacs: 01437 760881

Environment Agency Wales
Llys Afon, Hawthorn Rise, Haverfordwest, Pembrokeshire. SA61 2BQ
Tel: 01437 760081, Fax: 01437 760881

Water Resources Act 1991
as amended by the Environment Act 1995
Consent to Discharge
Certificate of Holder



**ENVIRONMENT
AGENCY**

Part A

To: CNL MINERALS LTD
THE DIRECTOR
REGENT HOUSE
RODNEY ROAD
CHELTENHAM GL50 1HX



NB: For a body corporate the job title is a point of contact.
Holder Start Date: 15/05/01

The Environment Agency ("the Agency") hereby confirm that the above named person is a/the registered holder of consent BP0256301 Consent Issued: 15/05/01

Nature of Discharge(s); TSDR Trade - Site drainage (Contaminated S/W) - Rainfall
at SN7337007280 CWM NANT LLEICI QUARRY GELLIFOWY RD

Note: This certificate should be kept with the consent document for future reference. If you transfer responsibility for the discharge to somebody else you must pass the consent to them and tell the Agency within 21 days. **Responsibility for the consent cannot be disclaimed by the holder but the registration of holder may be transferred to a successor.** To do this please complete the form below, then tear it off and return it to the address shown. If you fail to transfer the consent, even though you are no longer on the site, you may still be liable for prosecution for pollution. If you transfer the consent but do not tell us, you will be committing an offence. In case of any queries please contact your local Environment Agency office.

Part B Please complete in block capitals or type.

To:

Water Resources Act 1991: Notice of transfer of consent to discharge

Consent: BP0256301 Name: CNL MINERALS LTD
Consent Issued: 15/05/01 Address: THE DIRECTOR
REGENT HOUSE
RODNEY ROAD
CHELTENHAM GL50 1HX

I/We* hereby serve notice on the Agency that I/we* am/are* no longer a/the* Holder of the above consent which will be/was* transferred to: * delete as appropriate

Name(s) of new holder(s):

Address:

Post Code:

Date of Transfer to new Holder(s);

Signed:..... Dated:.....

Name (block capitals): Position:



Deddf Adnoddau Dwr 1991
fel y'i diwygiwyd gan Ddeddf yr Amgylchedd 1995
Caniatâd Gollwng
Tystysgrif Daliwr



ASiantaeth yr
AMGYLCHEDD

Rhan A CNL MINERALS LTD
At: THE DIRECTOR
REGENT HOUSE
RODNEY ROAD
CHELTENHAM GL50 1HX



DS: I gorff corfforedig mae teitl y swydd yn bwynt cysylltu.
Dyddiad Cychwyn Daliwr: 15/05/01

Mae Asiantaeth yr Amgylchedd ("yr Asiantaeth") yn cadarnhau drwy hyn mai/bod y sawl a enwyd uchod yw/yn ddaliwr cofrestredig uy caniatâd BP0256301 Cyhoeddwyd Caniatâd: 15/05/01

Natur y gollwng: TSDR Trade - Site drainage (Contaminated S/W) - Rainfall
yn SN7337007280 CWM NANT LLEICI QUARRY GELLIFOWY RD

Nodyn: Dylid cadw'r dystysgrif hon gyda'r ddogfen ganiatâd i gyfeirio ati yn y dyfodol. Os byddwch yn trosglwyddo cyfrifoldeb y gollwng i rywun arall, rhaid i chi gyflwyno'r caniatâd iddo ef neu hi a dweud wrth yr Asiantaeth cyn pen 21 diwrnod. **Ni all y daliwr wadu cyfrifoldeb y gollwng, ond gall cofrestriad y daliwr gael ei drosglwyddo i olynnydd.** I wneud hynny, byddwch cystal â llenwi'r ffurflen isod, ei datgysylltu a'i dychwelyd i'r cyfeiriad a nodir. Os methwch drosglwyddo'r caniatâd, hyd yn oed os nad ydych ar y safle mwyach, gallwch fod yn agored yr un fath i gael eich erlyn am lygru. Os trosglwyddwch y caniatâd ond heb ddweud wrthom, byddwch yn cyflawni trosedd. Os bydd gennych ymholiadau, byddwch cystal â chysylltu â swyddfa Asiantaeth yr Amgylchedd yn lleol.

Rhan B Llenwch mewn priflythrennau bras neu deipio.

At:

Deddf Adnoddau Dwr 1991: Hysbysiad am drosglwyddo caniatâd gollwng

Caniatâd: BP0256301
Enw: CNL MINERALS LTD
Cyfeiriad:
Cyhoeddwyd Caniatâd: 15/05/01
THE DIRECTOR
REGENT HOUSE
RODNEY ROAD
CHELTENHAM GL50 1HX

Yr wyf fi/Yr ydym ni* drwy hyn yn hysbysu'r Asiantaeth nad fi/ni/nad wyf/ydym mwyach yw/yn* Ddeiliad y caniatâd uchod. Caiff/Cafodd hwnnw ei drosglwyddo i: *dilewch yn ôl yr angen

Enw(au) y Daliwr/Dalwyr newydd:

Cyfeiriad:

Cod Post:

Dyddiad Trosglwyddo i'r Daliwr/Dalwyr newydd:

Llofnodwyd:..... **Dyddiedig:**

Enw Enw (priflythrennau bras):..... **Safle:**

