



WATER INDUSTRY ACT 1991

SECTION 165 / 166

CONSENT TO DISCHARGE

**TO: Dwr Cymru
Pentwyn Road
Nelson
Treharris
Mid Glamorgan
CF46 6LY**

The **NATURAL RESOURCES BODY FOR WALES** ("Natural Resources Wales") in pursuance of its powers under the Water Industry Act 1991 **HEREBY CONSENTS** to the making of a discharge as follows:

De-chlorinated water

FROM: CWMTILLERY WTW, CWMTILLERY, ABERTILLERY, NP131LR

AT: NATIONAL GRID REFERENCE SO 22161 07523

TO: AFON TYLEIRI

SUBJECT TO: the conditions set out in the following schedule:

De-chlorinated water Schedule No. NRWWIA152-01

This consent is issued on the 6th day of February 2019
This consent takes effect on the 11th day of February 2019
This consent shall cease to have effect on the 27th day of February 2019

Signed: Emily Roe

CONSENT NO:	NRWWIA152
SCHEDULE NO:	NRWWIA152-01
DATE ISSUED:	6 th February 2019

**CONDITIONS OF CONSENT TO DISCHARGE
DE-CHLORINATED WATER (“the Discharge”)**

NATURE OF THE DISCHARGE

1. The Discharge shall consist solely of de-chlorinated water.

SOURCE OF THE DISCHARGE

2. The Discharge shall be derived from Cwmtillery WTW.

LOCATION OF DISCHARGE

3. The location of the Discharge shall be at NGR SO 22161 07523, marked ‘Discharge’ on the site plan in Annex 1.

SAMPLE POINT

4. A sample point shall be provided and maintained so that a representative sample of the Discharge may be obtained.

VOLUME

5. The total volume of the Discharge shall not exceed 2450 cubic metres.
6. The total daily volume of the Discharge shall not exceed 1225 cubic metres.
7. The rate of the Discharge shall not exceed 14 litres per second.

COMPOSITION

8. The consent holder shall take all necessary steps to secure that any water discharged by it under this consent is as free as may be reasonably practicable from —
 - (a) mud and silt;
 - (b) solid, polluting, offensive or injurious substances;
and
 - (c) any substances prejudicial to fish or spawn, or to spawning beds or food of fish.

CONSENT NO:	NRWWIA152
SCHEDULE NO:	NRWWIA152-01
DATE ISSUED:	6 th February 2019

SCOURING

9. The rate of discharge shall be controlled to prevent any significant scouring of the bed or bankside of the receiving water.

FLOODING


10. The discharge shall not cause or significantly contribute to flooding in the downstream catchment.

PERIOD OF DISCHARGE

11. The Discharge shall only be made between 11th day of February 2019 and the 27th day of February 2019.

CONSENT NO:	NRWWIA152
DATE ISSUED:	6 th February 2019

ANNEX 1- PLAN No. NRWWIA152



© Crown Copyright and database right 2019. Ordnance Survey licence number 100019741.