

Permit Number: VP3132LJ

Operator: Maxibrite Limited

Installation: Mwyndy Solid Fuel Briquette Manufacturer

Form Number: Water1 / 15/06/07

Reporting of emissions to water (other than to sewer) for the period from 01/10/2022 to 31/12/2022

Emission Point	Substance / Parameter	Emission Limit Value	Reference Period	Test Method [2]	Result [1]	Sample Date and Times [3]	Uncertainty [4]	Weather Conditions
W1 on site plan in schedule 2	Temperature	28°C	Spot sample	TK digital thermometer, with K-type connection.	16.0	06/10@14:50	+/- 0.59 °C	Dry
					15.0	17/10@11:45		Dry
					15.4	27/10@10:14		Dry
					13.1	31/10@10:23		Dry
					13.2	01/11@09:30		Heavy Showers
					14.3	11/11@11:53		Dry
					12.5	14/11@11:20		Dry
					7.3	21/11@11:55, 23/11@11:30		Dry Heavy Showers
					8.2	28/11@10:55		Dry
					4.9	01/12@10:50		Dry
					5.3	06/12@12:45		Dry
					5.9	21/12@12:25		Dry
					10.0	30/12@12:00		Light Rain
W1 on site plan in schedule 2	12.5 pH	14/11@11:20 6-9	Spot sample	Dry WTW 315i digital pH meter with Sentix 41 gel filled electrode, method based on SCA blue book 14 (method approved and accepted by EA).	6.84 – 7.04	06/10@14:50 03/10@10:40	+/- 0.02 pH units	Dry Dry
					6.31 – 7.05	17/10@11:45 19/10@11:30		Dry Dry
					6.57 – 7.16	25/10@09:45 28/10@08:55		Dry Dry
					6.82	31/10@10:23		Dry
					6.50 – 7.05	03/11@09:30 04/11@10:24		Dry Dry
					6.8 – 7.02	09/11@10:05 08/11@13:30		Heavy Showers Dry
					6.91 – 7.03	14/11@11:20 15/11@11:30		Dry Dry
					6.65 – 6.91	24/11@11:20 22/11@11:45		Heavy Rain Dry
					6.80 – 7.07	29/11@10:20 28/11@10:55		Dry Dry

Emission Point	Substance / Parameter	Emission Limit Value	Reference Period	Test Method ^[2]	Result ^[1]	Sample Date and Times ^[3]	Uncertainty ^[4]	Weather Conditions
					6.70 – 6.87	01/12@10:50 02/12@11:30		Dry Dry
					6.80 – 6.85	05/12@13:30 06/12@12:45		Dry Dry
					6.41 – 7.03	21/12@12:25 19/12@10:35		Dry Dry
					6.40	30/12@12:00		Light Rain
W1 on site plan in schedule 2	Ammonia (total as N) Ammonia (total as N)	7mg/l 7mg/l	Spot sample Spot sample	ISO 7150-2 UKAS Accredited Laboratory/MCERTS (ALcontrol)	<0.2mg/l	31/10@10:23	+/- 4.9%	Dry
				ISO 7150-2 UKAS Accredited Laboratory/MCERTS (ALcontrol)	<0.2mg/l	30/11@12:44	+/- 4.9%	Dry
				ISO 7150-2 UKAS Accredited Laboratory/MCERTS (ALcontrol)	<0.2mg/l	30/12@12:00	+/- 4.9%	Light Rain
W1 on site plan in schedule 2	Total suspended solids Total suspended solids	200 mg/l 200 mg/l	Spot sample Spot sample	BS EN872 UKAS Accredited Laboratory/MCERTS (ALcontrol)	2.5mg/l	31/10@10:23	+/- 1.96%	Dry
				BS EN872 UKAS Accredited Laboratory/MCERTS (ALcontrol)	10.3mg/l	30/11@12:44	+/- 1.96%	Dry
				BS EN872 UKAS Accredited Laboratory/MCERTS (ALcontrol)	16.1mg/l	30/12@12:00	+/- 1.96%	Light Rain

1. The result given is the maximum value (or the minimum value in the case of a limit that is expressed as a minimum) obtained during the reporting period, expressed in the same terms as the emission limit value. Where the emission limit value is expressed as a range, the result is given as the 'minimum – maximum' measured values.
2. Where an internationally recognised standard test method is used the reference number is given. Where another method that has been formally agreed with the Agency is used, then the appropriate identifier is given. In other cases the principal technique is stated, e.g. gas chromatography.
3. For non-continuous measurements the date and time of the sample that produced the result is given. For continuous measurements the percentage of the process operating time covered by the result is given.
4. The uncertainty associated with the quoted result at the 95% confidence interval, unless otherwise stated.

Simon Gilbody

Signed
(Authorised to sign as representative of Operator)

Date.....27/01/23.....

Permit Number: VP3132LJ Operator: Maxibrite Limited
 Installation: Mwyndy Solid Fuel Briquette Manufacturer Form Number: Air1 / 20/10/10

Reporting of emissions to air for the period from 01/10/22 to 31/12/22

Emission Point	Substance / Parameter	Emission Limit Value	Reference Period	Result ^[1]	Test Method ^[2]	Sample Date and Times ^[3]	Uncertainty ^[4]
A1 [Point A1 on site plan in Schedule 2]	Particulate matter	100mg/m ³	Spot sample	-	BS EN 13284-1	-	-
A1 [Point A1 on site plan in Schedule 2]	Sulphur dioxide	75 mg/m ³	Spot sample	-	EA TGN M21:V1.1 Jan 2010 (AM for BS EN 14791)	-	-
A1 [Point A1 on site plan in Schedule 2]	Oxides of nitrogen	75 mg/m ³	Spot sample	-	BS EN 14792:2005	-	-
A9 [Point A9 on site plan in Schedule 2]	Particulate matter	45 mg/m ³	Spot sample	-	BS EN 13284-1	-	-

1. The result given is the maximum value (or the minimum value in the case of a limit that is expressed as a minimum) obtained during the reporting period, expressed in the same terms as the emission limit value. Where the emission limit value is expressed as a range, the result is given as the 'minimum – maximum' measured values.
2. Where an internationally recognised standard test method is used the reference number is given. Where another method that has been formally agreed with the Agency is used, then the appropriate identifier is given. In other cases the principal technique is stated, e.g. gas chromatography.
3. For non-continuous measurements the date and time of the sample that produced the result is given. For continuous measurements the percentage of the process operating time covered by the result is given.
4. The uncertainty associated with the quoted result at the 95% confidence interval, unless otherwise stated.



Signed ...
 (Authorised to sign as representative of Operator)

Date.....27/01/23.....

Note : Dryer unit not used in Q4 of 2022