

Compliance Assessment Report CAR_NRW0041168

Permit being assessed: LP3731SU.

For: Glascoed Munitions Factory, held by BAE Systems Global Combat Systems Munitions Limited

At: Glascoed , Usk, Monmouthshire, NP15 1XL.

Type of assessment carried out: Report/Data Review, Reason: Routine.

On 31/01/2023.

Parts of permit assessed: 4.2.1 Annual Reports 2022 & EMS Targets Review 2022

NRW Lead Officer: Rebecca Green.

Report sent to: Owain Morgan, Mechanical Services Manager on 16/02/2023.

1. Summary of our findings (full details in section 4)

Part of permitted activity assessed (criteria)	Assessment result	Permit condition
A1 - Specified by permit	Assessed (A)	
C2 - General Management - Management system and operating procedures	Assessed (A)	
E1 - Emissions - Air	Assessed (A)	
E5 - Emissions - Waste	Assessed (A)	
G1 - Monitoring and Records, Maintenance and Reporting - Monitoring of emissions and environment	Assessed (A)	
G4 - Monitoring and Records, Maintenance and Reporting - Reporting and notification to Natural Resources Wales	Assessed (A)	
H1 - Resource Efficiency - Efficient use of raw materials	Assessed (A)	
H2 - Resource Efficiency - Energy efficiency	Assessed (A)	

Result types are explained in more detail in the 'Important Information' section below.

Total number of non-compliances recorded	Total non-compliance score
0	0

How we use the non-compliance score to calculate your annual fee is explained in the 'Important Information' section below.

2. What action is required?

No action required.

3. What will happen next?

Any non-compliance we have identified and recorded on this form is an offence. It can result in criminal prosecution and/or suspension or revocation of your permit.

At this time, we do not intend to take any further action.

This statement does not stop us from taking additional enforcement action if further relevant information comes to light or offences continue.

4. Details of our assessment

Forms Energy 1 2022; Water Usage 1 2022; Air - 8, Air Emissions 2022; Performance 1 2022; Waste 1 2022; Waste Q1 to Q4 2022 and the Annual Improvement Targets Summary Report 2022 were all received on 31st January 2023.

All the reports are accepted.

Energy 1 2022

Overall use was lower than in 2021 and about 2% less per tonne of steam generated (pts).

Electricity and gas use were lower than in 2021. Electricity usage pts was 3% lower and gas use pts was 4% lower.

Oil and diesel use were more than in 2021; oil use almost doubled pts and diesel use was more than 10% higher pts. This is considerably higher than in previous years, (an average of 19.5MJ over the previous 10 years). The increase is said to be due to the gas boilers having to be shutdown for maintenance.

Water Usage 2022

Less water was abstracted than in 2021 and less was used in the boiler house, decreasing by more than 8% pts.

Overall water usage decreased by 9% pts.

Air - 8, Air Emissions 2022

Emissions were measured at 90 - 100% load and all were less than the emission limit value. Boiler 2 Left was not in use when the monitoring was carried out.

Waste 1 2022

The total amount of waste generated was more than half that generated in 2021 and decreased by 60% pts. It was all boiler sludge.

Performance 1 2022

The amount of steam generated was slightly lower than in 2021. The other performance parameters are discussed under the relevant headings above.

Annual Improvement Targets Summary Reports 2022

The target of a 2% reduction in gas consumption was achieved.

The target of a 2% reduction in water consumption was not met, consumption increased by more than 50%. This was due to a major water leak which was repaired in October. Acoustic monitoring for leak detection has been trialled, but proved unsuitable.

The 2% reduction in electricity consumption was not met; actual consumption rose by 3%. This was mainly due to a return to normal occupancy following the pandemic. However, consumption was less than in 2021, because water pumps had to be turned off while leaks were repaired.

BAE have set targets of a 2% reduction in gas, electricity and water consumption for 2023.

The increases in oil and diesel use are very disappointing. The reductions in waste generation, water use and abstraction are encouraging. It is hoped that BAE will concentrate their efforts on reducing energy and water consumption so that they can meet their targets for 2023.

END.

If you have any queries about this report, or to discuss completion of any actions, please contact the NRW Officer named above.

Important information

Legal status of this report

Your permit is issued to you under the Environmental Permitting Regulations. You have a responsibility to comply with the conditions of your permit and prevent pollution/harm of the environment. You must also ensure that you comply with any other relevant legislation that may apply to your site's operations.

This report explains the findings of our assessment and any action you are required to take. We categorise non-compliance using our guidance for assessing non-compliance at regulated sites.

When we find potential non-compliance/s we will normally give you advice on how to maintain compliance.

To correct non-compliance, we may:

- require you to take specific actions
- issue a notice
- review the conditions of your permit.

Any advice and guidance we give will be without prejudice to any other enforcement response that we consider may be required.

Assessment results and non-compliance categories (used in section 1):

Assessment result	Description
Assessed (A)	Assessed or assessed in part, no evidence of non-compliance found
Action only (X)	Action only relating to the activity assessment
Ongoing (O)	Ongoing non-compliance, not scored

Non-compliance category	Description	Score
C1 Major	Potential to have a major, serious, persistent and/or extensive impact or effect on the environment, people and/or property	60
C2 Significant	Potential to have a significant impact or effect on the environment, people and/or property	31
C3 Minor	Potential to have a minor or minimal impact or effect on the environment, people and/or property	4
C4 No environmental impact	Non-compliance at a regulated site that cannot foreseeably have any impact on the environment, people and/or property	0.1

How we use assessment scores

The number and severity of non-compliances recorded in a year will affect your annual subsistence fee the following year. A non-compliance factor is added to your site's Operator

Performance Risk Appraisal (OPRA) score when we calculate your fee to reflect the additional resource we use to assess permit compliance.

What are suspended scores?

In line with our guidance, we may suspend scores for up to six months to allow time for remedial action to be taken. Suspended scores will be re-instated if the action is not completed.

Full list of Industry and Waste action criteria (used in section 1 and 2):**A: Permitted activities**

- A1 Specified by permit

B: Infrastructure

- B1 Infrastructure – Engineering for prevention and control of emissions
- B2 Infrastructure – Closure and decommissioning
- B3 Infrastructure – Site drainage engineering (clean and foul)
- B4 Infrastructure – Containment of stored materials
- B5 Infrastructure – Plant and equipment

C: General management

- C1 General management – Staff competency/training
- C2 General management – Management system and operating procedures
- C3 General management – Materials acceptance
- C4 General management – Storage, handling, labelling and segregation

D: Incident management

- D1 Incident management – Site security
- D2 Incident management – Accidents, emergency and incident planning

E: Emissions

- E1 Emissions – Air
- E2 Emissions – Land and groundwater
- E3 Emissions – Surface water
- E4 Emissions – Sewer
- E5 Emissions – Waste

F: Amenity

- F1 Amenity – Odour
- F2 Amenity – Noise
- F3 Amenity – Dust/fibres/particulates and litter
- F4 Amenity – Pests/birds and scavengers
- F5 Amenity – Deposits on road

G: Monitoring and records, maintenance and reporting

- G1 Monitoring and records, maintenance and reporting – Monitoring of emissions and environment
- G2 Monitoring and records, maintenance and reporting – Records of activity, site diary/journal/events
- G3 Monitoring and records, maintenance and reporting – Maintenance records
- G4 Monitoring and records, maintenance and reporting – Reporting and notification to Natural Resources Wales

H: Resources efficiency

- H1 Resource efficiency – Efficient use of raw materials
- H2 Resource efficiency – Energy efficiency

Enforcement response

Any permit condition non-compliance is an offence and we may take legal action against you. Action we take can include prosecution, serving a notice on you and/or suspension or revocation of your permit. See our Enforcement and Sanctions Guidance for further information.

Data protection notice

You should make sure that anyone named in this report knows that the information it contains will be processed by Natural Resources Wales to fulfil its regulatory and monitoring functions and to maintain the relevant public register(s).

We may also use and/or disclose the report in connection with:

- offering or providing you with our literature or services relating to environmental matters
- consulting with the public, public bodies and other organisations (e.g. Health and Safety Executive, local authorities) on environmental issues
- carrying out statistical analysis, research and development on environmental issues
- providing public register information to enquirers
- investigating possible breaches of environmental law
- assessing customer service satisfaction and improving our service
- Freedom of Information Act or Environmental Information Regulations requests.

We may also pass it on to our agents or representatives to do these things on our behalf.

Disclosure of information – this report will be available to view on-line

If you think this report contains commercially confidential information that should not be placed on our public register, you must contact your local Natural Resources Wales office within **fifteen working days** of receiving this report, using the contact details in the accompanying email or letter. You must give a full explanation of why it should not be added to our public register, including specifying which information is commercially confidential. We will assess your request and respond to you within 20 working days to let you know if we agree to your request.

What do I do if I disagree with the report or have a complaint?

If you disagree with this compliance assessment report, you should contact the lead officer without delay to discuss your concerns.

If you are unable to resolve the issue with the lead officer or their line manager you should contact our Customer Contact team on 0300 065 3000 (Monday to Friday 08:00 – 18:00), or email enquiries@naturalresourceswales.gov.uk for details of how to raise your dispute further through our Complaints and Commendations procedure.

If you are dissatisfied with our response, you can contact the Public Services Ombudsman for Wales by phone on 0300 7900203 or by email at ask@ombudsman.wales

Welsh Language Standards

We are committed to establishing Natural Resources Wales as a naturally bilingual organisation. We will provide compliance reports in your preferred language.