

Water Resources Act 1991
as amended by the Environment Act 1995
Consent to Discharge
Certificate of Holder



**ENVIRONMENT
AGENCY**

Part A

To: DWR CYMRU CYFYNGEDIG
ENVIRONMENT QUALITY SCIENTIST
PLAS-Y-FFYNNON
CAMBRIAN WAY
BRECON LD3 7HP



CG0147001

NB: For a body corporate the job title is a point of contact.
Holder Start Date: 01-OCT-96

The Environment Agency ("the Agency") hereby confirm that the above named person is a/the registered holder of consent **CG0147001** Consent Issued: 21-SEP-99

Nature of Discharge(s); **SEWAGE EFF/STORM EFF/RAINFALL**
at

CEMAES SEWAGE PS/BALANCING TANK CEMAES BAY

Note: This certificate should be kept with the consent document for future reference. If you transfer responsibility for the discharge to somebody else you must pass the consent to them and tell the Agency within 21 days. **Responsibility for the consent cannot be disclaimed by the holder but the registration of holder may be transferred to a successor.** To do this please complete the form below, then tear it off and return it to the address shown. If you fail to transfer the consent, even though you are no longer on the site, you may still be liable for prosecution for pollution. If you transfer the consent but do not tell us, you will be committing an offence. In case of any queries please contact your local Environment Agency office.

Part B Please complete in block capitals or type.

To:

Water Resources Act 1991: Notice of transfer of consent to discharge

Consent: **CG0147001**
Consent Issued: 21-SEP-99

Name: DWR CYMRU CYFYNGEDIG
Address: ENVIRONMENT QUALITY SCIENTIST
PLAS-Y-FFYNNON
CAMBRIAN WAY
BRECON LD3 7HP

I/We* hereby serve notice on the Agency that I/we* am/are* no longer a/the* Holder of the above consent which will be/was* transferred to:

* delete as appropriate

Name(s) of new holder(s):
Address:

Post Code:

Date of Transfer to new Holder(s);

Signed:..... Dated:.....

Name (block capitals): Position:



Water Resources Act 1991
as amended by the Environment Act 1995
Consent to Discharge
Certificate of Holder



**ENVIRONMENT
AGENCY**

Part A

To: DWR CYMRU CYFYNGEDIG
CONSENTS REGULATION OFFICER
PLAS-Y-FFYNNON
CAMBRIAN WAY
BRECON LD3 7HP

The Environment Agency ("the Agency") hereby confirm that the above named person is a/the registered holder of consent CG0147001

Nature of Discharge(s); SEWAGE EFF/CRUDE EFF/EMERGENCY
at CEMAES BAY MAIN PS ANGLESEY

Note: This certificate should be kept with the consent document for future reference. If you transfer responsibility for the discharge to somebody else you must pass the consent to them and tell the Agency within 21 days. **Responsibility for the consent cannot be disclaimed by the holder but the registration of holder may be transferred to a successor.** To do this please complete the form below, then tear it off and return it to the address shown. If you fail to transfer the consent, even though you are no longer on the site, you may still be liable for prosecution for pollution. If you transfer the consent but do not tell us, you will be committing an offence. In case of any queries please contact your local Environment Agency office.

Part B Please complete in block capitals or type.

To:

Water Resources Act 1991: Notice of transfer of consent to discharge

Consent:

Name:

Address:

I/We* hereby serve notice on the Agency that I/we* am/are* no longer a/the* Holder of the above consent which will be/was* transferred to: * delete as appropriate

Name(s) of new holder(s):

Address:

Post Code:

Date of Transfer to new Holder(s):

Signed:

Dated:

Name (block capitals):

Position:



Your ref.: various
Our ref.: N/WQConsents/DSAnnex

Date: 14th March 2000



ASiantaeth YR
AMGYLCHEDD CYMRU
ENVIRONMENT
AGENCY WALES

Mr A. Andrews
Dŵr Cymru cyf.
Plas Y Fynnon
Cambrian Way
Brecon
LD3 7HP

RECEIVED
- 5 APR 2000
BUCKLEY

Dear Sir

DISCHARGE CONSENTS - NOTIFICATION OF CHANGE TO DANGEROUS SUBSTANCES ANNEX

According to our records, you have a Consent to discharge trade or sewage effluent. The Discharge Consent contains the following condition or one that is similar: -

"The discharger shall notify the Agency in writing if any known introduction or material change in respect of discharges from trade premises...occurs that may increase or introduce into the effluent any "dangerous substance" included on List I, List II, or Red List (set out in Annex ...to this notice as updated from time to time and notified to the discharger in writing)..."

Owing to Regulations issued by DETR, the Environment Agency has reviewed the listing of substances in the Annex to this condition.

The Surface Waters (Dangerous Substances) (Classification) Regulations (SI No 2560 (1997) and SI No 389 (1998)) have made some substances, which had previously been identified in Government circular 7/89, statutory and have added 20 new substances to this list. The Annex listing has also been revised to reflect the additional substances in the Regulations and to include other substances that have become a cause for concern since 1989 when the listing was first issued.

This letter and the attached revised listing serves as the required Notification, referred to in the Consent condition. The change takes immediate effect. Please replace the old list with the new one. Please contact your local Environment Agency office and write or speak to Alun Davies if you have any queries about this letter.

Thank you for your help in this important matter.

Yours faithfully

B. Williams

PP
KEVIN THOMAS
WATER QUALITY MANAGER WALES

Asiantaeth yr Amgylchedd Cymru
Plas-yr-Afon, Parc Busnes Llancirwg, Llancirwg, Caerdydd, CF3 0EY
Ffon: 029 20770088 Ffacs: 029 20798555

Environment Agency Wales
Rivers House, St Mellons Business Park, St Mellons, Cardiff, CF3 0EY
Tel: 029 20770088 Fax: 029 20798555




CONSENT NO.	CG0147001
SCHEDULE NO.	

ANNEX

- | | |
|--|------------------------------|
| 1. Mercury and its compounds | 2. Cadmium and its compounds |
| 3. Hexachlorocyclohexane
(lindane and related compounds) | 4. Carbon tetrachloride |
| 5. DDT (the isomers of 1,1,1-trichloro-2,2 bis{p-chlorophenyl} ethane) | |
| 6. Pentachlorophenol (PCP) | 7. Aldrin |
| 8. Dieldrin | 9. Endrin |
| 10. Isodrin | 11. Hexachlorobenzene (HCB) |
| 12. Hexachlorobutadiene (HCBd) | 13. Chloroform |
| 14. Polychlorinated biphenyls | 15. Dichlorvos |
| 16. 1,2-Dichloroethane | 17. Trichlorobenzene |
| 18. Atrazine | 19. Simazine |
| 20. Tributyltin compounds | 21. Triphenyltin compounds |
| 22. Trifluralin | 23. Fenitrothion |
| 24. Azinphos-methyl | 25. Malathion |
| 26. Endosulfan | 27. Lead |
| 28. Chromium | 29. Zinc |
| 30. Copper | 31. Nickel |
| 32. Arsenic | 33. *Iron |
| 34. *pH outside range 5.5 to 9.0 | 35. *Boron |
| 36. Vanadium | 37. PCSD'S |
| 38. Cyfluthrin | 39. Sulcofuron |
| 40. Flucifuron | 41. Permethrin |
| 42. 4-Chloro-3-methyl-phenol | 43. 2-Chlorophenol |
| 44. 2,4-Dichlorophenol | 45. 2,4-D (ester) |
| 46. 2,4-D (non ester) | 47. 1,1,1-Trichloroethane |
| 48. 1,1,2-Trichloroethane | 49. Bentazone |
| 50. Benzene | 51. Biphenyl |
| 52. Chloronitrotoluenes | 53. Demeton |
| 54. Dimethoate | 55. Linuron |
| 56. MCPA | 57. Mecoprop |
| 58. Mevinphos | 59. Napthalene |
| 60. Omethoate | 61. Toluene |
| 62. Triazophos | 63. Xylene |
| 64. Cyanide | 65. Azinphos-ethyl |
| 66. Fenthion | 67. Parathion |
| 68. Parathion-methyl | 69. Trichloroethylene |
| 70. Tetrachloroethylene | 71. Dioxins |
| 72. PAHs | 73. Nonyl phenol |
| 74. Nonyl phenyl ethoxylate | 75. Di-ethylhexyl phthalate |
| 76. Bisphenol-A | 77. Diazinon |
| 78. Chlorfenvinphos | 79. Chlorotoluron |
| 80. Isoproturon | 81. Diuron |
| 82. Propetamphos | 83. Flumethrin |
| 84. Amitraz | 85. High-Cis Cypermethrin |
| 86. Cyromazine | 87. Deltamethrin |
| 88. Cypermethrin | |

This list is applicable as at 1 December 1998 and will be updated as and when changes to the relevant legislative requirements occur.

*Notification to the Agency by the Consent holder is only required in respect of changes to trade effluents likely to cause significant changes to the pH value, and/or iron or boron concentrations, of the crude sewage.



ENVIRONMENT
AGENCY



WATER RESOURCES ACT 1991 (schedule 10)

(as amended by the Environment Act 1995)

Application for ~~new consent~~/variation to an existing consent* to discharge

(* delete as appropriate)

Regional/Area Address:	<i>Official Use Only</i> Dist/Area Ref: NEP2 Application No. CG0147001 Date Received: 10-6-99 Fee Received: £618-
-------------------------------	---

Each applicant must complete the main form and may need to complete a separate annexe if appropriate. Please look through the form and read the notes carefully before you complete it. Processing of your application will be aided by full and accurate completion of all the relevant sections and provision of the necessary plans. If you have any queries regarding the form please contact the person given in the notes.

NOTE:

All information contained within this application will be made available on the public register unless there is a request to withhold any of it. Any such request should provide a full justification stating why the information needs to be withheld

1 SITE ADDRESS

1.1 Address or other sufficient description of land or premises to which this application applies.

CEMAES BALANCE TANK / SEWAGE PUMPING STATION

Post Code:

2 DETAILS OF DISCHARGE(S)

2.1 State the nature of the discharge(s) (see note i and ii) - tick one or more boxes as appropriate:-

Sewage Effluent - volume of 5 cubic metres per day or less ☐

~~Sewage Effluent - volume greater than 5 cubic metres per day (complete annexe 1)~~ ☐

Sewage Effluent discharged under storm or emergency conditions (complete annexe 2) ☒

Cooling Water (complete annexe 3) ☐

Trade Effluent (including site drainage) (complete annexe 3) ☐

Others (please specify) ☐

2.2 Please state the maximum quantity it is proposed to discharge in any one day m³/day
Briefly state how this figure was calculated (see note ii).

X LIMITED TO 3 SPILLS PER BATHING SEASON PUMPED TO TRWYN Y PENRYN OUTFALL (SH 3683 9387).
SEE GEMAES WASTE WATER TREATMENT SCHEME DESCRIPTION AND REPORT - DRAINAGE MODEL STUDY (MARCH 1999).

2.3 a) Indicate proposed means of discharge - tick as appropriate and show on plan:-
(for 1, 2 & 3 please state dimensions below)

1. Pipe ☒

4. Borehole ☐

7. Sub-Irrigation System ☐

2. Channel ☐

5. Well ☐

8. Combination of 6. & 7. ☐

3. Culvert ☐

6. Soakaway ☐

9. Other (please specify below) ☐

200 mm DIAMETER
(EMERGENCY OUTFALL IF OUTFALL PUMPS FAIL - 300 mm)

b) National Grid Reference(s) of point(s) of discharge (see note iii).

SH / 3683 / 9387 (please indicate on accompanying plans)

IN EMERGENCY TO OUTFALL AT SH 3695 9367

2.4 a) The Agency will normally require adequate provision for the taking of samples of the discharge in a safe and convenient manner at any time. Please indicate the means proposed (see note iv) - tick as appropriate and show on plan:-

At the outlet ☐

At a manhole or sampling chamber ☒

Other (please specify)

b) National Grid Reference(s) of sampling point(s). (If different from 2.3 b) above)

SH / 3686 / 9382 (please indicate on accompanying plans)

EMERGENCY OUTFALL SAMPLE POINT SH 3695 9367

c) What flow measurement facilities will be provided (see note v)?

Please give details.

2.5 a) Type of Treatment Plant(s) to be used (please specify make and model) - tick as appropriate:-

Septic Tank ☐

Package Sewage Treatment Works ☐

Other ☒

SEWAGE PUMPING STATION

b) Will the treatment process involve the use of any chemicals (eg ferric salts, polyelectrolytes) ☒ Y/N
If yes please give details.

2.6 a) On what date do you anticipate the discharge will commence?

30/6/99

b) If you require the consent for a limited time period please give dates; from:

1/1

to:

1/1

c) If the discharge is not continuous please detail the period/circumstances when it will occur.

DESIGNED TO LIMIT TO 3 SPILLS PER BATHING SEASON
DISCHARGE ALSO POSSIBLE IN EMERGENCY

2.7 a) Are there any existing consents for discharge from the premises (see note vi)? ☒ Y/N

If yes, please give the reference numbers (Any further information should be given in section 5.3).

CG 0140801

CG 0147001

b) Has any person had a Prohibition Notice served on them in respect of this site? ☒ Y/N

If yes, please give the reference number.

3 SITE DETAILS

3.1 Please give the name of the relevant Planning Authority.

YNYS. MON

3.2 Please give details of the premises - tick as appropriate:-

1. Single Dwelling ☐

2. Multiple Dwellings ☐

3. Industrial Premises ☐

4. Vehicle Parking Area ☐

5. Commercial Premises (please specify) ☐

6. Fish Farm ☐

7. Mineral Workings ☐

8. Water Services plc STW ☐

9. Water Supply ☐

10. Other (please specify) ☒

WATER SERVICES plc SPS

3.3 Please indicate source of the water supply - tick as appropriate:-

- | | | | |
|--|--------------------------|---|--------------------------|
| 1. Well | <input type="checkbox"/> | 5. River (please give name below) | <input type="checkbox"/> |
| 2. Borehole | <input type="checkbox"/> | 6. Estuary (please give name below) | <input type="checkbox"/> |
| 3. Precipitation (eg. rain or snow) | <input type="checkbox"/> | 7. Coastal Water (please give name below) | <input type="checkbox"/> |
| 4. Mains (please state water supply company) | <input type="checkbox"/> | | |

4 DETAILS OF RECEIVING ENVIRONMENT

4.1 Receiving Medium - tick the category(s) to which the proposed discharge(s) is(are) to be made:-

- | | | | |
|--|--------------------------|---------------------------------|-------------------------------------|
| 1. Estuarial Water (tidal river or stream) | <input type="checkbox"/> | 5. Into Land | <input type="checkbox"/> |
| 2. River or Stream (non-tidal) | <input type="checkbox"/> | 6. Onto Land | <input type="checkbox"/> |
| 3. Canal | <input type="checkbox"/> | 7. Directly into Groundwater | <input type="checkbox"/> |
| 4. Lake, Loch or Pond | <input type="checkbox"/> | 8. Coastal Water (see note vii) | <input checked="" type="checkbox"/> |

State name of receiving water if known:

4.2 In the case of sub-irrigation systems, soakaways or boreholes:-

- (a) Is any part of the system within 5 metres of the boundary of the premises?
- (b) Is any part of the system within 10 metres of a watercourse?
- (c) Is any part of the system within 50 metres of a borehole or spring?
- (d) For wells and boreholes state dimension(s) in metres. m
- (e) For sub-irrigation systems, soakaway pits, wells and boreholes, state maximum depth in metres. m
- (f) For boreholes, state details of lining in metres:
- (i) Depth of lining m
- (ii) Depth of perforated lining m
- (iii) Depth of unperforated lining m
- (g) A percolation test must be carried out in accordance with British Standard BS6297:1983.
Have the results been provided?

4.3 Is there a foul sewer available to which the discharge(s) could be made (see note viii)?
If yes, please give the reasons it is not practical to connect to it (eg. distance, flow etc.).

5 DETAILS OF APPLICANT AND OTHER INFORMATION

5.1 (See general notes and note ix)

(a)

Full name and postal address of applicant. This should be the person who will become the consent holder should consent be issued.

*

*

*

*

*

*

DWR CYMRU CYFYNGEDIG
PLAS-Y-FFYNNON
CAMBRIAN WAY
BRECON
LD3 7HP

Post Code:

Daytime Telephone Number:

Company Registration Number (if appropriate):

(b)

Agent (if any) - Full name and postal address.

*

*

*

*

*

*

Post Code:

Contact Name and Daytime Telephone Number:

5.2

Please give full name and address to which bills should be sent if different to that given above:

*

*

*

*

*

*

Post Code:

Daytime Telephone Number:

5.3 Are there any other factors to be taken into account? Please continue on a separate sheet if necessary.

DECLARATION

I/We:

- 1. apply under the Water Resources Act 1991 (as amended by the Environment Act 1995) for consent to discharge, as described in this Application. "This Application" means this page, all the other pages of this form and any attached annexes, the attached plan(s), any other sheets attached, and any other written information supplied to support the application.
- 2. enclose the required application fee, payable to the Environment Agency (see note x).
- 3. enclose 3 copies of the plan(s) and location maps with all relevant information clearly marked (see note xi).
- 4. will pay required advertising costs (see note xii).
- 5. confirm that I/we* will notify the Environment Agency of any changes in the information in this application which might be material to the continuation of the consent.
- 6. confirm that the information given in this application and any questions which the Environment Agency may have about it is/will* be true to the best of my/our* knowledge, information and belief and am/are* not aware of any other facts or information which might affect the granting of a consent, or conditions which might be put on it (see note xiii).
- 7. confirm that I/we* will pay any annual charges due should a consent be granted YES/NO*. If no please indicate who will by completing section 5.2 above (see note xiv).

(* Delete as appropriate)

SIGNED: A. R. Andrews

PRINT NAME: ANDREWS

ON BEHALF OF: Dwr Cymru cyf

DATED: 09.06.99

o o o

CONFIDENTIALITY

I/we apply for commercial confidentiality and enclose a full written justification (see note xv).

SIGNED:

DATED:

PLEASE RETURN THIS FORM TO THE ADDRESS GIVEN ON THE FRONT PAGE



ENVIRONMENT AGENCY

ANNEXE 1

SEWAGE EFFLUENT GREATER THAN 5 CUBIC METRES PER DAY

Please complete this annexe if you are proposing to discharge more than 5 cubic metres per day of sewage effluent (if the effluent is to contain a trade component Annexe 3 should also be completed).

Official Use Only
Application No.

1. Site Name.

CEMAES BALANCE TANK / SEWAGE PUMPING STATION

2. Please detail the type and number of treatment units you are proposing to use.

BALANCE TANK / SEWAGE PUMPING STATION

3. Volume, rates and overflow settings. (Please give volumes in cubic metres per day or litres per second as indicated below)

- a) Maximum flow to full treatment.
(see note (ii) in main guidance notes for population equivalents)
- b) Dry weather flow of discharge(s).
- c) Average daily flow.
- d) Maximum rate of discharge(s)

N/A m³/d

N/A m³/d

N/A m³/d

N/A l/s

4. Will there be provisions for storm/emergency discharges?

☒ Y ☐ N

If yes, please complete Annexe 2.

5. a) Will any self monitoring take place?

☒ Y ☐ N

If yes, please give details.

N/A

b) Will automatic sampling equipment be provided?

☒ Y ☐ N

If yes, please give details of type and location (please indicate on plan).

N/A

6. a) Please state the maximum population served by the ~~treatment works~~ ^{balance tank / SPS}

SEE ANNEX 4

- b) Please give reasons for any variations in population eg. holiday resort, training area, seasonal industry etc. and detail the periods/times involved.

- c) Please state type of catchment/site being served eg. residential, resort, industrial etc.

SMALL COASTAL VILLAGE ON ISLE OF ANGLESEY

7. Will a maintenance agreement be set up to manage the sewage works? (see note b)
If yes, please give details.

☒ Y ☐ N

N/A

8. Does the effluent contain a trade component?
If yes, please complete appropriate section on Annexe 3 for authorised discharges of trade effluent to the sewerage system.

☒ Y ☐ N

Notes (see also the notes attached to the main form):

- a) For significant sewage treatment plants full details of the plant design, dry weather flow and Biochemical Oxygen Demand load, along with information on all discharges from the works must be included in order for the application to be processed. Flow monitoring will normally be required for such discharges and details of siting and type of flow recorders should be provided.
- b) The Agency require a single body or company to be responsible for the discharge and any bills raised under the Charges for Discharges Scheme. Where multiple dwellings under different ownership are connected to the same system a management company should be set up.



ENVIRONMENT AGENCY

ANNEXE 2

SEWAGE EFFLUENT DISCHARGED IN STORM OR EMERGENCY CONDITIONS

Please complete this annexe if you are proposing to make a discharge of sewage in emergency or storm conditions (if the effluent is to contain a trade component then Annexe 3 should also be completed)

Official Use Only
Application No.

1. Site Name.

CEMAES BALANCING TANK / SEWAGE PUMPING STATION

2. State the type of discharge - tick as appropriate:-

Storm tanks

☐

Combined Sewer Overflow from sewerage system

☐

Combined Sewer Overflow from pumping station

☒

Emergency overflow from sewerage system

☐

Emergency overflow from pumping station

☐

Other (please specify)

☒

3. For effluents discharging from sewage treatment works, is the storm/emergency effluent discharged via the same outlet as the treated effluent?

Y/N

If no please give: a) the National Grid Reference of the treated effluent outlet.

☐ ☐ / ☐ ☐ ☐ ☐ / ☐ ☐ ☐ ☐

b) the consent or application number covering the treated effluent discharge.

If yes please give the National Grid Reference of the storm/emergency sampling point (see notes).

☐ ☐ / ☐ ☐ ☐ ☐ / ☐ ☐ ☐ ☐

4. For effluents discharging from combined sewer overflows, is the discharge via a dedicated pipe?

Y/N

If no please give the National Grid Reference of the overflow into the sewer.

☐ ☐ / ☐ ☐ ☐ ☐ / ☐ ☐ ☐ ☐

5. Overflow settings

- a) Overflow setting to storm tanks.
- b) Maximum flow to storm tanks.
- c) Overflow setting to storm sewage overflow.
- d) Maximum flow to storm sewage overflow.

N/A l/s

N/A l/s

13 l/s

LIMITED TO 3 SPILLS PER BATHING SEASON l/s

6. Storage capacity

- a) Volume of Storm Tanks.
- b) Retention time of storm tanks at maximum flow.
- c) Storage capacity of sewer/wet well.

N/A m³

N/A hours

145.0 m³/day

7. Please provide full details of the design criteria that have been used to support this application.

DESIGNED TO PASS FORWARD 3 DWF TO FULL TREATMENT
P, I, G, E DETAILS SHOWN IN ANNEX 4.

8. Will facilities be provided to raise alarms (eg. telemetry)?
If yes, please give details.

Y/N

ON TELEMETRY SYSTEM

9. Will facilities be provided to prevent the discharge of gross solids?
If yes, please give details (for screens give bar spacing or aperture).

Y/N

6mm aperture size
EMERGENCY SCREENING 10mm BAR

10. What provisions will be made to deal with:

- a) power failure (eg. standby generators)?

PLUG IN FACILITY FOR MOBILE GENERATOR

- b) mechanical breakdown (eg. standby pumps)?

DUTY / STANDBY ; PUMPED OUTFALL DUTY / STANDBY

- c) rising main failure?

EMERGENCY PROVISION WOULD BE INITIATED IN CONSULTATION WITH THE AGENCY. DP NOT SYSTEM WOULD KEEP AGENCY FULLY INFORMED

- d) tanker access?

AVAILABLE IF CIRCUMSTANCES DICTATE. A SUITABLE RESPONSE MEASURE WOULD BE INITIATED AND THE AGENCY KEPT FULLY INFORMED

Notes (see also the notes on the main form):

Full details of the design criteria must be provided in order for the application to be determined. If you have any queries about what information is required please contact the person given in notes attached to the main form.

ANNEXE 4
WELSH REGION SUPPLEMENTARY INFORMATION ANNEXE



ASiantaeth Yr
AMGylchedd
Environment
Agency

This annexe must be completed for every proposed discharge.

Official Use Only
Application No.

All proposed discharges:

1. Site Name: CEMAES BALANCE TANK / SEWAGE PUMPING STATION

2. If the proposed discharge is to be made down a pipe, channel or culvert (as given in Section 2.3 in the main application form), state the diameter (including units): 200 mm
IN EMERGENCY IF OUTFALL PUMP FAILS 300 mm

3. Please indicate the anticipated costs of the proposed scheme, including any alternatives which may have been considered:

CEMAES SEWERAGE / WASTEWATER TREATMENT WORKS
SCHEME COSTS - APPROX £1.75 million

4. Is there any trade component in the proposed discharge?

X/N

If yes, please confirm here that you have completed and enclosed Annex 3:

Tick

For proposed discharges of sewage in storm or emergency conditions:

5. Please confirm here that you have completed and enclosed both Annexes 1 and 2:

Tick

Annexe 1

✓

Annexe 2

✓

6. Please state:

Population served (head)

1562

Consumption (l/head/day) default = 180

180

Infiltration (m³/day) ℓ/s

1.0/s

Industrial effluent flow (m³/day) ℓ/s

0

Dry Weather Flow (m³/day) ℓ/s

4.3 ℓ/s

SOCA (m³/sec) ℓ/s

29 ℓ/s

Predicted spill frequency

3 spills per bathing season

Important Note:

Whoever signs the declaration on the main application form takes responsibility for the discharge, and will become the registered consent holder, if consent is given. In the case of a 'body corporate' (e.g. a public limited company ('plc'), limited company, local authority), the 'body corporate' will be the registered consent holder, and the person with the delegated authority to sign on behalf of the 'body corporate' should give their job title.



CONSENT NO.

CG0147001



ASiantaeth Yr
AMGYLCHEDD CYMRU
ENVIRONMENT
AGENCY WALES

WATER RESOURCES ACT 1991

SECTION 88 - SCHEDULE 10

(AS AMENDED BY THE ENVIRONMENT ACT 1995)

VARIATION OF CONSENT TO DISCHARGE

TO: Environment Quality Scientist
Dwr Cymru Cyfyngedig
Plas y Ffynnon
Cambrian Way
Brecon LD3 7HP.

In pursuance of an application by the consent holder for variation of consent, the **ENVIRONMENT AGENCY** ("The Agency") in pursuance of its powers under the Water Resources Act 1991 **HEREBY VARIES ITS CONSENT** to the making of several discharges **OF SEWAGE EFFLUENT**, as follows:

Storm Sewage and Sewage in an Emergency
with respect to Review of Consent No. CG0147001 dated 23rd November 1992

FROM: Cemaes Sewage Pumping Station / Balancing Tank

AT: Cemaes Bay

TO: Coastal Waters of the Irish Sea

HEREAFTER SUBJECT TO the conditions set out in the following schedule(s):

Storm sewage

Schedule No. CG014700101

Sewage in an Emergency

Schedule No. CG014700102

Subject to the provisions of Paragraphs 7 and 8 of Schedule 10 of the Water Resources Act 1991, no notice shall be served by the Agency, which alters the effect of variations made to this consent, without the agreement in writing of the consent holder, during a period of 4 years from the date this variation is issued.

This variation of consent is issued and takes effect on the 21st of September 1999.

Signed
Water Quality Consents Team Leader

Asiantaeth yr Amgylchedd
Ffordd Caer, Bwcle, Sir Fflint CH7 3AJ Ffon 01244 550124 Ffacs 01244 550144

Environment Agency
Chester Road, Buckley, Flintshire CH7 3AJ Tel 01244 550124 Fax 01244 550144



CONSENT NO.	CG0147001
SCHEDULE NO.	CG014700101
DATE ISSUED	21st Sept. 1999



**ASiantaeth Yr
Amgylchedd Cymru
Environment
Agency Wales**

CONDITIONS OF CONSENT TO DISCHARGE

Storm Sewage ("the Discharge")

FROM: Cemaes Sewage Pumping Station / Balancing Tank

NATURE

- 1 The Discharge shall consist solely of storm sewage.

LOCATION

- 2 The Discharge shall be made in the manner and at the place specified as:
 - (a) discharging via a 200 millimetre diameter pipe;
 - (b) discharging to Irish Sea;
 - (c) at National Grid Reference SH 3683 9387;
 - (d) shown marked 'Existing Outfall Retained for Screened and Pumped Emergency Overflows Only (C1)' on Plan CG0147001 attached as Annex 1.

SAMPLE POINT

- 3 A sample point shall be provided and maintained at National Grid Reference SH 3686 9382, as shown marked 'Sampling Point (C2)' on Plan CG0147001 attached as Annex 1, so that a representative sample of the Discharge may be obtained. The consent holder shall ensure that all constituents of the Discharge pass through the said sampling point at all times and in any legal proceedings it shall, for the purposes of Section 10 of the Rivers (Prevention of Pollution) Act 1961, be presumed, until the contrary is shown that any sample of the Discharge taken at the said sampling point is a sample of what was discharging into controlled waters.

COMPOSITION

- 4 (a) The Discharge shall not contain a significant quantity of solid matter having a size greater than 6 millimetres in more than one dimension.



CONSENT NO.	CG0147001
SCHEDULE NO.	CG014700101



**ASiantaeth yr
Amgylchedd Cymru
Environment
Agency Wales**

- (b) The Discharge shall not be comminuted or macerated to achieve the standard in (a) above.

VOLUME

- 5 The Discharge shall occur only when the rate of flow in the sewer at the overflow weir exceeds 13 litres per second due to rainfall and/or snow melt.

MAINTENANCE

- 6 The overflow shall be maintained in an efficient operational condition.



CONSENT NO.	CG0147001
SCHEDULE NO.	CG014700102
DATE ISSUED	21st Sept. 1999



**ASiantaeth Yr
Amgylchedd Cymru
Environment
Agency Wales**

CONDITIONS OF CONSENT TO DISCHARGE

Sewage in an Emergency ("the Discharge")

FROM: Cemaes Sewage Pumping Station / Balancing Tank

NATURE

- 1 The Discharge shall consist solely of sewage in an emergency.
- 2 The Discharge shall only occur when the sewage pumping station is inoperative as a result of one or more of the following;
 - (i) electrical power failure not due to the act or default of the consent holder, its agents, representatives, officers, employees or servants;
 - (ii) mechanical breakdown of duty and stand by pumps;
 - (iii) rising main failure;
 - (iv) blockage of the downstream sewer not due to the act or default of the consent holder its agents, representatives, officers or servants, or;

and it is not reasonably practicable to dispose of the sewage otherwise. There shall be no undue delay on the part of the consent holder in remedying any such failure or breakdown.

LOCATION

- 3 The Discharge shall be made in the manner and at the place specified as:
 - (a) discharging via a 300 millimetre diameter pipe;
 - (b) discharging to Irish Sea;
 - (c) at National Grid Reference SH 3695 9367;
 - (d) shown marked 'Existing Emergency Overflow Pipe & Sampling Points (D1/D2)' on Plan CG0147001 attached as Annex 1.



CONSENT NO.	CG0147001
SCHEDULE NO.	CG014700102



**ASiantaeth Yr
Amgylchedd Cymru
Environment
Agency Wales**

SAMPLE POINT

- 4 The outlet to the watercourse shall be constructed, maintained and appropriately labelled, so that a representative sample of the Discharge may be obtained at National Grid Reference SH 3695 9367 as shown marked 'Existing Emergency Overflow Pipe & Sampling Points (D1/D2)' on Plan CG0147001 attached as Annex 1.

COMPOSITION

- 5 (a) The Discharge shall not contain a significant quantity of solid matter having a size greater than 10 millimetres in more than two dimensions.
- (b) The Discharge shall not be comminuted or macerated to achieve the standard in (a) above.

RECORDING AND REPORTING

- 6 (a) The consent holder shall establish and operate a documented maintenance programme and record all non-routine actions undertaken which may have adversely affected effluent quality and/or operational performance of the Discharge. Copies of the programme shall be made available for inspection by the Agency's officers at all reasonable times.
- (b) On request the consent holder shall supply the Agency with a written report on the maintenance and all non-routine actions that may have adversely affected effluent quality .
- 7 The consent holder shall notify the Agency in writing if any known or planned introduction or material change in respect of discharges from trade premises to the sewerage system occurs, that may increase or introduce into the effluent any "dangerous substance" (set out in Annex 2 to this notice as updated from time to time and notified to the consent holder in writing), and any other substance considered by the consent holder as having or likely to have a significant effect on the receiving waters.

VOLUME

- 8 Storage capacity, equivalent to a total of at least 6 hours of the dry weather flow in the sewer immediately upstream of the pumping station, shall be provided in the pumping station, and or the upstream sewerage system, above the wet well design top water level.



CONSENT NO.	CG0147001
SCHEDULE NO.	CG014700102



ASiantaeth Yr
Amgylchedd Cymru
ENVIRONMENT
AGENCY WALES

OTHER

- 9
 - (a) A 24 hour response telemetry alarm system shall be provided and maintained to give notification of failure or breakdown of the pumping station.
 - (b) The consent holder shall take all reasonable remedial measures to return the pumping station to normal operation after receipt of warning of failure or breakdown of the pumping station.
 - (c) The consent holder shall notify the Agency, as soon as practicable when there is potential for operation of the emergency overflow in the event of failure or breakdown of the pumping station.
- 10 On request the consent holder shall supply the Agency with a written report on the operation of the emergency overflow.
- 11 Facilities shall be provided so that a mobile stand by generator may readily be installed at the pumping station in the event of electrical failure and the discharge shall install and operate such a generator as soon as is practicable after an electrical failure.
- 12 The duty pump(s) shall be maintained in good working order, and at least one stand by pump shall be provided and maintained.
- 13 A tanker access facility at an appropriate location shall be provided and maintained for use in the event of installed pumps being inoperative.
- 14 Stand-by pump(s) shall automatically activate should the duty pump(s) become inoperative for reasons other than power failure. The pumping station shall be maintained so that the pump(s) shall automatically reactivate immediately after the power is restored after the interruption to the supply.



CONSENT NO.


CG0147001




ASiantaeth yr
AMGylchedd Cymru
ENVIRONMENT
AGENCY WALES

ANNEX 1

Plan CG0147001



B	SAMPLING POINTS ADDED	05/99	JK	LGL	RYW
A	LAYOUT AMENDED	02/99	APM	LGL	RYW
REV.	REVISIONS	DATE	BY	CHKD	APPD
 DWR CYMRU WELSH WATER					
CEMAES WASTEWATER TREATMENT SCHEME					



CONSENT NO.	CG0147001
SCHEDULE NO.	CG0147001 01/02



ASiantaeth Yr
AMGYLCHEDD CYMRU
ENVIRONMENT
AGENCY WALES

ANNEX 2

- | | |
|--|------------------------------|
| 1. Mercury and its compounds | 2. Cadmium and its compounds |
| 3. Hexachlorocyclohexane
(lindane and related compounds) | 4. Carbon tetrachloride |
| 5. DDT (the isomers of 1,1,1-trichloro-2,2 bis{p-chlorophenyl} ethane) | |
| 6. Pentachlorophenol (PCP) | 7. Aldrin |
| 8. Dieldrin | 9. Endrin |
| 10. Isodrin | 11. Hexachlorobenzene (HCB) |
| 12. Hexachlorobutadiene (HCBd) | 13. Chloroform |
| 14. Polychlorinated biphenyls | 15. Dichlorvos |
| 16. 1,2-Dichloroethane | 17. Trichlorobenzene |
| 18. Atrazine | 19. Simazine |
| 20. Tributyltin compounds | 21. Triphenyltin compounds |
| 22. Trifluralin | 23. Fenitrothion |
| 24. Azinphos-methyl | 25. Malathion |
| 26. Endosulfan | 27. Lead |
| 28. Chromium | 29. Zinc |
| 30. Copper | 31. Nickel |
| 32. Arsenic | 33. *Iron |
| 34. *pH outside range 5.5 to 9.0 | 35. *Boron |
| 36. Vanadium | 37. PCSD'S |
| 38. Cyfluthrin | 39. Sulcofuron |
| 40. Flucofuron | 41. Permethrin |
| 42. 4-Chloro-3-methyl-phenol | 43. 2-Chlorophenol |
| 44. 2,4-Dichlorophenol | 45. 2,4-D (ester) |
| 46. 2,4-D (non ester) | 47. 1,1,1-Trichloroethane |
| 48. 1,1,2-Trichloroethane | 49. Bentazone |
| 50. Benzene | 51. Biphenyl |
| 52. Chloronitrotoluenes | 53. Demeton |
| 54. Dimethoate | 55. Linuron |
| 56. MCPA | 57. Mecoprop |
| 58. Mevinphos | 59. Napthalene |
| 60. Omethoate | 61. Toluene |
| 62. Triazophos | 63. Xylene |
| 64. Cyanide | 65. Azinphos-ethyl |
| 66. Fenthion | 67. Parathion |
| 68. Parathion-methyl | 69. Trichloroethylene |
| 70. Tetrachloroethylene | 71. Dioxins |
| 72. PAHs | 73. Nonyl phenol |
| 74. Nonyl phenyl ethoxylate | 75. Di-ethylhexyl phthalate |
| 76. Bisphenol-A | 77. Diazinon |
| 78. Chlorfenvinphos | 79. Chlorotoluron |
| 80. Isoproturon | 81. Diuron |
| 82. Propetamphos | 83. Flumethrin |
| 84. Amitraz | 85. High-Cis Cypermethrin |
| 86. Cyromazine | 87. Deltamethrin |
| 88. Cypermethrin | |

This list is applicable as at 1 December 1998 and will be updated as and when changes to the relevant legislative requirements occur.

*Notification to the Agency by the Consent holder is only required in respect of changes to trade effluents likely to cause significant changes to the pH value, and/or iron or boron concentrations, of the crude sewage.





Awdurdod Afonydd Cenedlaethol
Rhanbarth Cymru

National Rivers Authority
Welsh Region

Consent No.	CG0147001
-------------	-----------

WATER RESOURCES ACT 1991

Under Section 88 and Schedule 10 of the Water Resources Act 1991 and all other enabling powers the National Rivers Authority hereby gives this

C O N S E N T

Page 1 of 3

To: Dwr Cymru Cyfyngedig

Of: Plas-y-Ffynnon, Cambrian Way, Brecon, Powys LD3 7HP

For: A discharge from emergency screened sewage.

To: Coastal waters - Cemaes Bay.

From: Cemaes Bay Main P.S., Anglesey.

WHEREAS

1. On the 9th September 1987 the Welsh Water Authority applied to the Secretary of State for Wales for consent to make a discharge of emergency screened sewage from Cemaes Bay Main P.S. into controlled waters.

2. Consent was deemed granted on 29th September 1987 such that the discharge could lawfully be made pursuant to the provisions contained in article 4 of the Control of Pollution (Exemption of Certain Discharges from Control) (Variation) Order 1986 (as amended by article 2 of SI 1987 No 1782).

NOWHEREFORE under Section 88 and Schedule 10 of the Water Resources Act 1991 and all other enabling powers, the National Rivers Authority **HEREBY GIVES YOU NOTICE** that the said discharge of emergency screened sewage will become subject to the conditions contained herein three months from the date of issue of this Consent.

continued.....

Aelod Rhanbarthol o'r Bwrdd
Yr Athro Ron Edwards

Regional Board Member
Professor Ron Edwards

Rheolwr Rhanbarth Cyffredinol
Dr John Stoner

Regional General Manager
Dr John Stoner

Highfield, Ffordd Priestley
Caernarfon
Gwynedd, LL55 1HR
Ffôn: Caernarfon (0286) 672247
Ffacs: (0286) 4451

Highfield, Priestley Road
Caernarfon
Gwynedd, LL55 1HR
Tel: Caernarfon (0286) 672247
Fax: (0286) 4451



Awdurdod Afonydd Cenedlaethol
Rhanbarth Cymru

National Rivers Authority
Welsh Region

Consent No.	CG0147001
-------------	-----------

WATER RESOURCES ACT 1991
Continuation Sheet

page 2 of 3

CONDITIONS OF CONSENT

1. The discharge shall consist only of sewage discharged in an emergency to avoid danger to life or health. An electrical or mechanical breakdown of such severity as to render the pumping station completely inoperable, total failure of the external power supply or total blockage of the rising main shall be considered an emergency. An emergency shall not include station shut-down to facilitate maintenance or refurbishment.
2. The discharge shall only take place when it is not reasonably practicable to dispose of the sewage by other means.
3. The discharge shall be made in the manner and at the place specified as follows:-
Discharge via : A pipe at LWM.
Discharge to : Cemaes Bay.
At OS Grid Ref. : SH 3701 9380
As shown marked : Outfall on the enclosed map.
4. The Authority shall be notified of any discharge as soon as reasonably practicable and in any case within 24 hours.
5. All reasonably practicable steps shall be taken to minimise the duration of the discharge and its polluting effects.
6. The outfall shall be maintained in an efficient operational condition at all times.

Aelod Rhanbarthol o'r Bwrdd
Yr Athro Ron Edwards

Rheolwr Rhanbarth Cyffredinol
Dr John Stoner

Highfield, Ffordd Priestley
Caernarfon
Gwynedd, LL55 1HR
Ffôn: Caernarfon (0286) 672247
Ffacs: (0286) 4451

Regional Board Member
Professor Ron Edwards

Regional General Manager
Dr John Stoner

Highfield, Priestley Road
Caernarfon
Gwynedd, LL55 1HR
Tel: Caernarfon (0286) 672247
Fax: (0286) 4451



Awdurdod Afonydd Cenedlaethol
Rhanbarth Cymru

National Rivers Authority
Welsh Region


Consent No.	CG0147001
-------------	-----------

WATER RESOURCES ACT 1991
Continuation Sheet

page 3 of 3

CONDITIONS OF CONSENT

7. The Authority shall be informed in writing as soon as reasonably practicable of any information received by Dwr Cymru to the effect that there has been or is likely to be discharged into the sewer upstream of the outfall, substances listed in the attached annex.
8. This Consent should not be taken as providing a statutory defence against a charge of pollution in respect of any poisonous, noxious or polluting constituents not specified herein.

This Consent is given on: 23 November 1992 on behalf of the Authority
by:  Area Environmental Quality Manager

During the period ending with the 22 November 1994 the terms of this Consent will not be altered without the written agreement of the person making the discharge.

Aelod Rhanbarthol o'r Bwrdd
Yr Athro Ron Edwards

Rheolwr Rhanbarth Cyffredinol
Dr John Stoner


Highfield, Ffordd Priestley
Caernarfon
Gwynedd, LL55 1HR
Ffôn: Caernarfon (0286) 672247
Ffacs: (0286) 4451

Regional Board Member
Professor Ron Edwards

Regional General Manager
Dr John Stoner


Highfield, Priestley Road
Caernarfon
Gwynedd, LL55 1HR
Tel: Caernarfon (0286) 672247
Fax: (0286) 4451

Cemaes Bay



A N N E X

<u>SUBSTANCE</u>	
Mercury	Boron
Cadmium	Vanadium
g-Hexachlorocyclohexane	PCSDs
DDT	Cyfluthrin
Pentachlorophenol	Sulcofuron
Hexachlorobenzene	Flucofuron
Hexachlorobutadiene	Permethrin
Aldrin	Cyanide
Dieldrin	Azinphos-ethyl
Endrin	Fenthion
Polychlorinated Biphenyls	Parathion
Dichlorvos	Parathion-methyl
1,2 Dichloroethane	Tetrachloroethylene
Trichlorobenzene	Trichloroethane
Atrazine	Isodrin
Simazine	Dioxins
Tributyltin compounds	
Triphenyltin compounds	
Trifluralin	
Fenitrothion	
Azinphos-methyl	
Malathion	
Endosulphan	
Carbon tetrachloride	
Chloroform	
Trichloroethylene	
Perchloroethylene	
Lead	
Chromium	
Zinc	
Copper	
Nickel	
Arsenic	
Iron	
pH	



HER MAJESTY'S
INSPECTORATE OF POLLUTION
Cathays Park Cardiff CF1 3NQ

Direct Line 0222 82 3175 Switchboard 0222 825111 GTN 2408

Mr. M. Jones,
WWA - N. District

Your Reference CG 0147001

Our Reference WEP/WS 9111/90

Date 14 January 1988

cc Dr. C. Pattinson

**THE CONTROL OF POLLUTION (EXEMPTION OF CERTAIN DISCHARGES FROM CONTROL)
(VARIATION) ORDER 1986**

I am writing to acknowledge receipt of the application under cover of the Welsh Water Authority's letter of 29/9/1987 in respect of the discharge of
~~[screened sewage]~~ [Screened Storm Sewage Overflow] ~~[storm sewage]~~
from the outfall at Cemaes Bay Main P.S., Anglesey, at SH 3701 9380

That application having been made to the Secretary of State before 15 October 1987 has been recorded as a consent deemed to have been given pursuant to the provisions contained in article 4 of the Control of Pollution (Exemption of Certain Discharges from Control) (Variation) Order 1986 (as amended by article 2 of SI 1987 No 1782).

I will write to you in due course concerning the further consideration which will be given to the said application.

Yours sincerely,

A.A. Goulden
H.M.I.P. (Water)

APPLICATION FOR DEEMED CONSENT

WELSH WATER AUTHORITY		Welsh Office Form COPAS		Welsh Off Ref		
SUPPORTING INFORMATION FOR CONSENT/REVIEW		WMA Form SS.SI.3		Welsh W A Ref		
DETAILS OF AN OUTFALL TO TIDAL WATERS						
DISCHARGER + Agent	WWA/Ynys Mon BC			WWA District	N / W	
PREMISES / SOURCE Address/Location	Cemaes Bay Main PS, Anglesey					
DISCHARGE TYPE	Screened Storm Sewage Overflow					
CATCHMENT SERVED BY OUTFALL	Area (km ²) and Type i.e. Resort, Resi- dential, Industrial				Population	
					Winter	
					Summer	
PRELIMINARY TREATMENT	Type of Screens					
	Number of Screens		Area of Each Screen	m ²	Aperture Size	mm.
	Method of Disposal of Screenings					
	Other Treatment e.g. Grit Removal, Comminut'n, Macer'n.					
SAMPLING POINT	TDIB SPT		OS Ref		At:	
	Sampling Constraints eg tide lock, access					
FLOW MONITORING FACILITIES	Type of Equipment					
	Location					
	Precision		Accuracy			
	Type of Data Output					
REGIME OF DISCHARGE	Tidal Storage	Yes / No	Total Storage Capacity	m ³	x Daily DWF	
	Discharge is by	Gravity / Pumps	No. of Pumps	Maximum Rating	l/s	
	Period of Discharge in Tidal Cycle					
OUTFALL DETAILS	Location of End	OS Ref	SH37019380	Latitude/Longitude	53 ° 25 'N 4 ° 27.25'W	
	Pipe Constructed of					
	Diameter of Pipe	(Internal)	mm.	Pipe is all / part buried / laid on bed		
	Length of Outfall *	From Headworks	m.	From HWMOT	LWM m. Beyond LATM	m.
	Diffuser Ports	Number of Ports		Diameter of Orifices	mm.	
	Spacing of Ports			Height of Orifices above Bed	mm.	
	Protection of Ports					
	Options for Tender?	No / Yes	If 'Yes', give details of the options under Other Information			
DEPTH OF WATER	Over Outfall Diffuser Orifices at Low Water	At Lowest Astronomical Tides		At Mean Spring Tides		
		metres		metres		
INITIAL DILUTION	For 3 x DWF	At Mean Low Water Spring Tides				
BATHING BEACHES To be shown on Out- fall Location Plan	Nearby beach(es) and least distance from Outlet(s) to beach					
USES OF RELEVANT WATERS	E.g. Shellfishery, Fishing, Sailing, etc.					
OTHER INFORMATION	Enter any other relevant information overleaf				* To Terminal Port	

SUPPORTING INFORMATION FOR A CONSENT / REVIEW (CONTINUED) Form SS.SI.3

Relating to an Outfall to Tidal Waters at:

Welsh Off Ref

Welsh W A Ref

OTHER INFORMATION

District Ref


District Contact

HQAQS Ref

For use by HQ WATER QUALITY SECTION

For use by WELSH OFFICE

Cemaes Bay



0139601 0146801
0140201 0433401
0140401 0433301
0140901 0433201
0145701 0433101
0146901 0433001
0147301 0432901
0147701 0168401

freshwater

MARKETING COMMUNICATIONS

RECEIVED
-4 APR 2005

Media Invoice
BUCKLEY

Environment Agency Wales

FAC Margaret Williams
Payments Section
29 Newport Road
Cardiff
CF24 0PT

Invoice number	1930
Invoice date	21/03/2005
Customer order number	40001136
Job number	MEDIA
Customer account	EAWALES

Quantity	Details	Unit price	VAT rate	VAT	Net amount
1	Daily Post 7/3/05 36cms x 4cols public notice Ref 16 different consents	£2,701.80	17.5%	£472.82	£2,701.80
1	London Gazette 8/3/05 Lineage public notice Ref 16 different consents	£106.63	17.5%	£18.66	£106.63

Cheques should be made payable to Freshwater UK Ltd
Payment terms are net 30 days
Interest may be charged on late payment

Total net amount	£2,808.43
Carriage net	£0.00
Total VAT amount	£491.48
Invoice total	£3,299.91

**WATER RESOURCES ACT 1991: SCHEDULE 10
(AS AMENDED BY THE ENVIRONMENT
ACT 1995)
NOTICE OF APPLICATION FOR CONSENT
FOR THE PURPOSE OF SECTION 88**

Notice is hereby given, in accordance with Schedule 10 to the Water Resources Act 1991, that applications has been made to the Environment Agency Wales.

1. By Dŵr Cymru Cyf, for consent, to discharge sewage effluent under storm or emergency conditions to Old Harbour, Holyhead at National Grid Reference SH 25335 82698 From Turkey Shore SPS CSO/EO, Turkey Shore Road, Turkey Shore, Holyhead, LL65 2DG ref. CG0139601
2. By Dŵr Cymru Cyf for consent to discharge sewage effluent under storm or emergency conditions to New Harbour, Holyhead at National Grid Reference SH 24975 83069 From Hibernia Row SPS CSO/EO, Prince of Wales Road, Newry Beach, Holyhead, LL65 1EW ref. CG0140201
3. By Dŵr Cymru Cyf for consent to discharge sewage effluent under storm and emergency conditions to New Harbour, Holyhead at National Grid Reference SH 25012 83039 From Waterside SPS CSO/EO, Marine Square, Waterside, Holyhead, LL65 1DW ref. CG0140401
4. By Dŵr Cymru Cyf for consent to discharge sewage effluent under storm or emergency conditions to Outer Harbour, Holyhead at National Grid Reference SH 25617 82513 From Morawelon SPS CSO/EO, Ffordd Beiblo, Morawelon, Holyhead, LL65 2DH ref. CG0140901
5. By Dŵr Cymru Cyf for consent to discharge sewage effluent under storm or emergency conditions to an unnamed ditch draining to new harbour at National Grid Reference SH 23797 83270 From Porth y Felin SPS CSO/EO, Beach Road, Newry Beach, Holyhead, Anglesey, LL65 1YF ref. CG0145701
6. By Dŵr Cymru Cyf for consent to discharge sewage effluent under storm or emergency conditions to estuarial waters of Afon Alaw at National Grid Reference SH 29279 80679 From Beach Road, Gorad, Valley, Anglesey, LL65 3BW ref. CG0146901
7. By Dŵr Cymru Cyf for consent to discharge sewage effluent under storm or emergency conditions to Beddmanarch Bay, Near Penrhos Beach, Holyhead Bay at National Grid Reference SH 26026 81631 From Penrhos Beach SPS CSO/EO, Beach Road, Penrhos Beach, Holyhead, LL65 2JA ref. CG0147301
8. By Dŵr Cymru Cyf for consent to discharge sewage effluent under storm conditions to New Harbour, Holyhead at National Grid Reference SH 24729 83228 From Coastguard CSO, Prince of Wales Road, Newry Beach, Holyhead, LL65 1ET ref. CG0147701
9. By Dŵr Cymru Cyf for consent to discharge sewage effluent during storm or emergency conditions to estuarial waters of the Inland Sea at National Grid Reference SH 26076 79036 From Lon St Ffraid (B4545), Trearddur Bay, Anglesey, LL65 2YR ref. CG0168401
10. By Dŵr Cymru Cyf for consent to discharge 23155 m3/day of secondary treated sewage effluent to coastal waters of Porth Namarch Bay at National Grid Reference SH 22630 84550 From approximately 1km seaward of Porth Namarch, Holyhead, Anglesey ref. CG0432901
11. By Dŵr Cymru Cyf for consent to discharge treated sewage effluent during emergency conditions to an unnamed watercourse at National Grid Reference SH 26004 81455 From Penrhos Industrial Estate, Holyhead, Holyhead, LL65 2UQ ref. CG0433001
12. By Dŵr Cymru Cyf for consent to discharge sewage effluent under emergency conditions to an unnamed watercourse at National Grid Reference SH 30783 78668 From Tre Ifan Estate, Caergellio, Anglesey, LL65 3YB ref. CG0433101
13. By Dŵr Cymru Cyf for consent to discharge sewage effluent during storm or emergency conditions to an unnamed watercourse at National Grid Reference SH 25832 78977 From Lon St Ffraid (B4545), Trearddur Bay, Anglesey, LL65 2YR ref. CG0433201
14. By Dŵr Cymru Cyf for consent to discharge sewage effluent during storm or emergency conditions to an unnamed watercourse at National Grid Reference SH 29463 79205 From Rear of Car Park adjacent to telephone exchange, off B4545, Valley, Anglesey, LL65 3EB ref. CG0433301
15. By Dŵr Cymru Cyf for consent to discharge sewage effluent under storm or emergency conditions to an unnamed watercourse at National Grid Reference SH 29499 79224 From Rear of Car Park adjacent to telephone exchange, off B4545, Valley, Anglesey, LL65 3EB ref. CG0433401
16. By Dŵr Cymru Cyf for consent to discharge of sewage effluent during storm or emergency conditions to estuarial waters of Holy Island Straits South at National Grid Reference SH 28314 78511 From Trearddur Bay Road (B4545), Four Mile Bridge, Anglesey, LL65 3HA ref. CG0146801

Any person who wishes to make representations about the application should do so in writing to the Environment Agency Wales, Chester Road, Buckley, Flintshire CH7 3AJ, quoting the above references not later than 19th April 2005

A copy of the applications may be inspected free of charge at all reasonable hours at Environment Agency Wales, Chester Road, Buckley, Flintshire CH7 3AJ or by prior arrangement at Environment Agency Wales, Ffordd Penlan, Parc Menai, Bangor, Gwynedd, LL57 4DE. If you wish to arrange this please contact the Customer Contact Team in Buckley on 08708 506 506.

Signed: I WILLIAMS, TEAM LEADER WATER QUALITY CONSENTS
Date: 17th February 2005

**DEDDF ADNODDAU DWR 1991: ATODLEN 10
(FEL YI NEWIDIWYD GAN DDEDDF YR
AMGYLCHEDD 1995)
HYSBYSIAD CAIS AM GANIATAD AT DDIBEN
ADHAN 88**

Hysbysir drwy hyn, yn unol ag Atodlen 10 Ddeddf Adnoddau Dŵr 1991, fod cais wedi ei yrru at Asiantaeth yr Amgylchedd Cymru.

1. Gan Dŵr Cymru Cyf, am ganiatad i ollwng carthion tan amgylchiadau tywydd mawr neu argyfwng i'r Hen Harbwr, Caergybi, ym man Cyfeirnod Grid Cenedlaethol SH 25335 82698 o OPC GCC/GA Turkey Shore, Ffordd Turkey Shore, Turkey Shore, Caergybi, LL65 2DG gan ddyfynnu CG0139601
2. Gan Dŵr Cymru Cyf am ganiatad i ollwng carthion tan amgylchiadau tywydd mawr neu argyfwng i'r Harbwr Newydd, Caergybi, ym man Cyfeirnod Grid Cenedlaethol SH 24975 83069 o OPC GCC/GA Hibernia Row, Ffordd Tywysog Cymru, Newry Beach, Caergybi, LL65 1EW gan ddyfynnu CG0140201
3. Gan Dŵr Cymru Cyf am ganiatad i ollwng carthion tan amgylchiadau tywydd mawr neu argyfwng i'r Harbwr Newydd, Caergybi ym man Cyfeirnod Grid Cenedlaethol SH 25012 83039 o OPC GCC/GA Glan Dŵr, Marine Square, Glan Dŵr, Caergybi, LL65 1DW gan ddyfynnu CG0140401
4. Gan Dŵr Cymru Cyf am ganiatad i ollwng carthion tan amgylchiadau tywydd mawr neu argyfwng i'r Harbwr, Allanol, Caergybi ym man Cyfeirnod Grid Cenedlaethol SH 25617 82513 o OPC GCC/GA Morawelon, Ffordd Beiblo, Morawelon, Caergybi, LL65 2DH gan ddyfynnu CG0140901
5. Gan Dŵr Cymru Cyf am ganiatad i ollwng carthion tan amgylchiadau tywydd mawr neu argyfwng i ffos ddienw sy'n arwain at yr Harbwr Newydd ym man Cyfeirnod Grid Cenedlaethol SH 23797 83270 o OPC GCC/GA Porth y Felin, Ffordd y Traeth, Traeth Newry, Caergybi, Ynys Môn, LL65 1YF gan ddyfynnu CG0145701
6. Gan Dŵr Cymru Cyf am ganiatad i ollwng carthion tan amgylchiadau tywydd mawr neu argyfwng i ddwyfroedd, aberol Alaw ym man Cyfeirnod Grid Cenedlaethol SH 29279 80679 yn Ffordd y Traeth, Gorad, Y Fali, Ynys Môn, LL65 3BW gan ddyfynnu CG0146901
7. Gan Dŵr Cymru Cyf am ganiatad i ollwng carthion tan amgylchiadau tywydd mawr neu argyfwng i Fae Beddmanarch, ger Traeth Penrhos, Bae Caergybi ym man Cyfeirnod Grid Cenedlaethol SH 26026 81631 o OPC GCC/GA Traeth Penrhos, Ffordd y Traeth, Traeth Penrhos, Caergybi, LL65 2JA gan ddyfynnu CG0147301
8. Gan Dŵr Cymru Cyf am ganiatad i ollwng carthion tan amgylchiadau tywydd mawr i'r Harbwr Newydd, Caergybi ym man Cyfeirnod Grid Cenedlaethol SH 24729 83228 o OPC Gwyltŵr y Glannau, Ffordd Tywysog Cymru, Traeth Newry, Caergybi, LL65 1ET gan ddyfynnu CG0147701
9. Gan Dŵr Cymru Cyf am ganiatad i ollwng carthion tan amgylchiadau tywydd mawr neu argyfwng i ddwyfroedd aberol y Lasiwen ym man Cyfeirnod Grid Cenedlaethol SH 26076 79036 o Lôn y Santes, Ffraid (B4545), Trearddur, Ynys Môn, LL65 2YR gan ddyfynnu CG0168401
10. Gan Dŵr Cymru Cyf am ganiatad i ollwng 23155 m3/diwrnod o effiant carthion sydd wedi derbyn triniaeth elaidol i ddwyfroedd arfordirol Porth Namarch ym man Cyfeirnod Grid Cenedlaethol SH 22630 84550 tua 1km tua'r môr o Borth Namarch, Caergybi, Ynys Môn, gan ddyfynnu CG0432901
11. Gan Dŵr Cymru Cyf am ganiatad i ollwng carthion wedi'u trin, tan amgylchiadau argyfwng i ddwyffos ddienw ym man Cyfeirnod Grid Cenedlaethol SH 26004 81455 o Ystad Ddiwydiannol Penrhos, Caergybi, gan ddyfynnu CG0433001
12. Gan Dŵr Cymru Cyf am ganiatad i ollwng carthion tan amgylchiadau argyfwng i ddwyffos ddienw ym man Cyfeirnod Grid Cenedlaethol SH 30783 78668 o Ystad Tre Ifan, Caergellio, Ynys Môn, LL65 3YB gan ddyfynnu CG0433101
13. Gan Dŵr Cymru Cyf am ganiatad i ollwng carthion tan amgylchiadau tywydd mawr neu argyfwng i ddwyffos ddienw ym man Cyfeirnod Grid Cenedlaethol SH 25832 78977 o Lôn y Santes Ffraid (B4545), Trearddur, Ynys Môn, LL65 2YR gan ddyfynnu CG0433201
14. Gan Dŵr Cymru Cyf am ganiatad i ollwng carthion tan amgylchiadau tywydd mawr neu argyfwng i ddwyffos ddienw ym man Cyfeirnod Grid Cenedlaethol SH 29463 79205 y tu ôl i'r maes parcio nesaf at y gynewidfa deffon, B4545, Y Fali, Ynys Môn, LL65 3EB gan ddyfynnu CG0433301
15. Gan Dŵr Cymru Cyf am ganiatad i ollwng carthion tan amgylchiadau tywydd mawr neu argyfwng i ddwyffos ddienw ym man Cyfeirnod Grid Cenedlaethol SH 29499 79224 y tu ôl i'r maes parcio nesaf at y gynewidfa deffon, B4545, Y Fali, Ynys Môn, LL65 3EB gan ddyfynnu CG0433401
16. Gan Dŵr Cymru Cyf am ganiatad i ollwng carthion tan amgylchiadau tywydd mawr neu argyfwng i ddwyfroedd aberol culfor deheuol Ynys Cybi ym man Cyfeirnod Grid Cenedlaethol SH 28314 78511 o Lôn Trearddur, (B4545), Ponrhydybont, Ynys Môn, LL65 3HA gan ddyfynnu CG0146801

Dylai'r sawl sy'n dymuno cyflwyno achos ynghylch y cais ei yrru mewn ysgrifennu at Asiantaeth yr Amgylchedd Cymru, Ffordd Caer, Bwcle, Sir y Fflint CH7 3AJ a hynny nid dim hwyrach na 19eg Ebrill 2005.

Gellir archwilio copi o'r cais yn rhad ac am ddim ar unrhyw addeg resymol yn Asiantaeth yr Amgylchedd Cymru, Ffordd Caer, Bwcle, Sir y Fflint CH7 3AJ neu, trwy drefniant o flaen llaw, yn Asiantaeth yr Amgylchedd Cymru, Ffordd Penlan, Parc Menai, Bangor, Gwynedd LL57 4DE. Os hoffech drefnu hyn, cysylltwch os gwelwch yn idda â'r Tîm Cyswllt Cwsmeriaid ym Mwcle, ar 08708 506 506.

Llofnodwyd: I WILLIAMS, ARWEINYDD Tîm GANIATADAU ANSAWDD DWR
Dyddiad: Chwefror, yr 17eg 2005

Public Notices

**THE A494/A550 TRUNK ROAD
(QUEENSFERRY, FLINTSHIRE)
(TEMPORARY 50 MPH SPEED LIMIT)
ORDER 2005**

NOTICE IS HEREBY GIVEN that for reasons of the likelihood of danger to the public on the southbound carriageway of the A494/A550 Dolgellau to South of Birkenhead Trunk Road, (hereinafter referred to as the "trunk road") the Minister for Economic Development and Transport, acting on behalf of the

**GORCHYMYN CEFNFFORDD YR
A494/A550 (QUEENSFERRY, SIR Y
FFLINT) (TERFYN CYFLYMDER 50
MYA DROS DRO) 2005**

HYSBYSIR DRWY HYN oherwydd perygl tebygol i'r cyhoedd ar gerbyttffordd tua'r de cefnffordd yr A494/A550 Dolgellau i dde, Birkenhead (y cyfeirir ati yma wedi hyn "y gefnffordd") mae'r Gweinidog dros Ddatblygu Economaidd a Thrafnidiaeth, ac yntau'n zweithredu ar ran Cynulliad Cenedlaethol Cymru, wedi

CLIENT *Environment Agency Wales*
DATE OF PUBLICATION *7th March 2005*
PUBLICATION *Daily Post*

40 mph and 50 mph Variable Speed Limit (No 2) Order made on the 24 March 2004.

A copy of the Order and Notice can be viewed at www.wales.gov.uk/keypubliclegislationcircul/index.htm (select "Local Statutory Instruments in force")

M D BURNELL
Roads Administration Division

A copy of this Notice in larger print can be obtained from the Roads Administration Division 3, Welsh Assembly Government, Cathays Park, Cardiff CF10 3NQ.

www.wales.gov.uk - www.cymru.gov.uk



Llywodraeth Cynulliad Cymru
Welsh Assembly Government

law i rym ar 7 Mawrth 2005, ier o 50 milltir yr awr dros dro i'r gefnffordd tua'r de sy'n tr i'r de o linell ganol y bont i'd Caer i Caergybi dros y 80 metr i'r de o linell ganol y rdd dros Foxes Lane yn Sir y

ddi Gorchymyn Cefnffordd yr A494/A550, Parc Glannau, Dyfrdwy, Queensferry, (Terfyn Cyflymder Amrywiol 40 a 50 mya Dros Dro) (Rhif 2) a wnaed ar 24 Mawrth 2004.

Gellir gweld copi o'r Gorchymyn a'r Hysbysiad yn www.cymru.gov.uk/keypubliclegislationcircul/index.htm (detholier "Offerynnau Statudol Lleol Mewn Gym")

M D BURNELL
Is-adran Gweinyddu Ffyrdd

Gellir cael copi print bras o'r Hysbysiad hwn oddi wrth Is-adran Gweinyddu Ffyrdd 3, Llywodraeth Cynulliad Cymru, Parc Cathays, Caerdydd CF10 3NQ.

**Arti les
for Sal**

Articles For Sale

- OO BOXED Train Set, The Duchess cost £160 plus extra Track, Tramsetter accept £95 Tel: (01492) 584263
- PAIR of BT cordless phones with separate BT answering machine all as new £30 Tel: (01745) 342598
- PARKINSON Cowen Gas Stove White 50cm wide Eye level grill 4 burners hand oven flex pipe and fitting cost £50 Tel: (01745) 823654
- PETROL locking cap with adaptor for Morris car £10 Tel: (01745) 334814
- PHILIPS sunlamp ultraphil special £12.50 Tel: (01745) 332365
- PINE bathroom vanity base unit with inset bowl and mirror £50 Tel: (01248) 490446
- PINE bread bin/kitchen roll holder for the 1st Tel: (01786) 771377
- POLTI Carpet Shampooer with steam iron used twice Cost £350 Bargain at £175. For sale due to house move. Tel: (01745) 813803
- PORTA potty child £10 Tel: (01286) 980414
- PORTMEIRION brown coffee jug 2 large turquoise dishes 2 staffs swinnerton also blue coffee jug matching £50 Tel: (01745) 354788
- PRIVATE dollies collection various types from 1930 onward Tel: (01745) 353801
- PVC COVER for 3 seater garden hammock £15 Tel: (01745) 334814
- RAIN Water Butt round Metal about 200 Gallons with Tap and Top £15 (01492) 582510
- RAIN Water Butt round Metal about 200 Gallons with tap and top (01492) 582510 or 1 Mob 07810170830
- SHELL Collection approx 75 pieces £10 Tel: (01492) 572482

**ATTENTION NEW GUIDELINES FOR
Licensing Act 2003**

Public notices relating to the licensing act 2003.
The deadline for the publishing of Public Notices in The Liverpool Echo or Liverpool Daily Post is 3 days prior to publication.
A notice taken on Monday will appear Thursday.
A notice taken on Tuesday will appear Friday.
A notice taken on Wednesday will appear Saturday.
A notice taken on Thursday will appear Monday.
A notice taken Friday will appear Tuesday.
A notice taken Saturday will appear Wednesday.
The notice must be presented in writing (notices cannot be accepted over the telephone).

**POOR OR ILLEGIBLE COPY WILL BE REJECTED
PREPAYMENT WILL BE REQUIRED**

The information required, the publication required and all the necessary details will be provided by the local council or solicitor and we would advise all applicants to seek legal advice before publishing a notice. Please ensure your application is presented at the earliest possible time to ensure publication within the required timescale.
We regret we will be unable to offer advice on these areas as the information will vary depending on the type of licence required etc. However, we are happy to help with advice on booking procedures.

Fax Number - 01492 580126/01286 673332
Telephone Number for advice on booking procedures - 01492 582582/01286 671111

Notices can be accepted by mail or fax and may be presented at the following location:

- Trinity Mirror North Wales
Vale Road
Llandudno Junction
Conwy
LL31 9SL
- Trinity Mirror North Wales
14 Eastgate Street
Caernarfon
Gwynedd
LL55 1AG

Front Reception Opening Times
Monday to Friday: 8.30am to 5.00pm

Trinity Mirror business

District of Easington Council Offices, Dept of Economic & Community Development, Seaside Lane, Easington on Mondays–Thursdays 8.30 am–5.00 pm, Fridays 8.30 am–4.30 pm;
Sedgefield Borough Council Offices, Green Lane, Spennymoor on Mondays–Thursdays 8.30 am–5.00 pm, Fridays 8.30 am–4.30 pm;
Teesdale District Council Offices, 43 Galgate, Barnard Castle on Mondays–Thursdays 9.00 am–5.00 pm, Fridays 9.00 am–4.30 pm;
Wear Valley District Council Offices, Civic Centre, Crook on Mondays–Thursdays 9.00 am–5.00 pm, Fridays 9.00 am–4.30 pm.

Copies of the adopted plan can also be consulted at County Libraries during normal opening hours.

The plan came into operation on its adoption. A person aggrieved by the proposals who desires to question their validity on the ground that they are not within the powers conferred by Part II of the Town and Country Planning Act 1990 or that any requirement of that Act or any regulation made under it has not been complied with in relation to the adoption of the proposals may, within 6 weeks from 8 March 2005, make an application to the High Court under section 287 of the 1990 Act.

Further information is available from Environment, Durham County Council, on telephone 0191 383 3774 or e-mail planpolicy@durham.gov.uk

A North, Deputy Chief Executive (Corporate Services)
County Hall, Durham.

8 March 2005.

(114)

Local Government and Housing

Southwark


CLIENT *Environment Agency Wales*

DATE OF PUBLICATION *8th March 2005*

PUBLICATION *The London Gazette*

Objections need to be received by 29 March 2005.

(101)



Water Resources

Environment Agency

WATER RESOURCES ACT 1991

NOTICE OF APPLICATIONS TO VARY A LICENCE TO ABSTRACT WATER

Take notice that Northumbrian Water Limited of Hall Street, Chelmsford, Essex CM2 0HH is applying to the Environment Agency to vary licence serial no 7/35/2/G/82 which authorises the abstraction of water from the chalk aquifer at National Grid Ref TM 3812 7567 at Walpole, Suffolk.

The licence variation being applied for is to add an additional point of abstraction from the chalk aquifer at National Grid Ref TM 3700 7610 at Cookley, Suffolk.

The maximum licensed quantity of water to be abstracted from the additional point of abstraction would be 2,419.2 cubic metres per day. The maximum licensed quantity of water to be abstracted per day and per year from all combined points of abstraction would remain unchanged.

A copy of the application and any map, plan and other documents submitted with them may be inspected, free of charge, between 8 March

2005 and 8 April 2005 at all reasonable hours at Halesworth public library.

Any person who wishes to make representations about the application should do so in writing to the Environment Agency, Iceni House, Water Resources, Cobham Road, Ipswich, Suffolk IP3 9JE before the end of the said period, quoting the name of the applicant.

J Devall, Director of Southern Operations, Northumbrian Water Limited
4 March 2005.

(121)

Environment Agency Wales

WATER RESOURCES ACT 1991: SCHEDULE 10 (AS AMENDED BY THE ENVIRONMENT ACT 1995)

NOTICE OF APPLICATION FOR CONSENT FOR THE PURPOSE OF SECTION 88

Notice is hereby given, in accordance with Schedule 10 to the Water Resources Act 1991, that applications have been made to the Environment Agency Wales.

1. By Dŵr Cymru Cyf, for consent to discharge sewage effluent under storm or emergency conditions to Old Harbour, Holyhead at National Grid Ref SH 25335 82698 from Turkey Shore SPS CSO/EO, Turkey Shore Road, Turkey Shore, Holyhead LL65 2DG.
Ref CG0139601

2. By Dŵr Cymru Cyf for consent to discharge sewage effluent under storm or emergency conditions to New Harbour, Holyhead at National Grid Ref SH 24975 83069, from Hibernia Row SPS CSO/EO, Prince of Wales Road, Newry Beach, Holyhead LL65 1EW.
Ref CG0140201

3. By Dŵr Cymru Cyf for consent to discharge sewage effluent under storm or emergency conditions to New Harbour, Holyhead at National Grid Ref SH 25012 83039 from Waterside SPS CSO/EO, Marine Square, Waterside, Holyhead LL65 1DW.
Ref CG0140401

4. By Dŵr Cymru Cyf for consent to discharge sewage effluent under storm or emergency conditions to Outer Harbour, Holyhead at National Grid Ref SH 25617 82513 from Morawelon SPS CSO/EO, Ffordd Beibio, Morawelon, Holyhead LL65 2DH.
Ref CG0140901

5. By Dŵr Cymru Cyf for consent to discharge sewage effluent under storm or emergency conditions to an unnamed ditch draining to new harbour at National Grid Ref SH 23797 83270 from Porth y Felin SPS CSO/EO, Beach Road, Newry Beach, Holyhead, Anglesey LL65 1YF.
Ref CG0145701

6. By Dŵr Cymru Cyf, for consent to discharge sewage effluent under storm or emergency conditions to estuarial waters of Afon Alaw at National Grid Ref SH 29279 80679 from Beach Road, Gorad, Valley, Anglesey LL65 3BW.
Ref CG0146901

7. By Dŵr Cymru Cyf for consent to discharge sewage effluent under storm or emergency conditions to Beddmanarch Bay, Near Penrhos Beach, Holyhead Bay at National Grid Ref SH 26026 81631 from Penrhos Beach SPS CSO/EO, Beach Road, Penrhos Beach, Holyhead LL65 2JA.
Ref CG0147301

8. By Dŵr Cymru Cyf for consent to discharge sewage under storm conditions to New Harbour, Holyhead at National Grid Ref SH 24729 83228 from Coastguard CSO, Prince of Wales Road, Newry Beach, Holyhead LL65 1ET.
Ref CG0147701

9. By Dŵr Cymru Cyf for consent to discharge sewage effluent during storm or emergency conditions to estuarial waters of the Inland Sea at National Grid Ref SH 26076 79036 From Lon St Ffraid (B4545), Trearddur Bay, Anglesey LL65 2YR.
Ref: CG0168401

10. By Dŵr Cymru Cyf for consent to discharge 23,155 cubic metres per day of secondary treated sewage effluent to coastal waters of Porth Namarch Bay at National Grid Ref SH 22630 84550 from approximately 1km seaward of Porth Namarch Bay, Holyhead, Anglesey.
Ref CG0432901

11. By Dŵr Cymru Cyf for consent to discharge treated sewage effluent during emergency conditions to an unnamed watercourse at National Grid Ref SH 26004 81455 from Penrhos Industrial Estate, Holyhead LL65 2UQ.
Ref CG0433001

P.T.O.



Voucher

freshwater

MARKETING COMMUNICATIONS

19 NOV 2004

Media Invoice

BUCKLEY

Environment Agency Wales
FAO Margaret Williams
Payments Section
29 Newport Road
Cardiff
CF24 0PT

Invoice number	1309
Invoice date	22/10/2004
Customer order number	40001136
Job number	MEDIA
Customer account	EAWALES

Quantity	Details	Unit price	VAT rate	VAT	Net amount
1	Daily Post 5/10/04 9cms x 2cols public notice Ref CG0427801	£306.95	17.5%	£53.72	£306.95
1	London Gazette 5/10/04 lineage public notice Ref CG0427801	£106.63	17.5%	£18.66	£106.63
<p>C 60433101 0433201 0433301 0433401 0146801</p>					

Cheques should be made payable to Freshwater UK Ltd
Payment terms are net 30 days
Interest may be charged on late payment

Total net amount	£413.58
Carriage net	£0.00
Total VAT amount	£72.38
Invoice total	£485.96

12. By Dŵr Cymru Cyf for consent to discharge sewage effluent under emergency conditions to an un-named water course at National Grid Ref SH 30783 78668 From Tre Ifan Estate, Caergeiliog, Anglesey LL65 3YB.
Ref CG0433101

13. By Dŵr Cymru Cyf for consent to discharge sewage effluent during storm or emergency conditions to an un-named watercourse at National Grid Ref SH 25832 78977 from Lon St Ffraid (B4545), Trearddur Bay, Anglesey LL65 2YR.
Ref CG0433201

14. By Dŵr Cymru Cyf for consent to discharge sewage effluent during storm or emergency conditions to an un-named watercourse at National Grid Ref SH 29463 79205 from Rear of Car Park adjacent to telephone exchange, off B4545, Valley, Anglesey LL65 3EB.
Ref CG0433301

15. By Dŵr Cymru Cyf for consent to discharge sewage effluent under storm or emergency conditions to an un-named watercourse at National Grid Ref SH 29499 79224 from Rear of Car Park adjacent to telephone exchange, off B4545, Valley, Anglesey LL65 3EB.
Ref CG0433401

16. By Dŵr Cymru Cyf for consent to discharge of sewage effluent during storm or emergency conditions to estuarial waters of Holy Island Straits South at National Grid Ref SH 28314 78511 from Trearddur Bay Road (B4545), Four Mile Bridge, Anglesey LL65 3HA.
Ref CG0146801

Any person who wishes to make representations about the application should do so in writing to the Environment Agency Wales, Chester Road, Buckley, Flintshire CH7 3AJ, quoting the above references no later than 19 April 2005.

A copy of the applications may be inspected, free of charge, at all reasonable hours at Environment Agency Wales, Chester Road, Buckley, Flintshire CH7 3AJ or by prior arrangement at Environment Agency Wales, Ffordd Penlan, Parc Menai, Bangor, Gwynedd LL57 4DE. If you wish to arrange this please contact the Customer Contact Team in Buckley on 08708 506 506.

J. Williams, Team Leader, Water Quality Consents

17 February 2005.

(104)

Other Notices

VEHICLE AND OPERATOR SERVICES AGENCY THE GOODS VEHICLES (ENFORCEMENT POWERS) REGULATIONS 2001 (S.I. 2001/3981)

Notice is given that at 0930 hours on 2 March 2005, at Suez Road, Enfield EN3, the Vehicle and Operator Services Agency, ("VOSA", formally the Vehicle Inspectorate Executive Agency), by virtue of powers under regulation 3 of the Goods Vehicles (Enforcement Powers) Regulations 2001 (the "2001 Regulations") detained the following vehicle:

Registration No: N515 JGH,
Make: Leyland DAF,
Type: 2 axle rigid.

At the time the vehicle was detained it bore no livery and was carrying food and drinks, which were subsequently returned to owner. Any person having a claim to the vehicle is required to establish their claim in writing, on or before 31 March 2005, by sending it by post to VOSA, at RTE, HGVTS, Towpath Road, Lea Valley Trading Estate, Edmonton, London N18 3JR (regulations 9, 10 and 22 of the 2001 Regulations). If, on or by the date given in this notice, no person has established that he is entitled to the return of the vehicle, VOSA shall be entitled to dispose of it as it thinks fit (regulations 14 and 15 of the 2001 Regulations).
(111)

VEHICLE AND OPERATOR SERVICES AGENCY THE GOODS VEHICLES (ENFORCEMENT POWERS) REGULATIONS 2001 (S.I. 2001/3981)

Notice is given that at 1340 hours on 3 March 2005, at Bicester the Vehicle and Operator Services Agency, by virtue of powers under regulation 3 of the Goods Vehicles (Enforcement Powers) Regulations 2001 (the "2001 Regulations") detained the following vehicle:

Registration No: L640 BPR,
Make: IVECO-Ford,
Type: Cargo.

At the time the vehicle was detained it bore no livery and was carrying soil. Any person having a claim to the vehicle is required to establish their claim in writing, on or before 29 March 2005, by sending it by post to the Vehicle Inspectorate at R.T.E Division, 40 Cannock Street, Barkby, Thorpe Road, Leicester LE4 9HT (regulations 9, 10 and 22 of the 2001 Regulations). If, on or by the date given in this notice, no person has established that he is entitled to the return of the vehicle, the Vehicle Inspectorate shall be entitled to dispose of it as it thinks fit (Regulations 14 and 15 of the 2001 Regulations).

Any person having a claim to the contents of the above vehicle or any part thereof is also required to establish their claim in writing, on or before 29 March 2005, by sending it by post to the address given above. If, on or by the date given in this notice, no person has established that he is entitled to the return of the contents, the Vehicle Inspectorate shall dispose of them as it thinks fit (regulations 16 and 17 of the 2001 Regulations).
(113)

VEHICLE AND OPERATOR SERVICES AGENCY THE GOODS VEHICLES (ENFORCEMENT POWERS) REGULATIONS 2001 (S.I. 2001/3981)

Notice is given that at 0800 hours on Thursday 3 March 2005, at Carterton Market, Black Bourton Road, Carterton, Oxfordshire, the Vehicle and Operator Services Agency, by virtue of powers under regulation 3 of the Goods Vehicles (Enforcement Powers) Regulations 2001 (the "2001 Regulations") detained the following vehicle:

Registration No: M559 UAN,
Make: J7 IVECO-Ford,
Type: 2 axle rigid body.

At the time that the vehicle was detained it bore the livery of W. B. Jones and was laden with meat. Any person having a claim to the vehicle is required to establish their claim in writing, on or before 5 April 2005, by sending it by post to the Vehicle and Operator Services Agency, VI Division, Enforcement, Southampton GVTS, Hillson Road, Bottings Trading Estate, Botley, Southampton, Hampshire SO30 2DY (regulations 9, 10 and 22 of the 2001 Regulations). If, on or by the date given in this notice, no person has established that he is entitled to the return of the vehicle, the Vehicle and Operator Services Agency shall be entitled to dispose of it as it sees fit (Regulations 14 and 15 of the 2001 Regulations).

Any person having a claim to the contents of the above or any part thereof, is also required to establish their claim in writing, on or before 5 April 2005, by sending it by post to the address given above. If, on or by the date given in this notice, no person has established that he is entitled to the return of the contents, the Vehicle Inspectorate shall dispose of them as it thinks fit (regulations 16 and 17 of the 2001 Regulations).
(109)

VEHICLE AND OPERATOR SERVICES AGENCY THE GOODS VEHICLES (ENFORCEMENT POWERS) REGULATIONS 2001 (S.I. 2001/3981)

Notice is given that at 1009 hours on 3 March 2005, at Old Passage Road, Aust, Avon, the Vehicle and Operator Services Agency, by virtue of powers under regulation 3 of the Goods Vehicles (Enforcement Powers) Regulations 2001 (the "2001 Regulations") detained the following vehicle:

Registration No: J817 RTF,
Make: Renault,
Type: 7.5 tonne.

At the time the vehicle was detained it bore the livery of Plain Grey and was carrying scrap cars. Any person having a claim to the vehicle is required to establish their claim in writing, on or before 29 March 2005, by sending it by post to the Vehicle and Operator Services Agency, at Room V1, Berkeley House, Croydon Street, Bristol BS5 0DA (regulations 9, 10 and 22 of the 2001 Regulations). If, on or by the date given in this notice, no person has established that he is entitled to the return of the vehicle, the Vehicle and Operator Services Agency shall be