

Elliot Burge

Our ref: EPR/AP3139FT

DCww – Ty Awen
Spoooner Close
Coedkernew
Newport
NP10 8FZ

Your ref:

Date: 17/04/2023

Dear Mr Burge

Returning your permitting application

Application reference: PAN-020985

Operator: Dwr Cymru Cyfyngedig (Welsh Water)

Facility: Five Fords WwTW CHP Facility, Cefn Road, Marchwiel, Wrexham, LL13 0PA

Thank you for your application received 27/02/2023. We have started to assess your application but unfortunately there is a significant amount of information missing which we require for it to be determined. Your application is therefore not duly made, and we must return it to you.

Please see below for further detail on what information is missing. Note that given the issues identified, we have not completed a full duly making assessment and there may be further matters that need to be addressed.

- A Site Condition Report that outlines the current condition of the parcel of land you are applying to add to the installation boundary. Guidance on how to prepare a Site Condition Report for a permit application is available on our website;
- An assessment of the measures you will / have in place to control the release of pollution to the environment. This assessment must demonstrate that these activities represent the Best Available Techniques (BAT) for this activity; and
- A description of the measures you will employ to ensure that the handling of waste at the additional parcel of land. This assessment must demonstrate that these activities represent BAT for this activity.

You may resubmit your application. We strongly recommend that you review all parts of your application to ensure it meets our requirements. For further advice on your application before resubmitting, please call 0300 065 3000 and ask to speak to your local area office or your Site Officer.

As requested, we will retain your application fee until such time as you wish to submit a new application. If we do not receive a revised application from you within three months of the date of this letter, we will return your fee. Please note that our fees and charges are currently being revised and are subject to change in the near future: please get in touch with me

Ffôn/Tel 03000 654064
Ebst/Email Victoria.seller@cyfoethnaturiolcymru.gov.uk
Victoria.seller@naturalresourceswales.gov.uk

Gwasanaeth Trwyddedu, Cyfoeth Naturiol Cymru, Tŷ Cambria, 29 Heol Casnewydd, Caerdydd. CF24 0TP
Permitting Service, Natural Resources Wales, Cambria House, 29 Newport Road, Cardiff. CF24 0TP

Gwefan/Website www.cyfoethnaturiolcymru.gov.uk
www.naturalresourceswales.gov.uk

Croesewir gohebiaeth yn y Gymraeg a'r Saesneg
Correspondence welcomed in Welsh and English

before submitting your new application for advice on this.

If you change how you operate your facility without us agreeing to the change and issuing you with a variation notice, you may be committing an offence and could be liable to prosecution.

If you have any questions please phone me on 03000 654064 or email Victoria.seller@naturalresourceswales.gov.uk.

Yours sincerely

Victoria Seller
Senior Industry Permitting Officer