

2018 Annual Performance Report

Aberthaw Quarry Ash Disposal Site

Permit Number: BP3339BH

March 2019

Summary

This document gives details on the performance of Aberthaw Quarry Ash Disposal Site over 2018, as required by condition 4.2.1 of the site's Environmental Permit (EP), BP3339BH.

CONTENTS

1.	Operational Update	4
2.	Review of Results for Emission Monitoring	4
2.1.	Hydrogeological Risk Assessment HRA Review	4
2.2.	Groundwater Quality Review	4
2.3.	Surface Water Quality Review	12
3.	Annual Production/Treatment Data	17
4.	Contamination/Decontamination of Site	17
5.	Topographical Survey	17
6.	Landfill Capacity	17
7.	Waste Acceptance Compliance Testing	17
Appendix A.	Groundwater and Surface Water Monitoring Locations	18
Appendix B.	Groundwater and Surface Water Quality	20
Appendix C.	Topographical Survey	22

1. Operational Update

Aberthaw Quarry Ash Disposal Site (AQADS) is being constructed and filled with Pulverised Fuel Ash (PFA) in four distinct phases (see Appendix A). Phase 1 was constructed in 2008, filled between Quarter 4 2008 to Quarter 4 2010 and then capped and hydroseeded in Spring 2011. Phase 2 was constructed in 2009/10 with filling commencing from Quarter 4 2010. Phase 2 East was filled until Quarter 3 2013 before being capped and hydroseeded whilst Phase 2 West was filled until Quarter 4 2014 before being capped and hydroseeded. Phase 3A (east) was constructed in 2012/13 with filling commencing in Quarter 3 2013 and remained the working phase throughout 2014 and 2015. The construction of Phase 3B (west) was completed in 2014 with filling commencing in Quarter 2 2015. In 2016, Phase 3A and Phase 3B remained as the working phases. In quarter 1 of 2017 ash disposal continued into phase 3B as usual until the last week of March when the Power Station transitioned to 'Summer Cold' status i.e. zero electrical generation and hence zero ash production. The Summer Cold period lasted until November after which a small volume of electrical generation occurred which required circa 2.5kt of ash to be deposited in the Quarry in December. The Power Station operating pattern for 2018 was similar to that of 2017 with a small amount of generation during Q1 & Q4 with no generation during Q2 & 3, a total of 12,606 tonnes of PFA was deposited in the Quarry during Q1 and 897 tonnes was deposited in Q4.

2. Review of Results for Emission Monitoring

2.1. Hydrogeological Risk Assessment HRA Review

In accordance with the BP3339BH Permit requirement a 6 yearly review of the HRA was carried out during late 2017 and into 2018. The purpose of the review is to determine whether there has been any significant change in conditions at the site and whether the site remains in compliance with the Environmental Permitting Regulations. The review was carried out by an external specialist consultant which in this case was Caulmert Ltd. The review process included an initial meeting between the consultant and RWE staff followed by a detailed review by the consultant of monitoring data gathered since the previous review. The main conclusion from the review was that there is a discernible presence of PFA identifier species e.g. Molybdenum, Boron, Ammonia in both surface and groundwater but that the higher concentration in the surface water suggests the source of contamination is mainly driven by surface water run off which then effects the groundwater in some but not all boreholes. Work has already been completed at the Quarry site to mitigate this effect by constructing new drainage ditches and channels. It was also recognised in the review that the final restoration plan would ensure all surfaces would be capped and seeded to consolidate the PFA and ensure any run off would be free of contamination.

2.2. Groundwater Quality Review

Monitoring Objective

To carry out routine monitoring of groundwater to monitor the performance of the ash disposal site by measurement of absolute levels and concentrations and trends relative to relevant criteria including background levels and concentrations, control levels and compliance limits.

Number and Location of Monitoring Points

A summary of the monitoring boreholes is provided in Table 1 below and the locations are shown in Appendix A. In January 2015, borehole improvement works were completed to improve water sampling. E05-03 and E06-01 were re-drilled (new details provided in Table 1) and the top hat cover was replaced on E06-05. In addition, a new borehole was installed above Phase 3B, E15/1 to improve the understanding of groundwater quality potentially flowing into the site from the south-east. In total, there are 12 boreholes in natural ground, all completed in the Porthkerry Member limestone.

Groundwater flow beneath the ash disposal site is directed towards the cement work lagoons and the River Thaw to the west. Hence, monitoring boreholes, E09-01A, E09-01B, E09-02A and E09-02B on the north-eastern site boundary (approximately 200m apart) are upgradient. Borehole E15/1 on the south site boundary is also upgradient.

Monitoring boreholes along the western site boundary (E05-03, E05-04 and E06-01) with an average spacing of 100m are downgradient of the Pulverised Fuel Ash (PFA) disposal area (Phase 1 and 2). Along the south-western site boundary, two of the monitoring boreholes with an average spacing of 100m (E06-02 and E06-03) are downgradient of the current active PFA disposal area (Phase 3A & 3B) and a future filling phase (Phase 4). Whilst the two remaining boreholes (E06-04 and E06-05) with an average spacing of 100m may be downgradient of a future filling phase (Phase 4).

Table 1: Summary of Monitoring Boreholes

Monitoring Borehole	Formation Sampled	Lithology Type – Natural (N)	Response Zone Depth (m b GL)	Designation
E09-01A	Limestone	N	18-24	Upgradient
E09-01B	Limestone	N	24-30	Upgradient
E09-02A	Limestone	N	21-27	Upgradient
E09-02B	Limestone	N	27-33	Upgradient
E15-1	Limestone	N	17-29	Upgradient
E05-03	Limestone	N	3 - 15	Downgradient Phase 1&2 Active Area
E05-04	Limestone	N	2.5 - 20	Downgradient Phase 1&2 Active Area
E06-01	Limestone	N	3 - 15	Downgradient Phase 1&2 Active Area
E06-02	Limestone	N	2 - 10	Downgradient Phase 3A & 3B Active Area
E06-03	Limestone	N	2 - 10	Downgradient Phase 3A & 3B Active Area
E06-04	Limestone	N	2 - 10	Downgradient Future Filling Phases
E06-05	Limestone	N	2 – 8	Downgradient Future Filling Phases

m b GL – metres below ground level

Monitoring Measurements

The groundwater monitoring analytical suite contains a range of parameters which are monitored on a quarterly basis along with the groundwater level and standard field measurements in accordance with the Environmental Permit. An independent external contractor is responsible for the sampling of the groundwater boreholes and an independent external laboratory is responsible for the analysis of the samples. There have been no changes to the contractor for the groundwater sampling and one change to the analytical laboratory from Q2 2010. Table 2 summarises the changes to the groundwater sampling method since monitoring began to improve the sample quality.

Table 2: Summary of Groundwater Sampling Methods

Monitoring Borehole	Purge Strategy	Purge Equipment	Date From	Date To
E09-01A, E09-01B, E09-02A, E09-02B, E05-04	1 x Well volume	Bailer	Quarter 1 2006	Quarter 2 2013
	Low flow steady state	Submersible pump	Quarter 3 2013	PRESENT
E05-03	1 x Well volume	Bailer	Quarter 1 2006	Quarter 3 2012
	1 x Well volume	Inertial pump	Quarter 4 2012	Quarter 2 2013
	Low flow steady state	Submersible pump	Quarter 3 2013	PRESENT
E06-01	1 x Well volume	Bailer	Quarter 1 2006	Quarter 2 2012
	1 x Well volume	Inertial pump	Quarter 3 2012	Quarter 2 2013
	3 x Well volume	Inertial pump	Quarter 3 2013	Quarter 4 2014
	Low flow steady state	Submersible pump	Quarter 3 2013	PRESENT
E06-02, E06-03	1 x Well volume	Bailer	Quarter 1 2006	Quarter 2 2012
	1 x Well volume	Inertial pump	Quarter 3 2012	Quarter 2 2013
	3 x Well volume	Inertial pump	Quarter 3 2013	Quarter 3 2014
	Low flow steady state	Submersible pump	Quarter 4 2014	PRESENT
E06-04, E06-05	1 x Well volume	Bailer	Quarter 1 2006	Quarter 2 2013
	3 x Well volume	Inertial pump	Quarter 3 2013	PRESENT

Figure 1 shows the recorded groundwater elevations for the previous 12 years which vary between +17 (E05-03) to +35m OD (E05-02B). Upgradient groundwater elevations are characterised by larger amplitude seasonal water level fluctuations with annual winter influxes of rainfall recharge. Downgradient groundwater elevations fluctuate only slightly due to effect of dewatering from the Quarry which maintains groundwater at near-constant elevations.

Figure 1: Groundwater Hydrograph





Figure 2 shows the general groundwater quality for the major ions in each of the groundwater boreholes. Natural groundwater quality varies between upgradient and downgradient groundwater. Calcium is depleted in downgradient boreholes, E05-03, E05-04, E06-01 and E06-02 and correlated with elevated sodium, suggesting ion exchange reactions are occurring along the groundwater flow path. Whilst in downgradient boreholes, E06-03, E06-04 and E06-05, major ion chemistry is distinctly different with elevation of calcium, magnesium and sulphate, suggesting a natural geological or quarry-related source in or upgradient of this area.

Figure 3 shows the groundwater control charts with concentrations of all downgradient boreholes plotted as well as the average upgradient concentration (representing concentrations in boreholes E09-01A, E09-01B, E09-02A and E09-02B i.e. background groundwater quality). It should be noted that the compliance limits apply to boreholes E05-03, E05-04 and E06-01 whilst the control levels (where defined) apply to all downgradient boreholes. An exceedance is defined as a result above the compliance limit or control level for 3 consecutive sampling events.

In 2018 there was a continued exceedance of the compliance limit and control level for Molybdenum at borehole E05-03, however the upward trend observed since 2012 seems to have plateaued somewhat in 2017 & 2018 with results fluctuating between 1160 and 1610ug/l, this may be as a result of the mitigating actions carried out in 2015 or the ground water reaching an equilibrium with the source. There was also elevated Molybdenum levels in borehole E06/02 in Q3 & 4 2018 although the concentration had reduced from Q3 to Q4, interestingly the Molybdenum results mirror the Chloride results for Q3 & 4 suggesting a possible linkage, this will be monitored in future years. As in previous years an elevated Cadmium result was observed in borehole E05/03 in Q3 2018, however the ad-hoc elevated results do not seem to follow a trend and therefore further monitoring is required (Note – Cadmium is no longer regarded as a hazardous substance in groundwater).

Figure 4 shows the control chart for molybdenum for E05-03 and the two other boreholes closest to it, E05-04 and E06-01 as well as the surface water monitoring points (note there are no surface water compliance limits or control levels for molybdenum). The boreholes are located to the west of and adjacent to Phase 1 and are downgradient of active filling operations. Natural background concentrations of molybdenum in the Porthkerry Formation are <3µg/l and the average pre-filling concentration for the cement works lagoon (SW12) is 3µg/l.

Figure 4: Molybdenum concentrations




Molybdenum concentrations in E05-03 have been increasing since January 2012, around a year after Phase 1 was completed, which suggests the source is unlikely to be from the deposited PFA. After reviewing the 2016 data it appeared there was a co-association of increasing concentrations in other indicative PFA leachate parameters; boron, sulphate and ammoniacal-nitrogen, suggesting PFA is the source of contamination. During site investigations in 2014, three possible sources were identified; discharges from the wheel wash pipe into an unlined ditch close to the borehole; surface water discharges of eroded PFA areas around the wheel wash pipe into the unlined ditch; and/or; leakage from adjacent cement works lagoon. In 2015, the wheel wash discharge pipe was re-routed into Settlement Pond 1, the unlined ditch cleaned out and the eroded areas smoothed. Since the improvements, molybdenum concentrations continued to increase for over 14 months/5 sampling rounds) until Q1 2017 when the results decreased for two sampling rounds, increased for Q3 and then decreased again for Q4 which suggests levels have plateaued, also this trend appeared to be followed by Boron, Ammoniacal Nitrogen and Sulphate which are the other indicative PFA leachate species, lending weight to the hypothesis that the remedial works in 2015 have mitigated the contamination. These levels have remained stable throughout 2018 in borehole E05/03.


In borehole E05-04, molybdenum concentrations were approximately double the natural background concentrations until March 2014. Since then concentrations have increased moderately up to 59µg/l in Feb 2017 and then stabilised at approx. 20 – 40ug/l. Prior to 2015, the molybdenum concentrations in E06-01 have consistently reflected the natural background concentrations, since February 2015, results have been sporadically above the natural background concentrations up to 67µg/l, but levels have decreased back to historic levels in 2017 & 2018, thus suggesting the source of contamination has not impacted this borehole. There is no co-association of increasing concentrations in other indicative PFA leachate parameters in either E05-04 or E06-01. As in E05-03, molybdenum concentrations in the settlement ponds (SP) have been increasing since January 2012, however, since 2013, concentrations are characterised by large amplitude seasonal fluctuations, with the highest concentrations in the summer and the lowest in the winter. This seasonal fluctuation is reflected in DP2 which collects surface water and groundwater from the site, suggesting the source of contamination is intermittent. The water from the settlement ponds is discharged periodically into the cement works lagoon (SW12) and molybdenum concentrations have been rising steadily since January 2012 to levels similar to those in E05-03.

Figure 2: General Groundwater Quality Charts


Upgradient Boreholes




Spike in Chloride March 2018 then returned to normal level




All analytes low but fluctuating.



Spike in Chloride March 2018 then returned to normal level




All analytes low but fluctuating.




All analytes low.


Downgradient Boreholes Phase 1/2



Marked upward trend for Cl & Mg since 2013 but reached plateau.




All analytes low, concentrations steady, Ca depleted, Cl increasing from Feb-15.




All analytes low, concentrations steady, Ca depleted.

Downgradient Boreholes Phase 3/4




Spike in Chloride Q3 2018 then reduced by Q4.




All analytes low except Mg and SO4 elevated. Q4 2017 Cl spike suspect anomaly

Downgradient Boreholes Future Phase




SO4 increased Q4 2018 after slight downward trend




Upward trend with SO4 & Mg in 2018.

Figure 3: Control charts for groundwater boreholes

(CL – Compliance Limit, CON – Control Level, 0 – result at Method Detection Limit, Duplicate results also plotted)





A summary of the average groundwater quality for all monitoring parameters between 2006 and 2018 is provided in Appendix B with a comparison of pre- and post-fill concentrations. The key trends in the data have been discussed above, however, it can be summarised that there may be some low level contamination from fugitive emissions of PFA, which is considered to have not significantly impacted the groundwater receptors.

The difference in pH between field and laboratory measurements in 2018 was less than 0.5 pH units apart from Q2 when there were higher differences at several boreholes, this may indicate a fault with the field pH monitor during that sampling visit however the deviation returned to normal levels during subsequent visits. For Electrical Conductivity there was also elevated deviations on most boreholes during the Q3 visit which again suggests the field conductivity monitor may have had an offset, apart from this visit the difference was between 0-25%. A change greater than 10% may indicate a change in sample conditions and therefore for some samples precipitation of solids between sampling and analysis may be occurring. Yet Major ion balances were all within +/- 5% suggesting precipitation of solids is minimal. Duplicate samples collected during 2018 showed good repeatability and were within the expected laboratory error of +/- 20%.

2.3. Surface Water Quality Review

Monitoring Objective

To carry out routine monitoring of surface water to;

- monitor the performance of the ash disposal site by measurement of absolute levels and concentrations and trends relative to relevant criteria including background concentrations and control levels; and;
- identify and quantify effects on surface water receptors.

Number and Location of Monitoring Points

A summary of the surface water monitoring points is provided in Table 3 below and the locations are shown in Appendix A. As detailed in a letter to NRW dated 13th June 2014 a new surface water monitoring point has been added, DP2, to monitor the composition of water from the under-drainage. Routine monitoring at DP2 began in May 2014.

Table 3: Summary of Surface water monitoring points

Monitoring Point	Description	Direction from site	Designation
SW12	East shore of cement works lagoon in NW area	West	Surface water Receptor
Settlement Ponds (SP)	Two concrete ponds collecting groundwater and surface water	South-west	
DP2	Surface water and groundwater drainage channel at base of Phase 1 and 2	West within site	


A proportion of the upstream and underlying groundwater will be collected in the groundwater drainage layer and directed towards the two settlement ponds along with any water that has infiltrated through the PFA and the barrier/attenuation layer. Surface water from runoff is also directed into the two settlement ponds via a series of perimeter ditches and toe drains. The settlement ponds are constructed on the quarry floor, contained by concrete and butyl lined 3m high bunds and are designed to allow suspended solids to settle out before the water is discharged through penstocks into the nearby cement works lagoon (SW12).

Monitoring Measurements


The surface water monitoring analytical suite contains a range of parameters which are monitored on a quarterly basis for SW12 and a monthly basis for the SP and DP2, in accordance with the Environmental Permit. Trained in-house operatives are responsible for the sampling of the SP and DP2 and an independent external contractor is responsible for the sampling of SW12. An independent external laboratory is responsible for the analysis of the samples. There was a change to the analytical laboratory from September 2009 for the SP surface water analysis and from Q2 2010 for the SW12 surface water analysis.

Figure 5 shows the general surface water quality for the major ions. Calcium, magnesium and sulphate concentrations appear naturally elevated in the cement works lagoon and the settlement ponds i.e. prior to any PFA deposition, and are at similar concentrations to those in the downgradient boreholes, E06-03, E06-04 and E06-05, suggesting a natural geological or quarry-related source upgradient of this area. Concentrations appear to be seasonably variable in the settlement ponds and the cement works lagoon with highs in July to December and lows in February to June except for HCO₃ with lows in July to December and highs in February to June. When routine monitoring began in DP2 in May 2014 this seasonal pattern in concentrations was also evident. The seasonal pattern is much more marked in 2013-2018 with much higher chloride concentrations than seen previously, which could be due to the use of sea water for ash conditioning during the drier months.


Figure 5: General Surface Water Quality Charts



Fluctuations in SO4, Na & Cl with high concentrations in summer and low concentrations in winter.



From 2013 fluctuations in Mg, K, Ca, SO4, Na & Cl with high concentrations in summer and low concentrations in winter and HCO3 with low concentrations in summer and high concentrations in winter.



From 2013 fluctuations in Mg, K, SO4, Na & Cl with high concentrations in summer and low concentrations in winter.





Figure 6 shows the surface water control charts. It should be noted that the compliance limits apply to the discharge from the settlement ponds whilst the control levels (where defined) apply to both the discharge from the settlement ponds and SW12. An exceedance is defined as a result above the compliance limit or control level for 3 consecutive sampling events.

In 2018, there were no exceedances of the compliance limit or control level for any critical parameter, except for sulphate and ammoniacal nitrogen. SP sulphate concentrations exceeded the compliance limit of 400mg/l for every month from May onwards. A temporary approval of the elevated discharge is in place with NRW on the basis of no environmental impact and the understanding that the elevated concentrations are being caused by drainage into the site from the south-east. This has also been suggested by the HRA conducted in 2018. SP Ammoniacal nitrogen concentrations exceeded the compliance limit of 0.6mg/l in each month apart from April, May and June although sufficient oxidation or stripping appears to take place by the time the discharge passes to the cement works lagoon as concentrations are low and not increasing. Ammonia is injected into the Power Station flue gas stream to increase the efficiency of the Electrostatic Precipitators, this will result in the Ash being slightly Ammoniated. This is likely to be the source of the elevated Ammonia levels observed at DP2.

In general, Figure 6 shows that there are no increasing trends in critical parameter concentrations except for sulphate as discussed above and that although concentrations of critical parameters have been variable over time there appears to be no impact on the water quality within the cement works lagoon, SW12 into which the settlement ponds discharge.

During 2015, works to improve surface water management included the re-profiling of drainage ditches, concrete lining of some of the key surface water ditches and removal of small PFA slippages.

A summary of the average surface water quality between 2006 and 2018 is provided in Appendix B with a comparison of pre- and post-fill concentrations. The key trends in the data have been discussed above, however, it can be summarised that there may be some low level contamination from fugitive emissions of PFA, which is considered to have not significantly impacted the surface water receptors.

Figure 6: Surface Water Control Charts


(CL – Compliance Limit, CON – Control Level, 0 – result at Method Detection Limit, Duplicate results also plotted)

Aberthaw Quarry Ash Disposal Site: 2017 Annual Performance Report

15

BP3339BH

May 2018



3. Annual Production/Treatment Data

Table 5: Annual Production/Treatment Data (Table S5.2 EP)

Parameter	Value	Unit
Surface water disposed off site	0	m ³ /yr
Groundwater disposed off site	0	m ³ /yr

4. Contamination/Decontamination of Site

There have been no incidents or emissions which may have caused any site contamination during 2018, and, therefore, no requirement to decontaminate the site during 2018.

5. Topographical Survey

The last topographical survey to ordnance datum was carried out in July 2018 which is shown in Appendix C.

6. Landfill Capacity

Table 6 below details the amount of PFA deposited at Aberthaw Quarry Ash Disposal Site during 2018 as reported to Natural Resources Wales via the Waste Return Form. The total amount deposited is well below the permitted annual waste input limit of 650,000 tonnes, and reflects the greatly reduced operation of the Power Station. It is estimated that around 2,480,411m³ of void capacity remains (Phases 1–4).

Table 6: PFA Deposited

Reporting Period	PFA Deposited (tonnes)
1 st January – 31 st December 2018	13,501

7. Waste Acceptance Compliance Testing

Aberthaw Quarry Ash Disposal Site is a mono-landfill site which is under the direct operational control of Aberthaw Power Station. All the ash is transported directly from the Power Station using lorries.


The exact composition of PFA is dependent upon the composition of the fuel utilised by Aberthaw Power Station. RWE has well established procedures which control the quality of fuel supplied to its stations.

Table 7 summarises the analytical data obtained for leachate tests performed on composite samples of conditioned PFA from Aberthaw Power Station between 2012 and 2018. The CEN two-stage method for leachate analysis was used (BS EN 12457-3:2002 Characterisation of waste – Leaching – Compliance test for leaching of granular waste materials and sludge's of which Part 3).

Table 7: Summary of 10:1 Leachate Calculated Results (mg/kg)

Period	Jan-17	Apr-12 to Jan-17			
Analyte:	Latest Result	Minimum	Mean	Maximum	Number of results
Aluminium as Al (Dissolved)	8.1	2.4	21.9	75.4	15
Ammoniacal Nitrogen as N	156.6	4.2	83.5	158.1	15
Antimony as Sb (Dissolved)	0.192	0.020	0.163	0.256	15
Arsenic as As (Dissolved)	2.449	0.077	1.907	3.313	15
Barium as Ba (Dissolved)	1.4	0.1	2.5	5.9	15
Boron as B (Dissolved)	12.1	0.7	12.8	17.7	15
Bromide as Br	36.3	0.6	71.5	293.5	15
Cadmium as Cd (Dissolved)	0.0010	0.0004	0.002	0.0056	15
Chromium as Cr (Dissolved)	0.19	0.01	0.3	1.03	15
Copper as Cu (Dissolved)	0.010	0.004	0.015	0.028	15
Cyanide (Total) as CN	0.5	0.2	0.3	0.5	15
Dissolved Organic Carbon	25.5	2.2	22.6	43.3	15
Fluoride as F	21.7	2.3	23.5	45.1	15
Iron as Fe (Dissolved)	1.16	0.52	1.03	1.52	15
Lead as Pb (Dissolved)	0.043	0.013	0.034	0.083	15
Manganese as Mn (Dissolved)	0.025	0.006	0.066	0.174	15
Mercury as Hg (Dissolved)	0.0019	0.0004	0.0057	0.0132	15
Molybdenum as Mo (Dissolved)	8.1	0.7	9.4	17.8	15
Nickel as Ni (Dissolved)	0.040	0.003	0.028	0.062	15
Nitrate as N	4.6	2.3	3.1	4.6	15
Selenium as Se (Dissolved)	2.8	0.2	2.1	3.5	15
Sodium as Na (Dissolved)	327	9	821	2696	15
Total Dissolved Solids	6787	350	8888	21800	15
Total Nitrogen as N	162.7	5.0	92.1	166.0	15
Total Sulphur as SO ₄ (Dissolved)	3745	170	3422	4271	15
Vanadium as V (Dissolved)	3.59	0.40	2.39	3.59	15
Zinc as Zn (Dissolved)	0.17	0.01	0.14	0.57	15

Appendix A. Groundwater and Surface Water Monitoring Locations



Appendix B. Groundwater and Surface Water Quality

(Dark orange exceeds compliance limits, light orange exceeds EQS/DWS, blue exceeds background >25%)

	Aquifer	Response Zone Interval ¹	Al	Sb	As	B	Cd	Ca	Cr	Cu	Fe									
		m b GL	µg/l	µg/l	µg/l	µg/l	µg/l	mg/l	µg/l	µg/l	µg/l									
Background - Limestone			11	3	2	201	0.6	152	9	5	74									
Background - Seawater			256	<10	2	4166	0.1		1	12	<100									
GW EQS/DWL			200	5	10	2000	5.0	250	50	2000	200									
GW MRV					1		1.0													
GW CL			50		10	2800	0.4		50											
SW CL					50	2000	5.0		50											
Upstream Groundwater			Average	Average	Average	Average	Average	Average	Average	Average	Average									
E05-09_01A	Limestone	18-24	14	3	1	43	#DIV/0!	133	3	3	106									
E05-09_01B		24-30	16	1	1	42	#DIV/0!	128	3	2	92									
E05-09_02A		21-27	12	3	1	121	0.1	160	3	2	334									
E05-09_02B		27-33	64	2	2	303	0.5	192	4	7	316									
E15_1		17-29	21	#DIV/0!	#DIV/0!	228	#DIV/0!	100	3	2	64									
Downstream Active Filling Operations			Prefill	Postfill																
E05_03	Limestone	3-15	15	11	4	1	1	1109	1368	#DIV/0!	0.2	37	157	3	1	7	2	38	46	
E05_04		2.5-20	21	11	6	2	4	2	2123	2122	#DIV/0!	#DIV/0!	6	8	4	1	5	1	39	31
E06_01		3-15	16	14	6	1	1	1	1667	1751	#DIV/0!	#DIV/0!	10	7	4	1	1	1	47	30
E06_02		2-10	21	11	6	1	2	1	1113	988	#DIV/0!	0.1	89	70	3	1	5	1	86	30
Downstream Future Filling Operations			Prefill	Postfill																
E06_03	Limestone	2-10	19	10	5	2	1	1	561	414	#DIV/0!	0.1	131	158	3	1	2	2	71	#DIV/0!
E06_04		2-10	17	11	4	1	1	1	58	160	#DIV/0!	0.1	147	223	3	1	5	3	55	37
E06_05		2-8	21	10	5	1	1	1	224	242	0.4	0.1	129	187	3	1	2	2	33	#DIV/0!
Downstream Surface Water			Prefill	Postfill																
DP2 Phase 2 West				12		1		2		584		0.5		313		13		3		#DIV/0!
Settlement Ponds				90		1		5		296		0.3		155		8		2		55
SW12 Lafarge Lagoon			21	11	5	1	1	1	122	340	#DIV/0!	0.3	86	164	2	3	2	2	32	31

	Aquifer	Response Zone Interval ¹	Mg	Mn	Hg	Mo	Ni	K	Se	Na	Vn									
		m b GL	mg/l	µg/l	µg/l	µg/l	µg/l	mg/l	µg/l	mg/l	µg/l									
Background - Limestone			16	48	0.02	3	4	5	3	21	2									
Background - Seawater				<20	0.02	<30	9	380	<1		<20									
GW EQS/DWL			50	50	1.00	70	20	12	10	200	60									
GW MRV					0.10															
GW CL					0.03	50					20									
SW CL											60									
Upstream Groundwater			Average	Average	Average	Average	Average	Average	Average	Average	Average									
E05-09_01A	Limestone	18-24	6	12	0.01	1	3	1	2	16	2									
E05-09_01B		24-30	6	8	0.02	3	2	1	3	17	2									
E05-09_02A		21-27	28	69	0.01	3	4	2	3	24	2									
E05-09_02B		27-33	23	52	0.01	2	5	2	2	28	2									
E15/1		17-29	40	22	#DIV/0!	9	2	5	2	40	#DIV/0!									
Downstream Active Filling Operations			Prefill	Postfill																
E05_03	Limestone	3-15	24	103	11	39	#DIV/0!	0.01	1	483	2	2	4	7	1	1	149	332	2	2
E05_04		2.5-20	4	6	6	9	#DIV/0!	0.01	2	10	2	1	4	3	2	1	241	232	4	3
E06_01		3-15	7	5	#DIV/0!	13	#DIV/0!	0.01	1	7	1	1	3	3	1	1	215	212	2	2
E06_02		2-10	56	39	18	10	#DIV/0!	0.01	3	17	4	2	10	7	2	1	109	116	2	5
Downstream Future Filling Operations			Prefill	Postfill																
E06_03	Limestone	2-10	62	85	10	12	#DIV/0!	0.01	11	17	5	3	7	8	5	2	70	44	1	2
E06_04		2-10	42	63	5	23	#DIV/0!	0.01	3	6	4	4	4	26	2	1	17	41	1	2
E06_05		2-8	52	74	6	10	0.04	0.01	2	5	4	2	4	5	2	1	27	23	1	2
Downstream Surface Water			Prefill	Postfill																
DP2 Phase 2 West				48		29		0.01		1914		17		38		1		448		3
Settlement Ponds				37		10		0.03		577		9		17		2		179		5
SW12 Lafarge Lagoon			23	37	2	14	0.05	#DIV/0!	3	624	2	4	6	21	2	2	23	184	2	2

	Aquifer	Response Zone Interval ¹	pH	EC	Bicarbonate	Sulphate	Ammoniacal Nitrogen as N	Total Oxidised Nitrogen as N	Nitrate	Chloride	Fluoride	Total Organic Carbon										
		m b GL		µS/cm	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l										
Background - Limestone			7.33	821	411	56	0.3	11.29	19	35	0.5	#DIV/0!										
Background - Seawater			7.88		97	2396				16300	1.3											
GW EQS/DWL			8.50	2500	250	400	0.3		50	250	1.5											
GW MRV																						
GW CL						400	1.6															
SW CL				9.00			400	0.6														
Upstream Groundwater			Average	Average	Average	Average	Average	Average	Average	Average	Average	Average										
E05-09_01A	Limestone	18-24	7.40	677	344	33	0.03	5.48	52	31	0.1	4										
E05-09_01B		24-30	7.40	668	336	32	0.04	4.93	24	31	0.1	3										
E05-09_02A		21-27	7.29	902	480	67	0.82	11.10	8	37	0.2	4										
E05-09_02B		27-33	7.25	1052	475	88	0.12	24.17	24	41	0.2	6										
E15/1		17-29	7.53	835	354	151	0.27	2.61	2	35	0.2	2										
Downstream Active Filling Operations			Prefill	Postfill	Prefill	Postfill	Prefill	Postfill	Prefill	Postfill	Prefill	Postfill	Prefill	Postfill	Prefill	Postfill	Prefill	Postfill	Prefill	Postfill	Prefill	Postfill
E05_03	Limestone	3-15	8.50	7.72	977	2759	891	891	178	288	0.53	0.65	0.14	0.81	0.42	1.41	33	680	1.4	1.5	16	3
E05_04		2.5-20	8.79	8.54	1010	948	564	474	79	91	0.53	0.40	0.30	0.07	0.84	#DIV/0!	31	44	6.4	5.2	19	5
E06_01		3-15	8.66	8.60	923	876	473	424	106	92	0.58	0.43	0.45	0.26	#DIV/0!	0	33	35	2.1	2.9	19	3
E06_02		2-10	8.39	7.82	1214	1014	336	288	390	281	1.09	0.52	0.72	0.53	0.60	0.53	38	41	0.6	0.5	5	4
Downstream Future Filling Operations			Prefill	Postfill	Prefill	Postfill	Prefill	Postfill	Prefill	Postfill	Prefill	Postfill	Prefill	Postfill	Prefill	Postfill	Prefill	Postfill	Prefill	Postfill	Prefill	Postfill
E06_03	Limestone	2-10	8.20	7.70	1224	1295	276	188	443	616	0.67	0.12	2.28	0.79	1.60	0.10	23	30	0.5	0.4	4	5
E06_04		2-10	7.99	7.57	930	1461	290	223	320	561	0.20	0.04	0.10	0.98	0.50	0.91	26	103	#DIV/0!	0.3	12	15
E06_05		2-8	8.08	7.58	1063	1241	289	205	363	582	0.21	0.07	0.30	0.17	3.30	-0.36	37	25	#DIV/0!	0.4	9	1
Downstream Surface Water			Prefill	Postfill	Prefill	Postfill	Prefill	Postfill	Prefill	Postfill	Prefill	Postfill	Prefill	Postfill	Prefill	Postfill	Prefill	Postfill	Prefill	Postfill	Prefill	Postfill
DP2 Phase 2 West				7.40		3617		302		509		2.37		23.05		21.26		806		0.2		1
Settlement Ponds				8.01		1701		165		380		0.10		6.55		11.63		300		0.3		2
SW12 Lafarge Lagoon				8.38	8.12	713	1747	159	147	207	394	#DIV/0!	0.10	1.16	3.59	5.09	1.94	44	297	#DIV/0!	0.2	8

Appendix C. Topographical Survey

