

Water Resources Act 1991
as amended by the Environment Act 1995
Consent to Discharge
Certificate of Holder



**ENVIRONMENT
AGENCY**

Part A

To: DWR CYMRU CYFYNGEDIG
CONSENTS REGULATION OFFICER
PLAS-Y-FFYNNON
CAMBRIAN WAY
BRECON LD3 7HP



The **Environment Agency** ("the Agency") hereby confirm that the above named person is a/the registered holder of consent CG0071001

Nature of Discharge(s); SEWAGE EFF/TREATED EFF/CONTINUOUS
at BODFORDD DEPOT

Note: This certificate should be kept with the consent document for future reference. If you transfer responsibility for the discharge to somebody else you must pass the consent to them and tell the Agency within 21 days. **Responsibility for the consent cannot be disclaimed by the holder but the registration of holder may be transferred to a successor.** To do this please complete the form below, then tear it off and return it to the address shown. If you fail to transfer the consent, even though you are no longer on the site, you may still be liable for prosecution for pollution. If you transfer the consent but do not tell us, you will be committing an offence. In case of any queries please contact your local Environment Agency office.

Part B Please complete in block capitals or type.

To:

Water Resources Act 1991: Notice of transfer of consent to discharge

Consent:

Name:
Address:

I/We* hereby serve notice on the Agency that I/we* am/are* no longer a/the* Holder of the above consent which will be/was* transferred to:

* delete as appropriate

Name(s) of new holder(s):

Address:

Post Code:

Date of Transfer to new Holder(s);

Signed:


Dated:

Name (block capitals):

Position:

(to be completed when signing
on behalf of corporate bodies)





DŴR CYMRU
WELSH WATER

Mr S. THOMAS,
AREA CONSENTS OFFICER,
NATIONAL RIVERS AUTHORITY,
HIGHFIELD,
PRIESTLEY ROAD,
CAERNARFON,
GWYNEDD.
LL55 1HR

Dyddiad/Date:
17 January 1995

Ymholiadau/Enquiries:
MR J. P. CANNON

Ein Cyf/Our Ref:
JPC/C/33/DS

Eich Cyf/Your Ref:
3/EQ/PC/1831/RW

Dear Mr Thomas,

DISCHARGE CONSENT CG00710-01

Thank you for your letter dated 16th January 1995 relating to the above consent for the "New central Depot, Bodffordd, New Stores block Septic Tank".

This discharge is still in operation. There are plans to rebuild/upgrade the facility to deal with a greater flow and should this impinge on the conditions of the consent we will discuss the matter further with you once the plans have been formulated.

Please do not hesitate to contact me should you require further information.

Yours sincerely,

PP- T. P. Woodward
DIVISIONAL SCIENTIST

cc. Chris Hallam. Bangor.
cc. Dave Bevan, Bangor.
cc. Jim Middleton, Bodffordd.
cc. Andrew Dixon, NRA.

Rhanbarth y Gogledd Maes y Ffynnon Penrhosgarnedd
Bangor Gwynedd LL57 2DJ
Ffôn:(01248) 351144 Teleffacs:(01248) 355192

Dwr Cymru Cyf, cwmni cyfyngedig wedi'i gofrestru yng Nghymru Rhif 2366777
Un o grwp cwmnïau Welsh Water PLC
Swyddfa Gofrestredig: Plas y Ffynnon Ffordd Cambria Aberhonddu Powys LD3 7HP



Northern Division Maes y Ffynnon Penrhosgarnedd
Bangor Gwynedd LL57 2DJ
Tel:(01248) 351144 Telefax:(01248) 355192

Dwr Cymru Cyf, a limited company registered in Wales No 2366777
One of the Welsh Water PLC group of companies
Registered Office: Plas y Ffynnon Cambrian Way Brecon Powys LD3 7HP



Mr. T.P. Woodward
Divisional Scientist
Dwr Cymru/Welsh Water
Northern Division
Penrhosgarnedd
Bangor
Gwynedd

Our Ref:
3/EQ/PC/1831/RW

Your Ref:

Enquiries:
Mrs R. Williams

January 16, 1995

Dear Tom,

Water Resources Act 1991
Discharge Consent No. CG00710-01

Can you help me please? Due to validation exercise the above consent is, for some reason, pending on computer. Can you confirm the present position with regards to this consent, whether the discharge is still in operation or not. Also if the consent is no longer required please give authorisation to revoke it.

If the discharge is still operational, the Authority may require to review the existing consent to reflect the proper name and address of discharger and also to bring it up to the required present day standard of conditions.

I enclose a copy of the consent to assist you in this matter.

Many thanks in anticipation of your kind attention

Yours sincerely,

Rosemary

ff
S. THOMAS
AREA CONSENTS OFFICER

HE/JEH

AJ/AL. C.203/7 & AM/8/6

24th May, 1967.

Dear Sir,

Rivers (Prevention of Pollution) Acts 1951 to 1961
Re: Stave Block Septic Tank, New Central Depot,
Widford.

With reference to your application of 4th April 1967, the Gwynedd River Authority, in pursuance of their powers under the above Acts, hereby consent to the bringing into use of a new outlet for the discharge of sewage effluent and the making of a new discharge of sewage effluent into the diversion ditch at a point on its right bank in O.S. enclosure No. 204 in accordance with the plans numbered A67014, A66038 and A66041 and subject to the following conditions:-

1. The volume of the discharge in any period of 24 hours shall not exceed 400 gallons.
2. The discharge shall at no time:-
 - (a) contain more than 30 parts per million of suspended matter dried at 105° C.
 - (b) take up more than 20 parts per million of dissolved oxygen in 5 days at 20° C.
3. The outlet pipe into the diversion channel shall be so placed as to permit the Authority to exercise its right to sample the effluent discharged.

The terms of this consent will not, without the consent in writing of the person to whom this consent is given (or his successor), be altered before the expiration of the period ending with the first day of December 1969.

Yours faithfully,

The County Water Engineer
and Manager,
Anglesey County Council,
Water Department,
Fruddiston,
LLANGYNNI,
Anglesey.


Clerk of the Authority

RI/JHN

AJ/AL. C.203/7 & AM/8/6

24th May, 1967.

Dear Sir,

Rivers (Prevention of Pollution) Acts 1951 to 1961
Re: 3 Acres Block South of the Tank, New Central Drain,
Bedford.

With reference to your application of 4th April 1967, the Bedford River Authority, in pursuance of their powers under the above Acts, hereby consent to the bringing into use of a new outlet for the discharge of sewage effluent and the making of a new discharge of sewage effluent into the diversion ditch at a point on its right bank in O.S. enclosure No. 200 in accordance with the plans numbered A6704, A66038 and A66041 and subject to the following conditions:-

1. The volume of the discharge in any period of 24 hours shall not exceed 400 gallons.
2. The discharge shall at no time:-
 - (a) contain more than 30 parts per million of suspended matter dried at 105° C.
 - (b) take up more than 20 parts per million of dissolved oxygen in 5 days at 20° C.
3. The outlet pipe into the diversion channel shall be so placed as to permit the Authority to exercise its right to sample the effluent discharged.

The terms of this consent will not, without the consent in writing of the person to whom this consent is given (or his successor), be altered before the expiration of the period ending with the first day of December 1969.

Yours faithfully,

The County Water Engineer
and Manager,
Anglosey County Council,
Water Department,
Frendrick,
LLANGRYLL.
Anglosey.


Clerk of the Authority

Our ref: CG0071001



ASiantaeth YR
AMGYLCHEDD CYMRU
ENVIRONMENT
AGENCY WALES

Your ref:

Date: 25th February 2004

Mr John Arthurs Jones
Parc Cefni
Bodffordd
Ynys Mon
LL77 7PJ

COPY

Dear Sir,

**WATER RESOURCES ACT 1991, SCHEDULE 10 (As amended by the Environment Act 1995)
APPLICATION TO DISCHARGE SEWAGE AND TRADE EFFLUENT BY MR JOHN ARTHUR
JONES FROM PARC CEFNI BODFFORDD, YNYS MON, LL77 7PJ
APPLICATION NO: CG0071001**

Further to my letter of 6th February 2004 the Agency has decided that the proposed discharge will have an appreciable effect on the receiving water and therefore needs to be advertised.

Although the Agency is in a position to undertake the advertising on your behalf, you should be aware that there is the option to self-advertise an application for a discharge consent. The template needed to advertise the application to discharge is attached for your attention.

Please contact us within 10 working days to inform us as to whether or not you propose to self-advertise. If we do not hear from you, the Agency will assume that you do not wish to self-advertise, and will proceed to advertise on your behalf and invoice you accordingly.

The advertising procedure requires that a legal notice is placed in the London Gazette and in a paper local to Parc Cefni, Bodffordd, Ynys Mon. Our Regulatory Water Quality function recommends that the local advert be placed in the Daily Post.

An application for the advert will need to be placed in each paper no later than **seven days from the date of this letter**, to appear no later than **three weeks from date of this letter**. Dates of publication need to be forwarded to the Agency using the attached 'EA Notification Template'.

Copies of both advertisements need to be forwarded to myself, Ruth Prichard, at the address below, within 7 days of publication.

Asiantaeth yr Amgylchedd Cymru
Ffordd Caer, Bwcle, Stry Ffordd CH7 3AJ
Ffôn 0144 550 124, Ffacs 0144 550 144, GTN 7-26 X 1000

Environment Agency Wales
Chester Road, Buckley, Flintshire, CH7 3AJ
Tel 0144 550 124, Fax 0144 550 144, GTN 7-26 X 1000





ASiantaeth YR
AMGYLCHEDD CYMRU
ENVIRONMENT
AGENCY WALES

If any of the advertisements fail to meet EA specifications, as detailed above, we may ask you to re-advertise at your own expense.

If you have any queries or require any further information on this matter please contact me by telephone on 01244 550 124 ext 4502

Yours faithfully

Kelvin Graham
Team Leader Customer Contact and Authorisations

Please ask for Miss Ruth Prichard, Ext. 4502

Asiantaeth yr Amgylchedd Cymru
Plodd Caer Ewcle, Stryd Ffôn CH7 3AJ
Ffôn 0144 550 124, Ffôn 0144 550 144, GŵN 7-26 X 1000

Environment Agency Wales
Chester Road, Buckley, Flintshire, CH7 3AJ
Tel 0144 550 124, Tlx 044 550 144, GŵN 7-26 X 1000





DŴR CYMRU
WELSH WATER

Pentwyn Road
Nelson
Mid Glamorgan
Treharris CF46 6LY

Tel: +44 (0)1443 452300
Ffôn: +44 (0)1443 452323
Web site: www.dwrcymru.com

Heol Pentwyn
Nelson
Morgannwg Ganol
Treharris CF46 6LY

Ffôn: +44 (0)1443 452300
Ffôn: +44 (0)1443 452323
Web site: www.dwrcymru.com

RECEIVED
- 9 SEP 2003

Sian Owens
Environment Agency,
Chester Road,
Buckley,
Flint.
CH7 3AJ.

8th Sept 2003

MR A. R. Andrews

Dear Sian,

**Re: Septic Tank at DCWW Bodffordd Depot
Consent No CG 0071001**

The Bodffordd Depot has been sold to a Mr J A Jones of:

Nantgaredig,
Llangwyllog,
Llangefni,
Ynys Mon.
LL77 7PX.

Could you please arrange for the consent to be transferred to him.

Attached please find the Certificate of Holder for this consent and a copy of the original consent.

If you require any further information please let me know.

Yours Sincerely

A. R. Andrews
A. R. Andrews
Environment Quality Scientist

Encl

*WMS Actoned
13/10/03
CFD Actoned
13/10/03*

glas

Glas Cymru Cyfyngedig

We welcome correspondence in Welsh and English
Rydym yn croesawu gohebiaeth yn y Gymraeg neu yn Saesneg

Welsh Water is owned by Glas Cymru - a "not-for-profit" company
Mae Dŵr Cymru yn eiddo i Glas Cymru - cwmni nad yw'n gwneud elw

Dŵr Cymru Cylf a limited company registered in
Wales no. 2366777. Registered office: Pentwyn Road,
Nelson, Treharris, Mid Glamorgan CF46 6LY

Dŵr Cymru Cylf, cwmni cyfyngedig wedi'i gofrestru yng
Nghymru rhif 2366777. Swyddfa gofrestredig: Heol Pentwyn,
Nelson, Treharris, Morgannwg Ganol CF46 6LY

HE/JHH

AJ/AL. C.203/7 & AN/8/6

24th May, 1967.

Dear Sir,

Rivers (Prevention of Pollution) Acts 1951 to 1961
Re: Stores Block Sewer Tank, New Central Depot,
Beafford.

With reference to your application of 4th April 1967, the Gwynedd River Authority, in pursuance of their powers under the above Acts, hereby consent to the bringing into use of a new outlet for the discharge of sewage effluent and the making of a new discharge of sewage effluent into the diversion ditch at a point on its right bank in O.S. enclosure no. 201 in accordance with the plans numbered A66014, A66038 and A66041 and subject to the following conditions:-

1. The volume of the discharge in any period of 24 hours shall not exceed 400 gallons.
2. The discharge shall at no time:-
 - (a) contain more than 30 parts per million of suspended matter dried at 105° C.
 - (b) take up more than 20 parts per million of dissolved oxygen in 5 days at 20° C.
3. The outlet pipe into the diversion channel shall be so placed as to permit the Authority to exercise its right to sample the effluent discharged.

The terms of this consent will not, without the consent in writing of the person to whom this consent is given (or his successor), be altered before the expiration of the period ending with the first day of December 1969.

Yours faithfully,

The County Water Engineer
and Manager,
Anglesey County Council,
Water Department,
Ffrondirion,
LLANGYFELI.
Anglesey.


Clerk of the Authority

REGISTER OF CONDITIONS

AND OTHER TERMS

IMPOSED UNDER SECTION 7 OF THE RIVERS (PREVENTION OF POLLUTION) ACT, 1951

(AS APPLIED BY THE CLEAN RIVERS (ESTUARIES AND TIDAL WATERS) ACT, 1960)

AND THE RIVERS (PREVENTION OF POLLUTION) ACT, 1961.

Consent No. **710**
Ref. No. **AN/8/6**

Anglesey County Council.

Cat. No. R.B.12 SHW 6 SOME LTD. PETER LANE E.C.4

DATE ON WHICH CONDITION CAME INTO FORCE AND PERIOD OF EFFECT	FULL ADDRESS OR OTHER SUFFICIENT DESCRIPTION OF LAND OR PREMISES TO WHICH THE TERM OR CONDITION RELATES
As from date of initial discharge	New Central Depot, Bodffordd, New stores block Septic Tank.
USE OF NEW OR ALTERED OUTLET	DISCHARGE OF TRADE OR SEWAGE EFFLUENT
<p>CONDITIONS IMPOSED WITH RESPECT TO:-</p> <p>(i) PRECISE LOCATION OF OUTLET Right bank of diversion in O.S. Encl. No. 201</p> <p>(ii) CONSTRUCTION OF OUTLET <small>(OTHER THAN CONDITIONS TO BE SATISFIED BEFORE OUTLET IS BROUGHT INTO USE)</small></p> <p>(iii) USE OF OUTLET</p> <p>(iv) USE OF ANY OTHER OUTLET FOR TRADE OR SEWAGE EFFLUENT FROM THE SAME LAND OR PREMISES</p>	<p>CONDITIONS IMPOSED WITH RESPECT TO:-</p> <p>(i) NATURE AND COMPOSITION OF DISCHARGE The discharge shall at no time:- (a) contain more than 30 parts per million of suspended matter dried at 105° C. (b) take up more than 20 parts per million of dissolved oxygen in 5 days at 20° C.</p> <p>(ii) TEMPERATURE OF DISCHARGE -</p> <p>(iii) VOLUME OR RATE OF DISCHARGE OF EFFLUENT FROM LAND OR PREMISES The volume of the discharge in any period of 24 hours shall not exceed 400 gallons.</p> <p>* (iv) PROVISION OF FACILITIES FOR TAKING SAMPLES The outlet pipe into the diversion channel shall be so placed as to permit the Authority to exercise its right to sample the effluent discharged.</p> <p>* (v) DATE OF EXPIRATION OF PERIOD SPECIFIED UNDER S.5(2) OF 1961 ACT <div style="text-align: right;">1st June 1969.</div></p>
REMARKS-	REMARKS-

Water Resources Act 1991

as amended by the Environment Act 1995



ASiantaeth Yr
AMGYLCHEDD CYMRU
ENVIRONMENT
AGENCY WALES

Consents to Discharge

Certificate of Holder

Part A

To : **MR JOHN ARTHUR JONES**

PARC CEFNI

BODFFORDD

LLANGFNI

YNYS MON LL77 7PJ

NB: For a body corporate the job title is a point of contact.

Holder Start Date : 27 August 2004

The Environment Agency ("the Agency") hereby confirm that the above named person (or organisation) is a / the registered Holder of the Consent : CG0071001 Consent Issued : 20 May 2004

Nature of Discharge(s) STEC Sewage effluent

at SH4336176875 PARC CEFNI

Note : This certificate should be kept with the consent document for future reference. If you transfer responsibility for the discharge to somebody else, you must pass the consent to them and tell the Agency within 21 days. Responsibility for the consent cannot be disclaimed by the Holder but the registration of Holder may be transferred to a successor. To do this, please complete the form below (Part B), then tear it off and return it to the address shown. If you fail to transfer the consent, even though you are no longer on the site, you will still be liable for prosecution for pollution. If you transfer the consent but do not tell us, you will be committing an offence. In case of any queries, please contact your local Environment Agency office, quoting the Consent Reference.

----- cut here -----

Part B

Please complete in block capitals or type

To : **Water Resources Act 1991 : Notice of transfer of Consent to Discharge**

Consent Reference : CG0071001

Name : MR JOHN ARTHUR JONES

Consent Issued : 20 May 2004

Address : PARC CEFNI

BODFFORDD

LLANGFNI

YNYS MON LL77 7PJ

I / We* hereby serve notice on the Agency that I / we* am /are* no longer a / the* Holder of the above consent which will be / was* transferred to :

** delete as appropriate*

Name(s) of the new Holder(s) :

Post Code :

Date of Transfer to new Holder(s)

Signed :

Dated :

Name (block capitals) :

Postion (if appropriate) :

(to be completed when signing on behalf of corporate bodies)



Caniatâd Gollwng

Tystysgrif Daliwr

Rhan A

At : **MR JOHN ARTHUR JONES**
PARC CEFNI
BODFFORDD
LLANGEFNI
YNYS MON LL77 7PJ

DS: I gorfforaeth gorfforedig mae teitl y swydd yn bwynt cysylltu.

Dyddiad Cychwyn y Daliwr : 27 Awst 2004

Mae Asiantaeth yr Amgylchedd ("yr Asiantaeth") yn cadarnhau drwy hyn mai / bod y sawl (neu sefydliad) a enwyd uchod yw / yn ddaliwr cofrestredig y caniatâd : CG0071001 Cyhoeddwyd y Caniatâd : 20 Mai 2004

Natur y Gollyngiad(au) : **STEC Carthffrwd**
yn **SH4336176875 PARC CEFNI**

Noder : Dylid cadw'r dystysgrif hon gyda'r ddogfen ganiatâd i gyfeirio ati yn y dyfodol. Os byddwch yn trosglwyddo cyfrifoldeb am y gollyngiad i rywun arall, rhaid i chi drosglwyddo'r caniatâd iddo ef neu hi a dweud wrth yr Asiantaeth cyn pen 21 diwrnod. Ni all y Daliwr wadu cyfrifoldeb am y caniatâd, ond gall cofrestriad y Daliwr gael ei drosglwyddo i olynnydd. I wneud hynny, byddwch gystal â llenwi'r ffurflen isod (Rhan B), yna'i dychwelyd i'r cyfeiriad a nodir. Os fethwch â throsglwyddo'r caniatâd, hyd yn oed os nad ydych ar y safle mwyach, gallwch gael eich erlyn am achosi llygredd. Os trosglwyddwch y caniatâd ond heb ddweud wrthym, yna byddwch yn cyflawni trosedd. Os bydd gennych unrhyw ymholiadau a fydddech gystal â chysylltu â'ch swyddfa Asiantaeth yr Amgylchedd lleol, gan ddyfynnu Cyfeirnod y Caniatâd.

- - - - - torrwrch yma - - - - -

Rhan B

Llenwch mewn priflythrennau bras neu deipio

At : **Deddf Adnoddau Dwr 1991 : Hysbysiad am drosglwyddo Caniatâd Gollwng**

Cyfeirnod y Caniatâd : CG0071001

Enw : MR JOHN ARTHUR JONES

Cyhoeddwyd y 20 Mai 2004

Cyfeiriad : PARC CEFNI

Caniatâd :

BODFFORDD

LLANGEFNI

YNYS MON LL77 7PJ

Yr wyf fi / Yr ydym ni* drwy hyn yn hysbysu'r Asiantaeth nad fi / ni mwyach yw* Daliwr / Deiliaid y caniatâd uchod a fydd yn cael / cafodd ei drosglwyddo i

* dilêr fel yn briodol

Enw(au) y Daliwr / Deiliaid newydd :

Côd Post :

Dyddiad Trosglwyddo i'r Daliwr / Deiliaid newydd :

Llofnodwyd :

Dyddiedig :

Enw (priflythrennau bras) :

Swydd (os yn briodol) :

COP



ASiantaeth YR
AMGYLCHEDD CYMRU
ENVIRONMENT
AGENCY WALES

CONSENT NO.

CG0071001

WATER RESOURCES ACT 1991

SECTION 88 - SCHEDULE 10

(AS AMENDED BY THE ENVIRONMENT ACT 1995)

VARIATION OF CONSENT TO DISCHARGE

TO: Mr John Arthur Jones
Parc Cefni
Bodffordd
Ynys Mon LL77 7PJ

In pursuance of an application by the consent holder for variation of consent, the **ENVIRONMENT AGENCY** ("The Agency") in pursuance of its powers under the Water Resources Act 1991 **HEREBY VARIES ITS CONSENT** to the making of a discharge **OF SEWAGE EFFLUENT** as follows:

Biologically Treated Sewage and Trade Effluent

With respect to Consent No. CG0071001 issued 24th May 1967

FROM: Parc Cefni

AT: Bodffordd, Ynys Mon LL77 7PJ

TO: Cefni Reservoir Bypass Channel

SUBJECT TO the conditions set out in the following schedule(s):

Biologically Treated Sewage and Trade Effluent

Schedule No. CG0071001 01

Subject to the provisions of Paragraphs 7 and 8 of Schedule 10 of the Water Resources Act 1991, no notice shall be served by the Agency, which alters the effect of variations made to this consent, without the agreement in writing of the consent holder, during a period of 4 years from the date this variation is issued.

This variation of consent is issued on the 20th day of May 2004
This variation of consent takes effect on the 9th day of September 2004

Signed

Siân Owens

Environment Management Team Leader

Asiantaeth yr Amgylchedd Cymru

Parc Menai, Ffordd Penlan, Bangor, Gwynedd, LL57 4DE. Ffon: 01248 670770 Ffacs: 01248 670561

Environment Agency Wales

Parc Menai, Penlan Road, Bangor, Gwynedd, LL57 4DE. Tel: 01248 670770 Fax: 01248 670561



CONSENT NO.	CG0071001
SCHEDULE NO.	CG0071001 01
DATE ISSUED	20th May 2004



**ASiantaeth Yr
Amgylchedd Cymru
Environment
Agency Wales**

CONDITIONS OF CONSENT TO DISCHARGE

Biologically Treated Sewage and Trade Effluent ("the Discharge")

FROM: Parc Cefni, Bodffordd, Ynys Mon LL77 7PJ

1. (a) The Discharge shall not contain any poisonous, noxious or polluting matter or solid waste matter.
- (b) Provided that the Discharge hereby consented is made in accordance with the following conditions of this consent, such discharge shall not be taken to be in breach of condition (a) above by reason of containing substances or having properties identified in and controlled by these conditions.

NATURE

2. The Discharge shall consist solely of biologically treated sewage and trade effluent, arising from Parc Cefni, Bodffordd, Ynys Mon LL77 7PJ.

LOCATION

3. The Discharge shall be made in the manner and at the place specified as:
 - (a) discharging via a 150 millimetre diameter pipe;
 - (b) discharging to the Cefni Reservoir Bypass Channel;
 - (c) at National Grid Reference SH 43361 76875;
 - (d) shown marked 'Discharge Point' on Plan CG0071001 attached as Annex 1.

CONSENT NO.	CG0071001
SCHEDULE NO.	CG0071001 01



**ASiantaeth Yr
Amgylchedd Cymru
Environment
Agency Wales**

SAMPLING POINTS

4. An appropriately labelled sample point shall be provided and maintained at National Grid Reference SH 43340 76860, as shown marked 'Sampling Point' on Plan CG0071001, so that a representative sample of the Discharge may be obtained. The consent holder shall ensure that all constituents of the Discharge pass through the said sampling point at all times and in any legal proceedings it shall, for the purposes of Section 10 of the Rivers (Prevention of Pollution) Act 1961, be presumed, until the contrary is shown that any sample of the Discharge taken at the said sampling point is a sample of what was discharging into controlled waters.

VOLUME

5. The volume of the Discharge shall not exceed 19.3 cubic metres per day.

FLOW MEASUREMENT

6. At the request of the Agency, the Consent Holder shall install, operate and maintain a means of flow measuring to a specification and at a location required by the Agency, to enable the daily volume and instantaneous flow of the discharge to be recorded. The Consent Holder shall calibrate, operate and maintain the flow monitoring and recording system to a standard agreed or specified by the Agency. The flow and maintenance records shall be provided to the Agency as and when requested.

COMPOSITION

7. The Discharge shall not contain more than;
 - (i) 20 milligrammes per litre of biochemical oxygen demand (measured after 5 days at 20 °C with nitrification suppressed by the addition of allyl-thiourea)
 - (ii) 30 milligrammes per litre of suspended solids (measured after drying at 105 °C);

CONSENT NO.	CG0071001
SCHEDULE NO.	CG0071001 01



**ASiantaeth Yr
Amgylchedd Cymru
Environment
Agency Wales**

MAINTENANCE

8. The works shall be operated and maintained in accordance with good operational practice such that:
 - (a) it remains fully operational except at times of unavoidable mechanical or electrical breakdown which shall be attended to, and the Agency informed of the failure, as soon as practicable after the failure;
 - (b) following a failure all equipment shall be returned to normal operation as soon as practicable;
 - (c) tanks shall be desludged at sufficient frequency and in such a manner to prevent excessive carryover of suspended solids.

START DATE

9. There shall be no discharge under the terms of this consent until the 9th September 2004 or the start of commissioning of the works whichever is the sooner. The Consent Holder shall give the Agency at least 28 days written notice before making the discharge.


CONSENT NO.	CG0071001
SCHEDULE NO.	CG0071001 01



ASiantaeth yr
Amgylchedd Cymru
Environment
Agency Wales

ANNEX 1

Plan CG0071001



Reproduced from the Ordnance Survey mapping with the permission of the Controller of Her Majesty's Stationary Office © Crown copyright. Unauthorised reproduction infringes Crown copyright and may lead to prosecution or civil proceedings. Licence No: GD03177G



ASiantaeth YR
AMGYLCHEDD CYMRU
ENVIRONMENT
AGENCY WALES

Eich cyf/Your ref.
Ein cyf/Our ref. DR/RP/CG0071001
Enquiries Ruth Prichard
Dyddiad/Date: 28th May 2004

Mr John Arthur Jones
Parc Cefni
Bodffordd
Ynys Mon
LL77 7PJ

COPY

Dear Mr Jones,

RE: WATER RESOURCES ACT 1991, SCHEDULE 10 (AS AMENDED BY THE ENVIRONMENT ACT 1995) APPLICATION FOR VARIATION OF CONSENT TO DISCHARGE NO CG0071001

Further to your application for variation of consent of the Agency to discharge under the provisions of Section 88 of the Water Resources Act 1991, I enclose the Agency's formal notice of the variations made to the conditions of the consent to discharge sewage effluent from Parc Cefni, Bodffordd, Ynys Mon, LL77 7PJ.

Under the present Scheme of Charges for Discharges to Controlled Waters an annual charge will be made for all consents to discharge, except where the discharge is of sewage effluent of five cubic metres or less per day. This charge is based on information derived from the conditions attached to the consent to discharge, as outlined in the enclosed leaflet. A change in conditions may therefore result in a change in annual charge, you may therefore receive a revised bill in due course.

If you are not satisfied with the new conditions of the consent you may appeal against the decision to the National Assembly for Wales at Cathays Park, Cardiff CF10 3NQ.

Please take careful note that if the holder of the consent changes, you must inform the Agency IN WRITING as soon as possible of the name of the new holder. This to ensure that the rights and charges associated with the Consent are transferred to the new holder. A certificate of Holder notice will be sent to you shortly which is designed for this purpose, and should be kept safely with the Consent until required.

Asiantaeth yr Amgylchedd Cymru
Ffordd Caer, Bwele, Sir y Fflint CH7 3AJ
Ffon 01244 550124 Ffacs 01244 550144

Environment Agency Wales
Chester Road, Buckley, Flintshire CH7 3AJ
Tel 01244 550124 Fax 01244 550144



**ASiantaeth yr
AMGYLCHEDD CYMRU**
**ENVIRONMENT
AGENCY WALES**

If you have any queries regarding the enforcement of this consent, please do not hesitate to contact Sian Owens Team Leader Environment Protection, Environment Agency, Llwyn Brain, Ffordd Penlan, Parc Menai, Bangor, Gwynedd, LL57 4DE.

Yours sincerely,

Kelvin Graham
Team Leader Customer Contact and Authorisations
Enc.

To: *Environment Agency Wales*

Water Resources Act 1991: Notice of transfer of consent to discharge

Consent: *CG 0071001*

*Bodfodd Depot
Bodfodd.
Anglesey*

Name: *Dwr Cymru Cyfyngedig*
Address: *Pentwyn Road
Nelson
Treharris CF46 6LY*

I/~~We~~* hereby serve notice on the Agency that ~~I/we~~* ~~am/are~~* no longer ~~at~~* the* Holder of the above consent which ~~will be~~/was* transferred to:

* delete as appropriate

Name(s) of new holder(s): *John Arthur Jones*
Address: *Nantgaredig
Llangwyllog
Llangefni
Isle of Anglesey*

Post Code: *LL77 7PX*

Date of Transfer to new Holder(s); *5th September 2003*.....

Signed: *A. R. Andrews*.....

Dated: *5th September 2003*.....

Name (block capitals): *A. R. ANDREWS*.....

Position: *Environment Quality Scientist*.....

*22685
100855*



Rhan B Llenwch mewn priflythrennau bras neu deipio.

At:

Deddf Adnoddau Dwr 1991: Hysbysiad am drosglwyddo caniatâd gollwng

Caniatâd:

Enw:

Cyfeiriad:

Yr wyf fi/Yr ydym ni* drwy hyn yn hysbysu'r Asiantaeth nad fi/ni/nad wyf/ydym mwyach yw/yn* Ddeiliad y caniatâd uchod. Caiff/Cafodd hwnnw ei drosglwyddo i:

**dilewch yn ôl yr angen*

Enw(au) y Daliwr/Dalwyr newydd:

Cyfeiriad:

Cod Post:

Dyddiad Trosglwyddo i'r Daliwr/Dalwyr newydd:

Llofnodwyd:..... **Dyddiedig:**

Enw Enw (priflythrennau bras):..... **Safle:**



COPY

RECEIVED
26 APR 2004

BUCKLEY

Ref: 2004/0001/0001

22-4-04

Dear Sir,

Regarding the application at Boffield
apud St. H. 23/10/04 from the local town daily concerned
about how close the water will be especially if the
regulation track down to the water level of the river.

This remained unbroken floor over the existing
embankment from the river, in winter and during
heavy rainfall. It also keeps through it in
numerous places.

With the recent opening of a cycle track in the
embankment which has been raised again in some
places (but not in all the right places) more children
will be playing in this water course.

This unnamed water course also flows through
the popular Boffield and Dargy area of Boffield
which is a local nature reserve where myself,
my children, and hopefully my grandchildren
will be playing and bathing at the the Boffield P.P.

I know that the Boffield Sewage Plant
also discharges into this water course, which I am
not happy about but that was there before. I am
not happy about the sewage being discharged to
it as well.

I would like to see the water level of
the river raised again to the level of the river
and the water level of the river raised again to the
level of the river.

COPY



ENVIRONMEN
AGENCY

WATER RESOURCES ACT 1991 (schedule 10)

(as amended by the Environment Act 1995)

Application for new consent/variation to an existing consent* to discharge
(* delete as appropriate)

Regional/Area Address:

DISCHARGE CONSENTS APPLICATIONS
Environment Agency Wales
Chester Road
Buckley
Flintshire CH7 3AJ

Official Use Only
Dist/Area Ref:

Application No. 09 007 1001

Date Received: 06/02/2004

Fee Received: 06/02/2004

Each applicant must complete the main form and may need to complete a separate annex if appropriate. Please look through the form and read the notes carefully before you complete it. Processing of your application will be aided by full and accurate completion of all the relevant sections and provision of the necessary plans. If you have any queries regarding the form please contact the person given in the notes.

NOTE:

All information contained within this application will be made available on the public register unless there is a request to withhold any of it. Any such request should provide a full justification stating why the information needs to be withheld.

1 SITE ADDRESS

1.1 Address or other sufficient description of land or premises to which this application applies.

PARC CEFNI
BODFFORDD
YNYS MÔN


FORMERLY WELSH WATER DEPOT
BODFFORDD.

OS REF: 43406 76855

PLAN ATTACHED.

Post Code:

LL77 7PJ



2 DETAILS OF DISCHARGE(S)

2.1 State the nature of the discharge(s) (see note i and ii) - tick one or more boxes as appropriate:-

Sewage Effluent - volume of 5 cubic metres per day or less ☐

Sewage Effluent - volume greater than 5 cubic metres per day (complete annexe 1) ☒

Sewage Effluent discharged under storm or emergency conditions (complete annexe 2) ☐

Cooling Water (complete annexe 3) ☐

Trade Effluent (including site drainage) (complete annexe 3) ☒

Others (please specify) ☐

2.2 Please state the maximum quantity it is proposed to discharge in any one day
Briefly state how this figure was calculated (see note ii).

CALCULATED USING ANTICIPATED/ESTIMATED LOAD
MULTIPLIED WITH THE GUIDELINE PER CAPITA
SEWAGE VOLUMES FOR EACH CLASS AS PER PPG 4

2.3 a) Indicate proposed means of discharge - tick as appropriate and show on plan:-
(for 1, 2 & 3 please state dimensions below)

1. Pipe ☒

4. Borehole ☐

7. Sub-Irrigation System ☐

2. Channel ☐

5. Well ☐

8. Combination of 6. & 7. ☐

3. Culvert ☐

6. Soakaway ☐

9. Other (please specify below) ☐

b) National Grid Reference(s) of point(s) of discharge (see note iii).

/ / (please indicate on accompanying plans)

2.4 a) The Agency will normally require adequate provision for the taking of samples of the discharge in a safe and convenient manner at any time. Please indicate the means proposed (see note iv) - tick as appropriate and show on plan:-

At the outlet ☐

At a manhole or sampling chamber ☒

Other (please specify)

b) National Grid Reference(s) of sampling point(s). (If different from 2.3 b) above)

/ / (please indicate on accompanying plans)

c) What flow measurement facilities will be provided (see note v)?
Please give details.

NONE - FLOW BASED ON HYDRAULIC LOADINGS REFERRED
TO LATER ON THIS FORM.

2.5 a) Type of Treatment Plant(s) to be used (please specify make and model) - tick as appropriate:-

Septic Tank ☐ Package Sewage Treatment Works ☒ Other ☐

SEE ATTACHED

b) Will the treatment process involve the use of any chemicals (eg ferric salts, polyelectrolytes) ☒
If yes please give details. NO

2.6 a) On what date do you anticipate the discharge will commence?

09/09/20

b) If you require the consent for a limited time period please give dates; from:

N/A /

to: N/A /

c) If the discharge is not continuous please detail the period/circumstances when it will occur.

DISCHARGE MAY VARY - BUT FIGURES GIVEN BASED ON
MAXIMUM CALCULATION - SEASONAL VARIATION.
ANTICIPATED TO FALL DURING WINTER MONTH

2.7 a) Are there any existing consents for discharge from the premises (see note vi)? ☒

If yes, please give the reference numbers (Any further information should be given in section 5.3). YES

REF CG 0071001

b) Has any person had a Prohibition Notice served on them in respect of this site? ☒

If yes, please give the reference number. NO

3 SITE DETAILS

3.1 Please give the name of the relevant Planning Authority.

YNYS Môn PLANNING AUTHORITY.
COUNCIL OFFICES, LLANGFNI, LL77 7TW

3.2 Please give details of the premises - tick as appropriate:-

- | | | | |
|---|-------------------------------------|----------------------------|--------------------------|
| 1. Single Dwelling | <input type="checkbox"/> | 6. Fish Farm | <input type="checkbox"/> |
| 2. Multiple Dwellings | <input checked="" type="checkbox"/> | 7. Mineral Workings | <input type="checkbox"/> |
| 3. Industrial Premises | <input type="checkbox"/> | 8. Water Services plc STW | <input type="checkbox"/> |
| 4. Vehicle Parking Area | <input type="checkbox"/> | 9. Water Supply | <input type="checkbox"/> |
| 5. Commercial Premises (please specify) | <input checked="" type="checkbox"/> | 10. Other (please specify) | <input type="checkbox"/> |

OFFICES / TOURIST ACCOMMODATION

RESTAURANT / FITNESS FACILITY.

3.3 Please indicate source of the water supply - tick as appropriate:-

- | | | | |
|--|-------------------------------------|---|--------------------------|
| 1. Well | <input type="checkbox"/> | 5. River (please give name below) | <input type="checkbox"/> |
| 2. Borehole | <input type="checkbox"/> | 6. Estuary (please give name below) | <input type="checkbox"/> |
| 3. Precipitation (eg. rain or snow) | <input type="checkbox"/> | 7. Coastal Water (please give name below) | <input type="checkbox"/> |
| 4. Mains (please state water supply company) | <input checked="" type="checkbox"/> | | |

DWR CYMRU

4 DETAILS OF RECEIVING ENVIRONMENT

4.1 Receiving Medium - tick the category(s) to which the proposed discharge(s) is(are) to be made:-

- | | | | |
|--|-------------------------------------|---------------------------------|--------------------------|
| 1. Estuarial Water (tidal river or stream) | <input type="checkbox"/> | 5. Into Land | <input type="checkbox"/> |
| 2. River or Stream (non-tidal) | <input checked="" type="checkbox"/> | 6. Onto Land | <input type="checkbox"/> |
| 3. Canal | <input type="checkbox"/> | 7. Directly into Groundwater | <input type="checkbox"/> |
| 4. Lake, Loch or Pond | <input type="checkbox"/> | 8. Coastal Water (see note vii) | <input type="checkbox"/> |

State name of receiving water if known:

CEFNI RIVER

4.2 In the case of sub-irrigation systems, soakaways or boreholes:- N/A.

(a) Is any part of the system within 5 metres of the boundary of the premises? ☐ Y/N

(b) Is any part of the system within 10 metres of a watercourse? ☐ Y/N

(c) Is any part of the system within 50 metres of a borehole or spring? ☐ Y/N

(d) For wells and boreholes state dimension(s) in metres. m

(e) For sub-irrigation systems, soakaway pits, wells and boreholes, state maximum depth in metres. m

(f) For boreholes, state details of lining in metres:

(i) Depth of lining m

(ii) Depth of perforated lining m

(iii) Depth of unperforated lining m

(g) A percolation test must be carried out in accordance with British Standard BS6297:1983. Have the results been provided? ☐ Y/N

4.3 Is there a foul sewer available to which the discharge(s) could be made (see note viii)? ☒ Y/N
If yes, please give the reasons it is not practical to connect to it (eg. distance, flow etc.).

NO - SEE ATTACHED LETTER. DATED
27 JANUARY 2004 FROM WELSH WATER

5 DETAILS OF APPLICANT AND OTHER INFORMATION

5.1 (See general notes and note ix)

(a) Full name and postal address of applicant. This should be the person who will become the consent holder should consent be issued.

* MR JOHN ARTHUR JONES

* PARC CEFNI

* BODFFORDD

* YNY8 MON

Post Code: LL77 7PJ

Daytime Telephone Number: 01248 722144

Company Registration Number (if appropriate): N/A.

(b) Agent (if any) - Full name and postal address.

* N/A

Post Code:

Contact Name and Daytime Telephone Number:

5.2

Please give full name and address to which bills should be sent if different to that given above:

* AS ABOVE

Post Code:

Daytime Telephone Number:

5.3 Are there any other factors to be taken into account? Please continue on a separate sheet if necessary.


No

DECLARATION

I/We:

1. apply under the Water Resources Act 1991 (as amended by the Environment Act 1995) for consent to discharge, as described in this Application. "This Application" means this page, all the other pages of this form and any attached annexes, the attached plan(s), any other sheets attached, and any other written information supplied to support the application.
2. enclose the required application fee, payable to the Environment Agency (see note x).
3. enclose 3 copies of the plan(s) and location maps with all relevant information clearly marked (see note xi).
4. will pay required advertising costs (see note xii).
5. confirm that I/we* will notify the Environment Agency of any changes in the information in this application which might be material to the continuation of the consent.
6. confirm that the information given in this application and any questions which the Environment Agency may have about it is/will* be true to the best of my/our* knowledge, information and belief and am/are* not aware of any other facts or information which might affect the granting of a consent, or conditions which might be put on it (see note xiii).
7. confirm that I/we* will pay any annual charges due should a consent be granted YES/NO*. If no, please indicate who will by completing section 5.2 above (see note xiv).

(* Delete as appropriate)

SIGNED:  PRINT NAME: JOHN ARTHUR JONES
ON BEHALF OF: DATED: 5/2/2004

CONFIDENTIALITY

I/we apply for commercial confidentiality and enclose a full written justification (see note xv).

SIGNED: N/A. DATED:
.....

PLEASE RETURN THIS FORM TO THE ADDRESS GIVEN ON THE FRONT PAGE



ENVIRONMENT AGENCY

ANNEXE 1

SEWAGE EFFLUENT GREATER THAN 5 CUBIC METRES PER DAY

Please complete this annexe if you are proposing to discharge more than 5 cubic metres per day of sewage effluent (if the effluent is to contain a trade component Annexe 3 should also be completed).

Official Use Only
Application No.

1. Site Name.

PARC CERNI
BODFFORD
UNYS MON
LL77 7PJ

2. Please detail the type and number of treatment units you are proposing to use.

1x CONDER CLERFLO M250 PACKAGE TREATMENT PLANT WITH
GREASE TRAP. 2000 litres
ARMED WITH FULL MAINTENANCE AGREEMENT.
OR
1x KLARCIESTER AIRFLOW AF 11 + AS ABOVE.

3. Volume, rates and overflow settings. (Please give volumes in cubic metres per day or litres per second as indicated below)

- a) Maximum flow to full treatment.
(see note (ii) in main guidance notes for population equivalents)
- b) Dry weather flow of discharge(s).
- c) Average daily flow.
- d) Maximum rate of discharge(s)

95 m³/d

31.5 m³/d

47.25 m³/d

1.09 l/s

4. Will there be provisions for storm/emergency discharges?
If yes, please complete Annexe 2.

☒ Y/N

5. a) Will any self monitoring take place?
If yes, please give details.

☒ Y/N

DAILY VISUAL INSPECTIONS - LOGGED.
+ FULL MAINTENANCE AGREEMENT WITH PLANT
MANUFACTURER

b) Will automatic sampling equipment be provided?

☒ Y/N

If yes, please give details of type and location (please indicate on plan).

6. a) Please state the maximum population served by the treatment works.

APPROX 250

- b) Please give reasons for any variations in population eg. holiday resort, training area, seasonal industry etc. and detail the periods/times involved.

HOLIDAY RESORT / RESTAURANT / OFFICES / FITNESS FACILITY.

- c) Please state type of catchment/site being served eg. residential, resort, industrial etc.

RESORT.

7. Will a maintenance agreement be set up to manage the sewage works? (see note b)
If yes, please give details.

☒ Y/N

YES - WITH MANUFACTURER.

8. Does the effluent contain a trade component?

☒ Y/N

If yes, please complete appropriate section on Annexe 3 for authorised discharges of trade effluent to the sewerage system.

TYPICAL RESTAURANT TYPE EFFLUENT.
NON TOXIC - WITH GREASE SEPARATOR.

Notes (see also the notes attached to the main form):

- a) For significant sewage treatment plants full details of the plant design, dry weather flow and Biochemical Oxygen Demand load, along with information on all discharges from the works must be included in order for the application to be processed. Flow monitoring will normally be required for such discharges and details of siting and type of flow recorders should be provided.
- b) The Agency require a single body or company to be responsible for the discharge and any bills raised under the Charges for Discharges Scheme. Where multiple dwellings under different ownership are connected to the same system a management company should be set up.



ENVIRONMENT AGENCY

ANNEXE 2

SEWAGE EFFLUENT DISCHARGED IN STORM OR EMERGENCY CONDITIONS

Please complete this annexe if you are proposing to make a discharge of sewage in emergency or storm conditions (if the effluent is to contain a trade component then Annex 3 should also be completed)

Official Use Only
Application No.

1. Site Name.

2. State the type of discharge - tick as appropriate:-

Storm tanks

Combined Sewer Overflow from sewerage system

Combined Sewer Overflow from pumping station

Emergency overflow from sewerage system

Emergency overflow from pumping station

Other (please specify)

For effluents discharging from sewage treatment works, is the storm/emergency effluent discharged via the same outlet as the treated effluent?

Y/N

If no please give: a) the National Grid Reference of the treated effluent outlet.

b) the consent or application number covering the treated effluent discharge.

If yes please give the National Grid Reference of the storm/emergency sampling point (see notes)

4. For effluents discharging from combined sewer overflows, is the discharge via a dedicated pipe?

Y/N

If no please give the National Grid Reference of the overflow into the sewer.

5. Overflow settings

- a) Overflow setting to storm tanks.
- b) Maximum flow to storm tanks.
- c) Overflow setting to storm sewage overflow.
- d) Maximum flow to storm sewage overflow.

	l/s
	l/s
	l/s
	l/s

6. Storage capacity

- a) Volume of Storm Tanks.
- b) Retention time of storm tanks at maximum flow.
- c) Storage capacity of sewer/wet well.

	m ³
	hours
	m ³ /day

7. Please provide full details of the design criteria that have been used to support this application.

--

8. Will facilities be provided to raise alarms (eg. telemetry)?
If yes, please give details.

Y/N

--

9. Will facilities be provided to prevent the discharge of gross solids?
If yes, please give details (for screens give bar spacing or aperture).

Y/N

--

10. What provisions will be made to deal with:

- a) power failure (eg. standby generators)?

--

- b) mechanical breakdown (eg. standby pumps)?

--

- c) rising main failure?

--

- d) tanker access?

--

Notes (see also the notes on the main form):

Full details of the design criteria must be provided in order for the application to be determined. If you have any queries about what information is required please contact the person given in notes attached to the main form.



ENVIRONMENT
AGENCY

ANNEXE 3
TRADE EFFLUENT DISCHARGES

Please complete this annexe if you are proposing
to discharge trade effluent (this includes site drainage).

Official Use Only
Application No.

1. Site Name.

PARC CEFNI
BODFORDD.
YNYS MON
LLT 7 PJ

2. a) Describe in full the trade effluent and the process(es) from which it arises.

NO TOXIC TRADE EFFLUENT ONLY NORMAL DISCHARGE FROM
RESTAURANT

b) Please state the type and number of treatment units you are proposing to use (if site drainage
please include details of oil/petrol interception facilities).

1 x GREASE SEPARATOR 2000 litres

3. Rainfall Dependent Discharges

a) Is the volume going to be rainfall dependent?

N/A

b) If yes, please give the total area drained.

m²

c) Please give details of any activities which occur in the drainage area which could contaminate
surface water (see note b)

NONE

4. Rainfall Independent Discharges

a) What is the maximum rate of discharge?

N/A l/s

b) What is the average daily flow?

N/A m³/d

c) For discharges where the source of supply is other than mains water:

i) give the abstraction licence number.

N/A

ii) give the National Grid Reference of a point where the influent can be sampled.

5.

- a) Will any self monitoring take place?
If yes, please give details.

Y/N

YES - AS WITH MAIN TREATMENT PLANT.

- b) Will automatic sampling equipment be provided?

Y/N

If yes, please give details of type, frequency and location (please indicate on plan).

6.

- a) Please state the maximum temperature in degrees Celsius of the effluent when discharged if different from ambient.

N/A.

- b) Will the discharge be monitored for temperature?

Y/N

If yes, please give details of type and location (please indicate on plan).

7.

- Has an application for Authorisation been made for a 'prescribed process' as defined in Part 1 of the Environmental Protection Act 1991?

Y/N

If yes, please complete the following:

- a) The application reference.

N/A

- c) Contact name of case officer.

N/A

8. a) Please indicate if any of the specified substances given below or their compounds will be present in the effluent and if so at what maximum concentration (please give values in micrograms per litre - ug/l). Please see note c.

SUBSTANCE	CONCENTRATION (ug/l)			SUBSTANCE	CONCENTRATION (ug/l)		
	Max	Min	Mean		Max	Min	Mean
Iron				Lead			
Arsenic				Malathion			
Atrazine				Mercury			
Azinphos-ethyl				Nickel			
Azinphos-methyl				PCB's			
Boron				PCSD's			
Cadmium				Parathion			
Carbon tetrachloride				Parathion-methyl			
Chloroform				Pentachlorophenol (PCP)			
Chromium				Perchloroethylene			
Copper				Permethrin			
Cyanide				pH < 5.5 or > 9.0			
Cyfluthrin				Phosphorus			
DDT				Polychlorinated biphenyls			
1,2 Dichloroethane				Simazine			
Dichlorvos				Sulcofuron			
Dioxins				Tetrachloroethylene			
Insecticides (eg. Aldrin, Dieldrin)				Tributyltin compounds			
Endosulfan				Trichlorobenzene			
Fenitrothion				Trichloroethane			
Fenthion				Trichloroethylene			
Flucifuron				Trifluralin			
Hexachlorobenzene (HCB)				Triphenyltin compounds			
Hexachlorobutadiene (HCBD)				Vanadium			
Hexachlorocyclohexanes (HCH's)				Zinc			

- b) Are there any other significant chemical components used on site which may be contained in the effluent, including biocides or additives?
If yes, please give details.

☒ N

Notes (see also the notes attached to the main form):

- a) For direct trade effluent discharges, full details of the type of the effluent are required (eg. cooling water from air conditioning units), along with typical analytical details and the results of any toxicity studies on the effluent or its constituents. In certain circumstances the Agency may require that specific samples be taken and tests and analysis carried out. The Agency is empowered to recover any costs incurred as a result of special studies.*
- b) Possible sources of contamination include oil/chemical storage areas, vehicle loading/unloading areas, heavy vehicle parking areas and oil/petrol filling points. Any other potential sources of contamination should be detailed.*
- c) Where discharges of trade effluent take place to a sewerage system, as covered by this application, please give details of all authorised discharges of substances listed in table 8 overleaf.*



ASIANIAETH YR
AMGYLCHEDD
ENVIRONMENT
AGENCY

ANNEXE 4 WELSH REGION SUPPLEMENTARY INFORMATION ANNEXE

Please complete this annexe for every proposed discharge.

Official Use Only
Application No.

For all proposed discharges:

1. Site Name.

PARC CERNI
BODFORDD 1 YNYS MÔN LL77 7PJ

2. Is this application being made to reinstate a lapsed Consent?

☒ N

If so, please state the Number of the lapsed Consent:

N/A

IMPORTANT: If you are in need of advice on either part of question 2, please contact the Agency Regional Consents Section on 01222 770088.

3. If the proposed discharge is to be made down a pipe, channel or culvert (as given in Section 2.3 in the main application form), please state the diameter (including units):

150 mm

4. Please indicate the anticipated cost of the proposed scheme, including any alternatives which may have been considered:

£ 35,000
CONSIDERED CONNECTION TO DUK CYMRU
PLANT AT BODFORDD - NOT PRACTICAL OR
TECHNICALLY POSSIBLE. SEE ATTACHED LETTER.

5. Is there any trade effluent component in the proposed discharge?

☒ N

If yes, please confirm here that you have completed and enclosed Annex 3:

☒ YES



ASIANTAITH YR
AMGYLCHEDD
ENVIRONMENT
AGENCY

6. Will the proposed discharge be pumped or made under gravity? (please circle):

~~Pumped~~ / Gravity

If pumped, please state the maximum pump rate in l/sec:

N/A l/s

For proposed discharges of sewage in storm or emergency conditions:

7. Please confirm here that you have completed and enclosed both Annexes 1 and 2:

N/A
Tick


☐

8. Please state:

Population served (head)	SEE ATTACHED
Consumption (l/head/day) default = 180	SEE ATTACHED
Infiltration (m ³ /day)	
Industrial effluent flow (m ³ /day)	
Dry Weather Flow (m ³ /day)	
SOCA (l/sec)	
Predicted spill frequency (per annum)	

IMPORTANT NOTES FOR ALL CONSENT APPLICATIONS:

1. Whoever signs the declaration on the main application form takes responsibility for the discharge, and will become the registered consent holder, if consent is given. In the case of a 'body corporate' (e.g. a public limited company ('plc'), limited company, local authority), the 'body corporate' will be the registered consent holder, and the person with the delegated authority to sign on behalf of the 'body corporate' should give their job title
2. Agents making an application on behalf of a client, must attach their clients written authority.
3. If the name and/or address of the applicant changes after submission of this application to the Environment Agency, the applicant must inform the Agency in writing.



Ein cyf/Our ref: CG0071001

Date: 6th February 2004



ASiantaeth Yr
Amgylchedd Cymru
ENVIRONMENT
AGENCY WALES

Mr John Arthurs Jones
Parc Cefni
Bodffordd
Ynys Mon
LL77 7PJ

COPY

Dear Sir,

**WATER RESOURCES ACT 1991, SCHEDULE 10 (AS AMENDED BY THE ENVIRONMENT ACT 1995) APPLICATION FOR CONSENT TO DISCHARGE SEWAGE AND TRADE EFFLUENT BY MR JOHN ARTHUR JONES FROM PARC CEFNI, BODFFORDD, YNYS MON, LL77 7PJ
APPLICATION NO: CG0071001**

Thank you for your application for consent to discharge together with your application fee of £722. It is receiving consideration and you will be hearing from us again shortly. Please state application CG0071001 in any correspondence with us relating to this application.

Yours faithfully

Kelvin Graham
Team Leader Customer Contact and Authorisations

Please ask for Ruth Prichard