

Permit Number: EPR/BL3986ID

Operator: Lafarge Tarmac Cement and limeLtd

Installation: Aberthaw Works

Form number: Fuel 1 / 31 August 2010

Reporting of Fuel Usage for the Cement Kiln for the month January 2019

Fuel	Quantity burned Tonnes	Average calorific value MJ/kg
Coal	4648.0	26.80
Petroleum coke		
Distillate fuel oil	36.9	43.80
MBM		
Tyres	839.0	27.86
SRF 1	713.0	18.97
Polychip	179.0	32.94
Relative thermal input of waste derived fuels		
MBM		0%
Tyres		14%
SRF		8%
Polychip		3%

Signed: Kara Bennett, Environment Coordinator (via kara.bennett@tarmac.com)

(authorised to sign as representative of Lafarge Tarmac Cement and Lime Ltd)

Date: 26/04/2019

Permit Number: EPR/BL3986ID

Operator: Lafarge Tarmac Cement and lime Ltd

Installation: Aberthaw Works

Form number: Fuel 1 / 31 August 2010

Reporting of Fuel Usage for the Cement Kiln for the month February 2019

Fuel	Quantity burned Tonnes	Average calorific value MJ/kg
Coal	358.3	27.37
Petroleum coke		
Distillate fuel oil	31.6	43.88
MBM		
Tyres	60.4	27.88
SRF 1	79.8	18.66
Polychip	24.0	34.93
Relative thermal input of waste derived fuels		
MBM		0%
Tyres		11%
SRF		10%
Polychip		6%

Signed: Kara Bennett, Environment Coordinator (via kara.bennett@tarmac.com)

(authorised to sign as representative of Lafarge Tarmac Cement and Lime Ltd)

Date: 26/04/2019

Permit Number: EPR/BL3986ID

Operator: Lafarge Tarmac Cement and lime Ltd

Installation: Aberthaw Works

Form number: Fuel 1 / 31 August 2010

Reporting of Fuel Usage for the Cement Kiln for the month March 2019

Fuel	Quantity burned Tonnes	Average calorific value MJ/kg
Coal	3405.0	27.37
Petroleum coke		
Distillate fuel oil	97.9	43.88
MBM		
Tyres	551.1	27.86
SRF 1	540.6	18.66
Polychip	204.4	34.93
Relative thermal input of waste derived fuels		
MBM		0%
Tyres		12%
SRF		8%
Polychip		5%

Signed: Kara Bennett, Environment Coordinator (via kara.bennett@tarmac.com)

(authorised to sign as representative of Lafarge Tarmac Cement and Lime Ltd)

Date: 26/04/2019