

Release to Air - Continuous Monitoring results

Operator: **Runtech Ltd.**
Location: **Tata Steel, Port Talbot Works, Port Talbot, SA13 3NG**

Authorisation/Variation Number: **EPR/AB3595FF**

Release Point: **AS 2 - Continuous Monitoring results**

Substance	Particulates
Emission averaging time	Hourly
Maximum emission limit	10 mg/m3 (as an hourly mean)
Maximum value obtained over the reporting period	7.39
Date of the maximum value (dd/mm/yy)	07/06/2023
Time of the maximum value	12:00
Mean hourly value obtained over the reporting period	0.28
Standard deviation of values over the reporting period	0.67
Percentage data capture of values over the reporting period	100.00%

Date and Time	Hourly Readings	
31/03/2023 23:00	0.004114893	INDmg/m3
01/04/2023 00:00	0.004247404	INDmg/m3
01/04/2023 01:00	0.004066679	INDmg/m3
01/04/2023 02:00	0.004474227	INDmg/m3
01/04/2023 03:00	0.007619766	INDmg/m3
01/04/2023 04:00	0.00431852	INDmg/m3
01/04/2023 05:00	0.004035194	INDmg/m3
01/04/2023 06:00	0.003970691	INDmg/m3
01/04/2023 07:00	0.004059407	INDmg/m3
01/04/2023 08:00	0.00484417	INDmg/m3
01/04/2023 09:00	0.014265239	INDmg/m3
01/04/2023 10:00	0.112055942	INDmg/m3
01/04/2023 11:00	0.010028172	INDmg/m3
01/04/2023 12:00	0.003940609	INDmg/m3
01/04/2023 13:00	0.003912379	INDmg/m3
01/04/2023 14:00	0.004060475	INDmg/m3
01/04/2023 15:00	0.616150498	INDmg/m3
01/04/2023 16:00	0.028822351	INDmg/m3
01/04/2023 17:00	0.003972657	INDmg/m3
01/04/2023 18:00	0.003949298	INDmg/m3
01/04/2023 19:00	0.003947263	INDmg/m3
01/04/2023 20:00	0.003872211	INDmg/m3
01/04/2023 21:00	0.003855887	INDmg/m3
01/04/2023 22:00	0.003806756	INDmg/m3
01/04/2023 23:00	0.003797458	INDmg/m3
02/04/2023 00:00	0.003767462	INDmg/m3
02/04/2023 01:00	0.003722224	INDmg/m3
02/04/2023 02:00	0.003737297	INDmg/m3
02/04/2023 03:00	0.003736271	INDmg/m3
02/04/2023 04:00	0.003726406	INDmg/m3
02/04/2023 05:00	0.003709361	INDmg/m3
02/04/2023 06:00	0.003695085	INDmg/m3
02/04/2023 07:00	0.003689348	INDmg/m3
02/04/2023 08:00	0.003787933	INDmg/m3
02/04/2023 09:00	0.003880828	INDmg/m3
02/04/2023 10:00	0.003802069	INDmg/m3
02/04/2023 11:00	0.003759342	INDmg/m3
02/04/2023 12:00	0.003740412	INDmg/m3
02/04/2023 13:00	0.003759563	INDmg/m3
02/04/2023 14:00	0.003703843	INDmg/m3
02/04/2023 15:00	0.003705334	INDmg/m3
02/04/2023 16:00	0.003729103	INDmg/m3
02/04/2023 17:00	0.003655209	INDmg/m3
02/04/2023 18:00	0.003662149	INDmg/m3
02/04/2023 19:00	0.003651068	INDmg/m3
02/04/2023 20:00	0.003623646	INDmg/m3
02/04/2023 21:00	0.003602172	INDmg/m3
02/04/2023 22:00	0.003619069	INDmg/m3
02/04/2023 23:00	0.003593337	INDmg/m3
03/04/2023 00:00	0.003615582	INDmg/m3
03/04/2023 01:00	0.003569999	INDmg/m3
03/04/2023 02:00	0.003566331	INDmg/m3

03/04/2023 03:00	0.003573569	INDmg/m3
03/04/2023 04:00	0.00354305	INDmg/m3
03/04/2023 05:00	0.003548321	INDmg/m3
03/04/2023 06:00	0.291944921	INDmg/m3
03/04/2023 07:00	1.331179261	INDmg/m3
03/04/2023 08:00	2.245748043	INDmg/m3
03/04/2023 09:00	2.17827487	INDmg/m3
03/04/2023 10:00	1.950532436	INDmg/m3
03/04/2023 11:00	1.608567238	INDmg/m3
03/04/2023 12:00	1.689151645	INDmg/m3
03/04/2023 13:00	1.671711326	INDmg/m3
03/04/2023 14:00	1.889709473	INDmg/m3
03/04/2023 15:00	1.586534262	INDmg/m3
03/04/2023 16:00	1.964157462	INDmg/m3
03/04/2023 17:00	0.004970307	INDmg/m3
03/04/2023 18:00	0.003519976	INDmg/m3
03/04/2023 19:00	0.003589062	INDmg/m3
03/04/2023 20:00	0.003512941	INDmg/m3
03/04/2023 21:00	0.003508985	INDmg/m3
03/04/2023 22:00	0.003492934	INDmg/m3
03/04/2023 23:00	0.003498283	INDmg/m3
04/04/2023 00:00	0.003514346	INDmg/m3
04/04/2023 01:00	0.003468854	INDmg/m3
04/04/2023 02:00	0.003485041	INDmg/m3
04/04/2023 03:00	0.003499557	INDmg/m3
04/04/2023 04:00	0.003496314	INDmg/m3
04/04/2023 05:00	0.003476457	INDmg/m3
04/04/2023 06:00	0.170651734	INDmg/m3
04/04/2023 07:00	1.510623217	INDmg/m3
04/04/2023 08:00	1.656662583	INDmg/m3
04/04/2023 09:00	1.844125152	INDmg/m3
04/04/2023 10:00	1.515962005	INDmg/m3
04/04/2023 11:00	1.482836008	INDmg/m3
04/04/2023 12:00	1.87892139	INDmg/m3
04/04/2023 13:00	1.543092132	INDmg/m3
04/04/2023 14:00	1.548068166	INDmg/m3
04/04/2023 15:00	1.387697697	INDmg/m3
04/04/2023 16:00	0.49619329	INDmg/m3
04/04/2023 17:00	0.003532084	INDmg/m3
04/04/2023 18:00	0.003555437	INDmg/m3
04/04/2023 19:00	0.003532235	INDmg/m3
04/04/2023 20:00	0.003496599	INDmg/m3
04/04/2023 21:00	0.00348602	INDmg/m3
04/04/2023 22:00	0.003461787	INDmg/m3
04/04/2023 23:00	0.003468308	INDmg/m3
05/04/2023 00:00	0.003457766	INDmg/m3
05/04/2023 01:00	0.003452238	INDmg/m3
05/04/2023 02:00	0.003483656	INDmg/m3
05/04/2023 03:00	0.003450268	INDmg/m3
05/04/2023 04:00	0.007951265	INDmg/m3
05/04/2023 05:00	0.005022005	INDmg/m3
05/04/2023 06:00	0.009334748	INDmg/m3
05/04/2023 07:00	0.014770166	INDmg/m3
05/04/2023 08:00	0.013228139	INDmg/m3

05/04/2023 09:00	0.011879589	INDmg/m3
05/04/2023 10:00	0.004553995	INDmg/m3
05/04/2023 11:00	0.008727401	INDmg/m3
05/04/2023 12:00	0.004428174	INDmg/m3
05/04/2023 13:00	0.004179091	INDmg/m3
05/04/2023 14:00	0.009859848	INDmg/m3
05/04/2023 15:00	0.042832881	INDmg/m3
05/04/2023 16:00	0.016684325	INDmg/m3
05/04/2023 17:00	0.014612611	INDmg/m3
05/04/2023 18:00	0.017445315	INDmg/m3
05/04/2023 19:00	0.051912382	INDmg/m3
05/04/2023 20:00	0.0155499	INDmg/m3
05/04/2023 21:00	0.003616426	INDmg/m3
05/04/2023 22:00	0.003706628	INDmg/m3
05/04/2023 23:00	0.003804493	INDmg/m3
06/04/2023 00:00	0.003938426	INDmg/m3
06/04/2023 01:00	0.003867513	INDmg/m3
06/04/2023 02:00	0.023970606	INDmg/m3
06/04/2023 03:00	0.003608776	INDmg/m3
06/04/2023 04:00	0.003623015	INDmg/m3
06/04/2023 05:00	0.003605948	INDmg/m3
06/04/2023 06:00	0.003599246	INDmg/m3
06/04/2023 07:00	0.003604091	INDmg/m3
06/04/2023 08:00	0.003628117	INDmg/m3
06/04/2023 09:00	0.003650878	INDmg/m3
06/04/2023 10:00	0.003757028	INDmg/m3
06/04/2023 11:00	0.017489694	INDmg/m3
06/04/2023 12:00	0.184053361	INDmg/m3
06/04/2023 13:00	0.095748976	INDmg/m3
06/04/2023 14:00	1.403904438	INDmg/m3
06/04/2023 15:00	0.003709602	INDmg/m3
06/04/2023 16:00	0.003680895	INDmg/m3
06/04/2023 17:00	0.003660933	INDmg/m3
06/04/2023 18:00	0.003691968	INDmg/m3
06/04/2023 19:00	0.003566171	INDmg/m3
06/04/2023 20:00	0.003549087	INDmg/m3
06/04/2023 21:00	0.003549678	INDmg/m3
06/04/2023 22:00	0.00355747	INDmg/m3
06/04/2023 23:00	0.003532632	INDmg/m3
07/04/2023 00:00	0.003484622	INDmg/m3
07/04/2023 01:00	0.003465175	INDmg/m3
07/04/2023 02:00	0.003484051	INDmg/m3
07/04/2023 03:00	0.003513772	INDmg/m3
07/04/2023 04:00	0.003502509	INDmg/m3
07/04/2023 05:00	0.003529125	INDmg/m3
07/04/2023 06:00	0.570600212	INDmg/m3
07/04/2023 07:00	0.748954892	INDmg/m3
07/04/2023 08:00	1.637708545	INDmg/m3
07/04/2023 09:00	1.202640176	INDmg/m3
07/04/2023 10:00	2.258192062	INDmg/m3
07/04/2023 11:00	1.749866009	INDmg/m3
07/04/2023 12:00	6.873316288	INDmg/m3
07/04/2023 13:00	2.154245615	INDmg/m3
07/04/2023 14:00	2.061625481	INDmg/m3

07/04/2023 15:00	1.584062696	INDmg/m3
07/04/2023 16:00	1.373785496	INDmg/m3
07/04/2023 17:00	0.807131112	INDmg/m3
07/04/2023 18:00	0.003548246	INDmg/m3
07/04/2023 19:00	0.003493774	INDmg/m3
07/04/2023 20:00	0.003493782	INDmg/m3
07/04/2023 21:00	0.003440407	INDmg/m3
07/04/2023 22:00	0.003442503	INDmg/m3
07/04/2023 23:00	0.003484335	INDmg/m3
08/04/2023 00:00	0.003453517	INDmg/m3
08/04/2023 01:00	0.003432684	INDmg/m3
08/04/2023 02:00	0.003498559	INDmg/m3
08/04/2023 03:00	0.003488286	INDmg/m3
08/04/2023 04:00	0.003437348	INDmg/m3
08/04/2023 05:00	0.003484061	INDmg/m3
08/04/2023 06:00	0.003462783	INDmg/m3
08/04/2023 07:00	0.003451703	INDmg/m3
08/04/2023 08:00	0.003508	INDmg/m3
08/04/2023 09:00	0.003485479	INDmg/m3
08/04/2023 10:00	0.003526038	INDmg/m3
08/04/2023 11:00	0.003512087	INDmg/m3
08/04/2023 12:00	0.003539233	INDmg/m3
08/04/2023 13:00	0.003540929	INDmg/m3
08/04/2023 14:00	0.003521232	INDmg/m3
08/04/2023 15:00	0.003504473	INDmg/m3
08/04/2023 16:00	0.003477427	INDmg/m3
08/04/2023 17:00	0.003497156	INDmg/m3
08/04/2023 18:00	0.003507147	INDmg/m3
08/04/2023 19:00	0.003433779	INDmg/m3
08/04/2023 20:00	0.003529681	INDmg/m3
08/04/2023 21:00	0.003506165	INDmg/m3
08/04/2023 22:00	0.003425357	INDmg/m3
08/04/2023 23:00	0.003463914	INDmg/m3
09/04/2023 00:00	0.003424345	INDmg/m3
09/04/2023 01:00	0.003378351	INDmg/m3
09/04/2023 02:00	0.003461964	INDmg/m3
09/04/2023 03:00	0.003454514	INDmg/m3
09/04/2023 04:00	0.003438037	INDmg/m3
09/04/2023 05:00	0.003430192	INDmg/m3
09/04/2023 06:00	0.003434316	INDmg/m3
09/04/2023 07:00	0.003418718	INDmg/m3
09/04/2023 08:00	0.00348154	INDmg/m3
09/04/2023 09:00	0.003487163	INDmg/m3
09/04/2023 10:00	0.003509397	INDmg/m3
09/04/2023 11:00	0.003561034	INDmg/m3
09/04/2023 12:00	0.003519404	INDmg/m3
09/04/2023 13:00	0.003524899	INDmg/m3
09/04/2023 14:00	0.003511946	INDmg/m3
09/04/2023 15:00	0.003493068	INDmg/m3
09/04/2023 16:00	0.003485158	INDmg/m3
09/04/2023 17:00	0.003465232	INDmg/m3
09/04/2023 18:00	0.003497727	INDmg/m3
09/04/2023 19:00	0.003483511	INDmg/m3
09/04/2023 20:00	0.01460999	INDmg/m3

09/04/2023 21:00	0.011353553	INDmg/m3
09/04/2023 22:00	0.020718241	INDmg/m3
09/04/2023 23:00	0.040517539	INDmg/m3
10/04/2023 00:00	0.019445289	INDmg/m3
10/04/2023 01:00	0.004543679	INDmg/m3
10/04/2023 02:00	0.047682192	INDmg/m3
10/04/2023 03:00	0.03744242	INDmg/m3
10/04/2023 04:00	0.003748376	INDmg/m3
10/04/2023 05:00	0.003602743	INDmg/m3
10/04/2023 06:00	0.003660742	INDmg/m3
10/04/2023 07:00	0.010654272	INDmg/m3
10/04/2023 08:00	0.004300755	INDmg/m3
10/04/2023 09:00	0.003621778	INDmg/m3
10/04/2023 10:00	0.006102314	INDmg/m3
10/04/2023 11:00	0.003693867	INDmg/m3
10/04/2023 12:00	0.004156381	INDmg/m3
10/04/2023 13:00	0.003947046	INDmg/m3
10/04/2023 14:00	0.003833394	INDmg/m3
10/04/2023 15:00	0.003747517	INDmg/m3
10/04/2023 16:00	0.003670311	INDmg/m3
10/04/2023 17:00	0.003651255	INDmg/m3
10/04/2023 18:00	0.00362867	INDmg/m3
10/04/2023 19:00	0.003619913	INDmg/m3
10/04/2023 20:00	0.003575542	INDmg/m3
10/04/2023 21:00	0.003546432	INDmg/m3
10/04/2023 22:00	0.003508701	INDmg/m3
10/04/2023 23:00	0.003501664	INDmg/m3
11/04/2023 00:00	0.003552873	INDmg/m3
11/04/2023 01:00	0.003524322	INDmg/m3
11/04/2023 02:00	0.237323463	INDmg/m3
11/04/2023 03:00	0.003805977	INDmg/m3
11/04/2023 04:00	0.003763221	INDmg/m3
11/04/2023 05:00	0.003505887	INDmg/m3
11/04/2023 06:00	0.003665334	INDmg/m3
11/04/2023 07:00	0.61468327	INDmg/m3
11/04/2023 08:00	0.003541055	INDmg/m3
11/04/2023 09:00	0.00618554	INDmg/m3
11/04/2023 10:00	0.009700776	INDmg/m3
11/04/2023 11:00	0.016690047	INDmg/m3
11/04/2023 12:00	0.128536731	INDmg/m3
11/04/2023 13:00	0.012325728	INDmg/m3
11/04/2023 14:00	0.011072932	INDmg/m3
11/04/2023 15:00	0.31820482	INDmg/m3
11/04/2023 16:00	0.649148822	INDmg/m3
11/04/2023 17:00	0.099213876	INDmg/m3
11/04/2023 18:00	0.003678285	INDmg/m3
11/04/2023 19:00	0.003600263	INDmg/m3
11/04/2023 20:00	0.018172873	INDmg/m3
11/04/2023 21:00	0.011610433	INDmg/m3
11/04/2023 22:00	0.003719104	INDmg/m3
11/04/2023 23:00	0.003608031	INDmg/m3
12/04/2023 00:00	0.003575994	INDmg/m3
12/04/2023 01:00	1.034352303	INDmg/m3
12/04/2023 02:00	0.021155819	INDmg/m3

12/04/2023 03:00	0.41796577	INDmg/m3
12/04/2023 04:00	0.003606452	INDmg/m3
12/04/2023 05:00	0.060731821	INDmg/m3
12/04/2023 06:00	0.273776054	INDmg/m3
12/04/2023 07:00	1.152029395	INDmg/m3
12/04/2023 08:00	2.021220922	INDmg/m3
12/04/2023 09:00	1.650609016	INDmg/m3
12/04/2023 10:00	1.375767469	INDmg/m3
12/04/2023 11:00	0.513370812	INDmg/m3
12/04/2023 12:00	0.941603243	INDmg/m3
12/04/2023 13:00	0.753830016	INDmg/m3
12/04/2023 14:00	1.144736052	INDmg/m3
12/04/2023 15:00	0.688435376	INDmg/m3
12/04/2023 16:00	0.321478754	INDmg/m3
12/04/2023 17:00	0.05634534	INDmg/m3
12/04/2023 18:00	0.006526641	INDmg/m3
12/04/2023 19:00	0.014257613	INDmg/m3
12/04/2023 20:00	0.009441991	INDmg/m3
12/04/2023 21:00	0.003552595	INDmg/m3
12/04/2023 22:00	0.003531373	INDmg/m3
12/04/2023 23:00	0.003542385	INDmg/m3
13/04/2023 00:00	0.003531663	INDmg/m3
13/04/2023 01:00	0.00352391	INDmg/m3
13/04/2023 02:00	0.00353252	INDmg/m3
13/04/2023 03:00	0.003485051	INDmg/m3
13/04/2023 04:00	0.003496165	INDmg/m3
13/04/2023 05:00	0.003515892	INDmg/m3
13/04/2023 06:00	0.315772712	INDmg/m3
13/04/2023 07:00	0.975460887	INDmg/m3
13/04/2023 08:00	1.339861035	INDmg/m3
13/04/2023 09:00	0.806111574	INDmg/m3
13/04/2023 10:00	1.184583783	INDmg/m3
13/04/2023 11:00	0.730042756	INDmg/m3
13/04/2023 12:00	0.324532866	INDmg/m3
13/04/2023 13:00	0.00392671	INDmg/m3
13/04/2023 14:00	0.003638521	INDmg/m3
13/04/2023 15:00	0.003559411	INDmg/m3
13/04/2023 16:00	0.0035416	INDmg/m3
13/04/2023 17:00	0.003525044	INDmg/m3
13/04/2023 18:00	0.00349518	INDmg/m3
13/04/2023 19:00	0.003516166	INDmg/m3
13/04/2023 20:00	0.003496882	INDmg/m3
13/04/2023 21:00	0.003525049	INDmg/m3
13/04/2023 22:00	0.003518431	INDmg/m3
13/04/2023 23:00	0.003486877	INDmg/m3
14/04/2023 00:00	0.00354041	INDmg/m3
14/04/2023 01:00	0.004484191	INDmg/m3
14/04/2023 02:00	0.013646037	INDmg/m3
14/04/2023 03:00	0.00369349	INDmg/m3
14/04/2023 04:00	0.003724608	INDmg/m3
14/04/2023 05:00	0.092852265	INDmg/m3
14/04/2023 06:00	0.108346947	INDmg/m3
14/04/2023 07:00	0.396594673	INDmg/m3
14/04/2023 08:00	0.100905128	INDmg/m3

14/04/2023 09:00	0.020071724	INDmg/m3
14/04/2023 10:00	0.003556753	INDmg/m3
14/04/2023 11:00	0.003518845	INDmg/m3
14/04/2023 12:00	0.003515175	INDmg/m3
14/04/2023 13:00	0.004274672	INDmg/m3
14/04/2023 14:00	0.006600292	INDmg/m3
14/04/2023 15:00	0.004979241	INDmg/m3
14/04/2023 16:00	0.03760675	INDmg/m3
14/04/2023 17:00	0.003780846	INDmg/m3
14/04/2023 18:00	0.003518712	INDmg/m3
14/04/2023 19:00	0.003506173	INDmg/m3
14/04/2023 20:00	0.003467146	INDmg/m3
14/04/2023 21:00	0.003468556	INDmg/m3
14/04/2023 22:00	0.003450903	INDmg/m3
14/04/2023 23:00	0.003506863	INDmg/m3
15/04/2023 00:00	0.003465474	INDmg/m3
15/04/2023 01:00	0.003464064	INDmg/m3
15/04/2023 02:00	0.003446791	INDmg/m3
15/04/2023 03:00	0.003407903	INDmg/m3
15/04/2023 04:00	0.003499405	INDmg/m3
15/04/2023 05:00	0.003478299	INDmg/m3
15/04/2023 06:00	0.003422833	INDmg/m3
15/04/2023 07:00	0.003543052	INDmg/m3
15/04/2023 08:00	0.003511929	INDmg/m3
15/04/2023 09:00	0.003578612	INDmg/m3
15/04/2023 10:00	0.003665153	INDmg/m3
15/04/2023 11:00	0.003752382	INDmg/m3
15/04/2023 12:00	0.003762108	INDmg/m3
15/04/2023 13:00	0.00982752	INDmg/m3
15/04/2023 14:00	0.003607182	INDmg/m3
15/04/2023 15:00	0.00362054	INDmg/m3
15/04/2023 16:00	0.003625443	INDmg/m3
15/04/2023 17:00	0.003518419	INDmg/m3
15/04/2023 18:00	0.003465324	INDmg/m3
15/04/2023 19:00	0.003464364	INDmg/m3
15/04/2023 20:00	0.003436309	INDmg/m3
15/04/2023 21:00	0.003441342	INDmg/m3
15/04/2023 22:00	0.003517994	INDmg/m3
15/04/2023 23:00	0.003495608	INDmg/m3
16/04/2023 00:00	0.003428786	INDmg/m3
16/04/2023 01:00	0.003522365	INDmg/m3
16/04/2023 02:00	0.006737461	INDmg/m3
16/04/2023 03:00	0.003918589	INDmg/m3
16/04/2023 04:00	0.003728174	INDmg/m3
16/04/2023 05:00	0.003501236	INDmg/m3
16/04/2023 06:00	0.004278657	INDmg/m3
16/04/2023 07:00	0.003872909	INDmg/m3
16/04/2023 08:00	0.003511222	INDmg/m3
16/04/2023 09:00	0.00347843	INDmg/m3
16/04/2023 10:00	0.003556969	INDmg/m3
16/04/2023 11:00	0.003465191	INDmg/m3
16/04/2023 12:00	0.00345897	INDmg/m3
16/04/2023 13:00	0.003698374	INDmg/m3
16/04/2023 14:00	0.003536791	INDmg/m3

16/04/2023 15:00	0.003819281	INDmg/m3
16/04/2023 16:00	0.003578645	INDmg/m3
16/04/2023 17:00	0.003568354	INDmg/m3
16/04/2023 18:00	0.003549118	INDmg/m3
16/04/2023 19:00	0.004130011	INDmg/m3
16/04/2023 20:00	0.004347922	INDmg/m3
16/04/2023 21:00	0.003630434	INDmg/m3
16/04/2023 22:00	0.003493356	INDmg/m3
16/04/2023 23:00	0.003830829	INDmg/m3
17/04/2023 00:00	0.004019736	INDmg/m3
17/04/2023 01:00	0.003662524	INDmg/m3
17/04/2023 02:00	0.003545429	INDmg/m3
17/04/2023 03:00	0.003539105	INDmg/m3
17/04/2023 04:00	0.003541819	INDmg/m3
17/04/2023 05:00	0.003543588	INDmg/m3
17/04/2023 06:00	0.003569714	INDmg/m3
17/04/2023 07:00	0.003492373	INDmg/m3
17/04/2023 08:00	0.003498	INDmg/m3
17/04/2023 09:00	0.003599081	INDmg/m3
17/04/2023 10:00	0.003585942	INDmg/m3
17/04/2023 11:00	0.003765968	INDmg/m3
17/04/2023 12:00	0.003575235	INDmg/m3
17/04/2023 13:00	0.003546963	INDmg/m3
17/04/2023 14:00	0.003545894	INDmg/m3
17/04/2023 15:00	0.00362688	INDmg/m3
17/04/2023 16:00	0.003553877	INDmg/m3
17/04/2023 17:00	0.003583713	INDmg/m3
17/04/2023 18:00	0.003542774	INDmg/m3
17/04/2023 19:00	0.003549864	INDmg/m3
17/04/2023 20:00	0.00357185	INDmg/m3
17/04/2023 21:00	0.003586079	INDmg/m3
17/04/2023 22:00	0.003553276	INDmg/m3
17/04/2023 23:00	0.003584929	INDmg/m3
18/04/2023 00:00	0.003568625	INDmg/m3
18/04/2023 01:00	0.003525205	INDmg/m3
18/04/2023 02:00	0.003505599	INDmg/m3
18/04/2023 03:00	0.003500816	INDmg/m3
18/04/2023 04:00	0.00353826	INDmg/m3
18/04/2023 05:00	0.003577162	INDmg/m3
18/04/2023 06:00	0.003607187	INDmg/m3
18/04/2023 07:00	0.66584605	INDmg/m3
18/04/2023 08:00	0.607520878	INDmg/m3
18/04/2023 09:00	0.525194705	INDmg/m3
18/04/2023 10:00	0.003598229	INDmg/m3
18/04/2023 11:00	0.079777278	INDmg/m3
18/04/2023 12:00	0.378317893	INDmg/m3
18/04/2023 13:00	0.648767591	INDmg/m3
18/04/2023 14:00	0.458022892	INDmg/m3
18/04/2023 15:00	0.450793564	INDmg/m3
18/04/2023 16:00	0.334711343	INDmg/m3
18/04/2023 17:00	0.003505036	INDmg/m3
18/04/2023 18:00	0.003461926	INDmg/m3
18/04/2023 19:00	0.003444101	INDmg/m3
18/04/2023 20:00	0.003469846	INDmg/m3

18/04/2023 21:00	0.003464324	INDmg/m3
18/04/2023 22:00	0.003412622	INDmg/m3
18/04/2023 23:00	0.003435545	INDmg/m3
19/04/2023 00:00	0.003423745	INDmg/m3
19/04/2023 01:00	0.003398384	INDmg/m3
19/04/2023 02:00	0.003388371	INDmg/m3
19/04/2023 03:00	0.003392021	INDmg/m3
19/04/2023 04:00	0.003393156	INDmg/m3
19/04/2023 05:00	0.00341412	INDmg/m3
19/04/2023 06:00	0.100549072	INDmg/m3
19/04/2023 07:00	0.492257237	INDmg/m3
19/04/2023 08:00	0.701965153	INDmg/m3
19/04/2023 09:00	1.034799814	INDmg/m3
19/04/2023 10:00	1.05621624	INDmg/m3
19/04/2023 11:00	0.704563677	INDmg/m3
19/04/2023 12:00	0.656818569	INDmg/m3
19/04/2023 13:00	0.966440916	INDmg/m3
19/04/2023 14:00	1.100804687	INDmg/m3
19/04/2023 15:00	0.858991027	INDmg/m3
19/04/2023 16:00	0.827253819	INDmg/m3
19/04/2023 17:00	0.005189165	INDmg/m3
19/04/2023 18:00	0.003480951	INDmg/m3
19/04/2023 19:00	0.003418348	INDmg/m3
19/04/2023 20:00	0.003417318	INDmg/m3
19/04/2023 21:00	0.00347352	INDmg/m3
19/04/2023 22:00	0.003457097	INDmg/m3
19/04/2023 23:00	0.003453086	INDmg/m3
20/04/2023 00:00	0.003565368	INDmg/m3
20/04/2023 01:00	0.00339839	INDmg/m3
20/04/2023 02:00	0.003404415	INDmg/m3
20/04/2023 03:00	0.003356927	INDmg/m3
20/04/2023 04:00	0.003365312	INDmg/m3
20/04/2023 05:00	0.003383584	INDmg/m3
20/04/2023 06:00	0.136139691	INDmg/m3
20/04/2023 07:00	0.587143898	INDmg/m3
20/04/2023 08:00	1.11673975	INDmg/m3
20/04/2023 09:00	0.899105847	INDmg/m3
20/04/2023 10:00	1.348719001	INDmg/m3
20/04/2023 11:00	0.974440217	INDmg/m3
20/04/2023 12:00	1.001195312	INDmg/m3
20/04/2023 13:00	0.801930308	INDmg/m3
20/04/2023 14:00	1.192070246	INDmg/m3
20/04/2023 15:00	0.858878732	INDmg/m3
20/04/2023 16:00	1.125890613	INDmg/m3
20/04/2023 17:00	0.696776807	INDmg/m3
20/04/2023 18:00	0.003431078	INDmg/m3
20/04/2023 19:00	0.00340893	INDmg/m3
20/04/2023 20:00	0.0034025	INDmg/m3
20/04/2023 21:00	0.003392032	INDmg/m3
20/04/2023 22:00	0.003351418	INDmg/m3
20/04/2023 23:00	0.003349257	INDmg/m3
21/04/2023 00:00	0.003355138	INDmg/m3
21/04/2023 01:00	0.003338553	INDmg/m3
21/04/2023 02:00	0.003321569	INDmg/m3

21/04/2023 03:00	0.003328032	INDmg/m3
21/04/2023 04:00	0.00334165	INDmg/m3
21/04/2023 05:00	0.003325216	INDmg/m3
21/04/2023 06:00	0.12326926	INDmg/m3
21/04/2023 07:00	0.800453007	INDmg/m3
21/04/2023 08:00	1.137874961	INDmg/m3
21/04/2023 09:00	1.192046285	INDmg/m3
21/04/2023 10:00	1.417173862	INDmg/m3
21/04/2023 11:00	0.928619444	INDmg/m3
21/04/2023 12:00	1.033627987	INDmg/m3
21/04/2023 13:00	1.064573765	INDmg/m3
21/04/2023 14:00	1.058784127	INDmg/m3
21/04/2023 15:00	0.905898809	INDmg/m3
21/04/2023 16:00	0.770647645	INDmg/m3
21/04/2023 17:00	0.506879687	INDmg/m3
21/04/2023 18:00	0.038146816	INDmg/m3
21/04/2023 19:00	0.003374966	INDmg/m3
21/04/2023 20:00	0.003359583	INDmg/m3
21/04/2023 21:00	0.003381162	INDmg/m3
21/04/2023 22:00	0.00332748	INDmg/m3
21/04/2023 23:00	0.003363784	INDmg/m3
22/04/2023 00:00	0.003363983	INDmg/m3
22/04/2023 01:00	0.003377781	INDmg/m3
22/04/2023 02:00	0.003346909	INDmg/m3
22/04/2023 03:00	0.003333763	INDmg/m3
22/04/2023 04:00	0.003363114	INDmg/m3
22/04/2023 05:00	0.003349329	INDmg/m3
22/04/2023 06:00	0.003382507	INDmg/m3
22/04/2023 07:00	0.003353981	INDmg/m3
22/04/2023 08:00	0.003352169	INDmg/m3
22/04/2023 09:00	0.003419144	INDmg/m3
22/04/2023 10:00	0.003524446	INDmg/m3
22/04/2023 11:00	0.003387465	INDmg/m3
22/04/2023 12:00	0.003428579	INDmg/m3
22/04/2023 13:00	0.003428135	INDmg/m3
22/04/2023 14:00	0.07281176	INDmg/m3
22/04/2023 15:00	0.008526873	INDmg/m3
22/04/2023 16:00	0.008024029	INDmg/m3
22/04/2023 17:00	0.126589954	INDmg/m3
22/04/2023 18:00	0.090712085	INDmg/m3
22/04/2023 19:00	0.052796915	INDmg/m3
22/04/2023 20:00	0.00370851	INDmg/m3
22/04/2023 21:00	0.003384436	INDmg/m3
22/04/2023 22:00	0.003361467	INDmg/m3
22/04/2023 23:00	0.003353762	INDmg/m3
23/04/2023 00:00	0.003394457	INDmg/m3
23/04/2023 01:00	0.003394158	INDmg/m3
23/04/2023 02:00	0.003414035	INDmg/m3
23/04/2023 03:00	0.003419405	INDmg/m3
23/04/2023 04:00	0.00339384	INDmg/m3
23/04/2023 05:00	0.003386839	INDmg/m3
23/04/2023 06:00	0.00339884	INDmg/m3
23/04/2023 07:00	0.00340295	INDmg/m3
23/04/2023 08:00	0.003410555	INDmg/m3

23/04/2023 09:00	0.003497019	INDmg/m3
23/04/2023 10:00	0.003474769	INDmg/m3
23/04/2023 11:00	0.003549959	INDmg/m3
23/04/2023 12:00	0.003546867	INDmg/m3
23/04/2023 13:00	0.071107738	INDmg/m3
23/04/2023 14:00	0.003496312	INDmg/m3
23/04/2023 15:00	0.362217098	INDmg/m3
23/04/2023 16:00	0.004537792	INDmg/m3
23/04/2023 17:00	0.003687498	INDmg/m3
23/04/2023 18:00	0.00346361	INDmg/m3
23/04/2023 19:00	0.003436907	INDmg/m3
23/04/2023 20:00	0.00340847	INDmg/m3
23/04/2023 21:00	0.00341476	INDmg/m3
23/04/2023 22:00	0.003412361	INDmg/m3
23/04/2023 23:00	0.003418606	INDmg/m3
24/04/2023 00:00	0.003416542	INDmg/m3
24/04/2023 01:00	0.003424515	INDmg/m3
24/04/2023 02:00	0.003382696	INDmg/m3
24/04/2023 03:00	0.00339613	INDmg/m3
24/04/2023 04:00	0.003450731	INDmg/m3
24/04/2023 05:00	0.003447419	INDmg/m3
24/04/2023 06:00	0.543649495	INDmg/m3
24/04/2023 07:00	1.147020578	INDmg/m3
24/04/2023 08:00	0.90204066	INDmg/m3
24/04/2023 09:00	0.389220446	INDmg/m3
24/04/2023 10:00	0.387215525	INDmg/m3
24/04/2023 11:00	0.254033655	INDmg/m3
24/04/2023 12:00	0.480719924	INDmg/m3
24/04/2023 13:00	0.818829238	INDmg/m3
24/04/2023 14:00	1.093251824	INDmg/m3
24/04/2023 15:00	0.560238361	INDmg/m3
24/04/2023 16:00	1.075217843	INDmg/m3
24/04/2023 17:00	1.149386883	INDmg/m3
24/04/2023 18:00	0.004650805	INDmg/m3
24/04/2023 19:00	0.003451233	INDmg/m3
24/04/2023 20:00	0.003432366	INDmg/m3
24/04/2023 21:00	0.00340549	INDmg/m3
24/04/2023 22:00	0.003404306	INDmg/m3
24/04/2023 23:00	0.003401489	INDmg/m3
25/04/2023 00:00	0.003402668	INDmg/m3
25/04/2023 01:00	0.003408534	INDmg/m3
25/04/2023 02:00	0.003402773	INDmg/m3
25/04/2023 03:00	0.00338207	INDmg/m3
25/04/2023 04:00	0.003391686	INDmg/m3
25/04/2023 05:00	0.003417145	INDmg/m3
25/04/2023 06:00	0.170709744	INDmg/m3
25/04/2023 07:00	0.786414981	INDmg/m3
25/04/2023 08:00	0.934686184	INDmg/m3
25/04/2023 09:00	0.793356776	INDmg/m3
25/04/2023 10:00	0.862424612	INDmg/m3
25/04/2023 11:00	0.521696687	INDmg/m3
25/04/2023 12:00	0.543914676	INDmg/m3
25/04/2023 13:00	0.877297044	INDmg/m3
25/04/2023 14:00	1.246594429	INDmg/m3

25/04/2023 15:00	1.020277619	INDmg/m3
25/04/2023 16:00	1.123223782	INDmg/m3
25/04/2023 17:00	0.089584775	INDmg/m3
25/04/2023 18:00	0.00341175	INDmg/m3
25/04/2023 19:00	0.003404422	INDmg/m3
25/04/2023 20:00	0.003367209	INDmg/m3
25/04/2023 21:00	0.003347951	INDmg/m3
25/04/2023 22:00	0.003369622	INDmg/m3
25/04/2023 23:00	0.003360729	INDmg/m3
26/04/2023 00:00	0.003337807	INDmg/m3
26/04/2023 01:00	0.003331985	INDmg/m3
26/04/2023 02:00	0.003324083	INDmg/m3
26/04/2023 03:00	0.003323512	INDmg/m3
26/04/2023 04:00	0.003317605	INDmg/m3
26/04/2023 05:00	0.003337522	INDmg/m3
26/04/2023 06:00	0.246792376	INDmg/m3
26/04/2023 07:00	0.548078954	INDmg/m3
26/04/2023 08:00	1.06877768	INDmg/m3
26/04/2023 09:00	1.501877904	INDmg/m3
26/04/2023 10:00	0.75148505	INDmg/m3
26/04/2023 11:00	0.927466989	INDmg/m3
26/04/2023 12:00	0.879080415	INDmg/m3
26/04/2023 13:00	1.173322797	INDmg/m3
26/04/2023 14:00	1.2569592	INDmg/m3
26/04/2023 15:00	1.002684593	INDmg/m3
26/04/2023 16:00	0.792261779	INDmg/m3
26/04/2023 17:00	0.248363867	INDmg/m3
26/04/2023 18:00	0.003416774	INDmg/m3
26/04/2023 19:00	0.00342203	INDmg/m3
26/04/2023 20:00	0.003407456	INDmg/m3
26/04/2023 21:00	0.003364676	INDmg/m3
26/04/2023 22:00	0.003377147	INDmg/m3
26/04/2023 23:00	0.003365626	INDmg/m3
27/04/2023 00:00	0.003375918	INDmg/m3
27/04/2023 01:00	0.003374193	INDmg/m3
27/04/2023 02:00	0.003376093	INDmg/m3
27/04/2023 03:00	0.003381308	INDmg/m3
27/04/2023 04:00	0.00337092	INDmg/m3
27/04/2023 05:00	0.003388912	INDmg/m3
27/04/2023 06:00	0.641460896	INDmg/m3
27/04/2023 07:00	1.029650688	INDmg/m3
27/04/2023 08:00	1.583502173	INDmg/m3
27/04/2023 09:00	1.815134645	INDmg/m3
27/04/2023 10:00	1.702295423	INDmg/m3
27/04/2023 11:00	1.097532034	INDmg/m3
27/04/2023 12:00	1.625342607	INDmg/m3
27/04/2023 13:00	1.478039026	INDmg/m3
27/04/2023 14:00	0.909209311	INDmg/m3
27/04/2023 15:00	1.029595256	INDmg/m3
27/04/2023 16:00	1.159419537	INDmg/m3
27/04/2023 17:00	0.079201229	INDmg/m3
27/04/2023 18:00	0.003686743	INDmg/m3
27/04/2023 19:00	0.006120347	INDmg/m3
27/04/2023 20:00	0.003958885	INDmg/m3

27/04/2023 21:00	0.003510543	INDmg/m3
27/04/2023 22:00	0.003825383	INDmg/m3
27/04/2023 23:00	0.005800772	INDmg/m3
28/04/2023 00:00	0.007917375	INDmg/m3
28/04/2023 01:00	0.00361411	INDmg/m3
28/04/2023 02:00	0.004103377	INDmg/m3
28/04/2023 03:00	0.00400902	INDmg/m3
28/04/2023 04:00	0.003783377	INDmg/m3
28/04/2023 05:00	0.003562592	INDmg/m3
28/04/2023 06:00	0.003502652	INDmg/m3
28/04/2023 07:00	0.00347503	INDmg/m3
28/04/2023 08:00	0.003494905	INDmg/m3
28/04/2023 09:00	0.003494194	INDmg/m3
28/04/2023 10:00	0.003515868	INDmg/m3
28/04/2023 11:00	0.00358232	INDmg/m3
28/04/2023 12:00	0.003591251	INDmg/m3
28/04/2023 13:00	0.003564647	INDmg/m3
28/04/2023 14:00	0.003549989	INDmg/m3
28/04/2023 15:00	0.003542229	INDmg/m3
28/04/2023 16:00	0.003539542	INDmg/m3
28/04/2023 17:00	0.003538266	INDmg/m3
28/04/2023 18:00	0.0035267	INDmg/m3
28/04/2023 19:00	0.003635087	INDmg/m3
28/04/2023 20:00	0.003532499	INDmg/m3
28/04/2023 21:00	0.003642899	INDmg/m3
28/04/2023 22:00	0.004154594	INDmg/m3
28/04/2023 23:00	0.003540101	INDmg/m3
29/04/2023 00:00	0.003513358	INDmg/m3
29/04/2023 01:00	0.003537676	INDmg/m3
29/04/2023 02:00	0.003554842	INDmg/m3
29/04/2023 03:00	0.005877954	INDmg/m3
29/04/2023 04:00	0.003982536	INDmg/m3
29/04/2023 05:00	0.003593112	INDmg/m3
29/04/2023 06:00	0.003588556	INDmg/m3
29/04/2023 07:00	0.003520553	INDmg/m3
29/04/2023 08:00	0.003690697	INDmg/m3
29/04/2023 09:00	0.003531953	INDmg/m3
29/04/2023 10:00	0.003564478	INDmg/m3
29/04/2023 11:00	0.003607591	INDmg/m3
29/04/2023 12:00	0.003648632	INDmg/m3
29/04/2023 13:00	0.003554689	INDmg/m3
29/04/2023 14:00	0.003579816	INDmg/m3
29/04/2023 15:00	0.003557691	INDmg/m3
29/04/2023 16:00	0.003608709	INDmg/m3
29/04/2023 17:00	0.003506029	INDmg/m3
29/04/2023 18:00	0.003525033	INDmg/m3
29/04/2023 19:00	0.003503212	INDmg/m3
29/04/2023 20:00	0.00346294	INDmg/m3
29/04/2023 21:00	0.003471936	INDmg/m3
29/04/2023 22:00	0.003488846	INDmg/m3
29/04/2023 23:00	0.003455746	INDmg/m3
30/04/2023 00:00	0.003575299	INDmg/m3
30/04/2023 01:00	0.004675587	INDmg/m3
30/04/2023 02:00	0.004793409	INDmg/m3

30/04/2023 03:00	0.273795128	INDmg/m3
30/04/2023 04:00	0.062855951	INDmg/m3
30/04/2023 05:00	0.004016666	INDmg/m3
30/04/2023 06:00	0.003530117	INDmg/m3
30/04/2023 07:00	0.003669199	INDmg/m3
30/04/2023 08:00	0.003954075	INDmg/m3
30/04/2023 09:00	0.004111376	INDmg/m3
30/04/2023 10:00	0.003504057	INDmg/m3
30/04/2023 11:00	0.003595471	INDmg/m3
30/04/2023 12:00	0.003661387	INDmg/m3
30/04/2023 13:00	0.003581359	INDmg/m3
30/04/2023 14:00	0.00550064	INDmg/m3
30/04/2023 15:00	0.003905965	INDmg/m3
30/04/2023 16:00	0.003740339	INDmg/m3
30/04/2023 17:00	0.003553909	INDmg/m3
30/04/2023 18:00	0.003685803	INDmg/m3
30/04/2023 19:00	0.003678194	INDmg/m3
30/04/2023 20:00	0.003575113	INDmg/m3
30/04/2023 21:00	0.003580004	INDmg/m3
30/04/2023 22:00	0.003570276	INDmg/m3
30/04/2023 23:00	0.003573055	INDmg/m3
01/05/2023 00:00	0.003628825	INDmg/m3
01/05/2023 01:00	0.003555776	INDmg/m3
01/05/2023 02:00	0.003560349	INDmg/m3
01/05/2023 03:00	0.003574342	INDmg/m3
01/05/2023 04:00	0.003528418	INDmg/m3
01/05/2023 05:00	0.003577279	INDmg/m3
01/05/2023 06:00	0.003564926	INDmg/m3
01/05/2023 07:00	0.003550108	INDmg/m3
01/05/2023 08:00	0.003579454	INDmg/m3
01/05/2023 09:00	0.003574188	INDmg/m3
01/05/2023 10:00	0.003536875	INDmg/m3
01/05/2023 11:00	0.003868655	INDmg/m3
01/05/2023 12:00	0.016344892	INDmg/m3
01/05/2023 13:00	0.003625012	INDmg/m3
01/05/2023 14:00	0.003591192	INDmg/m3
01/05/2023 15:00	0.003588698	INDmg/m3
01/05/2023 16:00	0.003624346	INDmg/m3
01/05/2023 17:00	0.003569795	INDmg/m3
01/05/2023 18:00	0.003556038	INDmg/m3
01/05/2023 19:00	0.003497009	INDmg/m3
01/05/2023 20:00	0.003537288	INDmg/m3
01/05/2023 21:00	0.003494618	INDmg/m3
01/05/2023 22:00	0.003480836	INDmg/m3
01/05/2023 23:00	0.003472213	INDmg/m3
02/05/2023 00:00	0.003451239	INDmg/m3
02/05/2023 01:00	0.003455072	INDmg/m3
02/05/2023 02:00	0.003502227	INDmg/m3
02/05/2023 03:00	0.003530795	INDmg/m3
02/05/2023 04:00	0.003533909	INDmg/m3
02/05/2023 05:00	0.003480802	INDmg/m3
02/05/2023 06:00	0.710338533	INDmg/m3
02/05/2023 07:00	1.805781722	INDmg/m3
02/05/2023 08:00	1.612594604	INDmg/m3

02/05/2023 09:00	2.061910152	INDmg/m3
02/05/2023 10:00	1.531243205	INDmg/m3
02/05/2023 11:00	0.783570945	INDmg/m3
02/05/2023 12:00	0.684713542	INDmg/m3
02/05/2023 13:00	0.978951991	INDmg/m3
02/05/2023 14:00	1.717968583	INDmg/m3
02/05/2023 15:00	1.057033539	INDmg/m3
02/05/2023 16:00	1.134629369	INDmg/m3
02/05/2023 17:00	0.693793058	INDmg/m3
02/05/2023 18:00	0.003543684	INDmg/m3
02/05/2023 19:00	0.003475881	INDmg/m3
02/05/2023 20:00	0.003495464	INDmg/m3
02/05/2023 21:00	0.00347401	INDmg/m3
02/05/2023 22:00	0.003434458	INDmg/m3
02/05/2023 23:00	0.003467954	INDmg/m3
03/05/2023 00:00	0.003448321	INDmg/m3
03/05/2023 01:00	0.003452957	INDmg/m3
03/05/2023 02:00	0.003441568	INDmg/m3
03/05/2023 03:00	0.003517167	INDmg/m3
03/05/2023 04:00	0.003491384	INDmg/m3
03/05/2023 05:00	0.003429184	INDmg/m3
03/05/2023 06:00	0.123566009	INDmg/m3
03/05/2023 07:00	0.424836874	INDmg/m3
03/05/2023 08:00	1.427450776	INDmg/m3
03/05/2023 09:00	1.950232506	INDmg/m3
03/05/2023 10:00	1.684871197	INDmg/m3
03/05/2023 11:00	0.891684651	INDmg/m3
03/05/2023 12:00	0.834155738	INDmg/m3
03/05/2023 13:00	1.31625843	INDmg/m3
03/05/2023 14:00	0.005480958	INDmg/m3
03/05/2023 15:00	0.003510124	INDmg/m3
03/05/2023 16:00	0.003468441	INDmg/m3
03/05/2023 17:00	0.003482366	INDmg/m3
03/05/2023 18:00	0.003440995	INDmg/m3
03/05/2023 19:00	0.003485198	INDmg/m3
03/05/2023 20:00	0.003427854	INDmg/m3
03/05/2023 21:00	0.003404641	INDmg/m3
03/05/2023 22:00	0.00346673	INDmg/m3
03/05/2023 23:00	0.003431755	INDmg/m3
04/05/2023 00:00	0.003442034	INDmg/m3
04/05/2023 01:00	0.003512087	INDmg/m3
04/05/2023 02:00	0.003445041	INDmg/m3
04/05/2023 03:00	0.003394502	INDmg/m3
04/05/2023 04:00	0.003411395	INDmg/m3
04/05/2023 05:00	0.003422991	INDmg/m3
04/05/2023 06:00	0.00339619	INDmg/m3
04/05/2023 07:00	0.003394839	INDmg/m3
04/05/2023 08:00	0.003446861	INDmg/m3
04/05/2023 09:00	0.003423346	INDmg/m3
04/05/2023 10:00	0.003433051	INDmg/m3
04/05/2023 11:00	0.003481077	INDmg/m3
04/05/2023 12:00	0.003444722	INDmg/m3
04/05/2023 13:00	0.003502233	INDmg/m3
04/05/2023 14:00	0.003535375	INDmg/m3

04/05/2023 15:00	0.004276472	INDmg/m3
04/05/2023 16:00	0.006730783	INDmg/m3
04/05/2023 17:00	0.015249733	INDmg/m3
04/05/2023 18:00	0.11569301	INDmg/m3
04/05/2023 19:00	0.003933598	INDmg/m3
04/05/2023 20:00	0.003542793	INDmg/m3
04/05/2023 21:00	0.003423823	INDmg/m3
04/05/2023 22:00	0.003527187	INDmg/m3
04/05/2023 23:00	0.00350391	INDmg/m3
05/05/2023 00:00	0.155388474	INDmg/m3
05/05/2023 01:00	0.006487017	INDmg/m3
05/05/2023 02:00	0.003440902	INDmg/m3
05/05/2023 03:00	0.003453925	INDmg/m3
05/05/2023 04:00	0.00347487	INDmg/m3
05/05/2023 05:00	0.003493348	INDmg/m3
05/05/2023 06:00	0.003485469	INDmg/m3
05/05/2023 07:00	0.003491105	INDmg/m3
05/05/2023 08:00	0.003738306	INDmg/m3
05/05/2023 09:00	0.003472231	INDmg/m3
05/05/2023 10:00	0.003524927	INDmg/m3
05/05/2023 11:00	0.003502646	INDmg/m3
05/05/2023 12:00	0.003497304	INDmg/m3
05/05/2023 13:00	0.584865153	INDmg/m3
05/05/2023 14:00	0.092583194	INDmg/m3
05/05/2023 15:00	1.414810181	INDmg/m3
05/05/2023 16:00	0.005443583	INDmg/m3
05/05/2023 17:00	0.003503637	INDmg/m3
05/05/2023 18:00	0.00350349	INDmg/m3
05/05/2023 19:00	0.003493491	INDmg/m3
05/05/2023 20:00	0.003549657	INDmg/m3
05/05/2023 21:00	0.003510393	INDmg/m3
05/05/2023 22:00	0.003498426	INDmg/m3
05/05/2023 23:00	0.003505189	INDmg/m3
06/05/2023 00:00	0.00350758	INDmg/m3
06/05/2023 01:00	0.003497298	INDmg/m3
06/05/2023 02:00	0.003498986	INDmg/m3
06/05/2023 03:00	0.003548428	INDmg/m3
06/05/2023 04:00	0.003515025	INDmg/m3
06/05/2023 05:00	0.003500394	INDmg/m3
06/05/2023 06:00	0.057781242	INDmg/m3
06/05/2023 07:00	0.222766533	INDmg/m3
06/05/2023 08:00	0.044810943	INDmg/m3
06/05/2023 09:00	0.013845902	INDmg/m3
06/05/2023 10:00	0.003656505	INDmg/m3
06/05/2023 11:00	0.003991844	INDmg/m3
06/05/2023 12:00	0.003983964	INDmg/m3
06/05/2023 13:00	0.003585279	INDmg/m3
06/05/2023 14:00	0.003565259	INDmg/m3
06/05/2023 15:00	0.003604939	INDmg/m3
06/05/2023 16:00	0.003838299	INDmg/m3
06/05/2023 17:00	0.003627552	INDmg/m3
06/05/2023 18:00	0.003625825	INDmg/m3
06/05/2023 19:00	0.003628075	INDmg/m3
06/05/2023 20:00	0.003633986	INDmg/m3

06/05/2023 21:00	0.003631946	INDmg/m3
06/05/2023 22:00	0.003566652	INDmg/m3
06/05/2023 23:00	0.003552907	INDmg/m3
07/05/2023 00:00	0.003555566	INDmg/m3
07/05/2023 01:00	0.00355622	INDmg/m3
07/05/2023 02:00	0.003577203	INDmg/m3
07/05/2023 03:00	0.003560721	INDmg/m3
07/05/2023 04:00	0.003524066	INDmg/m3
07/05/2023 05:00	0.00353362	INDmg/m3
07/05/2023 06:00	0.003636395	INDmg/m3
07/05/2023 07:00	0.003596994	INDmg/m3
07/05/2023 08:00	0.003551471	INDmg/m3
07/05/2023 09:00	0.003521546	INDmg/m3
07/05/2023 10:00	0.00358974	INDmg/m3
07/05/2023 11:00	0.003641827	INDmg/m3
07/05/2023 12:00	0.003579971	INDmg/m3
07/05/2023 13:00	0.003609621	INDmg/m3
07/05/2023 14:00	0.003606508	INDmg/m3
07/05/2023 15:00	0.003563962	INDmg/m3
07/05/2023 16:00	0.003598915	INDmg/m3
07/05/2023 17:00	0.003548325	INDmg/m3
07/05/2023 18:00	0.003550966	INDmg/m3
07/05/2023 19:00	0.003541583	INDmg/m3
07/05/2023 20:00	0.003516445	INDmg/m3
07/05/2023 21:00	0.003680841	INDmg/m3
07/05/2023 22:00	0.003521794	INDmg/m3
07/05/2023 23:00	0.003528027	INDmg/m3
08/05/2023 00:00	0.003541662	INDmg/m3
08/05/2023 01:00	0.00349716	INDmg/m3
08/05/2023 02:00	0.003513917	INDmg/m3
08/05/2023 03:00	0.007768581	INDmg/m3
08/05/2023 04:00	0.075199902	INDmg/m3
08/05/2023 05:00	0.110850222	INDmg/m3
08/05/2023 06:00	0.9940871	INDmg/m3
08/05/2023 07:00	0.898923635	INDmg/m3
08/05/2023 08:00	1.225580335	INDmg/m3
08/05/2023 09:00	2.133021593	INDmg/m3
08/05/2023 10:00	1.854098082	INDmg/m3
08/05/2023 11:00	1.201925516	INDmg/m3
08/05/2023 12:00	1.292373657	INDmg/m3
08/05/2023 13:00	2.229199648	INDmg/m3
08/05/2023 14:00	2.89515233	INDmg/m3
08/05/2023 15:00	1.865228415	INDmg/m3
08/05/2023 16:00	1.574267149	INDmg/m3
08/05/2023 17:00	0.021964561	INDmg/m3
08/05/2023 18:00	0.670021057	INDmg/m3
08/05/2023 19:00	0.551515639	INDmg/m3
08/05/2023 20:00	0.011599422	INDmg/m3
08/05/2023 21:00	0.004070463	INDmg/m3
08/05/2023 22:00	0.00379063	INDmg/m3
08/05/2023 23:00	0.020700974	INDmg/m3
09/05/2023 00:00	0.004188953	INDmg/m3
09/05/2023 01:00	0.012571118	INDmg/m3
09/05/2023 02:00	0.004396923	INDmg/m3

09/05/2023 03:00	0.0040682	INDmg/m3
09/05/2023 04:00	0.004288327	INDmg/m3
09/05/2023 05:00	0.009581776	INDmg/m3
09/05/2023 06:00	0.302894831	INDmg/m3
09/05/2023 07:00	1.473106265	INDmg/m3
09/05/2023 08:00	1.640210629	INDmg/m3
09/05/2023 09:00	0.563625216	INDmg/m3
09/05/2023 10:00	1.452875853	INDmg/m3
09/05/2023 11:00	0.09784884	INDmg/m3
09/05/2023 12:00	0.00369398	INDmg/m3
09/05/2023 13:00	0.005369902	INDmg/m3
09/05/2023 14:00	0.003773648	INDmg/m3
09/05/2023 15:00	0.003678852	INDmg/m3
09/05/2023 16:00	0.003692834	INDmg/m3
09/05/2023 17:00	0.003654813	INDmg/m3
09/05/2023 18:00	1.394055247	INDmg/m3
09/05/2023 19:00	0.026601266	INDmg/m3
09/05/2023 20:00	0.003667116	INDmg/m3
09/05/2023 21:00	0.003653798	INDmg/m3
09/05/2023 22:00	0.003646841	INDmg/m3
09/05/2023 23:00	0.003644693	INDmg/m3
10/05/2023 00:00	0.00383667	INDmg/m3
10/05/2023 01:00	0.003625262	INDmg/m3
10/05/2023 02:00	0.0036398	INDmg/m3
10/05/2023 03:00	0.003649754	INDmg/m3
10/05/2023 04:00	0.003709809	INDmg/m3
10/05/2023 05:00	0.003747943	INDmg/m3
10/05/2023 06:00	0.003895893	INDmg/m3
10/05/2023 07:00	0.003725336	INDmg/m3
10/05/2023 08:00	0.004961309	INDmg/m3
10/05/2023 09:00	0.006219737	INDmg/m3
10/05/2023 10:00	0.003694025	INDmg/m3
10/05/2023 11:00	0.003800721	INDmg/m3
10/05/2023 12:00	0.003705391	INDmg/m3
10/05/2023 13:00	0.00380241	INDmg/m3
10/05/2023 14:00	0.003701196	INDmg/m3
10/05/2023 15:00	0.003673218	INDmg/m3
10/05/2023 16:00	0.003671431	INDmg/m3
10/05/2023 17:00	0.003643156	INDmg/m3
10/05/2023 18:00	0.003654453	INDmg/m3
10/05/2023 19:00	0.003585335	INDmg/m3
10/05/2023 20:00	0.003607868	INDmg/m3
10/05/2023 21:00	0.003684966	INDmg/m3
10/05/2023 22:00	0.003588546	INDmg/m3
10/05/2023 23:00	0.003731256	INDmg/m3
11/05/2023 00:00	0.003744708	INDmg/m3
11/05/2023 01:00	0.003645038	INDmg/m3
11/05/2023 02:00	0.00369314	INDmg/m3
11/05/2023 03:00	0.003567661	INDmg/m3
11/05/2023 04:00	0.00359925	INDmg/m3
11/05/2023 05:00	0.003564412	INDmg/m3
11/05/2023 06:00	0.188311204	INDmg/m3
11/05/2023 07:00	1.216562629	INDmg/m3
11/05/2023 08:00	1.665245891	INDmg/m3

11/05/2023 09:00	1.285248637	INDmg/m3
11/05/2023 10:00	1.498876333	INDmg/m3
11/05/2023 11:00	1.074758172	INDmg/m3
11/05/2023 12:00	0.937750638	INDmg/m3
11/05/2023 13:00	1.086870909	INDmg/m3
11/05/2023 14:00	0.808951437	INDmg/m3
11/05/2023 15:00	0.99503088	INDmg/m3
11/05/2023 16:00	0.612332523	INDmg/m3
11/05/2023 17:00	0.003565892	INDmg/m3
11/05/2023 18:00	0.029166214	INDmg/m3
11/05/2023 19:00	0.027237404	INDmg/m3
11/05/2023 20:00	0.003508707	INDmg/m3
11/05/2023 21:00	0.003486316	INDmg/m3
11/05/2023 22:00	0.003493626	INDmg/m3
11/05/2023 23:00	0.00345641	INDmg/m3
12/05/2023 00:00	0.003487445	INDmg/m3
12/05/2023 01:00	0.003448702	INDmg/m3
12/05/2023 02:00	0.003435498	INDmg/m3
12/05/2023 03:00	0.00343546	INDmg/m3
12/05/2023 04:00	0.003464781	INDmg/m3
12/05/2023 05:00	0.003462353	INDmg/m3
12/05/2023 06:00	0.003471239	INDmg/m3
12/05/2023 07:00	0.003501943	INDmg/m3
12/05/2023 08:00	0.003539107	INDmg/m3
12/05/2023 09:00	0.003578333	INDmg/m3
12/05/2023 10:00	0.003587487	INDmg/m3
12/05/2023 11:00	0.003623012	INDmg/m3
12/05/2023 12:00	0.003632446	INDmg/m3
12/05/2023 13:00	0.003564919	INDmg/m3
12/05/2023 14:00	0.003512362	INDmg/m3
12/05/2023 15:00	0.003522231	INDmg/m3
12/05/2023 16:00	0.003507148	INDmg/m3
12/05/2023 17:00	0.00350758	INDmg/m3
12/05/2023 18:00	0.003476856	INDmg/m3
12/05/2023 19:00	0.003525339	INDmg/m3
12/05/2023 20:00	0.003450237	INDmg/m3
12/05/2023 21:00	0.003426287	INDmg/m3
12/05/2023 22:00	0.003403741	INDmg/m3
12/05/2023 23:00	0.003429945	INDmg/m3
13/05/2023 00:00	0.003483077	INDmg/m3
13/05/2023 01:00	0.00345997	INDmg/m3
13/05/2023 02:00	0.003444002	INDmg/m3
13/05/2023 03:00	0.003414363	INDmg/m3
13/05/2023 04:00	0.003462486	INDmg/m3
13/05/2023 05:00	0.003476853	INDmg/m3
13/05/2023 06:00	0.003417104	INDmg/m3
13/05/2023 07:00	0.003508272	INDmg/m3
13/05/2023 08:00	0.003550994	INDmg/m3
13/05/2023 09:00	0.00357217	INDmg/m3
13/05/2023 10:00	0.003539307	INDmg/m3
13/05/2023 11:00	0.003520114	INDmg/m3
13/05/2023 12:00	0.003480218	INDmg/m3
13/05/2023 13:00	0.003441291	INDmg/m3
13/05/2023 14:00	0.003479548	INDmg/m3

13/05/2023 15:00	0.003392924	INDmg/m3
13/05/2023 16:00	0.003448265	INDmg/m3
13/05/2023 17:00	0.003420866	INDmg/m3
13/05/2023 18:00	0.003536899	INDmg/m3
13/05/2023 19:00	0.00358967	INDmg/m3
13/05/2023 20:00	0.003467975	INDmg/m3
13/05/2023 21:00	0.003432573	INDmg/m3
13/05/2023 22:00	0.003499832	INDmg/m3
13/05/2023 23:00	0.003521397	INDmg/m3
14/05/2023 00:00	0.003477285	INDmg/m3
14/05/2023 01:00	0.003544362	INDmg/m3
14/05/2023 02:00	0.003578159	INDmg/m3
14/05/2023 03:00	0.00351364	INDmg/m3
14/05/2023 04:00	0.003539823	INDmg/m3
14/05/2023 05:00	0.003563636	INDmg/m3
14/05/2023 06:00	0.003470956	INDmg/m3
14/05/2023 07:00	0.003478119	INDmg/m3
14/05/2023 08:00	0.003561951	INDmg/m3
14/05/2023 09:00	0.003455877	INDmg/m3
14/05/2023 10:00	0.003444198	INDmg/m3
14/05/2023 11:00	0.003432647	INDmg/m3
14/05/2023 12:00	0.003444664	INDmg/m3
14/05/2023 13:00	0.003496309	INDmg/m3
14/05/2023 14:00	0.00347347	INDmg/m3
14/05/2023 15:00	0.003755669	INDmg/m3
14/05/2023 16:00	0.003861746	INDmg/m3
14/05/2023 17:00	0.003473493	INDmg/m3
14/05/2023 18:00	0.003483517	INDmg/m3
14/05/2023 19:00	0.003513202	INDmg/m3
14/05/2023 20:00	0.045162946	INDmg/m3
14/05/2023 21:00	0.007098968	INDmg/m3
14/05/2023 22:00	0.005145531	INDmg/m3
14/05/2023 23:00	0.003495326	INDmg/m3
15/05/2023 00:00	0.003447446	INDmg/m3
15/05/2023 01:00	0.003489839	INDmg/m3
15/05/2023 02:00	0.003509835	INDmg/m3
15/05/2023 03:00	0.003430873	INDmg/m3
15/05/2023 04:00	0.003468125	INDmg/m3
15/05/2023 05:00	0.00343437	INDmg/m3
15/05/2023 06:00	0.704394341	INDmg/m3
15/05/2023 07:00	1.776256204	INDmg/m3
15/05/2023 08:00	2.665055513	INDmg/m3
15/05/2023 09:00	2.057888985	INDmg/m3
15/05/2023 10:00	2.740876913	INDmg/m3
15/05/2023 11:00	2.83607769	INDmg/m3
15/05/2023 12:00	3.315807104	INDmg/m3
15/05/2023 13:00	1.720903039	INDmg/m3
15/05/2023 14:00	1.16247797	INDmg/m3
15/05/2023 15:00	1.029890895	INDmg/m3
15/05/2023 16:00	1.019218087	INDmg/m3
15/05/2023 17:00	0.724899888	INDmg/m3
15/05/2023 18:00	0.003516185	INDmg/m3
15/05/2023 19:00	0.003458997	INDmg/m3
15/05/2023 20:00	0.003519283	INDmg/m3

15/05/2023 21:00	0.003353764	INDmg/m3
15/05/2023 22:00	0.003375528	INDmg/m3
15/05/2023 23:00	0.00337778	INDmg/m3
16/05/2023 00:00	0.003359781	INDmg/m3
16/05/2023 01:00	0.003351332	INDmg/m3
16/05/2023 02:00	0.003347766	INDmg/m3
16/05/2023 03:00	0.003348127	INDmg/m3
16/05/2023 04:00	0.003359805	INDmg/m3
16/05/2023 05:00	0.003335829	INDmg/m3
16/05/2023 06:00	0.171449497	INDmg/m3
16/05/2023 07:00	0.471087039	INDmg/m3
16/05/2023 08:00	1.434015155	INDmg/m3
16/05/2023 09:00	1.751472592	INDmg/m3
16/05/2023 10:00	1.187312722	INDmg/m3
16/05/2023 11:00	0.801979065	INDmg/m3
16/05/2023 12:00	1.155027032	INDmg/m3
16/05/2023 13:00	1.543347955	INDmg/m3
16/05/2023 14:00	2.108213186	INDmg/m3
16/05/2023 15:00	1.428291559	INDmg/m3
16/05/2023 16:00	1.661482334	INDmg/m3
16/05/2023 17:00	0.006986654	INDmg/m3
16/05/2023 18:00	0.003454047	INDmg/m3
16/05/2023 19:00	0.00337201	INDmg/m3
16/05/2023 20:00	0.003359598	INDmg/m3
16/05/2023 21:00	0.003347961	INDmg/m3
16/05/2023 22:00	0.00336898	INDmg/m3
16/05/2023 23:00	0.003367574	INDmg/m3
17/05/2023 00:00	0.003335272	INDmg/m3
17/05/2023 01:00	0.003315069	INDmg/m3
17/05/2023 02:00	0.00336588	INDmg/m3
17/05/2023 03:00	0.003338842	INDmg/m3
17/05/2023 04:00	0.00333836	INDmg/m3
17/05/2023 05:00	0.003357713	INDmg/m3
17/05/2023 06:00	0.27724722	INDmg/m3
17/05/2023 07:00	2.039021015	INDmg/m3
17/05/2023 08:00	1.301305175	INDmg/m3
17/05/2023 09:00	1.974113822	INDmg/m3
17/05/2023 10:00	1.967363596	INDmg/m3
17/05/2023 11:00	1.333751917	INDmg/m3
17/05/2023 12:00	1.088328719	INDmg/m3
17/05/2023 13:00	1.288553834	INDmg/m3
17/05/2023 14:00	1.001131535	INDmg/m3
17/05/2023 15:00	0.727880061	INDmg/m3
17/05/2023 16:00	1.19977057	INDmg/m3
17/05/2023 17:00	0.007454158	INDmg/m3
17/05/2023 18:00	0.003706998	INDmg/m3
17/05/2023 19:00	0.003511793	INDmg/m3
17/05/2023 20:00	0.00345631	INDmg/m3
17/05/2023 21:00	0.003443095	INDmg/m3
17/05/2023 22:00	0.003348714	INDmg/m3
17/05/2023 23:00	0.003311515	INDmg/m3
18/05/2023 00:00	0.003336677	INDmg/m3
18/05/2023 01:00	0.003325779	INDmg/m3
18/05/2023 02:00	0.003334607	INDmg/m3

18/05/2023 03:00	0.003358936	INDmg/m3
18/05/2023 04:00	0.00333677	INDmg/m3
18/05/2023 05:00	0.003348611	INDmg/m3
18/05/2023 06:00	0.188768581	INDmg/m3
18/05/2023 07:00	1.044001579	INDmg/m3
18/05/2023 08:00	0.736898839	INDmg/m3
18/05/2023 09:00	1.530772328	INDmg/m3
18/05/2023 10:00	1.892720819	INDmg/m3
18/05/2023 11:00	1.639185429	INDmg/m3
18/05/2023 12:00	1.430131435	INDmg/m3
18/05/2023 13:00	2.05886054	INDmg/m3
18/05/2023 14:00	1.337255478	INDmg/m3
18/05/2023 15:00	1.152231216	INDmg/m3
18/05/2023 16:00	1.00622499	INDmg/m3
18/05/2023 17:00	0.59012115	INDmg/m3
18/05/2023 18:00	0.003487703	INDmg/m3
18/05/2023 19:00	0.003381682	INDmg/m3
18/05/2023 20:00	0.003370987	INDmg/m3
18/05/2023 21:00	0.003376935	INDmg/m3
18/05/2023 22:00	0.003308671	INDmg/m3
18/05/2023 23:00	0.003323723	INDmg/m3
19/05/2023 00:00	0.003353982	INDmg/m3
19/05/2023 01:00	0.003353752	INDmg/m3
19/05/2023 02:00	0.003325587	INDmg/m3
19/05/2023 03:00	0.003315188	INDmg/m3
19/05/2023 04:00	0.003328586	INDmg/m3
19/05/2023 05:00	0.003322587	INDmg/m3
19/05/2023 06:00	0.178046793	INDmg/m3
19/05/2023 07:00	0.624171257	INDmg/m3
19/05/2023 08:00	1.156888247	INDmg/m3
19/05/2023 09:00	1.48245728	INDmg/m3
19/05/2023 10:00	1.359433651	INDmg/m3
19/05/2023 11:00	1.004811883	INDmg/m3
19/05/2023 12:00	1.286276937	INDmg/m3
19/05/2023 13:00	0.960710824	INDmg/m3
19/05/2023 14:00	0.503672779	INDmg/m3
19/05/2023 15:00	0.003550519	INDmg/m3
19/05/2023 16:00	0.003466171	INDmg/m3
19/05/2023 17:00	0.017604448	INDmg/m3
19/05/2023 18:00	0.003491102	INDmg/m3
19/05/2023 19:00	0.003353036	INDmg/m3
19/05/2023 20:00	0.00330897	INDmg/m3
19/05/2023 21:00	0.003316291	INDmg/m3
19/05/2023 22:00	0.003310853	INDmg/m3
19/05/2023 23:00	0.003302497	INDmg/m3
20/05/2023 00:00	0.003315918	INDmg/m3
20/05/2023 01:00	0.003316103	INDmg/m3
20/05/2023 02:00	0.003327092	INDmg/m3
20/05/2023 03:00	0.003325125	INDmg/m3
20/05/2023 04:00	0.003300501	INDmg/m3
20/05/2023 05:00	0.003322411	INDmg/m3
20/05/2023 06:00	0.003324089	INDmg/m3
20/05/2023 07:00	0.003336302	INDmg/m3
20/05/2023 08:00	0.003482492	INDmg/m3

20/05/2023 09:00	0.00349222	INDmg/m3
20/05/2023 10:00	0.003531825	INDmg/m3
20/05/2023 11:00	0.004888095	INDmg/m3
20/05/2023 12:00	0.004032989	INDmg/m3
20/05/2023 13:00	0.003537141	INDmg/m3
20/05/2023 14:00	0.00339349	INDmg/m3
20/05/2023 15:00	0.003366826	INDmg/m3
20/05/2023 16:00	0.003334522	INDmg/m3
20/05/2023 17:00	0.003345509	INDmg/m3
20/05/2023 18:00	0.003319487	INDmg/m3
20/05/2023 19:00	0.003303194	INDmg/m3
20/05/2023 20:00	0.003313463	INDmg/m3
20/05/2023 21:00	0.003339684	INDmg/m3
20/05/2023 22:00	0.003317619	INDmg/m3
20/05/2023 23:00	0.003304124	INDmg/m3
21/05/2023 00:00	0.003293035	INDmg/m3
21/05/2023 01:00	0.003297993	INDmg/m3
21/05/2023 02:00	0.003322413	INDmg/m3
21/05/2023 03:00	0.003301453	INDmg/m3
21/05/2023 04:00	0.003314238	INDmg/m3
21/05/2023 05:00	0.003294528	INDmg/m3
21/05/2023 06:00	0.003328501	INDmg/m3
21/05/2023 07:00	0.003387915	INDmg/m3
21/05/2023 08:00	0.003519969	INDmg/m3
21/05/2023 09:00	0.003722986	INDmg/m3
21/05/2023 10:00	0.003596667	INDmg/m3
21/05/2023 11:00	0.00348518	INDmg/m3
21/05/2023 12:00	0.003429464	INDmg/m3
21/05/2023 13:00	0.003439215	INDmg/m3
21/05/2023 14:00	0.003296377	INDmg/m3
21/05/2023 15:00	0.003317916	INDmg/m3
21/05/2023 16:00	0.003321836	INDmg/m3
21/05/2023 17:00	0.003346149	INDmg/m3
21/05/2023 18:00	0.003333207	INDmg/m3
21/05/2023 19:00	0.003327002	INDmg/m3
21/05/2023 20:00	0.003339953	INDmg/m3
21/05/2023 21:00	0.003311228	INDmg/m3
21/05/2023 22:00	0.003332641	INDmg/m3
21/05/2023 23:00	0.003311987	INDmg/m3
22/05/2023 00:00	0.003316301	INDmg/m3
22/05/2023 01:00	0.003283018	INDmg/m3
22/05/2023 02:00	0.003290824	INDmg/m3
22/05/2023 03:00	0.003328041	INDmg/m3
22/05/2023 04:00	0.003314049	INDmg/m3
22/05/2023 05:00	0.003314151	INDmg/m3
22/05/2023 06:00	1.058183432	INDmg/m3
22/05/2023 07:00	0.88126421	INDmg/m3
22/05/2023 08:00	0.742472589	INDmg/m3
22/05/2023 09:00	0.713030457	INDmg/m3
22/05/2023 10:00	1.466652393	INDmg/m3
22/05/2023 11:00	1.181829095	INDmg/m3
22/05/2023 12:00	0.771795154	INDmg/m3
22/05/2023 13:00	1.14602828	INDmg/m3
22/05/2023 14:00	1.746960521	INDmg/m3

22/05/2023 15:00	1.193722725	INDmg/m3
22/05/2023 16:00	1.035442948	INDmg/m3
22/05/2023 17:00	0.00366919	INDmg/m3
22/05/2023 18:00	0.003442945	INDmg/m3
22/05/2023 19:00	0.003347555	INDmg/m3
22/05/2023 20:00	0.003332073	INDmg/m3
22/05/2023 21:00	0.003303228	INDmg/m3
22/05/2023 22:00	0.003329625	INDmg/m3
22/05/2023 23:00	0.003332265	INDmg/m3
23/05/2023 00:00	0.003313202	INDmg/m3
23/05/2023 01:00	0.003322786	INDmg/m3
23/05/2023 02:00	0.003325597	INDmg/m3
23/05/2023 03:00	0.003287689	INDmg/m3
23/05/2023 04:00	0.003317793	INDmg/m3
23/05/2023 05:00	0.003294407	INDmg/m3
23/05/2023 06:00	1.649698019	INDmg/m3
23/05/2023 07:00	1.113152623	INDmg/m3
23/05/2023 08:00	1.326932311	INDmg/m3
23/05/2023 09:00	1.867213726	INDmg/m3
23/05/2023 10:00	1.956843138	INDmg/m3
23/05/2023 11:00	0.96598208	INDmg/m3
23/05/2023 12:00	1.293719769	INDmg/m3
23/05/2023 13:00	1.842682242	INDmg/m3
23/05/2023 14:00	1.987217426	INDmg/m3
23/05/2023 15:00	1.32470274	INDmg/m3
23/05/2023 16:00	1.433635235	INDmg/m3
23/05/2023 17:00	0.004872747	INDmg/m3
23/05/2023 18:00	0.003349727	INDmg/m3
23/05/2023 19:00	0.003321836	INDmg/m3
23/05/2023 20:00	0.003308801	INDmg/m3
23/05/2023 21:00	0.003336585	INDmg/m3
23/05/2023 22:00	0.003331425	INDmg/m3
23/05/2023 23:00	0.0033379	INDmg/m3
24/05/2023 00:00	0.003281567	INDmg/m3
24/05/2023 01:00	0.003335459	INDmg/m3
24/05/2023 02:00	0.00328998	INDmg/m3
24/05/2023 03:00	0.003328042	INDmg/m3
24/05/2023 04:00	0.003325883	INDmg/m3
24/05/2023 05:00	0.003287041	INDmg/m3
24/05/2023 06:00	0.207493484	INDmg/m3
24/05/2023 07:00	1.134188175	INDmg/m3
24/05/2023 08:00	2.00311017	INDmg/m3
24/05/2023 09:00	3.12086153	INDmg/m3
24/05/2023 10:00	3.784981728	INDmg/m3
24/05/2023 11:00	2.75720644	INDmg/m3
24/05/2023 12:00	2.456397772	INDmg/m3
24/05/2023 13:00	2.529793978	INDmg/m3
24/05/2023 14:00	1.809765816	INDmg/m3
24/05/2023 15:00	1.79537642	INDmg/m3
24/05/2023 16:00	1.14923358	INDmg/m3
24/05/2023 17:00	0.003720107	INDmg/m3
24/05/2023 18:00	0.003384582	INDmg/m3
24/05/2023 19:00	0.003332452	INDmg/m3
24/05/2023 20:00	0.003313571	INDmg/m3

24/05/2023 21:00	0.0033207	INDmg/m3
24/05/2023 22:00	0.003318746	INDmg/m3
24/05/2023 23:00	0.003299852	INDmg/m3
25/05/2023 00:00	0.003293286	INDmg/m3
25/05/2023 01:00	0.003294009	INDmg/m3
25/05/2023 02:00	0.00328415	INDmg/m3
25/05/2023 03:00	0.003304075	INDmg/m3
25/05/2023 04:00	0.003306181	INDmg/m3
25/05/2023 05:00	0.003291553	INDmg/m3
25/05/2023 06:00	0.249001697	INDmg/m3
25/05/2023 07:00	2.338736534	INDmg/m3
25/05/2023 08:00	2.46453619	INDmg/m3
25/05/2023 09:00	3.507426262	INDmg/m3
25/05/2023 10:00	1.521439552	INDmg/m3
25/05/2023 11:00	3.035515308	INDmg/m3
25/05/2023 12:00	2.626728058	INDmg/m3
25/05/2023 13:00	2.816161633	INDmg/m3
25/05/2023 14:00	4.678374767	INDmg/m3
25/05/2023 15:00	2.910411358	INDmg/m3
25/05/2023 16:00	2.962733746	INDmg/m3
25/05/2023 17:00	4.799088478	INDmg/m3
25/05/2023 18:00	0.004187787	INDmg/m3
25/05/2023 19:00	0.003314574	INDmg/m3
25/05/2023 20:00	0.003369204	INDmg/m3
25/05/2023 21:00	0.003379376	INDmg/m3
25/05/2023 22:00	0.003316397	INDmg/m3
25/05/2023 23:00	0.003286116	INDmg/m3
26/05/2023 00:00	0.003267413	INDmg/m3
26/05/2023 01:00	0.003288331	INDmg/m3
26/05/2023 02:00	0.003306333	INDmg/m3
26/05/2023 03:00	0.003314063	INDmg/m3
26/05/2023 04:00	0.003281567	INDmg/m3
26/05/2023 05:00	0.003307674	INDmg/m3
26/05/2023 06:00	0.003296183	INDmg/m3
26/05/2023 07:00	0.003314979	INDmg/m3
26/05/2023 08:00	0.003330387	INDmg/m3
26/05/2023 09:00	0.003397374	INDmg/m3
26/05/2023 10:00	0.003421171	INDmg/m3
26/05/2023 11:00	0.003516161	INDmg/m3
26/05/2023 12:00	0.003854196	INDmg/m3
26/05/2023 13:00	0.003542613	INDmg/m3
26/05/2023 14:00	0.003363086	INDmg/m3
26/05/2023 15:00	0.003325506	INDmg/m3
26/05/2023 16:00	0.003319121	INDmg/m3
26/05/2023 17:00	0.003333487	INDmg/m3
26/05/2023 18:00	0.003533062	INDmg/m3
26/05/2023 19:00	0.003289014	INDmg/m3
26/05/2023 20:00	0.003356583	INDmg/m3
26/05/2023 21:00	0.003305599	INDmg/m3
26/05/2023 22:00	0.003352624	INDmg/m3
26/05/2023 23:00	0.003276097	INDmg/m3
27/05/2023 00:00	0.003276178	INDmg/m3
27/05/2023 01:00	0.003285271	INDmg/m3
27/05/2023 02:00	0.003279627	INDmg/m3

27/05/2023 03:00	0.003255527	INDmg/m3
27/05/2023 04:00	0.003303595	INDmg/m3
27/05/2023 05:00	0.003273767	INDmg/m3
27/05/2023 06:00	0.003302388	INDmg/m3
27/05/2023 07:00	0.003315191	INDmg/m3
27/05/2023 08:00	0.003407058	INDmg/m3
27/05/2023 09:00	0.003467075	INDmg/m3
27/05/2023 10:00	0.003359686	INDmg/m3
27/05/2023 11:00	0.00359784	INDmg/m3
27/05/2023 12:00	0.003591079	INDmg/m3
27/05/2023 13:00	0.003467015	INDmg/m3
27/05/2023 14:00	0.003314892	INDmg/m3
27/05/2023 15:00	0.003309732	INDmg/m3
27/05/2023 16:00	0.003294971	INDmg/m3
27/05/2023 17:00	0.003335735	INDmg/m3
27/05/2023 18:00	0.003284185	INDmg/m3
27/05/2023 19:00	0.003323528	INDmg/m3
27/05/2023 20:00	0.003368627	INDmg/m3
27/05/2023 21:00	0.00330815	INDmg/m3
27/05/2023 22:00	0.003264955	INDmg/m3
27/05/2023 23:00	0.003266138	INDmg/m3
28/05/2023 00:00	0.003263268	INDmg/m3
28/05/2023 01:00	0.00329002	INDmg/m3
28/05/2023 02:00	0.003306746	INDmg/m3
28/05/2023 03:00	0.003298103	INDmg/m3
28/05/2023 04:00	0.003299196	INDmg/m3
28/05/2023 05:00	0.003286681	INDmg/m3
28/05/2023 06:00	0.003330476	INDmg/m3
28/05/2023 07:00	0.003365164	INDmg/m3
28/05/2023 08:00	0.003556383	INDmg/m3
28/05/2023 09:00	0.003387005	INDmg/m3
28/05/2023 10:00	0.003347078	INDmg/m3
28/05/2023 11:00	0.00342133	INDmg/m3
28/05/2023 12:00	0.003319476	INDmg/m3
28/05/2023 13:00	0.003287199	INDmg/m3
28/05/2023 14:00	0.003309257	INDmg/m3
28/05/2023 15:00	0.003321643	INDmg/m3
28/05/2023 16:00	0.003293397	INDmg/m3
28/05/2023 17:00	0.003307854	INDmg/m3
28/05/2023 18:00	0.003306803	INDmg/m3
28/05/2023 19:00	0.003324282	INDmg/m3
28/05/2023 20:00	0.00329204	INDmg/m3
28/05/2023 21:00	0.003317607	INDmg/m3
28/05/2023 22:00	0.003325402	INDmg/m3
28/05/2023 23:00	0.003292237	INDmg/m3
29/05/2023 00:00	0.003295849	INDmg/m3
29/05/2023 01:00	0.003319304	INDmg/m3
29/05/2023 02:00	0.003317421	INDmg/m3
29/05/2023 03:00	0.003281851	INDmg/m3
29/05/2023 04:00	0.003281962	INDmg/m3
29/05/2023 05:00	0.003290709	INDmg/m3
29/05/2023 06:00	4.691481113	INDmg/m3
29/05/2023 07:00	1.450955987	INDmg/m3
29/05/2023 08:00	3.53463006	INDmg/m3

29/05/2023 09:00	0.078023821	INDmg/m3
29/05/2023 10:00	2.235019922	INDmg/m3
29/05/2023 11:00	2.664808035	INDmg/m3
29/05/2023 12:00	0.72789973	INDmg/m3
29/05/2023 13:00	0.899932861	INDmg/m3
29/05/2023 14:00	1.252819777	INDmg/m3
29/05/2023 15:00	2.5192132	INDmg/m3
29/05/2023 16:00	1.400149703	INDmg/m3
29/05/2023 17:00	2.159000397	INDmg/m3
29/05/2023 18:00	0.003323531	INDmg/m3
29/05/2023 19:00	0.003322952	INDmg/m3
29/05/2023 20:00	0.003274525	INDmg/m3
29/05/2023 21:00	0.003277627	INDmg/m3
29/05/2023 22:00	0.00329497	INDmg/m3
29/05/2023 23:00	0.003283128	INDmg/m3
30/05/2023 00:00	0.00328382	INDmg/m3
30/05/2023 01:00	0.003295622	INDmg/m3
30/05/2023 02:00	0.003308343	INDmg/m3
30/05/2023 03:00	0.003275479	INDmg/m3
30/05/2023 04:00	0.003314537	INDmg/m3
30/05/2023 05:00	0.003296797	INDmg/m3
30/05/2023 06:00	0.003288732	INDmg/m3
30/05/2023 07:00	0.00331253	INDmg/m3
30/05/2023 08:00	0.003306097	INDmg/m3
30/05/2023 09:00	0.003308196	INDmg/m3
30/05/2023 10:00	0.003338079	INDmg/m3
30/05/2023 11:00	0.003527295	INDmg/m3
30/05/2023 12:00	0.003895936	INDmg/m3
30/05/2023 13:00	0.00351816	INDmg/m3
30/05/2023 14:00	0.003334982	INDmg/m3
30/05/2023 15:00	0.003339217	INDmg/m3
30/05/2023 16:00	0.003349064	INDmg/m3
30/05/2023 17:00	0.003408879	INDmg/m3
30/05/2023 18:00	0.003449396	INDmg/m3
30/05/2023 19:00	0.003334425	INDmg/m3
30/05/2023 20:00	0.003250098	INDmg/m3
30/05/2023 21:00	0.003253339	INDmg/m3
30/05/2023 22:00	0.003286758	INDmg/m3
30/05/2023 23:00	0.003271795	INDmg/m3
31/05/2023 00:00	0.003280804	INDmg/m3
31/05/2023 01:00	0.003274245	INDmg/m3
31/05/2023 02:00	0.003287683	INDmg/m3
31/05/2023 03:00	0.003269632	INDmg/m3
31/05/2023 04:00	0.003279893	INDmg/m3
31/05/2023 05:00	0.003254964	INDmg/m3
31/05/2023 06:00	0.003301339	INDmg/m3
31/05/2023 07:00	0.003258048	INDmg/m3
31/05/2023 08:00	0.003277221	INDmg/m3
31/05/2023 09:00	0.00326525	INDmg/m3
31/05/2023 10:00	0.003304918	INDmg/m3
31/05/2023 11:00	0.003290983	INDmg/m3
31/05/2023 12:00	0.003312719	INDmg/m3
31/05/2023 13:00	0.003273044	INDmg/m3
31/05/2023 14:00	0.003288206	INDmg/m3

31/05/2023 15:00	0.003324377	INDmg/m3
31/05/2023 16:00	0.003323058	INDmg/m3
31/05/2023 17:00	0.00328829	INDmg/m3
31/05/2023 18:00	0.003290219	INDmg/m3
31/05/2023 19:00	0.003286191	INDmg/m3
31/05/2023 20:00	0.003291919	INDmg/m3
31/05/2023 21:00	0.003293648	INDmg/m3
31/05/2023 22:00	0.003295818	INDmg/m3
31/05/2023 23:00	0.003328412	INDmg/m3
01/06/2023 00:00	0.003323156	INDmg/m3
01/06/2023 01:00	0.003303825	INDmg/m3
01/06/2023 02:00	0.003344001	INDmg/m3
01/06/2023 03:00	0.003308026	INDmg/m3
01/06/2023 04:00	0.003302302	INDmg/m3
01/06/2023 05:00	0.003331318	INDmg/m3
01/06/2023 06:00	0.003305705	INDmg/m3
01/06/2023 07:00	0.003326162	INDmg/m3
01/06/2023 08:00	0.003317338	INDmg/m3
01/06/2023 09:00	0.003359482	INDmg/m3
01/06/2023 10:00	0.003452394	INDmg/m3
01/06/2023 11:00	0.003350564	INDmg/m3
01/06/2023 12:00	0.003522484	INDmg/m3
01/06/2023 13:00	0.003373767	INDmg/m3
01/06/2023 14:00	0.003335078	INDmg/m3
01/06/2023 15:00	0.003376195	INDmg/m3
01/06/2023 16:00	0.003296662	INDmg/m3
01/06/2023 17:00	0.003295173	INDmg/m3
01/06/2023 18:00	0.00328567	INDmg/m3
01/06/2023 19:00	0.003327564	INDmg/m3
01/06/2023 20:00	0.003265446	INDmg/m3
01/06/2023 21:00	0.003289014	INDmg/m3
01/06/2023 22:00	0.003273117	INDmg/m3
01/06/2023 23:00	0.003292996	INDmg/m3
02/06/2023 00:00	0.003279076	INDmg/m3
02/06/2023 01:00	0.003295788	INDmg/m3
02/06/2023 02:00	0.003294389	INDmg/m3
02/06/2023 03:00	0.003301395	INDmg/m3
02/06/2023 04:00	0.00327253	INDmg/m3
02/06/2023 05:00	0.00328962	INDmg/m3
02/06/2023 06:00	0.003289212	INDmg/m3
02/06/2023 07:00	0.003310188	INDmg/m3
02/06/2023 08:00	0.003387855	INDmg/m3
02/06/2023 09:00	0.003383349	INDmg/m3
02/06/2023 10:00	0.003358438	INDmg/m3
02/06/2023 11:00	0.003372362	INDmg/m3
02/06/2023 12:00	0.003440869	INDmg/m3
02/06/2023 13:00	0.003385323	INDmg/m3
02/06/2023 14:00	0.003308994	INDmg/m3
02/06/2023 15:00	0.003340427	INDmg/m3
02/06/2023 16:00	0.003322871	INDmg/m3
02/06/2023 17:00	0.003367841	INDmg/m3
02/06/2023 18:00	0.00332869	INDmg/m3
02/06/2023 19:00	0.003319397	INDmg/m3
02/06/2023 20:00	0.003279235	INDmg/m3

02/06/2023 21:00	0.003289051	INDmg/m3
02/06/2023 22:00	0.003301116	INDmg/m3
02/06/2023 23:00	0.003282574	INDmg/m3
03/06/2023 00:00	0.003324006	INDmg/m3
03/06/2023 01:00	0.003290864	INDmg/m3
03/06/2023 02:00	0.003273045	INDmg/m3
03/06/2023 03:00	0.003302498	INDmg/m3
03/06/2023 04:00	0.003290862	INDmg/m3
03/06/2023 05:00	0.003287967	INDmg/m3
03/06/2023 06:00	0.003302971	INDmg/m3
03/06/2023 07:00	0.003308673	INDmg/m3
03/06/2023 08:00	0.003334143	INDmg/m3
03/06/2023 09:00	0.003387399	INDmg/m3
03/06/2023 10:00	0.003399905	INDmg/m3
03/06/2023 11:00	0.003671434	INDmg/m3
03/06/2023 12:00	0.003695275	INDmg/m3
03/06/2023 13:00	0.003677072	INDmg/m3
03/06/2023 14:00	0.003427495	INDmg/m3
03/06/2023 15:00	0.003316387	INDmg/m3
03/06/2023 16:00	0.003334049	INDmg/m3
03/06/2023 17:00	0.003302217	INDmg/m3
03/06/2023 18:00	0.003302586	INDmg/m3
03/06/2023 19:00	0.003317127	INDmg/m3
03/06/2023 20:00	0.003768019	INDmg/m3
03/06/2023 21:00	0.00329782	INDmg/m3
03/06/2023 22:00	0.003309641	INDmg/m3
03/06/2023 23:00	0.003297911	INDmg/m3
04/06/2023 00:00	0.003248274	INDmg/m3
04/06/2023 01:00	0.0032959	INDmg/m3
04/06/2023 02:00	0.0032994	INDmg/m3
04/06/2023 03:00	0.003299508	INDmg/m3
04/06/2023 04:00	0.003290178	INDmg/m3
04/06/2023 05:00	0.003276734	INDmg/m3
04/06/2023 06:00	0.003300153	INDmg/m3
04/06/2023 07:00	0.00330774	INDmg/m3
04/06/2023 08:00	0.003344275	INDmg/m3
04/06/2023 09:00	0.003483925	INDmg/m3
04/06/2023 10:00	0.004741977	INDmg/m3
04/06/2023 11:00	0.005110778	INDmg/m3
04/06/2023 12:00	0.005366493	INDmg/m3
04/06/2023 13:00	0.003360094	INDmg/m3
04/06/2023 14:00	0.003311444	INDmg/m3
04/06/2023 15:00	0.003305421	INDmg/m3
04/06/2023 16:00	0.003291904	INDmg/m3
04/06/2023 17:00	0.003290219	INDmg/m3
04/06/2023 18:00	0.003522082	INDmg/m3
04/06/2023 19:00	0.00341719	INDmg/m3
04/06/2023 20:00	0.003360592	INDmg/m3
04/06/2023 21:00	0.003308598	INDmg/m3
04/06/2023 22:00	0.003320914	INDmg/m3
04/06/2023 23:00	0.003295364	INDmg/m3
05/06/2023 00:00	0.003293958	INDmg/m3
05/06/2023 01:00	0.003423271	INDmg/m3
05/06/2023 02:00	0.003321857	INDmg/m3

05/06/2023 03:00	0.003305964	INDmg/m3
05/06/2023 04:00	0.00332061	INDmg/m3
05/06/2023 05:00	0.003288408	INDmg/m3
05/06/2023 06:00	0.003274502	INDmg/m3
05/06/2023 07:00	0.003312445	INDmg/m3
05/06/2023 08:00	0.003325784	INDmg/m3
05/06/2023 09:00	0.003306869	INDmg/m3
05/06/2023 10:00	0.003338554	INDmg/m3
05/06/2023 11:00	0.003333955	INDmg/m3
05/06/2023 12:00	0.00338634	INDmg/m3
05/06/2023 13:00	0.003374192	INDmg/m3
05/06/2023 14:00	0.003270374	INDmg/m3
05/06/2023 15:00	0.003307222	INDmg/m3
05/06/2023 16:00	0.003351199	INDmg/m3
05/06/2023 17:00	0.003423339	INDmg/m3
05/06/2023 18:00	0.003311711	INDmg/m3
05/06/2023 19:00	0.003284544	INDmg/m3
05/06/2023 20:00	0.003301033	INDmg/m3
05/06/2023 21:00	0.003271939	INDmg/m3
05/06/2023 22:00	0.003282936	INDmg/m3
05/06/2023 23:00	0.003303252	INDmg/m3
06/06/2023 00:00	0.003287686	INDmg/m3
06/06/2023 01:00	0.003319476	INDmg/m3
06/06/2023 02:00	0.003294575	INDmg/m3
06/06/2023 03:00	0.003289735	INDmg/m3
06/06/2023 04:00	0.00330531	INDmg/m3
06/06/2023 05:00	0.003325968	INDmg/m3
06/06/2023 06:00	0.003287604	INDmg/m3
06/06/2023 07:00	0.003298634	INDmg/m3
06/06/2023 08:00	0.00331433	INDmg/m3
06/06/2023 09:00	0.00325052	INDmg/m3
06/06/2023 10:00	0.003311337	INDmg/m3
06/06/2023 11:00	0.003288167	INDmg/m3
06/06/2023 12:00	0.003322865	INDmg/m3
06/06/2023 13:00	0.003295651	INDmg/m3
06/06/2023 14:00	0.00330551	INDmg/m3
06/06/2023 15:00	0.00342894	INDmg/m3
06/06/2023 16:00	0.003294325	INDmg/m3
06/06/2023 17:00	0.003310703	INDmg/m3
06/06/2023 18:00	0.003266433	INDmg/m3
06/06/2023 19:00	0.003286039	INDmg/m3
06/06/2023 20:00	0.003251155	INDmg/m3
06/06/2023 21:00	0.003273198	INDmg/m3
06/06/2023 22:00	0.003270022	INDmg/m3
06/06/2023 23:00	0.003290055	INDmg/m3
07/06/2023 00:00	0.003291196	INDmg/m3
07/06/2023 01:00	0.003295371	INDmg/m3
07/06/2023 02:00	0.003285795	INDmg/m3
07/06/2023 03:00	0.003296974	INDmg/m3
07/06/2023 04:00	0.003285914	INDmg/m3
07/06/2023 05:00	0.003295368	INDmg/m3
07/06/2023 06:00	0.003292353	INDmg/m3
07/06/2023 07:00	0.003301026	INDmg/m3
07/06/2023 08:00	0.003329817	INDmg/m3

07/06/2023 09:00	0.003325124	INDmg/m3
07/06/2023 10:00	0.003335357	INDmg/m3
07/06/2023 11:00	0.003337343	INDmg/m3
07/06/2023 12:00	7.388901234	INDmg/m3
07/06/2023 13:00	3.244271755	INDmg/m3
07/06/2023 14:00	3.051378489	INDmg/m3
07/06/2023 15:00	1.973973155	INDmg/m3
07/06/2023 16:00	2.071422815	INDmg/m3
07/06/2023 17:00	1.365684986	INDmg/m3
07/06/2023 18:00	0.003322132	INDmg/m3
07/06/2023 19:00	0.003392696	INDmg/m3
07/06/2023 20:00	0.003285954	INDmg/m3
07/06/2023 21:00	0.003297562	INDmg/m3
07/06/2023 22:00	0.00330356	INDmg/m3
07/06/2023 23:00	0.003290709	INDmg/m3
08/06/2023 00:00	0.003372004	INDmg/m3
08/06/2023 01:00	0.00327678	INDmg/m3
08/06/2023 02:00	0.003316034	INDmg/m3
08/06/2023 03:00	0.003302867	INDmg/m3
08/06/2023 04:00	0.0032899	INDmg/m3
08/06/2023 05:00	0.003302325	INDmg/m3
08/06/2023 06:00	0.715103507	INDmg/m3
08/06/2023 07:00	0.729800522	INDmg/m3
08/06/2023 08:00	0.903934002	INDmg/m3
08/06/2023 09:00	1.470229745	INDmg/m3
08/06/2023 10:00	1.976283789	INDmg/m3
08/06/2023 11:00	1.12643981	INDmg/m3
08/06/2023 12:00	1.161257505	INDmg/m3
08/06/2023 13:00	1.294030786	INDmg/m3
08/06/2023 14:00	1.105435133	INDmg/m3
08/06/2023 15:00	1.226981997	INDmg/m3
08/06/2023 16:00	0.521688759	INDmg/m3
08/06/2023 17:00	0.003436627	INDmg/m3
08/06/2023 18:00	0.003319122	INDmg/m3
08/06/2023 19:00	0.003273644	INDmg/m3
08/06/2023 20:00	0.003303988	INDmg/m3
08/06/2023 21:00	0.003284384	INDmg/m3
08/06/2023 22:00	0.003292304	INDmg/m3
08/06/2023 23:00	0.003319872	INDmg/m3
09/06/2023 00:00	0.00332111	INDmg/m3
09/06/2023 01:00	0.003290785	INDmg/m3
09/06/2023 02:00	0.003293596	INDmg/m3
09/06/2023 03:00	0.003289138	INDmg/m3
09/06/2023 04:00	0.003269331	INDmg/m3
09/06/2023 05:00	0.003289575	INDmg/m3
09/06/2023 06:00	0.704000056	INDmg/m3
09/06/2023 07:00	0.57450664	INDmg/m3
09/06/2023 08:00	1.41825521	INDmg/m3
09/06/2023 09:00	1.597386956	INDmg/m3
09/06/2023 10:00	1.794176459	INDmg/m3
09/06/2023 11:00	1.096486926	INDmg/m3
09/06/2023 12:00	1.953717232	INDmg/m3
09/06/2023 13:00	2.033035755	INDmg/m3
09/06/2023 14:00	2.098366976	INDmg/m3

09/06/2023 15:00	1.491115093	INDmg/m3
09/06/2023 16:00	0.861245811	INDmg/m3
09/06/2023 17:00	0.003394102	INDmg/m3
09/06/2023 18:00	0.003418254	INDmg/m3
09/06/2023 19:00	0.003362494	INDmg/m3
09/06/2023 20:00	0.003338076	INDmg/m3
09/06/2023 21:00	0.003304381	INDmg/m3
09/06/2023 22:00	0.003317339	INDmg/m3
09/06/2023 23:00	0.003326814	INDmg/m3
10/06/2023 00:00	0.003314992	INDmg/m3
10/06/2023 01:00	0.003312247	INDmg/m3
10/06/2023 02:00	0.003302584	INDmg/m3
10/06/2023 03:00	0.003319683	INDmg/m3
10/06/2023 04:00	0.003320064	INDmg/m3
10/06/2023 05:00	0.003285482	INDmg/m3
10/06/2023 06:00	0.003277549	INDmg/m3
10/06/2023 07:00	0.003288655	INDmg/m3
10/06/2023 08:00	0.003291261	INDmg/m3
10/06/2023 09:00	0.003336204	INDmg/m3
10/06/2023 10:00	0.003367005	INDmg/m3
10/06/2023 11:00	0.003350186	INDmg/m3
10/06/2023 12:00	0.003340905	INDmg/m3
10/06/2023 13:00	0.003324547	INDmg/m3
10/06/2023 14:00	0.006416765	INDmg/m3
10/06/2023 15:00	0.005466375	INDmg/m3
10/06/2023 16:00	0.029591709	INDmg/m3
10/06/2023 17:00	0.005512021	INDmg/m3
10/06/2023 18:00	0.003335828	INDmg/m3
10/06/2023 19:00	0.003331697	INDmg/m3
10/06/2023 20:00	0.003311918	INDmg/m3
10/06/2023 21:00	0.003298633	INDmg/m3
10/06/2023 22:00	0.003395407	INDmg/m3
10/06/2023 23:00	0.003354259	INDmg/m3
11/06/2023 00:00	0.003350102	INDmg/m3
11/06/2023 01:00	0.00335705	INDmg/m3
11/06/2023 02:00	0.003350373	INDmg/m3
11/06/2023 03:00	0.003342403	INDmg/m3
11/06/2023 04:00	0.003312724	INDmg/m3
11/06/2023 05:00	0.00332223	INDmg/m3
11/06/2023 06:00	0.00330917	INDmg/m3
11/06/2023 07:00	0.003351332	INDmg/m3
11/06/2023 08:00	0.003357344	INDmg/m3
11/06/2023 09:00	0.003536734	INDmg/m3
11/06/2023 10:00	0.003370565	INDmg/m3
11/06/2023 11:00	0.003385449	INDmg/m3
11/06/2023 12:00	0.003489967	INDmg/m3
11/06/2023 13:00	0.003520252	INDmg/m3
11/06/2023 14:00	0.003488555	INDmg/m3
11/06/2023 15:00	0.003567299	INDmg/m3
11/06/2023 16:00	0.003359016	INDmg/m3
11/06/2023 17:00	0.003322415	INDmg/m3
11/06/2023 18:00	0.003350665	INDmg/m3
11/06/2023 19:00	0.003418568	INDmg/m3
11/06/2023 20:00	0.003424473	INDmg/m3

11/06/2023 21:00	0.003477984	INDmg/m3
11/06/2023 22:00	0.003422226	INDmg/m3
11/06/2023 23:00	0.005747477	INDmg/m3
12/06/2023 00:00	0.005527157	INDmg/m3
12/06/2023 01:00	0.003327376	INDmg/m3
12/06/2023 02:00	0.003849871	INDmg/m3
12/06/2023 03:00	0.003381896	INDmg/m3
12/06/2023 04:00	0.157968029	INDmg/m3
12/06/2023 05:00	0.003962633	INDmg/m3
12/06/2023 06:00	4.732014656	INDmg/m3
12/06/2023 07:00	1.362911105	INDmg/m3
12/06/2023 08:00	1.944104075	INDmg/m3
12/06/2023 09:00	2.05835104	INDmg/m3
12/06/2023 10:00	1.965410113	INDmg/m3
12/06/2023 11:00	1.306236386	INDmg/m3
12/06/2023 12:00	0.649716496	INDmg/m3
12/06/2023 13:00	0.746609807	INDmg/m3
12/06/2023 14:00	1.149523258	INDmg/m3
12/06/2023 15:00	1.080934286	INDmg/m3
12/06/2023 16:00	1.783548832	INDmg/m3
12/06/2023 17:00	0.854889989	INDmg/m3
12/06/2023 18:00	0.00376406	INDmg/m3
12/06/2023 19:00	0.003560191	INDmg/m3
12/06/2023 20:00	0.003447673	INDmg/m3
12/06/2023 21:00	0.003350852	INDmg/m3
12/06/2023 22:00	0.003377819	INDmg/m3
12/06/2023 23:00	0.003359845	INDmg/m3
13/06/2023 00:00	0.003351977	INDmg/m3
13/06/2023 01:00	0.003340147	INDmg/m3
13/06/2023 02:00	0.003426568	INDmg/m3
13/06/2023 03:00	0.003402614	INDmg/m3
13/06/2023 04:00	0.003655281	INDmg/m3
13/06/2023 05:00	0.003402447	INDmg/m3
13/06/2023 06:00	0.544642687	INDmg/m3
13/06/2023 07:00	0.840132177	INDmg/m3
13/06/2023 08:00	1.905687213	INDmg/m3
13/06/2023 09:00	0.95413518	INDmg/m3
13/06/2023 10:00	2.701700687	INDmg/m3
13/06/2023 11:00	1.520478606	INDmg/m3
13/06/2023 12:00	1.430684805	INDmg/m3
13/06/2023 13:00	1.224645019	INDmg/m3
13/06/2023 14:00	1.468881488	INDmg/m3
13/06/2023 15:00	1.654984713	INDmg/m3
13/06/2023 16:00	1.45335412	INDmg/m3
13/06/2023 17:00	0.35310787	INDmg/m3
13/06/2023 18:00	0.003477127	INDmg/m3
13/06/2023 19:00	0.003415745	INDmg/m3
13/06/2023 20:00	0.003391738	INDmg/m3
13/06/2023 21:00	0.003403328	INDmg/m3
13/06/2023 22:00	0.003354694	INDmg/m3
13/06/2023 23:00	0.003332432	INDmg/m3
14/06/2023 00:00	0.003310609	INDmg/m3
14/06/2023 01:00	0.003301155	INDmg/m3
14/06/2023 02:00	0.003317271	INDmg/m3

14/06/2023 03:00	0.00333681	INDmg/m3
14/06/2023 04:00	0.003320712	INDmg/m3
14/06/2023 05:00	0.003316996	INDmg/m3
14/06/2023 06:00	0.335714281	INDmg/m3
14/06/2023 07:00	1.275784373	INDmg/m3
14/06/2023 08:00	1.484461904	INDmg/m3
14/06/2023 09:00	2.636156559	INDmg/m3
14/06/2023 10:00	3.523765802	INDmg/m3
14/06/2023 11:00	3.010646343	INDmg/m3
14/06/2023 12:00	3.17090559	INDmg/m3
14/06/2023 13:00	2.811839819	INDmg/m3
14/06/2023 14:00	2.91127944	INDmg/m3
14/06/2023 15:00	1.48681283	INDmg/m3
14/06/2023 16:00	0.809066176	INDmg/m3
14/06/2023 17:00	0.003404243	INDmg/m3
14/06/2023 18:00	0.003387275	INDmg/m3
14/06/2023 19:00	0.003321344	INDmg/m3
14/06/2023 20:00	0.00330381	INDmg/m3
14/06/2023 21:00	0.003297549	INDmg/m3
14/06/2023 22:00	0.003276158	INDmg/m3
14/06/2023 23:00	0.003291029	INDmg/m3
15/06/2023 00:00	0.003320158	INDmg/m3
15/06/2023 01:00	0.003312937	INDmg/m3
15/06/2023 02:00	0.003327197	INDmg/m3
15/06/2023 03:00	0.003364757	INDmg/m3
15/06/2023 04:00	0.004426541	INDmg/m3
15/06/2023 05:00	0.003291427	INDmg/m3
15/06/2023 06:00	0.003311319	INDmg/m3
15/06/2023 07:00	0.003318096	INDmg/m3
15/06/2023 08:00	0.003426804	INDmg/m3
15/06/2023 09:00	0.003328971	INDmg/m3
15/06/2023 10:00	0.003763777	INDmg/m3
15/06/2023 11:00	0.004777227	INDmg/m3
15/06/2023 12:00	0.003730621	INDmg/m3
15/06/2023 13:00	0.003345773	INDmg/m3
15/06/2023 14:00	0.00329401	INDmg/m3
15/06/2023 15:00	0.003302694	INDmg/m3
15/06/2023 16:00	0.003272995	INDmg/m3
15/06/2023 17:00	0.003271663	INDmg/m3
15/06/2023 18:00	0.003277702	INDmg/m3
15/06/2023 19:00	0.003323154	INDmg/m3
15/06/2023 20:00	0.003455841	INDmg/m3
15/06/2023 21:00	0.003374862	INDmg/m3
15/06/2023 22:00	0.003511098	INDmg/m3
15/06/2023 23:00	0.003465016	INDmg/m3
16/06/2023 00:00	0.003589661	INDmg/m3
16/06/2023 01:00	0.003754698	INDmg/m3
16/06/2023 02:00	0.003931274	INDmg/m3
16/06/2023 03:00	0.003912127	INDmg/m3
16/06/2023 04:00	0.004104417	INDmg/m3
16/06/2023 05:00	0.003795191	INDmg/m3
16/06/2023 06:00	0.003373943	INDmg/m3
16/06/2023 07:00	0.003515048	INDmg/m3
16/06/2023 08:00	0.003450653	INDmg/m3

16/06/2023 09:00	0.003312086	INDmg/m3
16/06/2023 10:00	0.003366959	INDmg/m3
16/06/2023 11:00	0.003328511	INDmg/m3
16/06/2023 12:00	0.003499965	INDmg/m3
16/06/2023 13:00	0.003328415	INDmg/m3
16/06/2023 14:00	0.003285677	INDmg/m3
16/06/2023 15:00	0.003306721	INDmg/m3
16/06/2023 16:00	0.003299448	INDmg/m3
16/06/2023 17:00	0.003275967	INDmg/m3
16/06/2023 18:00	0.003325879	INDmg/m3
16/06/2023 19:00	0.00329717	INDmg/m3
16/06/2023 20:00	0.00343454	INDmg/m3
16/06/2023 21:00	0.003382337	INDmg/m3
16/06/2023 22:00	0.003532521	INDmg/m3
16/06/2023 23:00	0.003353084	INDmg/m3
17/06/2023 00:00	0.003695569	INDmg/m3
17/06/2023 01:00	0.003485031	INDmg/m3
17/06/2023 02:00	0.003350848	INDmg/m3
17/06/2023 03:00	0.005240007	INDmg/m3
17/06/2023 04:00	0.016260181	INDmg/m3
17/06/2023 05:00	0.005416619	INDmg/m3
17/06/2023 06:00	0.003423821	INDmg/m3
17/06/2023 07:00	0.003327941	INDmg/m3
17/06/2023 08:00	0.003312272	INDmg/m3
17/06/2023 09:00	0.00330954	INDmg/m3
17/06/2023 10:00	0.003314325	INDmg/m3
17/06/2023 11:00	0.00341964	INDmg/m3
17/06/2023 12:00	0.003328983	INDmg/m3
17/06/2023 13:00	0.003387063	INDmg/m3
17/06/2023 14:00	0.003329639	INDmg/m3
17/06/2023 15:00	0.003319662	INDmg/m3
17/06/2023 16:00	0.003374786	INDmg/m3
17/06/2023 17:00	0.003307193	INDmg/m3
17/06/2023 18:00	0.003337987	INDmg/m3
17/06/2023 19:00	0.003384424	INDmg/m3
17/06/2023 20:00	0.003468436	INDmg/m3
17/06/2023 21:00	0.00335255	INDmg/m3
17/06/2023 22:00	0.003355942	INDmg/m3
17/06/2023 23:00	0.003299313	INDmg/m3
18/06/2023 00:00	0.003280929	INDmg/m3
18/06/2023 01:00	0.003411182	INDmg/m3
18/06/2023 02:00	0.003303061	INDmg/m3
18/06/2023 03:00	0.003441878	INDmg/m3
18/06/2023 04:00	0.00339884	INDmg/m3
18/06/2023 05:00	0.003336018	INDmg/m3
18/06/2023 06:00	0.003338462	INDmg/m3
18/06/2023 07:00	0.003332733	INDmg/m3
18/06/2023 08:00	0.003418565	INDmg/m3
18/06/2023 09:00	0.003397884	INDmg/m3
18/06/2023 10:00	0.003364758	INDmg/m3
18/06/2023 11:00	0.003342786	INDmg/m3
18/06/2023 12:00	0.003305534	INDmg/m3
18/06/2023 13:00	0.003289222	INDmg/m3
18/06/2023 14:00	0.003357136	INDmg/m3

18/06/2023 15:00	0.003409709	INDmg/m3
18/06/2023 16:00	0.00332587	INDmg/m3
18/06/2023 17:00	0.003327284	INDmg/m3
18/06/2023 18:00	0.013025149	INDmg/m3
18/06/2023 19:00	0.020794639	INDmg/m3
18/06/2023 20:00	0.008551756	INDmg/m3
18/06/2023 21:00	0.003288896	INDmg/m3
18/06/2023 22:00	0.003377216	INDmg/m3
18/06/2023 23:00	0.003645017	INDmg/m3
19/06/2023 00:00	0.003306812	INDmg/m3
19/06/2023 01:00	0.0033567	INDmg/m3
19/06/2023 02:00	0.041569497	INDmg/m3
19/06/2023 03:00	0.003307093	INDmg/m3
19/06/2023 04:00	0.003314322	INDmg/m3
19/06/2023 05:00	0.003316673	INDmg/m3
19/06/2023 06:00	6.3249259	INDmg/m3
19/06/2023 07:00	2.035524368	INDmg/m3
19/06/2023 08:00	2.534600496	INDmg/m3
19/06/2023 09:00	1.710005283	INDmg/m3
19/06/2023 10:00	1.779466748	INDmg/m3
19/06/2023 11:00	0.915573061	INDmg/m3
19/06/2023 12:00	1.189386845	INDmg/m3
19/06/2023 13:00	1.139953852	INDmg/m3
19/06/2023 14:00	1.480758786	INDmg/m3
19/06/2023 15:00	1.134601831	INDmg/m3
19/06/2023 16:00	1.56388998	INDmg/m3
19/06/2023 17:00	0.681656718	INDmg/m3
19/06/2023 18:00	0.003504387	INDmg/m3
19/06/2023 19:00	0.003401218	INDmg/m3
19/06/2023 20:00	0.003394185	INDmg/m3
19/06/2023 21:00	0.003329576	INDmg/m3
19/06/2023 22:00	0.003439036	INDmg/m3
19/06/2023 23:00	0.003328419	INDmg/m3
20/06/2023 00:00	0.00334081	INDmg/m3
20/06/2023 01:00	0.003309866	INDmg/m3
20/06/2023 02:00	0.013964042	INDmg/m3
20/06/2023 03:00	0.099098504	INDmg/m3
20/06/2023 04:00	0.039054334	INDmg/m3
20/06/2023 05:00	0.007102241	INDmg/m3
20/06/2023 06:00	0.390469015	INDmg/m3
20/06/2023 07:00	2.634279966	INDmg/m3
20/06/2023 08:00	2.762480259	INDmg/m3
20/06/2023 09:00	1.790950179	INDmg/m3
20/06/2023 10:00	1.598218322	INDmg/m3
20/06/2023 11:00	0.889581978	INDmg/m3
20/06/2023 12:00	1.47093606	INDmg/m3
20/06/2023 13:00	1.518353462	INDmg/m3
20/06/2023 14:00	1.318808913	INDmg/m3
20/06/2023 15:00	0.860227883	INDmg/m3
20/06/2023 16:00	0.758871377	INDmg/m3
20/06/2023 17:00	0.163983971	INDmg/m3
20/06/2023 18:00	0.004540707	INDmg/m3
20/06/2023 19:00	0.446886718	INDmg/m3
20/06/2023 20:00	0.204375476	INDmg/m3

20/06/2023 21:00	0.003467443	INDmg/m3
20/06/2023 22:00	0.003414391	INDmg/m3
20/06/2023 23:00	0.003456017	INDmg/m3
21/06/2023 00:00	0.224893406	INDmg/m3
21/06/2023 01:00	0.003409717	INDmg/m3
21/06/2023 02:00	0.003585155	INDmg/m3
21/06/2023 03:00	0.003559015	INDmg/m3
21/06/2023 04:00	0.003338746	INDmg/m3
21/06/2023 05:00	0.00335423	INDmg/m3
21/06/2023 06:00	0.273770034	INDmg/m3
21/06/2023 07:00	0.628243029	INDmg/m3
21/06/2023 08:00	1.591445804	INDmg/m3
21/06/2023 09:00	1.747844696	INDmg/m3
21/06/2023 10:00	2.176611423	INDmg/m3
21/06/2023 11:00	1.318461657	INDmg/m3
21/06/2023 12:00	2.147682428	INDmg/m3
21/06/2023 13:00	3.264181376	INDmg/m3
21/06/2023 14:00	1.833210826	INDmg/m3
21/06/2023 15:00	1.159751654	INDmg/m3
21/06/2023 16:00	1.382664323	INDmg/m3
21/06/2023 17:00	0.718596101	INDmg/m3
21/06/2023 18:00	0.003454644	INDmg/m3
21/06/2023 19:00	0.003393717	INDmg/m3
21/06/2023 20:00	0.003402331	INDmg/m3
21/06/2023 21:00	0.003402504	INDmg/m3
21/06/2023 22:00	0.003393607	INDmg/m3
21/06/2023 23:00	0.003368061	INDmg/m3
22/06/2023 00:00	0.003337798	INDmg/m3
22/06/2023 01:00	0.00333668	INDmg/m3
22/06/2023 02:00	0.003371584	INDmg/m3
22/06/2023 03:00	0.003318639	INDmg/m3
22/06/2023 04:00	0.0033272	INDmg/m3
22/06/2023 05:00	0.003303709	INDmg/m3
22/06/2023 06:00	0.003305589	INDmg/m3
22/06/2023 07:00	0.003357813	INDmg/m3
22/06/2023 08:00	0.0033725	INDmg/m3
22/06/2023 09:00	0.003358074	INDmg/m3
22/06/2023 10:00	0.003350008	INDmg/m3
22/06/2023 11:00	0.003396244	INDmg/m3
22/06/2023 12:00	0.003350576	INDmg/m3
22/06/2023 13:00	0.434299231	INDmg/m3
22/06/2023 14:00	0.580373526	INDmg/m3
22/06/2023 15:00	0.425145179	INDmg/m3
22/06/2023 16:00	0.18749088	INDmg/m3
22/06/2023 17:00	0.003434579	INDmg/m3
22/06/2023 18:00	0.003418562	INDmg/m3
22/06/2023 19:00	0.003393366	INDmg/m3
22/06/2023 20:00	0.003455388	INDmg/m3
22/06/2023 21:00	0.003383568	INDmg/m3
22/06/2023 22:00	0.003372149	INDmg/m3
22/06/2023 23:00	0.003359294	INDmg/m3
23/06/2023 00:00	0.00336698	INDmg/m3
23/06/2023 01:00	0.00333461	INDmg/m3
23/06/2023 02:00	0.003341275	INDmg/m3

23/06/2023 03:00	0.003406728	INDmg/m3
23/06/2023 04:00	0.003465488	INDmg/m3
23/06/2023 05:00	0.004017745	INDmg/m3
23/06/2023 06:00	0.003331799	INDmg/m3
23/06/2023 07:00	0.003345229	INDmg/m3
23/06/2023 08:00	0.003371127	INDmg/m3
23/06/2023 09:00	0.003359497	INDmg/m3
23/06/2023 10:00	0.212166309	INDmg/m3
23/06/2023 11:00	0.292900532	INDmg/m3
23/06/2023 12:00	0.421825141	INDmg/m3
23/06/2023 13:00	0.395375043	INDmg/m3
23/06/2023 14:00	0.378404886	INDmg/m3
23/06/2023 15:00	0.290421307	INDmg/m3
23/06/2023 16:00	0.569575727	INDmg/m3
23/06/2023 17:00	0.194485858	INDmg/m3
23/06/2023 18:00	0.003759762	INDmg/m3
23/06/2023 19:00	0.003643811	INDmg/m3
23/06/2023 20:00	0.003585893	INDmg/m3
23/06/2023 21:00	0.003578768	INDmg/m3
23/06/2023 22:00	0.003649917	INDmg/m3
23/06/2023 23:00	0.003481381	INDmg/m3
24/06/2023 00:00	0.003553213	INDmg/m3
24/06/2023 01:00	0.00344385	INDmg/m3
24/06/2023 02:00	0.004376025	INDmg/m3
24/06/2023 03:00	0.003932966	INDmg/m3
24/06/2023 04:00	0.003470959	INDmg/m3
24/06/2023 05:00	0.003481795	INDmg/m3
24/06/2023 06:00	0.003557446	INDmg/m3
24/06/2023 07:00	0.003455925	INDmg/m3
24/06/2023 08:00	0.003516597	INDmg/m3
24/06/2023 09:00	0.00349574	INDmg/m3
24/06/2023 10:00	0.003491648	INDmg/m3
24/06/2023 11:00	0.003510247	INDmg/m3
24/06/2023 12:00	0.003481941	INDmg/m3
24/06/2023 13:00	0.003495889	INDmg/m3
24/06/2023 14:00	0.003535928	INDmg/m3
24/06/2023 15:00	0.003481797	INDmg/m3
24/06/2023 16:00	0.003457564	INDmg/m3
24/06/2023 17:00	0.003534044	INDmg/m3
24/06/2023 18:00	0.003525058	INDmg/m3
24/06/2023 19:00	0.003470529	INDmg/m3
24/06/2023 20:00	0.003453926	INDmg/m3
24/06/2023 21:00	0.003450084	INDmg/m3
24/06/2023 22:00	0.003430672	INDmg/m3
24/06/2023 23:00	0.003418489	INDmg/m3
25/06/2023 00:00	0.00348081	INDmg/m3
25/06/2023 01:00	0.00342464	INDmg/m3
25/06/2023 02:00	0.003480955	INDmg/m3
25/06/2023 03:00	0.003455076	INDmg/m3
25/06/2023 04:00	0.003444224	INDmg/m3
25/06/2023 05:00	0.003449266	INDmg/m3
25/06/2023 06:00	0.003442913	INDmg/m3
25/06/2023 07:00	0.00345111	INDmg/m3
25/06/2023 08:00	0.003461074	INDmg/m3

25/06/2023 09:00	0.003488541	INDmg/m3
25/06/2023 10:00	0.003479221	INDmg/m3
25/06/2023 11:00	0.00347766	INDmg/m3
25/06/2023 12:00	0.003996875	INDmg/m3
25/06/2023 13:00	0.003439912	INDmg/m3
25/06/2023 14:00	0.003451803	INDmg/m3
25/06/2023 15:00	0.003532237	INDmg/m3
25/06/2023 16:00	0.003524477	INDmg/m3
25/06/2023 17:00	0.003516594	INDmg/m3
25/06/2023 18:00	0.003509137	INDmg/m3
25/06/2023 19:00	0.003473046	INDmg/m3
25/06/2023 20:00	0.003481779	INDmg/m3
25/06/2023 21:00	0.003469867	INDmg/m3
25/06/2023 22:00	0.003451289	INDmg/m3
25/06/2023 23:00	0.003447799	INDmg/m3
26/06/2023 00:00	0.003470129	INDmg/m3
26/06/2023 01:00	0.00344347	INDmg/m3
26/06/2023 02:00	0.003422975	INDmg/m3
26/06/2023 03:00	0.003436715	INDmg/m3
26/06/2023 04:00	0.003439347	INDmg/m3
26/06/2023 05:00	0.003434369	INDmg/m3
26/06/2023 06:00	0.808280408	INDmg/m3
26/06/2023 07:00	0.672506273	INDmg/m3
26/06/2023 08:00	1.715108275	INDmg/m3
26/06/2023 09:00	1.597494006	INDmg/m3
26/06/2023 10:00	1.419410586	INDmg/m3
26/06/2023 11:00	1.039272785	INDmg/m3
26/06/2023 12:00	1.293201923	INDmg/m3
26/06/2023 13:00	1.558876634	INDmg/m3
26/06/2023 14:00	1.549650788	INDmg/m3
26/06/2023 15:00	1.4681319	INDmg/m3
26/06/2023 16:00	1.288670897	INDmg/m3
26/06/2023 17:00	0.003633579	INDmg/m3
26/06/2023 18:00	0.003581575	INDmg/m3
26/06/2023 19:00	0.003500819	INDmg/m3
26/06/2023 20:00	0.003529827	INDmg/m3
26/06/2023 21:00	0.003512647	INDmg/m3
26/06/2023 22:00	0.003487554	INDmg/m3
26/06/2023 23:00	0.003440339	INDmg/m3
27/06/2023 00:00	0.003442504	INDmg/m3
27/06/2023 01:00	0.003435828	INDmg/m3
27/06/2023 02:00	0.003452213	INDmg/m3
27/06/2023 03:00	0.003417287	INDmg/m3
27/06/2023 04:00	0.003434778	INDmg/m3
27/06/2023 05:00	0.003444596	INDmg/m3
27/06/2023 06:00	0.003478739	INDmg/m3
27/06/2023 07:00	0.485445201	INDmg/m3
27/06/2023 08:00	0.795558214	INDmg/m3
27/06/2023 09:00	0.416866332	INDmg/m3
27/06/2023 10:00	0.004399409	INDmg/m3
27/06/2023 11:00	0.003639496	INDmg/m3
27/06/2023 12:00	0.0035329	INDmg/m3
27/06/2023 13:00	0.00354384	INDmg/m3
27/06/2023 14:00	0.003560106	INDmg/m3

27/06/2023 15:00	0.003536052	INDmg/m3
27/06/2023 16:00	0.003503636	INDmg/m3
27/06/2023 17:00	0.003527857	INDmg/m3
27/06/2023 18:00	0.003551086	INDmg/m3
27/06/2023 19:00	0.003546609	INDmg/m3
27/06/2023 20:00	0.003572694	INDmg/m3
27/06/2023 21:00	0.01257908	INDmg/m3
27/06/2023 22:00	0.003618356	INDmg/m3
27/06/2023 23:00	0.003574908	INDmg/m3
28/06/2023 00:00	0.003720402	INDmg/m3
28/06/2023 01:00	0.003602681	INDmg/m3
28/06/2023 02:00	0.003914985	INDmg/m3
28/06/2023 03:00	0.004122507	INDmg/m3
28/06/2023 04:00	0.003994346	INDmg/m3
28/06/2023 05:00	0.003652275	INDmg/m3
28/06/2023 06:00	0.543903708	INDmg/m3
28/06/2023 07:00	0.497019917	INDmg/m3
28/06/2023 08:00	1.315886378	INDmg/m3
28/06/2023 09:00	0.691496134	INDmg/m3
28/06/2023 10:00	0.552494884	INDmg/m3
28/06/2023 11:00	0.589554071	INDmg/m3
28/06/2023 12:00	1.192066073	INDmg/m3
28/06/2023 13:00	1.088193774	INDmg/m3
28/06/2023 14:00	0.839502215	INDmg/m3
28/06/2023 15:00	0.689751148	INDmg/m3
28/06/2023 16:00	1.035259843	INDmg/m3
28/06/2023 17:00	0.003760681	INDmg/m3
28/06/2023 18:00	0.00358979	INDmg/m3
28/06/2023 19:00	0.003645433	INDmg/m3
28/06/2023 20:00	0.003627088	INDmg/m3
28/06/2023 21:00	0.00357857	INDmg/m3
28/06/2023 22:00	0.003616187	INDmg/m3
28/06/2023 23:00	0.003613552	INDmg/m3
29/06/2023 00:00	0.003573779	INDmg/m3
29/06/2023 01:00	0.003599981	INDmg/m3
29/06/2023 02:00	0.003601331	INDmg/m3
29/06/2023 03:00	0.003572209	INDmg/m3
29/06/2023 04:00	0.003590288	INDmg/m3
29/06/2023 05:00	0.003583805	INDmg/m3
29/06/2023 06:00	0.751750767	INDmg/m3
29/06/2023 07:00	1.030820012	INDmg/m3
29/06/2023 08:00	1.64046514	INDmg/m3
29/06/2023 09:00	1.296575546	INDmg/m3
29/06/2023 10:00	0.863849223	INDmg/m3
29/06/2023 11:00	0.495209336	INDmg/m3
29/06/2023 12:00	0.497478873	INDmg/m3
29/06/2023 13:00	0.407671988	INDmg/m3
29/06/2023 14:00	0.291560858	INDmg/m3
29/06/2023 15:00	0.215541855	INDmg/m3
29/06/2023 16:00	0.003912969	INDmg/m3
29/06/2023 17:00	0.003638288	INDmg/m3
29/06/2023 18:00	0.003637528	INDmg/m3
29/06/2023 19:00	0.003641693	INDmg/m3
29/06/2023 20:00	0.003567826	INDmg/m3

29/06/2023 21:00	0.003523083	INDmg/m3
29/06/2023 22:00	0.003545147	INDmg/m3
29/06/2023 23:00	0.003530098	INDmg/m3
30/06/2023 00:00	0.003523089	INDmg/m3
30/06/2023 01:00	0.003482795	INDmg/m3
30/06/2023 02:00	0.003516592	INDmg/m3
30/06/2023 03:00	0.00416397	INDmg/m3
30/06/2023 04:00	0.003541619	INDmg/m3
30/06/2023 05:00	0.003649471	INDmg/m3
30/06/2023 06:00	0.010738157	INDmg/m3
30/06/2023 07:00	0.005270726	INDmg/m3
30/06/2023 08:00	0.007080449	INDmg/m3
30/06/2023 09:00	0.003708885	INDmg/m3
30/06/2023 10:00	0.003642693	INDmg/m3
30/06/2023 11:00	0.003875044	INDmg/m3
30/06/2023 12:00	0.003961418	INDmg/m3
30/06/2023 13:00	0.00363942	INDmg/m3
30/06/2023 14:00	0.00357668	INDmg/m3
30/06/2023 15:00	0.004132013	INDmg/m3
30/06/2023 16:00	0.007044846	INDmg/m3
30/06/2023 17:00	0.008924467	INDmg/m3
30/06/2023 18:00	0.003974682	INDmg/m3
30/06/2023 19:00	0.008362723	INDmg/m3
30/06/2023 20:00	0.00371403	INDmg/m3
30/06/2023 21:00	0.003693246	INDmg/m3
30/06/2023 22:00	0.003732519	INDmg/m3
30/06/2023 23:00	0.003652093	INDmg/m3
01/07/2023 00:00	0.003556191	INDmg/m3

Quarter - Three

File Name

April - June 23