

Compliance Assessment Report CAR_NRW0042140

Permit being assessed: NP3037AF.

For: Connah's Quay Power Station , **held by:** Uniper UK Limited

At: Connah's Quay Power Station Kelsterton Road , Connah's Quay, Flintshire, CH5 4BP.

Type of assessment: Report/Data Review,

Reason: Routine.

On: 14/07/2023.

Parts of permit assessed: Routine Emissions Monitoring & Reporting.

NRW Lead Officer: Stuart Ross.

Report sent to: Andy Black, Environmental Advisor, on 14/07/2023.

1. Summary of our findings (full details in section 4)

Part of permitted activity assessed (compliance criteria)	Assessment result	Permit condition
IR3A - Emissions and monitoring - Emissions to water, air or land	Assessed (A)	
IR3E - Emissions and monitoring - Monitoring	Assessed (A)	
IR3H - Emissions and monitoring - Monitoring for the purposes of the Industrial Emissions Directive (includes LCP)	Assessed (A)	
IR4B - Information - Reporting	Assessed (A)	

Result types are explained in more detail in the 'Important Information' section below.

Total non-compliances recorded	Total non-compliance score
0	0

How we use the non-compliance score to calculate your annual fee is explained in the 'Important Information' section below.

2. What action is required?

No action required.

3. What will happen next?

Any non-compliance we have identified and recorded on this form is an offence. It can result in criminal prosecution and/or suspension or revocation of your permit.

At this time, we do not intend to take any further action.

This statement does not stop us from taking additional enforcement action if further relevant information comes to light or offences continue.

4. Details of our assessment

This Compliance Assessment Report follows a review of routine quarterly emissions monitoring returns during the period 1st January - 31st March 2023.

All reports received on time.

a) Emissions to Air

Emission points A1 - A4 all emissions compliant with the permitted limits throughout the period. .

Emission point A11 - no CEMS data presented following the mothballing of the Gas Treatment Plant nitrogen rejection unit 24/06/20 (nil return).

Emission points A10A - A10E, annual extractive NO_x and CO monitoring completed on all 5 auxiliary boilers 27 -28 June 2022. No emission limit values apply, emissions found to be typical of those recorded during previous monitoring rounds.

b) Emissions to Water

Emission points W1, W2 & W3 - all parameters within permitted limits.

c) Units 1 - 3 Annual Surveillance Testing

Due to a combination of plant failure, limited availability and improved sample port installation, Uniper had been unable to successfully complete AST tests on all four units within the required 2022 time window (by 28 Feb 2023).

The NO_x, CO and O₂ AST measurements on Units 1 and 3 were carried out in Feb 2023, as were the functional tests (Duty and Standby) on all units.

Unit 2 returned to service in late December 2022, but operational times did not coincide with periods of operation for Units 1 and 3 alongside UTG stack teams being present at CQPS.

The NO_x, CO, O₂ ASTs on Unit 2 were finally carried out 17th April 2023 while the flow AST on Unit 3 was carried out 18th April 2023.

Uniper propose to complete testing on Unit 4 as soon as it returns to service.

As detailed in the JEP IED Compliance Protocol, it is recognised that the increasingly

unpredictable and intermittent nature of power generation is causing test scheduling difficulties. In these circumstances, noting the principle that the plant shall not be run simply in order to monitor emissions, the Operator shall: i) inform the Regulatory Officer of such difficulties; ii) work to identify when testing may be possible and iii) inform the Regulatory Officer when testing is re-scheduled.

NRW is satisfied that Uniper has taken all reasonable steps to complete AST for 2022 and no further action is required.

If you have any queries about this report, or to discuss completion of any actions, please contact the NRW Officer named above.

Important information

Legal status of this report

Your permit is issued to you under the Environmental Permitting Regulations. You have a responsibility to comply with the conditions of your permit and prevent pollution/harm of the environment. You must also ensure that you comply with any other relevant legislation that may apply to your site's operations.

This report explains the findings of our assessment and any action you are required to take. We categorise non-compliance using our guidance for assessing non-compliance at regulated sites.

When we find potential non-compliance/s we will normally give you advice on how to maintain compliance.

To correct non-compliance, we may:

- require you to take specific actions
- issue a notice
- review the conditions of your permit.

Any advice and guidance we give will be without prejudice to any other enforcement response that we consider may be required.

Assessment results and non-compliance categories (used in section 1):

Assessment result	Description
Assessed (A)	Assessed or assessed in part, no evidence of non-compliance found
Action only (X)	Action only relating to the activity assessment
Ongoing (O)	Ongoing non-compliance, not scored

Non-compliance category	Description	Score
C1 Major	Potential to have a major, serious, persistent and/or extensive impact or effect on the environment, people and/or property	60
C2 Significant	Potential to have a significant impact or effect on the environment, people and/or property	31
C3 Minor	Potential to have a minor or minimal impact or effect on the environment, people and/or property	4
C4 No environmental impact	Non-compliance at a regulated site that cannot foreseeably have any impact on the environment, people and/or property	0.1

How we use assessment scores

The number and severity of non-compliances recorded in a year will affect your annual subsistence fee the following year. A non-compliance factor is added to your site's Operator

Performance Risk Appraisal (OPRA) score when we calculate your fee to reflect the additional resource we use to assess permit compliance.

If your assessment result in Section 1 is suspended, what does this mean?

In line with our guidance, we may suspend scores for up to six months to allow time for remedial action to be taken. Suspended scores will be re-instated if the action is not completed.

Full list of Industry compliance criteria (used in section 1 and 2):

1. Management

- IR1A – General management
- IR1B – Finance (only applicable to Landfill)
- IR1C – Energy efficiency
- IR1D - Efficient use of raw materials
- IR1E - Avoidance, recovery and disposal of wastes produced by the activities
- IR1F - Multiple operator installations

2. Operations

- IR2A – Permitted activities
- IR2B – The site
- IR2C – Operating techniques
- IR2D – Technical requirements
- IR2E – Improvement programme
- IR2F – Pre-operational conditions
- IR2G – Landfill engineering (only applicable to Landfill)
- IR2H – Waste acceptance (only applicable to Landfill)
- IR2I – Leachate levels (only applicable to Landfill)
- IR2J – Closure and aftercare (only applicable to Landfill)
- IR2K – Landfill gas management (only applicable to Landfill)

3. Emission and Monitoring

- IR3A – Emissions to water, air or land
- IR3B – Emissions of substances not controlled by emission limits
- IR3C – Odour
- IR3D – Noise and vibration
- IR3E – Monitoring
- IR3F – Pests
- IR3G – Air quality management plans
- IR3H – Monitoring for the purposes of the Industrial Emissions Directive (this heading includes Large Combustion Plants)
- IR3I – Fire

4. Information

- IR4A – Records
- IR4B – Reporting
- IR4C – Notification

Enforcement response

Any non-compliance with a permit condition is an offence and we may take legal action against you. Action we take can include prosecution, serving a notice on you and/or

suspension or revocation of your permit. See our Enforcement and Sanctions Guidance for further information.

Data protection notice

You should make sure that anyone named in this report knows that the information it contains will be processed by Natural Resources Wales to fulfil its regulatory and monitoring functions and to maintain the relevant public register(s).

We may also use and/or disclose the report in connection with:

- offering or providing you with our literature or services relating to environmental matters
- consulting with the public, public bodies and other organisations (e.g. Health and Safety Executive, local authorities) on environmental issues
- carrying out statistical analysis, research and development on environmental issues
- providing public register information to enquirers
- investigating possible breaches of environmental law
- assessing customer service satisfaction and improving our service
- Freedom of Information Act or Environmental Information Regulations requests.

We may also pass it on to our agents or representatives to do these things on our behalf.

Disclosure of information – this report will be available to view on-line

If you think this report contains commercially confidential information that should not be placed on our public register, you must contact your local Natural Resources Wales office within **fifteen working days** of receiving this report, using the contact details in the accompanying email or letter. You must give a full explanation of why it should not be added to our public register, including specifying which information is commercially confidential. We will assess your request and respond to you within twenty working days to let you know if we agree to your request.

What do I do if I disagree with the report or have a complaint?

If you disagree with this compliance assessment report, you should contact the lead officer without delay to discuss your concerns.

If you are unable to resolve the issue with the lead officer or their line manager you should contact our Customer Contact team on 0300 065 3000 (Monday to Friday 08:00 to 18:00), or email enquiries@naturalresourceswales.gov.uk for details of how to raise your dispute further through our Complaints and Commendations procedure.

If you are dissatisfied with our response, you can contact the Public Services Ombudsman for Wales by phone on 0300 7900203 or by email at ask@ombudsman.wales

Welsh Language Standards

We are committed to establishing Natural Resources Wales as a naturally bilingual organisation. We will provide compliance reports in your preferred language.