

Permit Number: EPR/CB3091HY

Operator:

Cambrian Pet Foods Limited

Facility: Llangadog Pet Foods Plant

Form Number:

Water1 / 04/03/2021

Reporting of emissions to water for the period from 01/04/2023 to 30/06/2023

Emission Point	Substance / Parameter	Emission Limit Value	Reference Period	Result ^[1]	Test Method ^[2]	Sample Date and Times ^[3]	Uncertainty ^[4]
S1	Oil and grease	None visible	Instantaneous (visual examination)	None seen	Visual check	Daily	N/A
	pH	Minimum 6, Maximum 8.5	Instantaneous (spot sample)	Min 6.7°C Max 7.2°C	BS EN 10523	05.04.23 31.06.23 07.06.23 24.05.23	+/- 0.01
	Temperature	29 °C	Instantaneous (spot sample)	26°C	Standard thermocouple	03.05.23 04.05.23	+/- 0.3°C
	Total aluminium as Al	1.0 mg/L	Instantaneous (spot sample)	0.04	BS EN ISO 11885	10.05.23	+/- 1.0%
	Biological oxygen demand (BOD)	40 mg/L	Instantaneous (spot sample)	38	BS EN 1899-1	05.04.23	+/- 1.9%
	Total phosphorus as P	15 mg/L	Instantaneous (spot sample)	13.8	BS EN 15681-1 or BS EN ISO 15681-2	10.05.23	+/- 1.0%
	Ammoniacal nitrogen (expressed as N)	30 mg/L	Instantaneous (spot sample)	8.5	BS EN ISO 11732	05.04.23	+/- 1.0%
	Total suspended solids	40 mg/L	Instantaneous (spot sample)	32	BS EN 872	03.05.23	+/- 1.0%
	Maximum daily discharge volume	1000 m ³ /day	Total daily volume	1402.0 m3	MCERTS certified flow meter	23.58hrs 03.04.23 (Schedule 5 Notification 09.05.23)	3.09%

- [1] The result given is the maximum value (or the minimum value in the case of a limit that is expressed as a minimum) obtained during the reporting period, expressed in the same terms as the emission limit value. Where the emission limit value is expressed as a range, the result is given as the 'minimum – maximum' measured values.
- [2] Where an internationally recognised standard test method is used the reference number is given. Where another method that has been formally agreed with Natural Resources Wales is used, then the appropriate identifier is given. In other cases the principal technique is stated, for example gas chromatography.
- [3] For non-continuous measurements the date and time of the sample that produced the result is given. For continuous measurements the percentage of the process operating time covered by the result is given.
- [4] The uncertainty associated with the quoted result at the 95% confidence interval, unless otherwise stated.

Signed  Date 3/7/23

(Authorised to sign as representative of Operator)