


Permit Reference Number: BL3986ID

Operator: Tarmac Cement & Lime Ltd  
Feb-23

Installation: Aberthaw Works

Kiln Report of Continuous Monitored Emissions (Emission Point A1)




| Kiln            |                         |   |                          |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|-----------------|-------------------------|---|--------------------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| Monthly summary |                         |   | Date                     | 1    | 2    | 3    | 4    | 5    | 6    | 7    | 8    | 9    | 10   | 11   | 12   | 13   | 14   | 15   | 16   | 17   | 18   | 19   | 20   | 21   | 22   | 23   | 24   | 25   | 26   | 27   | 28   |
| Daily average   |                         |   | Daily average ELV        | 10   | 10   | 10   | 10   | 10   | 10   | 10   | 10   | 10   | 10   | 10   | 10   | 10   | 10   | 10   | 10   | 10   | 10   | 10   | 10   | 10   | 10   | 10   | 10   | 10   | 10   | 10   | 10   |
|                 | Monthly maximum         | 3 | Daily average Kiln       | 0.49 | 0.39 | 0.69 | 0.60 | 0.56 | 0.57 | 0.00 | 0.00 | 2.55 | 2.70 | 2.18 | 2.49 | 2.38 | 1.89 | 2.07 | 2.30 | 2.45 | 2.58 | 2.44 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
|                 | No. of invalid days     |   | Value valid?             | Y    | Y    | Y    | Y    | Y    | Y    | Y    | Y    | Y    | Y    | Y    | Y    | Y    | Y    | Y    | Y    | Y    | Y    | Y    | Y    | Y    | Y    | Y    | Y    | Y    | Y    | Y    |      |
|                 | Total invalid 1/2 hours | 0 | No. of invalid 1/2 hours | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    |      |
|                 | Sum of exceedances      | 0 | Value exceeds ELV (Y/N)  | N    | N    | N    | N    | N    | N    | N    | N    | N    | N    | N    | N    | N    | N    | N    | N    | N    | N    | N    | N    | N    | N    | N    | N    | N    | N    | N    | N    |

Signed Daniel Bound Date 03/03/2023  
(Authorised to sign as representative of Tarmac Cement & Lime Ltd)

Permit Reference Number: BL3986IDOperator: Tarmac Cement & Lime LtdFeb-23

Installation: Aberthaw Works

Kiln Report of Continuous Monitored Emissions (Emission Point A1)



| Kiln          |                         |    |                          |      |      |      |      |      |      |     |     |      |      |      |      |      |      |      |      |      |      |      |     |     |     |     |     |     |     |     |     |     |
|---------------|-------------------------|----|--------------------------|------|------|------|------|------|------|-----|-----|------|------|------|------|------|------|------|------|------|------|------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| Daily average | Monthly summary         |    | Date                     | 1    | 2    | 3    | 4    | 5    | 6    | 7   | 8   | 9    | 10   | 11   | 12   | 13   | 14   | 15   | 16   | 17   | 18   | 19   | 20  | 21  | 22  | 23  | 24  | 25  | 26  | 27  | 28  |     |
|               |                         |    | Daily average ELV        | 50   | 50   | 50   | 50   | 50   | 50   | 50  | 50  | 50   | 50   | 50   | 50   | 50   | 50   | 50   | 50   | 50   | 50   | 50   | 50  | 50  | 50  | 50  | 50  | 50  | 50  | 50  | 50  |     |
|               | Monthly maximum         | 35 | Daily average Kiln       | 34.6 | 33.6 | 35.2 | 33.6 | 33.1 | 29.5 | 0.0 | 0.0 | 30.8 | 29.1 | 32.4 | 32.7 | 34.6 | 31.9 | 31.0 | 33.1 | 32.4 | 33.5 | 28.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
|               | No. of invalid days     |    | Value valid?             | Y    | Y    | Y    | Y    | Y    | Y    | Y   | Y   | Y    | Y    | Y    | Y    | Y    | Y    | Y    | Y    | Y    | Y    | Y    | Y   | Y   | Y   | Y   | Y   | Y   | Y   | Y   | Y   |     |
|               | Total invalid 1/2 hours | 0  | No. of invalid 1/2 hours | 0    | 0    | 0    | 0    | 0    | 0    | 0   | 0   | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 0   |
|               | Sum of exceedances      | 0  | Value exceeds ELV (Y/N)  | N    | N    | N    | N    | N    | N    | N   | N   | N    | N    | N    | N    | N    | N    | N    | N    | N    | N    | N    | N   | N   | N   | N   | N   | N   | N   | N   | N   | N   |

SignedDaniel BoundDate03/03/2023


(Authorised to sign as representative of Tarmac Cement & Lime Ltd)

Permit Reference Number: BL3986ID

Operator: Tarmac Cement & Lime Ltd  
Feb-23

Installation: Aberthaw Works

Kiln Report of Continuous Monitored Emissions (Emission Point A1)



| Kiln          |                         |   |                          |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|---------------|-------------------------|---|--------------------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| Daily average | Monthly summary         |   | Date                     | 1    | 2    | 3    | 4    | 5    | 6    | 7    | 8    | 9    | 10   | 11   | 12   | 13   | 14   | 15   | 16   | 17   | 18   | 19   | 20   | 21   | 22   | 23   | 24   | 25   | 26   | 27   | 28   |
|               |                         |   | Daily average ELV        | 10   | 10   | 10   | 10   | 10   | 10   | 10   | 10   | 10   | 10   | 10   | 10   | 10   | 10   | 10   | 10   | 10   | 10   | 10   | 10   | 10   | 10   | 10   | 10   | 10   | 10   | 10   | 10   |
|               | Monthly maximum         | 3 | Daily average Kiln       | 2.89 | 2.75 | 3.21 | 3.14 | 3.11 | 2.50 | 0.00 | 0.00 | 3.05 | 3.01 | 2.91 | 2.99 | 2.81 | 2.91 | 2.84 | 2.85 | 2.98 | 3.04 | 3.01 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
|               | No. of invalid days     |   | Value valid?             | Y    | Y    | Y    | Y    | Y    | Y    | Y    | Y    | Y    | Y    | Y    | Y    | Y    | Y    | Y    | Y    | Y    | Y    | Y    | Y    | Y    | Y    | Y    | Y    | Y    | Y    | Y    |      |
|               | Total invalid 1/2 hours | 0 | No. of invalid 1/2 hours | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    |
|               | Sum of exceedances      | 0 | Value exceeds ELV (Y/N)  | N    | N    | N    | N    | N    | N    | N    | N    | N    | N    | N    | N    | N    | N    | N    | N    | N    | N    | N    | N    | N    | N    | N    | N    | N    | N    | N    | N    |

Signed Daniel Bound Date 03/03/2023  
(Authorised to sign as representative of Tarmac Cement & Lime Ltd)


Permit Reference Number: BL3986ID

Operator: Tarmac Cement & Lime Ltd  
Feb-23

Installation: Aberthaw Works

Kiln Report of Continuous Monitored Emissions (Emission Point A1)

Form Air 5 Daily  
Average  
Monitoring Data  
for CO



| Kiln          |                 |  |                          |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |   |
|---------------|-----------------|--|--------------------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|---|
| Daily average | Monthly summary |  | Date                     | 1    | 2    | 3    | 4    | 5    | 6    | 7    | 8    | 9    | 10   | 11   | 12   | 13   | 14   | 15   | 16   | 17   | 18   | 19   | 20   | 21   | 22   | 23   | 24   | 25   | 26   | 27   | 28   |   |
|               |                 |  | Daily average ELV        | 1500 | 1500 | 1500 | 1500 | 1500 | 1500 | 1500 | 1500 | 1500 | 1500 | 1500 | 1500 | 1500 | 1500 | 1500 | 1500 | 1500 | 1500 | 1500 | 1500 | 1500 | 1500 | 1500 | 1500 | 1500 | 1500 | 1500 | 1500 |   |
|               | 1283            |  | Daily average Kiln       | 787  | 797  | 486  | 510  | 602  | 325  | 0    | 0    | 1130 | 835  | 1089 | 1107 | 1212 | 1218 | 1283 | 1146 | 933  | 930  | 745  | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0 |
|               |                 |  | Value valid?             | Y    | Y    | Y    | Y    | Y    | Y    | Y    | Y    | Y    | Y    | Y    | Y    | Y    | Y    | Y    | Y    | Y    | Y    | Y    | Y    | Y    | Y    | Y    | Y    | Y    | Y    | Y    | Y    |   |
|               | 0               |  | No. of invalid 1/2 hours | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0 |
|               |                 |  | Value exceeds ELV (Y/N)  | N    | N    | N    | N    | N    | N    | N    | N    | N    | N    | N    | N    | N    | N    | N    | N    | N    | N    | N    | N    | N    | N    | N    | N    | N    | N    | N    | N    | N |


Signed Daniel Bound Date 03/03/2023  
(Authorised to sign as representative of Tarmac Cement & Lime Ltd)

Permit Reference Number: BL3986ID

Operator: Tarmac Cement & Lime Ltd  
Feb-23

Installation: Aberthaw Works

Kiln Report of Continuous Monitored Emissions (Emission Point A1)



| Kiln          |                         |     |                          |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |   |
|---------------|-------------------------|-----|--------------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|---|
| Daily average | Monthly summary         |     | Date                     | 1   | 2   | 3   | 4   | 5   | 6   | 7   | 8   | 9   | 10  | 11  | 12  | 13  | 14  | 15  | 16  | 17  | 18  | 19  | 20  | 21  | 22  | 23  | 24  | 25  | 26  | 27  | 28  |   |
|               |                         |     | Daily average ELV        | 400 | 400 | 400 | 400 | 400 | 400 | 400 | 400 | 400 | 400 | 400 | 400 | 400 | 400 | 400 | 400 | 400 | 400 | 400 | 400 | 400 | 400 | 400 | 400 | 400 | 400 | 400 | 400 |   |
|               | Monthly maximum         | 255 | Daily average Kiln       | 255 | 213 | 93  | 155 | 177 | 218 | 0   | 0   | 122 | 141 | 125 | 130 | 139 | 199 | 228 | 153 | 117 | 89  | 147 | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 0 |
|               | No. of invalid days     |     | Value valid?             | Y   | Y   | Y   | Y   | Y   | Y   | Y   | Y   | Y   | Y   | Y   | Y   | Y   | Y   | Y   | Y   | Y   | Y   | Y   | Y   | Y   | Y   | Y   | Y   | Y   | Y   | Y   | Y   |   |
|               | Total invalid 1/2 hours | 0   | No. of invalid 1/2 hours | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 0 |
|               | Sum of exceedances      | 0   | Value exceeds ELV (Y/N)  | N   | N   | N   | N   | N   | N   | N   | N   | N   | N   | N   | N   | N   | N   | N   | N   | N   | N   | N   | N   | N   | N   | N   | N   | N   | N   | N   | N   | N |


Signed Daniel Bound Date 03/03/2023  
(Authorised to sign as representative of Tarmac Cement & Lime Ltd)

Permit Reference Number: BL3986ID

Operator: Tarmac Cement & Lime Ltd  
Feb-23

Installation: Aberthaw Works

Kiln Report of Continuous Monitored Emissions (Emission Point A1)



| Kiln          |                 |  |                          |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |   |
|---------------|-----------------|--|--------------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|---|
| Daily average | Monthly summary |  | Date                     | 1   | 2   | 3   | 4   | 5   | 6   | 7   | 8   | 9   | 10  | 11  | 12  | 13  | 14  | 15  | 16  | 17  | 18  | 19  | 20  | 21  | 22  | 23  | 24  | 25  | 26  | 27  | 28  |   |
|               |                 |  | Daily average ELV        | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 |   |
|               | 438             |  | Daily average Kiln       | 347 | 345 | 388 | 400 | 385 | 375 | 0   | 0   | 394 | 393 | 379 | 398 | 391 | 390 | 386 | 388 | 393 | 385 | 438 | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 0 |
|               |                 |  | Value valid?             | Y   | Y   | Y   | Y   | Y   | Y   | Y   | Y   | Y   | Y   | Y   | Y   | Y   | Y   | Y   | Y   | Y   | Y   | Y   | Y   | Y   | Y   | Y   | Y   | Y   | Y   | Y   | Y   |   |
|               | 0               |  | No. of invalid 1/2 hours | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 0 |
|               | 0               |  | Sum of exceedances       | 0   | N   | N   | N   | N   | N   | N   | N   | N   | N   | N   | N   | N   | N   | N   | N   | N   | N   | N   | N   | N   | N   | N   | N   | N   | N   | N   | N   | N |


Signed Daniel Bound Date 03/03/2023  
(Authorised to sign as representative of Tarmac Cement & Lime Ltd)

Permit Reference Number: BL3986ID

Operator: Tarmac Cement & Lime Ltd  
Feb-23

Installation: Aberthaw Works

Kiln Report of Continuous Monitored Emissions (Emission Point A1)



| Kiln          |                 |   |                          |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |
|---------------|-----------------|---|--------------------------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|
| Daily average | Monthly summary |   | Date                     | 1  | 2  | 3  | 4  | 5  | 6  | 7  | 8  | 9  | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 |
|               |                 |   | Daily average ELV        | 80 | 80 | 80 | 80 | 80 | 80 | 80 | 80 | 80 | 80 | 80 | 80 | 80 | 80 | 80 | 80 | 80 | 80 | 80 | 80 | 80 | 80 | 80 | 80 | 80 | 80 | 80 | 80 |
|               | 31              |   | Daily average Kiln       | 18 | 20 | 12 | 14 | 16 | 18 | 0  | 0  | 18 | 21 | 25 | 22 | 31 | 22 | 19 | 20 | 15 | 16 | 13 | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  |
|               |                 |   | Value valid?             | Y  | Y  | Y  | Y  | Y  | Y  | Y  | Y  | Y  | Y  | Y  | Y  | Y  | Y  | Y  | Y  | Y  | Y  | Y  | Y  | Y  | Y  | Y  | Y  | Y  | Y  | Y  | Y  |
|               |                 | 0 | No. of invalid 1/2 hours | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  |
|               |                 | 0 | Value exceeds ELV (Y/N)  | N  | N  | N  | N  | N  | N  | N  | N  | N  | N  | N  | N  | N  | N  | N  | N  | N  | N  | N  | N  | N  | N  | N  | N  | N  | N  | N  | N  |


Signed Daniel Bound Date 03/03/2023  
(Authorised to sign as representative of Tarmac Cement & Lime Ltd)

Permit Reference Number: BL3986ID

Operator: Tarmac Cement & Lime Ltd  
Feb-23

Installation: Aberthaw Works

Cement Mill Report of Continuous Monitored Emissions (Emission Point A2)



Cement Mill

| Monthly summary |                         |      | Date                     |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|-----------------|-------------------------|------|--------------------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| Daily average   |                         |      | Daily average ELV        | 20   | 20   | 20   | 20   | 20   | 20   | 20   | 20   | 20   | 20   | 20   | 20   | 20   | 20   | 20   | 20   | 20   | 20   | 20   | 20   | 20   | 20   | 20   | 20   | 20   | 20   | 20   |      |
|                 | Monthly maximum         | 5.89 | Daily average A2         | 5.02 | 2.66 | 5.89 | 4.95 | 3.74 | 4.85 | 4.38 | 4.23 | 4.97 | 4.42 | 5.65 | 5.49 | 5.55 | 2.05 | 4.18 | 3.33 | 2.58 | 4.51 | 4.81 | 4.37 | 4.17 | 4.19 | 4.58 | 4.72 | 4.20 | 0.00 | 4.29 | 4.29 |
|                 | No. of invalid days     |      | Value valid?             | Y    | Y    | Y    | Y    | Y    | Y    | Y    | Y    | Y    | Y    | Y    | Y    | Y    | Y    | Y    | Y    | Y    | Y    | Y    | Y    | Y    | Y    | Y    | Y    | Y    | Y    | Y    |      |
|                 | Total invalid 1/2 hours | 0    | No. of invalid 1/2 hours | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    |      |
|                 | Sum of exceedances      | 0    | Value exceeds ELV (Y/N)  | N    | N    | N    | N    | N    | N    | N    | N    | N    | N    | N    | N    | N    | N    | N    | N    | N    | N    | N    | N    | N    | N    | N    | N    | N    | N    | N    | N    |

Signed **Daniel Bound** Date **03/03/2023**  
(Authorised to sign as representative of Tarmac Cement & Lime Ltd)


Permit Reference Number: BL3986ID

Operator: Tarmac Cement & Lime Ltd  
Feb-23

Installation: Aberthaw Works

Cement Mill Report of Continuous Monitored Emissions (Emission Point A3)

Form Air 10  
Daily Average  
Monitoring Data  
for A3 Particulate Matter



| Cement Mill   |                         |      |                          |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |   |
|---------------|-------------------------|------|--------------------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|---|
| Daily average | Monthly summary         |      | Date                     | 1    | 2    | 3    | 4    | 5    | 6    | 7    | 8    | 9    | 10   | 11   | 12   | 13   | 14   | 15   | 16   | 17   | 18   | 19   | 20   | 21   | 22   | 23   | 24   | 25   | 26   | 27   | 28   |   |
|               |                         |      | Daily average ELV        | 20   | 20   | 20   | 20   | 20   | 20   | 20   | 20   | 20   | 20   | 20   | 20   | 20   | 20   | 20   | 20   | 20   | 20   | 20   | 20   | 20   | 20   | 20   | 20   | 20   | 20   | 20   | 20   |   |
|               | Monthly maximum         | 1.08 | Daily average A3         | 0.78 | 0.79 | 0.69 | 0.62 | 0.66 | 1.08 | 0.84 | 0.77 | 0.74 | 0.81 | 0.67 | 0.66 | 0.73 | 0.79 | 0.63 | 0.62 | 0.60 | 0.61 | 0.64 | 0.77 | 0.65 | 0.64 | 0.77 | 0.76 | 0.73 | 0.00 | 0.81 | 0.83 |   |
|               | No. of invalid days     |      | Value valid?             | Y    | Y    | Y    | Y    | Y    | Y    | Y    | Y    | Y    | Y    | Y    | Y    | Y    | Y    | Y    | Y    | Y    | Y    | Y    | Y    | Y    | Y    | Y    | Y    | Y    | Y    | Y    | Y    |   |
|               | Total invalid 1/2 hours | 0    | No. of invalid 1/2 hours | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0 |
|               | Sum of exceedances      | 0    | Value exceeds ELV (Y/N)  | N    | N    | N    | N    | N    | N    | N    | N    | N    | N    | N    | N    | N    | N    | N    | N    | N    | N    | N    | N    | N    | N    | N    | N    | N    | N    | N    | N    | N |

Signed Daniel Bound Date 03/03/2023  
(Authorised to sign as representative of Tarmac Cement & Lime Ltd)