

Release to Air - Continuous Monitoring results

Operator: **Runtech Ltd.**
Location: **Tata Steel, Port Talbot Works, Port Talbot, SA13 3NG**

Authorisation/Variation Number: **EPR/AB3595FF**

Release Point: **AS 2 - Continuous Monitoring results**

Substance	Particulates
Emission averaging time	Hourly
Maximum emission limit	10 mg/m3 (as an hourly mean)
Maximum value obtained over the reporting period	3.70
Date of the maximum value (dd/mm/yy)	28/08/2023
Time of the maximum value	10:00
Mean hourly value obtained over the reporting period	0.21
Standard deviation of values over the reporting period	0.55
Percentage data capture of values over the reporting period	100.00%

Date and Time	Hourly Readings	
30/06/2023 23:00	0.003652093	INDmg/m3
01/07/2023 00:00	0.003556191	INDmg/m3
01/07/2023 01:00	0.003586227	INDmg/m3
01/07/2023 02:00	0.003624978	INDmg/m3
01/07/2023 03:00	0.003611575	INDmg/m3
01/07/2023 04:00	0.003577894	INDmg/m3
01/07/2023 05:00	0.00358115	INDmg/m3
01/07/2023 06:00	0.003549811	INDmg/m3
01/07/2023 07:00	0.003601389	INDmg/m3
01/07/2023 08:00	0.003601669	INDmg/m3
01/07/2023 09:00	0.003631463	INDmg/m3
01/07/2023 10:00	0.003622591	INDmg/m3
01/07/2023 11:00	0.00365083	INDmg/m3
01/07/2023 12:00	0.003644028	INDmg/m3
01/07/2023 13:00	0.003714067	INDmg/m3
01/07/2023 14:00	0.0037227	INDmg/m3
01/07/2023 15:00	0.003712777	INDmg/m3
01/07/2023 16:00	0.003743364	INDmg/m3
01/07/2023 17:00	0.00369945	INDmg/m3
01/07/2023 18:00	0.003585214	INDmg/m3
01/07/2023 19:00	0.003598009	INDmg/m3
01/07/2023 20:00	0.003678485	INDmg/m3
01/07/2023 21:00	0.003571721	INDmg/m3
01/07/2023 22:00	0.0035398	INDmg/m3
01/07/2023 23:00	0.003542641	INDmg/m3
02/07/2023 00:00	0.00359631	INDmg/m3
02/07/2023 01:00	0.003522358	INDmg/m3
02/07/2023 02:00	0.00354082	INDmg/m3
02/07/2023 03:00	0.003521945	INDmg/m3
02/07/2023 04:00	0.0035556	INDmg/m3
02/07/2023 05:00	0.003548832	INDmg/m3
02/07/2023 06:00	0.003532646	INDmg/m3
02/07/2023 07:00	0.003563713	INDmg/m3
02/07/2023 08:00	0.003553061	INDmg/m3
02/07/2023 09:00	0.003540128	INDmg/m3
02/07/2023 10:00	0.003545946	INDmg/m3
02/07/2023 11:00	0.0036324	INDmg/m3
02/07/2023 12:00	0.003698401	INDmg/m3
02/07/2023 13:00	0.003649954	INDmg/m3
02/07/2023 14:00	0.003616886	INDmg/m3
02/07/2023 15:00	0.003607132	INDmg/m3
02/07/2023 16:00	0.003608546	INDmg/m3
02/07/2023 17:00	0.003589723	INDmg/m3
02/07/2023 18:00	0.003580264	INDmg/m3
02/07/2023 19:00	0.003522904	INDmg/m3
02/07/2023 20:00	0.003545331	INDmg/m3
02/07/2023 21:00	0.003536593	INDmg/m3
02/07/2023 22:00	0.003526335	INDmg/m3
02/07/2023 23:00	0.003524895	INDmg/m3
03/07/2023 00:00	0.0035398	INDmg/m3
03/07/2023 01:00	0.003517013	INDmg/m3
03/07/2023 02:00	0.003528623	INDmg/m3
03/07/2023 03:00	0.003519825	INDmg/m3
03/07/2023 04:00	0.003537478	INDmg/m3

03/07/2023 05:00	0.003543902	INDmg/m3
03/07/2023 06:00	0.548468292	INDmg/m3
03/07/2023 07:00	0.384306312	INDmg/m3
03/07/2023 08:00	1.088904023	INDmg/m3
03/07/2023 09:00	1.396718025	INDmg/m3
03/07/2023 10:00	1.643815994	INDmg/m3
03/07/2023 11:00	1.228188992	INDmg/m3
03/07/2023 12:00	1.707324266	INDmg/m3
03/07/2023 13:00	2.230481625	INDmg/m3
03/07/2023 14:00	2.65422821	INDmg/m3
03/07/2023 15:00	1.876836419	INDmg/m3
03/07/2023 16:00	1.299539804	INDmg/m3
03/07/2023 17:00	0.00712562	INDmg/m3
03/07/2023 18:00	0.003726898	INDmg/m3
03/07/2023 19:00	0.00359519	INDmg/m3
03/07/2023 20:00	0.003634479	INDmg/m3
03/07/2023 21:00	0.003622482	INDmg/m3
03/07/2023 22:00	0.003589446	INDmg/m3
03/07/2023 23:00	0.003545174	INDmg/m3
04/07/2023 00:00	0.006187638	INDmg/m3
04/07/2023 01:00	0.008165073	INDmg/m3
04/07/2023 02:00	0.010270168	INDmg/m3
04/07/2023 03:00	0.005106851	INDmg/m3
04/07/2023 04:00	0.003512097	INDmg/m3
04/07/2023 05:00	0.010723681	INDmg/m3
04/07/2023 06:00	0.369979233	INDmg/m3
04/07/2023 07:00	1.319254518	INDmg/m3
04/07/2023 08:00	2.041421413	INDmg/m3
04/07/2023 09:00	1.587790132	INDmg/m3
04/07/2023 10:00	1.856333137	INDmg/m3
04/07/2023 11:00	1.35447681	INDmg/m3
04/07/2023 12:00	1.546666026	INDmg/m3
04/07/2023 13:00	1.646482706	INDmg/m3
04/07/2023 14:00	1.953365207	INDmg/m3
04/07/2023 15:00	1.387112975	INDmg/m3
04/07/2023 16:00	1.138142824	INDmg/m3
04/07/2023 17:00	0.005319171	INDmg/m3
04/07/2023 18:00	0.004213968	INDmg/m3
04/07/2023 19:00	0.003513074	INDmg/m3
04/07/2023 20:00	0.00353954	INDmg/m3
04/07/2023 21:00	0.003546277	INDmg/m3
04/07/2023 22:00	0.003517574	INDmg/m3
04/07/2023 23:00	0.00353801	INDmg/m3
05/07/2023 00:00	0.003504054	INDmg/m3
05/07/2023 01:00	0.003508566	INDmg/m3
05/07/2023 02:00	0.003520975	INDmg/m3
05/07/2023 03:00	0.003916276	INDmg/m3
05/07/2023 04:00	0.047459923	INDmg/m3
05/07/2023 05:00	0.003515459	INDmg/m3
05/07/2023 06:00	0.003518149	INDmg/m3
05/07/2023 07:00	0.003508843	INDmg/m3
05/07/2023 08:00	0.003623068	INDmg/m3
05/07/2023 09:00	0.003577074	INDmg/m3
05/07/2023 10:00	0.003653783	INDmg/m3
05/07/2023 11:00	0.003579535	INDmg/m3
05/07/2023 12:00	0.003620826	INDmg/m3

05/07/2023 13:00	0.003587351	INDmg/m3
05/07/2023 14:00	0.003545973	INDmg/m3
05/07/2023 15:00	0.003549395	INDmg/m3
05/07/2023 16:00	0.003559937	INDmg/m3
05/07/2023 17:00	0.003572372	INDmg/m3
05/07/2023 18:00	0.003549936	INDmg/m3
05/07/2023 19:00	0.003558129	INDmg/m3
05/07/2023 20:00	0.003511965	INDmg/m3
05/07/2023 21:00	0.003548015	INDmg/m3
05/07/2023 22:00	0.003579658	INDmg/m3
05/07/2023 23:00	0.003524347	INDmg/m3
06/07/2023 00:00	0.003520853	INDmg/m3
06/07/2023 01:00	0.003535275	INDmg/m3
06/07/2023 02:00	0.003570805	INDmg/m3
06/07/2023 03:00	0.003539155	INDmg/m3
06/07/2023 04:00	0.003534816	INDmg/m3
06/07/2023 05:00	0.004084087	INDmg/m3
06/07/2023 06:00	0.426916003	INDmg/m3
06/07/2023 07:00	1.016912699	INDmg/m3
06/07/2023 08:00	1.735912919	INDmg/m3
06/07/2023 09:00	1.752056122	INDmg/m3
06/07/2023 10:00	1.999987483	INDmg/m3
06/07/2023 11:00	1.263636947	INDmg/m3
06/07/2023 12:00	1.383527517	INDmg/m3
06/07/2023 13:00	1.570565462	INDmg/m3
06/07/2023 14:00	2.310232878	INDmg/m3
06/07/2023 15:00	1.731726646	INDmg/m3
06/07/2023 16:00	2.044840574	INDmg/m3
06/07/2023 17:00	0.04231618	INDmg/m3
06/07/2023 18:00	0.003549017	INDmg/m3
06/07/2023 19:00	0.00352929	INDmg/m3
06/07/2023 20:00	0.003494056	INDmg/m3
06/07/2023 21:00	0.003515177	INDmg/m3
06/07/2023 22:00	0.003529289	INDmg/m3
06/07/2023 23:00	0.003501238	INDmg/m3
07/07/2023 00:00	0.003554063	INDmg/m3
07/07/2023 01:00	0.003521666	INDmg/m3
07/07/2023 02:00	0.003509129	INDmg/m3
07/07/2023 03:00	0.003537269	INDmg/m3
07/07/2023 04:00	0.003553526	INDmg/m3
07/07/2023 05:00	0.003556164	INDmg/m3
07/07/2023 06:00	0.003571409	INDmg/m3
07/07/2023 07:00	0.003525609	INDmg/m3
07/07/2023 08:00	0.003537723	INDmg/m3
07/07/2023 09:00	0.003541538	INDmg/m3
07/07/2023 10:00	0.003616905	INDmg/m3
07/07/2023 11:00	0.003556001	INDmg/m3
07/07/2023 12:00	0.003592311	INDmg/m3
07/07/2023 13:00	0.003630123	INDmg/m3
07/07/2023 14:00	0.003541405	INDmg/m3
07/07/2023 15:00	0.003568716	INDmg/m3
07/07/2023 16:00	0.003558002	INDmg/m3
07/07/2023 17:00	0.003551495	INDmg/m3
07/07/2023 18:00	0.003552871	INDmg/m3
07/07/2023 19:00	0.003557283	INDmg/m3
07/07/2023 20:00	0.003502654	INDmg/m3

07/07/2023 21:00	0.003538266	INDmg/m3
07/07/2023 22:00	0.003555751	INDmg/m3
07/07/2023 23:00	0.003527333	INDmg/m3
08/07/2023 00:00	0.003525207	INDmg/m3
08/07/2023 01:00	0.003515628	INDmg/m3
08/07/2023 02:00	0.003518825	INDmg/m3
08/07/2023 03:00	0.003530701	INDmg/m3
08/07/2023 04:00	0.003530113	INDmg/m3
08/07/2023 05:00	0.003510957	INDmg/m3
08/07/2023 06:00	0.003534343	INDmg/m3
08/07/2023 07:00	0.006649396	INDmg/m3
08/07/2023 08:00	0.106161959	INDmg/m3
08/07/2023 09:00	0.00803569	INDmg/m3
08/07/2023 10:00	0.003649838	INDmg/m3
08/07/2023 11:00	0.003678662	INDmg/m3
08/07/2023 12:00	0.003575153	INDmg/m3
08/07/2023 13:00	0.003558448	INDmg/m3
08/07/2023 14:00	0.003557193	INDmg/m3
08/07/2023 15:00	0.003553089	INDmg/m3
08/07/2023 16:00	0.003557586	INDmg/m3
08/07/2023 17:00	0.003868849	INDmg/m3
08/07/2023 18:00	0.003605894	INDmg/m3
08/07/2023 19:00	0.003502814	INDmg/m3
08/07/2023 20:00	0.003557518	INDmg/m3
08/07/2023 21:00	0.003526119	INDmg/m3
08/07/2023 22:00	0.003619558	INDmg/m3
08/07/2023 23:00	0.003640008	INDmg/m3
09/07/2023 00:00	0.003570624	INDmg/m3
09/07/2023 01:00	0.003560713	INDmg/m3
09/07/2023 02:00	0.003558618	INDmg/m3
09/07/2023 03:00	0.003556129	INDmg/m3
09/07/2023 04:00	0.003628348	INDmg/m3
09/07/2023 05:00	0.003579041	INDmg/m3
09/07/2023 06:00	0.003532843	INDmg/m3
09/07/2023 07:00	0.003611546	INDmg/m3
09/07/2023 08:00	0.00356505	INDmg/m3
09/07/2023 09:00	0.003540648	INDmg/m3
09/07/2023 10:00	0.003591959	INDmg/m3
09/07/2023 11:00	0.003599748	INDmg/m3
09/07/2023 12:00	0.003585465	INDmg/m3
09/07/2023 13:00	1.532015443	INDmg/m3
09/07/2023 14:00	1.309165955	INDmg/m3
09/07/2023 15:00	0.003572624	INDmg/m3
09/07/2023 16:00	0.003604578	INDmg/m3
09/07/2023 17:00	0.003610508	INDmg/m3
09/07/2023 18:00	0.003578028	INDmg/m3
09/07/2023 19:00	0.003589801	INDmg/m3
09/07/2023 20:00	0.003562961	INDmg/m3
09/07/2023 21:00	0.003528292	INDmg/m3
09/07/2023 22:00	0.003592113	INDmg/m3
09/07/2023 23:00	0.003699742	INDmg/m3
10/07/2023 00:00	0.004115688	INDmg/m3
10/07/2023 01:00	0.003891091	INDmg/m3
10/07/2023 02:00	0.003591236	INDmg/m3
10/07/2023 03:00	0.003570674	INDmg/m3
10/07/2023 04:00	0.0035618	INDmg/m3

10/07/2023 05:00	0.003562364	INDmg/m3
10/07/2023 06:00	2.284398317	INDmg/m3
10/07/2023 07:00	1.582651496	INDmg/m3
10/07/2023 08:00	2.126603127	INDmg/m3
10/07/2023 09:00	2.301918983	INDmg/m3
10/07/2023 10:00	2.186259985	INDmg/m3
10/07/2023 11:00	1.642113805	INDmg/m3
10/07/2023 12:00	2.284772396	INDmg/m3
10/07/2023 13:00	1.271278977	INDmg/m3
10/07/2023 14:00	2.156495094	INDmg/m3
10/07/2023 15:00	1.982202053	INDmg/m3
10/07/2023 16:00	2.249886274	INDmg/m3
10/07/2023 17:00	0.946478426	INDmg/m3
10/07/2023 18:00	0.003682586	INDmg/m3
10/07/2023 19:00	0.003950774	INDmg/m3
10/07/2023 20:00	0.047075007	INDmg/m3
10/07/2023 21:00	0.204063445	INDmg/m3
10/07/2023 22:00	0.251702189	INDmg/m3
10/07/2023 23:00	0.007135077	INDmg/m3
11/07/2023 00:00	0.00458341	INDmg/m3
11/07/2023 01:00	0.003641652	INDmg/m3
11/07/2023 02:00	0.003686285	INDmg/m3
11/07/2023 03:00	0.007139421	INDmg/m3
11/07/2023 04:00	0.007389139	INDmg/m3
11/07/2023 05:00	0.005515031	INDmg/m3
11/07/2023 06:00	0.0036529	INDmg/m3
11/07/2023 07:00	0.004612811	INDmg/m3
11/07/2023 08:00	0.007487707	INDmg/m3
11/07/2023 09:00	0.026645059	INDmg/m3
11/07/2023 10:00	0.00379628	INDmg/m3
11/07/2023 11:00	0.003721178	INDmg/m3
11/07/2023 12:00	0.011543406	INDmg/m3
11/07/2023 13:00	0.003768038	INDmg/m3
11/07/2023 14:00	0.003646514	INDmg/m3
11/07/2023 15:00	0.004026416	INDmg/m3
11/07/2023 16:00	0.003662667	INDmg/m3
11/07/2023 17:00	0.003665598	INDmg/m3
11/07/2023 18:00	0.003670344	INDmg/m3
11/07/2023 19:00	0.003674996	INDmg/m3
11/07/2023 20:00	0.00363525	INDmg/m3
11/07/2023 21:00	0.003606006	INDmg/m3
11/07/2023 22:00	0.003627746	INDmg/m3
11/07/2023 23:00	0.003643508	INDmg/m3
12/07/2023 00:00	0.003627144	INDmg/m3
12/07/2023 01:00	0.00363205	INDmg/m3
12/07/2023 02:00	0.003608335	INDmg/m3
12/07/2023 03:00	0.003639789	INDmg/m3
12/07/2023 04:00	0.003601964	INDmg/m3
12/07/2023 05:00	0.003663136	INDmg/m3
12/07/2023 06:00	0.476817667	INDmg/m3
12/07/2023 07:00	1.475407124	INDmg/m3
12/07/2023 08:00	1.921997309	INDmg/m3
12/07/2023 09:00	1.807460427	INDmg/m3
12/07/2023 10:00	2.114498615	INDmg/m3
12/07/2023 11:00	1.600355029	INDmg/m3
12/07/2023 12:00	1.590305209	INDmg/m3

12/07/2023 13:00	1.06836617	INDmg/m3
12/07/2023 14:00	2.874982595	INDmg/m3
12/07/2023 15:00	1.381666303	INDmg/m3
12/07/2023 16:00	2.142780781	INDmg/m3
12/07/2023 17:00	0.254232466	INDmg/m3
12/07/2023 18:00	0.003891183	INDmg/m3
12/07/2023 19:00	0.003817258	INDmg/m3
12/07/2023 20:00	0.003859043	INDmg/m3
12/07/2023 21:00	0.003741671	INDmg/m3
12/07/2023 22:00	0.003617456	INDmg/m3
12/07/2023 23:00	0.003677631	INDmg/m3
13/07/2023 00:00	0.003759512	INDmg/m3
13/07/2023 01:00	0.086397015	INDmg/m3
13/07/2023 02:00	0.003588946	INDmg/m3
13/07/2023 03:00	0.003620216	INDmg/m3
13/07/2023 04:00	0.003616586	INDmg/m3
13/07/2023 05:00	0.003601741	INDmg/m3
13/07/2023 06:00	0.003620244	INDmg/m3
13/07/2023 07:00	0.003596668	INDmg/m3
13/07/2023 08:00	0.003636936	INDmg/m3
13/07/2023 09:00	0.003632763	INDmg/m3
13/07/2023 10:00	0.00361672	INDmg/m3
13/07/2023 11:00	0.003676601	INDmg/m3
13/07/2023 12:00	0.003697365	INDmg/m3
13/07/2023 13:00	0.003676239	INDmg/m3
13/07/2023 14:00	0.003698224	INDmg/m3
13/07/2023 15:00	0.003636495	INDmg/m3
13/07/2023 16:00	0.003597755	INDmg/m3
13/07/2023 17:00	0.003574363	INDmg/m3
13/07/2023 18:00	0.00363593	INDmg/m3
13/07/2023 19:00	0.003566041	INDmg/m3
13/07/2023 20:00	0.003591957	INDmg/m3
13/07/2023 21:00	0.030542273	INDmg/m3
13/07/2023 22:00	0.003637712	INDmg/m3
13/07/2023 23:00	0.003677648	INDmg/m3
14/07/2023 00:00	0.004636033	INDmg/m3
14/07/2023 01:00	0.003603923	INDmg/m3
14/07/2023 02:00	0.003624556	INDmg/m3
14/07/2023 03:00	0.022539644	INDmg/m3
14/07/2023 04:00	0.398609847	INDmg/m3
14/07/2023 05:00	0.270346105	INDmg/m3
14/07/2023 06:00	0.063321166	INDmg/m3
14/07/2023 07:00	0.340368003	INDmg/m3
14/07/2023 08:00	0.161866486	INDmg/m3
14/07/2023 09:00	0.043723829	INDmg/m3
14/07/2023 10:00	0.015541263	INDmg/m3
14/07/2023 11:00	0.036248218	INDmg/m3
14/07/2023 12:00	0.389580846	INDmg/m3
14/07/2023 13:00	0.108573966	INDmg/m3
14/07/2023 14:00	0.032021884	INDmg/m3
14/07/2023 15:00	0.009924452	INDmg/m3
14/07/2023 16:00	0.003757037	INDmg/m3
14/07/2023 17:00	0.003720781	INDmg/m3
14/07/2023 18:00	0.003703055	INDmg/m3
14/07/2023 19:00	0.003817497	INDmg/m3
14/07/2023 20:00	0.005710331	INDmg/m3

14/07/2023 21:00	0.003717413	INDmg/m3
14/07/2023 22:00	0.003912011	INDmg/m3
14/07/2023 23:00	0.083362572	INDmg/m3
15/07/2023 00:00	0.004062543	INDmg/m3
15/07/2023 01:00	0.003637008	INDmg/m3
15/07/2023 02:00	0.003648799	INDmg/m3
15/07/2023 03:00	0.003690297	INDmg/m3
15/07/2023 04:00	0.00404086	INDmg/m3
15/07/2023 05:00	0.003667494	INDmg/m3
15/07/2023 06:00	0.428715199	INDmg/m3
15/07/2023 07:00	0.003987338	INDmg/m3
15/07/2023 08:00	0.0036721	INDmg/m3
15/07/2023 09:00	0.003968739	INDmg/m3
15/07/2023 10:00	0.103278272	INDmg/m3
15/07/2023 11:00	0.072862044	INDmg/m3
15/07/2023 12:00	0.026624264	INDmg/m3
15/07/2023 13:00	0.00372582	INDmg/m3
15/07/2023 14:00	0.004070136	INDmg/m3
15/07/2023 15:00	0.087444857	INDmg/m3
15/07/2023 16:00	0.012775914	INDmg/m3
15/07/2023 17:00	0.167724431	INDmg/m3
15/07/2023 18:00	0.015052418	INDmg/m3
15/07/2023 19:00	0.00375774	INDmg/m3
15/07/2023 20:00	0.003753155	INDmg/m3
15/07/2023 21:00	0.003703422	INDmg/m3
15/07/2023 22:00	0.003734413	INDmg/m3
15/07/2023 23:00	0.003713024	INDmg/m3
16/07/2023 00:00	0.003736858	INDmg/m3
16/07/2023 01:00	0.003993799	INDmg/m3
16/07/2023 02:00	0.00375041	INDmg/m3
16/07/2023 03:00	0.005945206	INDmg/m3
16/07/2023 04:00	0.005523774	INDmg/m3
16/07/2023 05:00	0.004615737	INDmg/m3
16/07/2023 06:00	0.00370114	INDmg/m3
16/07/2023 07:00	0.004502658	INDmg/m3
16/07/2023 08:00	0.033412457	INDmg/m3
16/07/2023 09:00	0.107007086	INDmg/m3
16/07/2023 10:00	0.00504325	INDmg/m3
16/07/2023 11:00	0.003764215	INDmg/m3
16/07/2023 12:00	0.003777044	INDmg/m3
16/07/2023 13:00	0.003771101	INDmg/m3
16/07/2023 14:00	0.003780307	INDmg/m3
16/07/2023 15:00	0.003684044	INDmg/m3
16/07/2023 16:00	0.003700631	INDmg/m3
16/07/2023 17:00	0.0036966	INDmg/m3
16/07/2023 18:00	0.003731312	INDmg/m3
16/07/2023 19:00	0.003677543	INDmg/m3
16/07/2023 20:00	0.011353035	INDmg/m3
16/07/2023 21:00	0.003728005	INDmg/m3
16/07/2023 22:00	0.004114441	INDmg/m3
16/07/2023 23:00	1.250088096	INDmg/m3
17/07/2023 00:00	0.00453204	INDmg/m3
17/07/2023 01:00	0.003624731	INDmg/m3
17/07/2023 02:00	0.003863298	INDmg/m3
17/07/2023 03:00	0.003662705	INDmg/m3
17/07/2023 04:00	0.00418544	INDmg/m3

17/07/2023 05:00	0.003636708	INDmg/m3
17/07/2023 06:00	0.003676809	INDmg/m3
17/07/2023 07:00	0.003633498	INDmg/m3
17/07/2023 08:00	0.0036816	INDmg/m3
17/07/2023 09:00	0.003669276	INDmg/m3
17/07/2023 10:00	0.003907899	INDmg/m3
17/07/2023 11:00	0.003812938	INDmg/m3
17/07/2023 12:00	0.00547506	INDmg/m3
17/07/2023 13:00	0.003617449	INDmg/m3
17/07/2023 14:00	0.003685595	INDmg/m3
17/07/2023 15:00	0.003616082	INDmg/m3
17/07/2023 16:00	0.003634524	INDmg/m3
17/07/2023 17:00	0.003650301	INDmg/m3
17/07/2023 18:00	0.003610869	INDmg/m3
17/07/2023 19:00	0.003650517	INDmg/m3
17/07/2023 20:00	0.003648315	INDmg/m3
17/07/2023 21:00	0.003588824	INDmg/m3
17/07/2023 22:00	0.003596212	INDmg/m3
17/07/2023 23:00	0.003633046	INDmg/m3
18/07/2023 00:00	0.003593387	INDmg/m3
18/07/2023 01:00	0.0036265	INDmg/m3
18/07/2023 02:00	0.003656408	INDmg/m3
18/07/2023 03:00	0.003723013	INDmg/m3
18/07/2023 04:00	0.006070945	INDmg/m3
18/07/2023 05:00	0.003795089	INDmg/m3
18/07/2023 06:00	0.833083749	INDmg/m3
18/07/2023 07:00	0.608182967	INDmg/m3
18/07/2023 08:00	0.003687593	INDmg/m3
18/07/2023 09:00	0.003730332	INDmg/m3
18/07/2023 10:00	0.004340386	INDmg/m3
18/07/2023 11:00	0.009368382	INDmg/m3
18/07/2023 12:00	0.259751171	INDmg/m3
18/07/2023 13:00	0.01539724	INDmg/m3
18/07/2023 14:00	0.0039758	INDmg/m3
18/07/2023 15:00	0.005939443	INDmg/m3
18/07/2023 16:00	0.018166419	INDmg/m3
18/07/2023 17:00	0.017800575	INDmg/m3
18/07/2023 18:00	0.037566826	INDmg/m3
18/07/2023 19:00	0.003865394	INDmg/m3
18/07/2023 20:00	0.012776009	INDmg/m3
18/07/2023 21:00	0.004424892	INDmg/m3
18/07/2023 22:00	0.003629451	INDmg/m3
18/07/2023 23:00	0.006576509	INDmg/m3
19/07/2023 00:00	0.003851064	INDmg/m3
19/07/2023 01:00	0.003656032	INDmg/m3
19/07/2023 02:00	0.003632203	INDmg/m3
19/07/2023 03:00	0.00364346	INDmg/m3
19/07/2023 04:00	0.003641912	INDmg/m3
19/07/2023 05:00	0.003662704	INDmg/m3
19/07/2023 06:00	0.003646381	INDmg/m3
19/07/2023 07:00	0.003663551	INDmg/m3
19/07/2023 08:00	0.003662235	INDmg/m3
19/07/2023 09:00	0.003671163	INDmg/m3
19/07/2023 10:00	0.003672664	INDmg/m3
19/07/2023 11:00	0.003848828	INDmg/m3
19/07/2023 12:00	0.003704494	INDmg/m3

19/07/2023 13:00	0.00367923	INDmg/m3
19/07/2023 14:00	0.003645333	INDmg/m3
19/07/2023 15:00	0.003680632	INDmg/m3
19/07/2023 16:00	0.003680354	INDmg/m3
19/07/2023 17:00	0.003633781	INDmg/m3
19/07/2023 18:00	0.003633265	INDmg/m3
19/07/2023 19:00	0.00358495	INDmg/m3
19/07/2023 20:00	0.00360409	INDmg/m3
19/07/2023 21:00	0.00361092	INDmg/m3
19/07/2023 22:00	0.003634178	INDmg/m3
19/07/2023 23:00	0.003604431	INDmg/m3
20/07/2023 00:00	0.003556039	INDmg/m3
20/07/2023 01:00	0.003592596	INDmg/m3
20/07/2023 02:00	0.003601331	INDmg/m3
20/07/2023 03:00	0.003593662	INDmg/m3
20/07/2023 04:00	0.003585845	INDmg/m3
20/07/2023 05:00	0.004107167	INDmg/m3
20/07/2023 06:00	0.642210722	INDmg/m3
20/07/2023 07:00	1.066108346	INDmg/m3
20/07/2023 08:00	1.872725368	INDmg/m3
20/07/2023 09:00	1.938730717	INDmg/m3
20/07/2023 10:00	2.553527117	INDmg/m3
20/07/2023 11:00	1.710312366	INDmg/m3
20/07/2023 12:00	1.621455193	INDmg/m3
20/07/2023 13:00	1.988735199	INDmg/m3
20/07/2023 14:00	2.521779537	INDmg/m3
20/07/2023 15:00	2.277998447	INDmg/m3
20/07/2023 16:00	1.820179939	INDmg/m3
20/07/2023 17:00	1.009518981	INDmg/m3
20/07/2023 18:00	0.003629841	INDmg/m3
20/07/2023 19:00	0.003593042	INDmg/m3
20/07/2023 20:00	0.003595762	INDmg/m3
20/07/2023 21:00	0.003564029	INDmg/m3
20/07/2023 22:00	0.003522388	INDmg/m3
20/07/2023 23:00	0.003514487	INDmg/m3
21/07/2023 00:00	0.003514337	INDmg/m3
21/07/2023 01:00	0.003503499	INDmg/m3
21/07/2023 02:00	0.003532355	INDmg/m3
21/07/2023 03:00	0.00352687	INDmg/m3
21/07/2023 04:00	0.003541384	INDmg/m3
21/07/2023 05:00	0.003536165	INDmg/m3
21/07/2023 06:00	0.003526719	INDmg/m3
21/07/2023 07:00	0.003515456	INDmg/m3
21/07/2023 08:00	0.003572048	INDmg/m3
21/07/2023 09:00	0.003624594	INDmg/m3
21/07/2023 10:00	0.003554337	INDmg/m3
21/07/2023 11:00	0.003558916	INDmg/m3
21/07/2023 12:00	0.003588994	INDmg/m3
21/07/2023 13:00	0.003556663	INDmg/m3
21/07/2023 14:00	0.003645831	INDmg/m3
21/07/2023 15:00	0.003573012	INDmg/m3
21/07/2023 16:00	0.003540305	INDmg/m3
21/07/2023 17:00	0.003579414	INDmg/m3
21/07/2023 18:00	0.003542102	INDmg/m3
21/07/2023 19:00	0.00356039	INDmg/m3
21/07/2023 20:00	0.003536744	INDmg/m3

21/07/2023 21:00	0.003532818	INDmg/m3
21/07/2023 22:00	0.017946109	INDmg/m3
21/07/2023 23:00	0.003888962	INDmg/m3
22/07/2023 00:00	0.003552837	INDmg/m3
22/07/2023 01:00	0.003506175	INDmg/m3
22/07/2023 02:00	0.014780042	INDmg/m3
22/07/2023 03:00	0.0057817	INDmg/m3
22/07/2023 04:00	0.003837228	INDmg/m3
22/07/2023 05:00	0.003892866	INDmg/m3
22/07/2023 06:00	0.004409428	INDmg/m3
22/07/2023 07:00	0.01481334	INDmg/m3
22/07/2023 08:00	0.043217909	INDmg/m3
22/07/2023 09:00	0.04187404	INDmg/m3
22/07/2023 10:00	0.024480358	INDmg/m3
22/07/2023 11:00	0.007720482	INDmg/m3
22/07/2023 12:00	0.021123737	INDmg/m3
22/07/2023 13:00	0.007208232	INDmg/m3
22/07/2023 14:00	0.00431205	INDmg/m3
22/07/2023 15:00	0.005017575	INDmg/m3
22/07/2023 16:00	0.013567791	INDmg/m3
22/07/2023 17:00	0.006560343	INDmg/m3
22/07/2023 18:00	0.033818714	INDmg/m3
22/07/2023 19:00	0.082249545	INDmg/m3
22/07/2023 20:00	0.03588549	INDmg/m3
22/07/2023 21:00	0.00691175	INDmg/m3
22/07/2023 22:00	0.004979542	INDmg/m3
22/07/2023 23:00	0.004100068	INDmg/m3
23/07/2023 00:00	0.003863892	INDmg/m3
23/07/2023 01:00	0.003824031	INDmg/m3
23/07/2023 02:00	0.003784157	INDmg/m3
23/07/2023 03:00	0.00366138	INDmg/m3
23/07/2023 04:00	0.003818842	INDmg/m3
23/07/2023 05:00	0.00369804	INDmg/m3
23/07/2023 06:00	0.003720437	INDmg/m3
23/07/2023 07:00	0.004208949	INDmg/m3
23/07/2023 08:00	0.003737658	INDmg/m3
23/07/2023 09:00	0.003806461	INDmg/m3
23/07/2023 10:00	0.003789844	INDmg/m3
23/07/2023 11:00	0.004090989	INDmg/m3
23/07/2023 12:00	0.003863781	INDmg/m3
23/07/2023 13:00	0.003811169	INDmg/m3
23/07/2023 14:00	0.003696497	INDmg/m3
23/07/2023 15:00	0.003731383	INDmg/m3
23/07/2023 16:00	0.003697477	INDmg/m3
23/07/2023 17:00	0.005871147	INDmg/m3
23/07/2023 18:00	0.003707023	INDmg/m3
23/07/2023 19:00	0.00366825	INDmg/m3
23/07/2023 20:00	0.003667966	INDmg/m3
23/07/2023 21:00	0.003678301	INDmg/m3
23/07/2023 22:00	0.003674914	INDmg/m3
23/07/2023 23:00	0.019538632	INDmg/m3
24/07/2023 00:00	0.003655757	INDmg/m3
24/07/2023 01:00	0.003676041	INDmg/m3
24/07/2023 02:00	0.00446189	INDmg/m3
24/07/2023 03:00	0.00490078	INDmg/m3
24/07/2023 04:00	0.014444362	INDmg/m3

24/07/2023 05:00	1.136878014	INDmg/m3
24/07/2023 06:00	3.022572994	INDmg/m3
24/07/2023 07:00	0.005426656	INDmg/m3
24/07/2023 08:00	0.003685902	INDmg/m3
24/07/2023 09:00	0.003665617	INDmg/m3
24/07/2023 10:00	0.003669564	INDmg/m3
24/07/2023 11:00	0.003668712	INDmg/m3
24/07/2023 12:00	0.003665148	INDmg/m3
24/07/2023 13:00	0.003643354	INDmg/m3
24/07/2023 14:00	0.003669559	INDmg/m3
24/07/2023 15:00	0.003689172	INDmg/m3
24/07/2023 16:00	0.00367003	INDmg/m3
24/07/2023 17:00	0.003648463	INDmg/m3
24/07/2023 18:00	0.003742657	INDmg/m3
24/07/2023 19:00	0.003617852	INDmg/m3
24/07/2023 20:00	0.003621486	INDmg/m3
24/07/2023 21:00	0.003589442	INDmg/m3
24/07/2023 22:00	0.003598856	INDmg/m3
24/07/2023 23:00	0.003580217	INDmg/m3
25/07/2023 00:00	0.00367594	INDmg/m3
25/07/2023 01:00	0.00363491	INDmg/m3
25/07/2023 02:00	0.003560856	INDmg/m3
25/07/2023 03:00	0.003581761	INDmg/m3
25/07/2023 04:00	0.003625048	INDmg/m3
25/07/2023 05:00	0.003745842	INDmg/m3
25/07/2023 06:00	0.475334108	INDmg/m3
25/07/2023 07:00	0.728833914	INDmg/m3
25/07/2023 08:00	1.671361089	INDmg/m3
25/07/2023 09:00	2.389476776	INDmg/m3
25/07/2023 10:00	2.706191778	INDmg/m3
25/07/2023 11:00	1.766357899	INDmg/m3
25/07/2023 12:00	1.99529171	INDmg/m3
25/07/2023 13:00	2.190346003	INDmg/m3
25/07/2023 14:00	2.416687012	INDmg/m3
25/07/2023 15:00	1.627552629	INDmg/m3
25/07/2023 16:00	1.80412364	INDmg/m3
25/07/2023 17:00	0.841113329	INDmg/m3
25/07/2023 18:00	0.003633915	INDmg/m3
25/07/2023 19:00	0.003627235	INDmg/m3
25/07/2023 20:00	0.003552991	INDmg/m3
25/07/2023 21:00	0.003562234	INDmg/m3
25/07/2023 22:00	0.00353607	INDmg/m3
25/07/2023 23:00	0.003537349	INDmg/m3
26/07/2023 00:00	0.003554253	INDmg/m3
26/07/2023 01:00	0.003521266	INDmg/m3
26/07/2023 02:00	0.003529717	INDmg/m3
26/07/2023 03:00	0.003551119	INDmg/m3
26/07/2023 04:00	0.003540953	INDmg/m3
26/07/2023 05:00	0.003520553	INDmg/m3
26/07/2023 06:00	0.27867642	INDmg/m3
26/07/2023 07:00	1.06286478	INDmg/m3
26/07/2023 08:00	2.630479336	INDmg/m3
26/07/2023 09:00	1.97845304	INDmg/m3
26/07/2023 10:00	1.325854301	INDmg/m3
26/07/2023 11:00	1.228043675	INDmg/m3
26/07/2023 12:00	0.901219904	INDmg/m3

26/07/2023 13:00	0.961353183	INDmg/m3
26/07/2023 14:00	1.682159066	INDmg/m3
26/07/2023 15:00	0.99154675	INDmg/m3
26/07/2023 16:00	1.463613749	INDmg/m3
26/07/2023 17:00	0.060039524	INDmg/m3
26/07/2023 18:00	0.01293969	INDmg/m3
26/07/2023 19:00	0.013382218	INDmg/m3
26/07/2023 20:00	1.324129701	INDmg/m3
26/07/2023 21:00	0.080905393	INDmg/m3
26/07/2023 22:00	0.67908442	INDmg/m3
26/07/2023 23:00	0.009845281	INDmg/m3
27/07/2023 00:00	0.005764085	INDmg/m3
27/07/2023 01:00	0.005591344	INDmg/m3
27/07/2023 02:00	0.006382658	INDmg/m3
27/07/2023 03:00	0.003978025	INDmg/m3
27/07/2023 04:00	0.004304529	INDmg/m3
27/07/2023 05:00	0.003869294	INDmg/m3
27/07/2023 06:00	0.003793389	INDmg/m3
27/07/2023 07:00	0.003687974	INDmg/m3
27/07/2023 08:00	0.004995034	INDmg/m3
27/07/2023 09:00	0.004421092	INDmg/m3
27/07/2023 10:00	0.003850055	INDmg/m3
27/07/2023 11:00	0.180441529	INDmg/m3
27/07/2023 12:00	2.60550642	INDmg/m3
27/07/2023 13:00	0.532104552	INDmg/m3
27/07/2023 14:00	0.635547101	INDmg/m3
27/07/2023 15:00	0.847492397	INDmg/m3
27/07/2023 16:00	0.003768289	INDmg/m3
27/07/2023 17:00	0.003757386	INDmg/m3
27/07/2023 18:00	0.003720262	INDmg/m3
27/07/2023 19:00	0.003745835	INDmg/m3
27/07/2023 20:00	0.003918878	INDmg/m3
27/07/2023 21:00	0.003823612	INDmg/m3
27/07/2023 22:00	0.00379677	INDmg/m3
27/07/2023 23:00	0.003905577	INDmg/m3
28/07/2023 00:00	0.004020568	INDmg/m3
28/07/2023 01:00	0.004659556	INDmg/m3
28/07/2023 02:00	0.003820607	INDmg/m3
28/07/2023 03:00	0.004704471	INDmg/m3
28/07/2023 04:00	0.003885028	INDmg/m3
28/07/2023 05:00	0.007451391	INDmg/m3
28/07/2023 06:00	0.004408687	INDmg/m3
28/07/2023 07:00	0.003733635	INDmg/m3
28/07/2023 08:00	0.003801107	INDmg/m3
28/07/2023 09:00	0.003922264	INDmg/m3
28/07/2023 10:00	0.003862767	INDmg/m3
28/07/2023 11:00	0.00389245	INDmg/m3
28/07/2023 12:00	0.007659209	INDmg/m3
28/07/2023 13:00	0.003860968	INDmg/m3
28/07/2023 14:00	0.003905063	INDmg/m3
28/07/2023 15:00	0.003748508	INDmg/m3
28/07/2023 16:00	0.004170238	INDmg/m3
28/07/2023 17:00	0.003734708	INDmg/m3
28/07/2023 18:00	0.003858878	INDmg/m3
28/07/2023 19:00	0.00372936	INDmg/m3
28/07/2023 20:00	0.004231506	INDmg/m3

28/07/2023 21:00	0.003767658	INDmg/m3
28/07/2023 22:00	0.008672623	INDmg/m3
28/07/2023 23:00	0.003715882	INDmg/m3
29/07/2023 00:00	0.004012678	INDmg/m3
29/07/2023 01:00	0.006324322	INDmg/m3
29/07/2023 02:00	0.004698138	INDmg/m3
29/07/2023 03:00	0.003780734	INDmg/m3
29/07/2023 04:00	0.031740997	INDmg/m3
29/07/2023 05:00	0.006416318	INDmg/m3
29/07/2023 06:00	0.00375239	INDmg/m3
29/07/2023 07:00	0.004056923	INDmg/m3
29/07/2023 08:00	0.00377533	INDmg/m3
29/07/2023 09:00	0.003753436	INDmg/m3
29/07/2023 10:00	0.003800832	INDmg/m3
29/07/2023 11:00	0.003830784	INDmg/m3
29/07/2023 12:00	0.005152253	INDmg/m3
29/07/2023 13:00	0.00372475	INDmg/m3
29/07/2023 14:00	0.003724774	INDmg/m3
29/07/2023 15:00	0.003728899	INDmg/m3
29/07/2023 16:00	0.003733039	INDmg/m3
29/07/2023 17:00	0.003709436	INDmg/m3
29/07/2023 18:00	0.003718253	INDmg/m3
29/07/2023 19:00	0.003929811	INDmg/m3
29/07/2023 20:00	0.004050418	INDmg/m3
29/07/2023 21:00	0.003707254	INDmg/m3
29/07/2023 22:00	0.003864775	INDmg/m3
29/07/2023 23:00	0.003930095	INDmg/m3
30/07/2023 00:00	0.003720014	INDmg/m3
30/07/2023 01:00	0.0039859	INDmg/m3
30/07/2023 02:00	0.003896866	INDmg/m3
30/07/2023 03:00	0.004007056	INDmg/m3
30/07/2023 04:00	0.003729078	INDmg/m3
30/07/2023 05:00	0.003754354	INDmg/m3
30/07/2023 06:00	0.003768706	INDmg/m3
30/07/2023 07:00	0.003841309	INDmg/m3
30/07/2023 08:00	0.003763499	INDmg/m3
30/07/2023 09:00	0.00555717	INDmg/m3
30/07/2023 10:00	0.003849721	INDmg/m3
30/07/2023 11:00	0.010663748	INDmg/m3
30/07/2023 12:00	0.016967492	INDmg/m3
30/07/2023 13:00	0.007575847	INDmg/m3
30/07/2023 14:00	0.010810822	INDmg/m3
30/07/2023 15:00	0.003795651	INDmg/m3
30/07/2023 16:00	0.042826112	INDmg/m3
30/07/2023 17:00	0.003795033	INDmg/m3
30/07/2023 18:00	0.009833323	INDmg/m3
30/07/2023 19:00	0.028133271	INDmg/m3
30/07/2023 20:00	0.006450683	INDmg/m3
30/07/2023 21:00	0.004315333	INDmg/m3
30/07/2023 22:00	0.004628824	INDmg/m3
30/07/2023 23:00	0.004980352	INDmg/m3
31/07/2023 00:00	0.00460734	INDmg/m3
31/07/2023 01:00	0.003888255	INDmg/m3
31/07/2023 02:00	0.004982929	INDmg/m3
31/07/2023 03:00	0.003851462	INDmg/m3
31/07/2023 04:00	0.003805673	INDmg/m3

31/07/2023 05:00	0.003987045	INDmg/m3
31/07/2023 06:00	0.004091533	INDmg/m3
31/07/2023 07:00	0.003842868	INDmg/m3
31/07/2023 08:00	0.003870693	INDmg/m3
31/07/2023 09:00	0.003859874	INDmg/m3
31/07/2023 10:00	0.003846012	INDmg/m3
31/07/2023 11:00	0.006392567	INDmg/m3
31/07/2023 12:00	0.007794638	INDmg/m3
31/07/2023 13:00	0.003870203	INDmg/m3
31/07/2023 14:00	0.003859542	INDmg/m3
31/07/2023 15:00	0.0038932	INDmg/m3
31/07/2023 16:00	0.003892943	INDmg/m3
31/07/2023 17:00	0.003899772	INDmg/m3
31/07/2023 18:00	0.003876436	INDmg/m3
31/07/2023 19:00	0.004103179	INDmg/m3
31/07/2023 20:00	0.003928788	INDmg/m3
31/07/2023 21:00	0.003846991	INDmg/m3
31/07/2023 22:00	0.0038399	INDmg/m3
31/07/2023 23:00	0.003841027	INDmg/m3
01/08/2023 00:00	0.003824926	INDmg/m3
01/08/2023 01:00	0.003830557	INDmg/m3
01/08/2023 02:00	0.003851991	INDmg/m3
01/08/2023 03:00	0.003846337	INDmg/m3
01/08/2023 04:00	0.003830927	INDmg/m3
01/08/2023 05:00	0.003810975	INDmg/m3
01/08/2023 06:00	0.310415238	INDmg/m3
01/08/2023 07:00	0.37215966	INDmg/m3
01/08/2023 08:00	1.043744564	INDmg/m3
01/08/2023 09:00	1.447618961	INDmg/m3
01/08/2023 10:00	2.151464939	INDmg/m3
01/08/2023 11:00	1.601979971	INDmg/m3
01/08/2023 12:00	1.269230366	INDmg/m3
01/08/2023 13:00	1.232302547	INDmg/m3
01/08/2023 14:00	1.367667794	INDmg/m3
01/08/2023 15:00	1.283199668	INDmg/m3
01/08/2023 16:00	1.402043462	INDmg/m3
01/08/2023 17:00	1.315931559	INDmg/m3
01/08/2023 18:00	0.011636139	INDmg/m3
01/08/2023 19:00	0.031560078	INDmg/m3
01/08/2023 20:00	0.010713638	INDmg/m3
01/08/2023 21:00	0.784894347	INDmg/m3
01/08/2023 22:00	0.020035617	INDmg/m3
01/08/2023 23:00	0.003713543	INDmg/m3
02/08/2023 00:00	0.019176085	INDmg/m3
02/08/2023 01:00	0.007263236	INDmg/m3
02/08/2023 02:00	0.053831361	INDmg/m3
02/08/2023 03:00	0.007002741	INDmg/m3
02/08/2023 04:00	0.006154685	INDmg/m3
02/08/2023 05:00	0.004200521	INDmg/m3
02/08/2023 06:00	0.00381599	INDmg/m3
02/08/2023 07:00	0.00379829	INDmg/m3
02/08/2023 08:00	0.016338643	INDmg/m3
02/08/2023 09:00	0.041555114	INDmg/m3
02/08/2023 10:00	0.173784852	INDmg/m3
02/08/2023 11:00	0.03550256	INDmg/m3
02/08/2023 12:00	1.467364311	INDmg/m3

02/08/2023 13:00	0.712019265	INDmg/m3
02/08/2023 14:00	0.025136376	INDmg/m3
02/08/2023 15:00	0.010516952	INDmg/m3
02/08/2023 16:00	0.009416943	INDmg/m3
02/08/2023 17:00	0.003812607	INDmg/m3
02/08/2023 18:00	0.005573415	INDmg/m3
02/08/2023 19:00	0.004238752	INDmg/m3
02/08/2023 20:00	0.003803257	INDmg/m3
02/08/2023 21:00	0.003785621	INDmg/m3
02/08/2023 22:00	0.003772157	INDmg/m3
02/08/2023 23:00	0.003767872	INDmg/m3
03/08/2023 00:00	0.00374963	INDmg/m3
03/08/2023 01:00	0.003806932	INDmg/m3
03/08/2023 02:00	0.003769224	INDmg/m3
03/08/2023 03:00	0.003773225	INDmg/m3
03/08/2023 04:00	0.003787193	INDmg/m3
03/08/2023 05:00	0.003803415	INDmg/m3
03/08/2023 06:00	0.00398366	INDmg/m3
03/08/2023 07:00	0.003809959	INDmg/m3
03/08/2023 08:00	0.003809839	INDmg/m3
03/08/2023 09:00	0.003762691	INDmg/m3
03/08/2023 10:00	0.003823571	INDmg/m3
03/08/2023 11:00	0.003812279	INDmg/m3
03/08/2023 12:00	0.003800101	INDmg/m3
03/08/2023 13:00	0.004504361	INDmg/m3
03/08/2023 14:00	0.003874291	INDmg/m3
03/08/2023 15:00	0.003771838	INDmg/m3
03/08/2023 16:00	0.003803093	INDmg/m3
03/08/2023 17:00	0.003763503	INDmg/m3
03/08/2023 18:00	0.003704346	INDmg/m3
03/08/2023 19:00	0.003712697	INDmg/m3
03/08/2023 20:00	0.003743312	INDmg/m3
03/08/2023 21:00	0.003738077	INDmg/m3
03/08/2023 22:00	0.003753015	INDmg/m3
03/08/2023 23:00	0.003726874	INDmg/m3
04/08/2023 00:00	0.003711383	INDmg/m3
04/08/2023 01:00	0.003751895	INDmg/m3
04/08/2023 02:00	0.003743722	INDmg/m3
04/08/2023 03:00	0.003739635	INDmg/m3
04/08/2023 04:00	0.003696238	INDmg/m3
04/08/2023 05:00	0.003739844	INDmg/m3
04/08/2023 06:00	0.004003674	INDmg/m3
04/08/2023 07:00	0.003687026	INDmg/m3
04/08/2023 08:00	0.003709842	INDmg/m3
04/08/2023 09:00	0.003754281	INDmg/m3
04/08/2023 10:00	0.003722696	INDmg/m3
04/08/2023 11:00	0.003745696	INDmg/m3
04/08/2023 12:00	0.003731256	INDmg/m3
04/08/2023 13:00	0.003741749	INDmg/m3
04/08/2023 14:00	0.003734581	INDmg/m3
04/08/2023 15:00	0.003698773	INDmg/m3
04/08/2023 16:00	0.003716083	INDmg/m3
04/08/2023 17:00	0.003725289	INDmg/m3
04/08/2023 18:00	0.003667307	INDmg/m3
04/08/2023 19:00	0.003742028	INDmg/m3
04/08/2023 20:00	0.003729838	INDmg/m3

04/08/2023 21:00	0.003663739	INDmg/m3
04/08/2023 22:00	0.003756746	INDmg/m3
04/08/2023 23:00	0.003772236	INDmg/m3
05/08/2023 00:00	0.003619244	INDmg/m3
05/08/2023 01:00	0.006315876	INDmg/m3
05/08/2023 02:00	0.011303827	INDmg/m3
05/08/2023 03:00	0.150582418	INDmg/m3
05/08/2023 04:00	0.14548187	INDmg/m3
05/08/2023 05:00	0.236800209	INDmg/m3
05/08/2023 06:00	0.308971941	INDmg/m3
05/08/2023 07:00	0.022585316	INDmg/m3
05/08/2023 08:00	0.018062176	INDmg/m3
05/08/2023 09:00	0.008913038	INDmg/m3
05/08/2023 10:00	0.010861815	INDmg/m3
05/08/2023 11:00	0.012520557	INDmg/m3
05/08/2023 12:00	0.016595375	INDmg/m3
05/08/2023 13:00	0.01943557	INDmg/m3
05/08/2023 14:00	0.004917204	INDmg/m3
05/08/2023 15:00	0.004905211	INDmg/m3
05/08/2023 16:00	0.004237809	INDmg/m3
05/08/2023 17:00	0.003894016	INDmg/m3
05/08/2023 18:00	0.003773292	INDmg/m3
05/08/2023 19:00	0.003718748	INDmg/m3
05/08/2023 20:00	0.003691166	INDmg/m3
05/08/2023 21:00	0.003679906	INDmg/m3
05/08/2023 22:00	0.00372528	INDmg/m3
05/08/2023 23:00	0.00373323	INDmg/m3
06/08/2023 00:00	0.003680447	INDmg/m3
06/08/2023 01:00	0.003714191	INDmg/m3
06/08/2023 02:00	0.003702399	INDmg/m3
06/08/2023 03:00	0.003695664	INDmg/m3
06/08/2023 04:00	0.003678759	INDmg/m3
06/08/2023 05:00	0.003706267	INDmg/m3
06/08/2023 06:00	0.003670875	INDmg/m3
06/08/2023 07:00	0.00386864	INDmg/m3
06/08/2023 08:00	0.004123803	INDmg/m3
06/08/2023 09:00	0.003783967	INDmg/m3
06/08/2023 10:00	0.003797186	INDmg/m3
06/08/2023 11:00	0.005721481	INDmg/m3
06/08/2023 12:00	0.003783341	INDmg/m3
06/08/2023 13:00	0.0051393	INDmg/m3
06/08/2023 14:00	0.006825886	INDmg/m3
06/08/2023 15:00	0.003683275	INDmg/m3
06/08/2023 16:00	0.003708551	INDmg/m3
06/08/2023 17:00	0.003720294	INDmg/m3
06/08/2023 18:00	0.003669655	INDmg/m3
06/08/2023 19:00	0.003749563	INDmg/m3
06/08/2023 20:00	0.003713947	INDmg/m3
06/08/2023 21:00	0.003644867	INDmg/m3
06/08/2023 22:00	0.003711411	INDmg/m3
06/08/2023 23:00	0.003650676	INDmg/m3
07/08/2023 00:00	0.00365015	INDmg/m3
07/08/2023 01:00	0.003678213	INDmg/m3
07/08/2023 02:00	0.003690678	INDmg/m3
07/08/2023 03:00	0.003614914	INDmg/m3
07/08/2023 04:00	0.003678449	INDmg/m3

07/08/2023 05:00	0.003693197	INDmg/m3
07/08/2023 06:00	0.003634935	INDmg/m3
07/08/2023 07:00	0.003697531	INDmg/m3
07/08/2023 08:00	0.003739928	INDmg/m3
07/08/2023 09:00	0.003671515	INDmg/m3
07/08/2023 10:00	0.003690442	INDmg/m3
07/08/2023 11:00	0.003689849	INDmg/m3
07/08/2023 12:00	0.003692045	INDmg/m3
07/08/2023 13:00	0.003672008	INDmg/m3
07/08/2023 14:00	0.003734477	INDmg/m3
07/08/2023 15:00	0.003768118	INDmg/m3
07/08/2023 16:00	0.003689429	INDmg/m3
07/08/2023 17:00	0.003734808	INDmg/m3
07/08/2023 18:00	0.003694959	INDmg/m3
07/08/2023 19:00	0.003621458	INDmg/m3
07/08/2023 20:00	0.003699363	INDmg/m3
07/08/2023 21:00	0.003710763	INDmg/m3
07/08/2023 22:00	0.003618492	INDmg/m3
07/08/2023 23:00	0.003947857	INDmg/m3
08/08/2023 00:00	0.003690036	INDmg/m3
08/08/2023 01:00	0.004486496	INDmg/m3
08/08/2023 02:00	0.006549309	INDmg/m3
08/08/2023 03:00	0.019623654	INDmg/m3
08/08/2023 04:00	0.006808393	INDmg/m3
08/08/2023 05:00	0.004122617	INDmg/m3
08/08/2023 06:00	0.46977511	INDmg/m3
08/08/2023 07:00	1.802654505	INDmg/m3
08/08/2023 08:00	1.506294727	INDmg/m3
08/08/2023 09:00	1.021486163	INDmg/m3
08/08/2023 10:00	1.362797976	INDmg/m3
08/08/2023 11:00	1.199867964	INDmg/m3
08/08/2023 12:00	1.465908647	INDmg/m3
08/08/2023 13:00	1.750622272	INDmg/m3
08/08/2023 14:00	1.547656298	INDmg/m3
08/08/2023 15:00	1.177048683	INDmg/m3
08/08/2023 16:00	1.355938435	INDmg/m3
08/08/2023 17:00	0.255224377	INDmg/m3
08/08/2023 18:00	0.003939434	INDmg/m3
08/08/2023 19:00	0.003902276	INDmg/m3
08/08/2023 20:00	0.003918355	INDmg/m3
08/08/2023 21:00	0.003761554	INDmg/m3
08/08/2023 22:00	0.003917136	INDmg/m3
08/08/2023 23:00	0.003751539	INDmg/m3
09/08/2023 00:00	0.003795923	INDmg/m3
09/08/2023 01:00	0.003783706	INDmg/m3
09/08/2023 02:00	0.003811079	INDmg/m3
09/08/2023 03:00	0.003778426	INDmg/m3
09/08/2023 04:00	0.003796094	INDmg/m3
09/08/2023 05:00	0.003742734	INDmg/m3
09/08/2023 06:00	0.003817791	INDmg/m3
09/08/2023 07:00	0.003775768	INDmg/m3
09/08/2023 08:00	0.003833925	INDmg/m3
09/08/2023 09:00	0.003775272	INDmg/m3
09/08/2023 10:00	0.003790973	INDmg/m3
09/08/2023 11:00	0.003831772	INDmg/m3
09/08/2023 12:00	0.003777789	INDmg/m3

09/08/2023 13:00	0.003804951	INDmg/m3
09/08/2023 14:00	0.003802632	INDmg/m3
09/08/2023 15:00	0.003752881	INDmg/m3
09/08/2023 16:00	0.003822575	INDmg/m3
09/08/2023 17:00	0.003795145	INDmg/m3
09/08/2023 18:00	0.003777385	INDmg/m3
09/08/2023 19:00	0.003781716	INDmg/m3
09/08/2023 20:00	0.003812437	INDmg/m3
09/08/2023 21:00	0.003789566	INDmg/m3
09/08/2023 22:00	0.003775767	INDmg/m3
09/08/2023 23:00	0.003777673	INDmg/m3
10/08/2023 00:00	0.003812436	INDmg/m3
10/08/2023 01:00	0.00380766	INDmg/m3
10/08/2023 02:00	0.00377933	INDmg/m3
10/08/2023 03:00	0.003769778	INDmg/m3
10/08/2023 04:00	0.003791868	INDmg/m3
10/08/2023 05:00	0.003784859	INDmg/m3
10/08/2023 06:00	0.00375612	INDmg/m3
10/08/2023 07:00	0.304201603	INDmg/m3
10/08/2023 08:00	1.360996962	INDmg/m3
10/08/2023 09:00	1.744285464	INDmg/m3
10/08/2023 10:00	2.664338827	INDmg/m3
10/08/2023 11:00	1.482477784	INDmg/m3
10/08/2023 12:00	1.6441679	INDmg/m3
10/08/2023 13:00	1.71073103	INDmg/m3
10/08/2023 14:00	2.260801792	INDmg/m3
10/08/2023 15:00	1.15854919	INDmg/m3
10/08/2023 16:00	0.00381325	INDmg/m3
10/08/2023 17:00	0.003778053	INDmg/m3
10/08/2023 18:00	0.003817679	INDmg/m3
10/08/2023 19:00	0.003821683	INDmg/m3
10/08/2023 20:00	0.003771533	INDmg/m3
10/08/2023 21:00	0.012256295	INDmg/m3
10/08/2023 22:00	0.007264884	INDmg/m3
10/08/2023 23:00	0.009886391	INDmg/m3
11/08/2023 00:00	0.008830178	INDmg/m3
11/08/2023 01:00	0.004669085	INDmg/m3
11/08/2023 02:00	0.003815431	INDmg/m3
11/08/2023 03:00	0.003799545	INDmg/m3
11/08/2023 04:00	0.003731979	INDmg/m3
11/08/2023 05:00	0.003766018	INDmg/m3
11/08/2023 06:00	0.003764715	INDmg/m3
11/08/2023 07:00	0.003808273	INDmg/m3
11/08/2023 08:00	0.003791818	INDmg/m3
11/08/2023 09:00	0.003795028	INDmg/m3
11/08/2023 10:00	0.00384079	INDmg/m3
11/08/2023 11:00	0.003791771	INDmg/m3
11/08/2023 12:00	0.003797225	INDmg/m3
11/08/2023 13:00	0.003821017	INDmg/m3
11/08/2023 14:00	0.003781989	INDmg/m3
11/08/2023 15:00	0.003777301	INDmg/m3
11/08/2023 16:00	0.003797901	INDmg/m3
11/08/2023 17:00	0.003767594	INDmg/m3
11/08/2023 18:00	0.003782517	INDmg/m3
11/08/2023 19:00	0.003755197	INDmg/m3
11/08/2023 20:00	0.003763366	INDmg/m3

11/08/2023 21:00	0.00387626	INDmg/m3
11/08/2023 22:00	0.003883593	INDmg/m3
11/08/2023 23:00	0.003769505	INDmg/m3
12/08/2023 00:00	0.003724701	INDmg/m3
12/08/2023 01:00	0.003779582	INDmg/m3
12/08/2023 02:00	0.00377896	INDmg/m3
12/08/2023 03:00	0.003793582	INDmg/m3
12/08/2023 04:00	0.003800662	INDmg/m3
12/08/2023 05:00	0.003759988	INDmg/m3
12/08/2023 06:00	0.004211922	INDmg/m3
12/08/2023 07:00	0.003897524	INDmg/m3
12/08/2023 08:00	0.003910145	INDmg/m3
12/08/2023 09:00	0.008392564	INDmg/m3
12/08/2023 10:00	0.006674137	INDmg/m3
12/08/2023 11:00	0.003791442	INDmg/m3
12/08/2023 12:00	0.003804218	INDmg/m3
12/08/2023 13:00	0.003995776	INDmg/m3
12/08/2023 14:00	0.006728106	INDmg/m3
12/08/2023 15:00	0.05433467	INDmg/m3
12/08/2023 16:00	0.004423919	INDmg/m3
12/08/2023 17:00	0.005084656	INDmg/m3
12/08/2023 18:00	0.003836701	INDmg/m3
12/08/2023 19:00	0.003778742	INDmg/m3
12/08/2023 20:00	0.005744489	INDmg/m3
12/08/2023 21:00	0.005912067	INDmg/m3
12/08/2023 22:00	0.004508931	INDmg/m3
12/08/2023 23:00	0.004689625	INDmg/m3
13/08/2023 00:00	0.003824642	INDmg/m3
13/08/2023 01:00	0.003797625	INDmg/m3
13/08/2023 02:00	0.004074926	INDmg/m3
13/08/2023 03:00	0.005095176	INDmg/m3
13/08/2023 04:00	0.003826424	INDmg/m3
13/08/2023 05:00	0.006745087	INDmg/m3
13/08/2023 06:00	0.008201684	INDmg/m3
13/08/2023 07:00	0.003866637	INDmg/m3
13/08/2023 08:00	0.003820118	INDmg/m3
13/08/2023 09:00	0.003833042	INDmg/m3
13/08/2023 10:00	0.003843519	INDmg/m3
13/08/2023 11:00	0.003899175	INDmg/m3
13/08/2023 12:00	0.003818886	INDmg/m3
13/08/2023 13:00	0.00379301	INDmg/m3
13/08/2023 14:00	0.003806972	INDmg/m3
13/08/2023 15:00	0.00380072	INDmg/m3
13/08/2023 16:00	0.003841739	INDmg/m3
13/08/2023 17:00	0.003786729	INDmg/m3
13/08/2023 18:00	0.003796498	INDmg/m3
13/08/2023 19:00	0.059956621	INDmg/m3
13/08/2023 20:00	0.003928354	INDmg/m3
13/08/2023 21:00	0.031077364	INDmg/m3
13/08/2023 22:00	0.007618753	INDmg/m3
13/08/2023 23:00	0.873880208	INDmg/m3
14/08/2023 00:00	2.147391796	INDmg/m3
14/08/2023 01:00	1.880881667	INDmg/m3
14/08/2023 02:00	0.005929701	INDmg/m3
14/08/2023 03:00	0.07436841	INDmg/m3
14/08/2023 04:00	0.654135704	INDmg/m3

14/08/2023 05:00	1.719214439	INDmg/m3
14/08/2023 06:00	0.005034136	INDmg/m3
14/08/2023 07:00	0.017558588	INDmg/m3
14/08/2023 08:00	0.003908011	INDmg/m3
14/08/2023 09:00	0.005791565	INDmg/m3
14/08/2023 10:00	0.003951805	INDmg/m3
14/08/2023 11:00	0.004028694	INDmg/m3
14/08/2023 12:00	0.004005339	INDmg/m3
14/08/2023 13:00	0.004472398	INDmg/m3
14/08/2023 14:00	0.004272897	INDmg/m3
14/08/2023 15:00	0.004347805	INDmg/m3
14/08/2023 16:00	0.004116299	INDmg/m3
14/08/2023 17:00	0.003969305	INDmg/m3
14/08/2023 18:00	0.003928662	INDmg/m3
14/08/2023 19:00	0.0039027	INDmg/m3
14/08/2023 20:00	0.003870491	INDmg/m3
14/08/2023 21:00	0.003863334	INDmg/m3
14/08/2023 22:00	0.003840592	INDmg/m3
14/08/2023 23:00	0.003826699	INDmg/m3
15/08/2023 00:00	0.003876475	INDmg/m3
15/08/2023 01:00	0.007536274	INDmg/m3
15/08/2023 02:00	0.003844971	INDmg/m3
15/08/2023 03:00	0.003842373	INDmg/m3
15/08/2023 04:00	0.003864774	INDmg/m3
15/08/2023 05:00	0.003859426	INDmg/m3
15/08/2023 06:00	0.003889502	INDmg/m3
15/08/2023 07:00	0.003889944	INDmg/m3
15/08/2023 08:00	0.003848833	INDmg/m3
15/08/2023 09:00	0.363512009	INDmg/m3
15/08/2023 10:00	1.408160925	INDmg/m3
15/08/2023 11:00	1.945763946	INDmg/m3
15/08/2023 12:00	0.470003784	INDmg/m3
15/08/2023 13:00	0.218733147	INDmg/m3
15/08/2023 14:00	0.734449089	INDmg/m3
15/08/2023 15:00	0.004831193	INDmg/m3
15/08/2023 16:00	0.004176013	INDmg/m3
15/08/2023 17:00	0.003873199	INDmg/m3
15/08/2023 18:00	0.003811698	INDmg/m3
15/08/2023 19:00	0.003838195	INDmg/m3
15/08/2023 20:00	0.003783143	INDmg/m3
15/08/2023 21:00	0.003788319	INDmg/m3
15/08/2023 22:00	0.003773733	INDmg/m3
15/08/2023 23:00	0.003763869	INDmg/m3
16/08/2023 00:00	0.003728079	INDmg/m3
16/08/2023 01:00	0.003769843	INDmg/m3
16/08/2023 02:00	0.003782871	INDmg/m3
16/08/2023 03:00	0.003750837	INDmg/m3
16/08/2023 04:00	0.003773946	INDmg/m3
16/08/2023 05:00	0.003735669	INDmg/m3
16/08/2023 06:00	0.003753227	INDmg/m3
16/08/2023 07:00	0.003807707	INDmg/m3
16/08/2023 08:00	0.003763224	INDmg/m3
16/08/2023 09:00	0.003754709	INDmg/m3
16/08/2023 10:00	0.003808319	INDmg/m3
16/08/2023 11:00	0.003760278	INDmg/m3
16/08/2023 12:00	0.00381999	INDmg/m3

16/08/2023 13:00	0.003763599	INDmg/m3
16/08/2023 14:00	0.003753013	INDmg/m3
16/08/2023 15:00	0.003766687	INDmg/m3
16/08/2023 16:00	0.003744783	INDmg/m3
16/08/2023 17:00	0.003702079	INDmg/m3
16/08/2023 18:00	0.003735913	INDmg/m3
16/08/2023 19:00	0.003778388	INDmg/m3
16/08/2023 20:00	0.003744845	INDmg/m3
16/08/2023 21:00	0.003672561	INDmg/m3
16/08/2023 22:00	0.003672177	INDmg/m3
16/08/2023 23:00	0.003733206	INDmg/m3
17/08/2023 00:00	0.003688518	INDmg/m3
17/08/2023 01:00	0.003719624	INDmg/m3
17/08/2023 02:00	0.003718578	INDmg/m3
17/08/2023 03:00	0.00370557	INDmg/m3
17/08/2023 04:00	0.00367979	INDmg/m3
17/08/2023 05:00	0.003732497	INDmg/m3
17/08/2023 06:00	0.003715002	INDmg/m3
17/08/2023 07:00	0.003698825	INDmg/m3
17/08/2023 08:00	0.003805063	INDmg/m3
17/08/2023 09:00	0.003724291	INDmg/m3
17/08/2023 10:00	0.003710575	INDmg/m3
17/08/2023 11:00	0.003736118	INDmg/m3
17/08/2023 12:00	0.003795828	INDmg/m3
17/08/2023 13:00	0.003747661	INDmg/m3
17/08/2023 14:00	0.003710526	INDmg/m3
17/08/2023 15:00	0.003710927	INDmg/m3
17/08/2023 16:00	0.003708119	INDmg/m3
17/08/2023 17:00	0.003685069	INDmg/m3
17/08/2023 18:00	0.003709812	INDmg/m3
17/08/2023 19:00	0.003673047	INDmg/m3
17/08/2023 20:00	0.003702036	INDmg/m3
17/08/2023 21:00	0.003804603	INDmg/m3
17/08/2023 22:00	0.00367913	INDmg/m3
17/08/2023 23:00	0.003784878	INDmg/m3
18/08/2023 00:00	0.003724492	INDmg/m3
18/08/2023 01:00	0.004013232	INDmg/m3
18/08/2023 02:00	0.003782488	INDmg/m3
18/08/2023 03:00	0.003722444	INDmg/m3
18/08/2023 04:00	0.00370405	INDmg/m3
18/08/2023 05:00	0.003776298	INDmg/m3
18/08/2023 06:00	0.00373844	INDmg/m3
18/08/2023 07:00	0.003834315	INDmg/m3
18/08/2023 08:00	0.003763222	INDmg/m3
18/08/2023 09:00	0.003754275	INDmg/m3
18/08/2023 10:00	0.00374372	INDmg/m3
18/08/2023 11:00	0.003708832	INDmg/m3
18/08/2023 12:00	0.003753077	INDmg/m3
18/08/2023 13:00	0.003784337	INDmg/m3
18/08/2023 14:00	0.003868193	INDmg/m3
18/08/2023 15:00	0.008659903	INDmg/m3
18/08/2023 16:00	0.102607384	INDmg/m3
18/08/2023 17:00	0.132790312	INDmg/m3
18/08/2023 18:00	0.128918812	INDmg/m3
18/08/2023 19:00	0.15169616	INDmg/m3
18/08/2023 20:00	0.151364908	INDmg/m3

18/08/2023 21:00	0.20027186	INDmg/m3
18/08/2023 22:00	0.225394219	INDmg/m3
18/08/2023 23:00	0.00400762	INDmg/m3
19/08/2023 00:00	0.003828618	INDmg/m3
19/08/2023 01:00	0.003851105	INDmg/m3
19/08/2023 02:00	0.003911468	INDmg/m3
19/08/2023 03:00	0.003876053	INDmg/m3
19/08/2023 04:00	0.003893171	INDmg/m3
19/08/2023 05:00	0.003884088	INDmg/m3
19/08/2023 06:00	0.003892725	INDmg/m3
19/08/2023 07:00	0.004601848	INDmg/m3
19/08/2023 08:00	0.008228731	INDmg/m3
19/08/2023 09:00	0.004127938	INDmg/m3
19/08/2023 10:00	0.003860237	INDmg/m3
19/08/2023 11:00	0.003909495	INDmg/m3
19/08/2023 12:00	0.003909539	INDmg/m3
19/08/2023 13:00	0.003912669	INDmg/m3
19/08/2023 14:00	0.003919793	INDmg/m3
19/08/2023 15:00	0.003893452	INDmg/m3
19/08/2023 16:00	0.003836331	INDmg/m3
19/08/2023 17:00	0.003835858	INDmg/m3
19/08/2023 18:00	0.003831025	INDmg/m3
19/08/2023 19:00	0.003826041	INDmg/m3
19/08/2023 20:00	0.003808052	INDmg/m3
19/08/2023 21:00	0.003812713	INDmg/m3
19/08/2023 22:00	0.003820196	INDmg/m3
19/08/2023 23:00	0.003812665	INDmg/m3
20/08/2023 00:00	0.00386265	INDmg/m3
20/08/2023 01:00	0.003891731	INDmg/m3
20/08/2023 02:00	0.003853954	INDmg/m3
20/08/2023 03:00	0.003863693	INDmg/m3
20/08/2023 04:00	0.003808093	INDmg/m3
20/08/2023 05:00	0.003867601	INDmg/m3
20/08/2023 06:00	0.003844653	INDmg/m3
20/08/2023 07:00	0.003809853	INDmg/m3
20/08/2023 08:00	0.003786645	INDmg/m3
20/08/2023 09:00	0.003818527	INDmg/m3
20/08/2023 10:00	0.003817099	INDmg/m3
20/08/2023 11:00	0.003857169	INDmg/m3
20/08/2023 12:00	0.003842249	INDmg/m3
20/08/2023 13:00	0.003819472	INDmg/m3
20/08/2023 14:00	0.003790193	INDmg/m3
20/08/2023 15:00	0.003788882	INDmg/m3
20/08/2023 16:00	0.003842945	INDmg/m3
20/08/2023 17:00	0.003814585	INDmg/m3
20/08/2023 18:00	0.003800496	INDmg/m3
20/08/2023 19:00	0.003779179	INDmg/m3
20/08/2023 20:00	0.003838669	INDmg/m3
20/08/2023 21:00	0.003951843	INDmg/m3
20/08/2023 22:00	0.003874322	INDmg/m3
20/08/2023 23:00	0.003899825	INDmg/m3
21/08/2023 00:00	0.003884288	INDmg/m3
21/08/2023 01:00	0.003887256	INDmg/m3
21/08/2023 02:00	0.003862798	INDmg/m3
21/08/2023 03:00	0.003960239	INDmg/m3
21/08/2023 04:00	0.003778637	INDmg/m3

21/08/2023 05:00	0.003819859	INDmg/m3
21/08/2023 06:00	0.77056241	INDmg/m3
21/08/2023 07:00	1.326983809	INDmg/m3
21/08/2023 08:00	2.34869504	INDmg/m3
21/08/2023 09:00	2.181660891	INDmg/m3
21/08/2023 10:00	1.910793304	INDmg/m3
21/08/2023 11:00	1.394385338	INDmg/m3
21/08/2023 12:00	0.556952655	INDmg/m3
21/08/2023 13:00	0.003824638	INDmg/m3
21/08/2023 14:00	0.003845574	INDmg/m3
21/08/2023 15:00	0.003796329	INDmg/m3
21/08/2023 16:00	0.003802131	INDmg/m3
21/08/2023 17:00	0.003800947	INDmg/m3
21/08/2023 18:00	0.003839422	INDmg/m3
21/08/2023 19:00	0.003850436	INDmg/m3
21/08/2023 20:00	0.00393304	INDmg/m3
21/08/2023 21:00	0.004048172	INDmg/m3
21/08/2023 22:00	0.004413476	INDmg/m3
21/08/2023 23:00	0.004592548	INDmg/m3
22/08/2023 00:00	0.004054411	INDmg/m3
22/08/2023 01:00	0.003829287	INDmg/m3
22/08/2023 02:00	0.003934423	INDmg/m3
22/08/2023 03:00	0.004291781	INDmg/m3
22/08/2023 04:00	0.003873377	INDmg/m3
22/08/2023 05:00	0.003930582	INDmg/m3
22/08/2023 06:00	0.13627474	INDmg/m3
22/08/2023 07:00	0.479308099	INDmg/m3
22/08/2023 08:00	1.075643063	INDmg/m3
22/08/2023 09:00	1.354223371	INDmg/m3
22/08/2023 10:00	1.99802506	INDmg/m3
22/08/2023 11:00	1.307568908	INDmg/m3
22/08/2023 12:00	1.165594339	INDmg/m3
22/08/2023 13:00	1.537752271	INDmg/m3
22/08/2023 14:00	2.121391296	INDmg/m3
22/08/2023 15:00	1.799014807	INDmg/m3
22/08/2023 16:00	0.985409617	INDmg/m3
22/08/2023 17:00	0.004118339	INDmg/m3
22/08/2023 18:00	0.00388315	INDmg/m3
22/08/2023 19:00	0.003916122	INDmg/m3
22/08/2023 20:00	0.003908799	INDmg/m3
22/08/2023 21:00	0.003815426	INDmg/m3
22/08/2023 22:00	0.003974922	INDmg/m3
22/08/2023 23:00	0.003819938	INDmg/m3
23/08/2023 00:00	0.003780491	INDmg/m3
23/08/2023 01:00	0.003811356	INDmg/m3
23/08/2023 02:00	0.003974074	INDmg/m3
23/08/2023 03:00	0.00389201	INDmg/m3
23/08/2023 04:00	0.003964793	INDmg/m3
23/08/2023 05:00	0.003773034	INDmg/m3
23/08/2023 06:00	0.003785743	INDmg/m3
23/08/2023 07:00	0.004043943	INDmg/m3
23/08/2023 08:00	0.005287279	INDmg/m3
23/08/2023 09:00	0.004045409	INDmg/m3
23/08/2023 10:00	0.00381323	INDmg/m3
23/08/2023 11:00	0.003751962	INDmg/m3
23/08/2023 12:00	0.003910435	INDmg/m3

23/08/2023 13:00	0.004028202	INDmg/m3
23/08/2023 14:00	0.003896685	INDmg/m3
23/08/2023 15:00	0.003944818	INDmg/m3
23/08/2023 16:00	0.003867041	INDmg/m3
23/08/2023 17:00	0.003790691	INDmg/m3
23/08/2023 18:00	0.00372708	INDmg/m3
23/08/2023 19:00	0.004884458	INDmg/m3
23/08/2023 20:00	0.003734582	INDmg/m3
23/08/2023 21:00	0.003737034	INDmg/m3
23/08/2023 22:00	0.00370787	INDmg/m3
23/08/2023 23:00	0.00373436	INDmg/m3
24/08/2023 00:00	0.003778232	INDmg/m3
24/08/2023 01:00	0.003796731	INDmg/m3
24/08/2023 02:00	0.003739628	INDmg/m3
24/08/2023 03:00	0.003691637	INDmg/m3
24/08/2023 04:00	0.00371	INDmg/m3
24/08/2023 05:00	0.003717252	INDmg/m3
24/08/2023 06:00	0.003690302	INDmg/m3
24/08/2023 07:00	0.003728211	INDmg/m3
24/08/2023 08:00	0.003705864	INDmg/m3
24/08/2023 09:00	0.00372229	INDmg/m3
24/08/2023 10:00	0.003841355	INDmg/m3
24/08/2023 11:00	0.003779838	INDmg/m3
24/08/2023 12:00	0.003748931	INDmg/m3
24/08/2023 13:00	0.003683203	INDmg/m3
24/08/2023 14:00	0.004129531	INDmg/m3
24/08/2023 15:00	0.0037028	INDmg/m3
24/08/2023 16:00	0.003755417	INDmg/m3
24/08/2023 17:00	0.003699258	INDmg/m3
24/08/2023 18:00	0.003686267	INDmg/m3
24/08/2023 19:00	0.003687313	INDmg/m3
24/08/2023 20:00	0.003677536	INDmg/m3
24/08/2023 21:00	0.003668433	INDmg/m3
24/08/2023 22:00	0.003688636	INDmg/m3
24/08/2023 23:00	0.003682991	INDmg/m3
25/08/2023 00:00	0.003692919	INDmg/m3
25/08/2023 01:00	0.003704362	INDmg/m3
25/08/2023 02:00	0.003732104	INDmg/m3
25/08/2023 03:00	0.003688983	INDmg/m3
25/08/2023 04:00	0.003706715	INDmg/m3
25/08/2023 05:00	0.003689741	INDmg/m3
25/08/2023 06:00	0.003684953	INDmg/m3
25/08/2023 07:00	0.00368807	INDmg/m3
25/08/2023 08:00	0.003669461	INDmg/m3
25/08/2023 09:00	0.006037371	INDmg/m3
25/08/2023 10:00	0.004636648	INDmg/m3
25/08/2023 11:00	0.003741386	INDmg/m3
25/08/2023 12:00	0.00372823	INDmg/m3
25/08/2023 13:00	0.868651569	INDmg/m3
25/08/2023 14:00	0.060616158	INDmg/m3
25/08/2023 15:00	0.004194614	INDmg/m3
25/08/2023 16:00	0.003850419	INDmg/m3
25/08/2023 17:00	0.003800151	INDmg/m3
25/08/2023 18:00	0.139408678	INDmg/m3
25/08/2023 19:00	0.003742021	INDmg/m3
25/08/2023 20:00	0.003669372	INDmg/m3

25/08/2023 21:00	0.003702831	INDmg/m3
25/08/2023 22:00	0.003705454	INDmg/m3
25/08/2023 23:00	0.003708438	INDmg/m3
26/08/2023 00:00	0.006192323	INDmg/m3
26/08/2023 01:00	2.052367449	INDmg/m3
26/08/2023 02:00	0.020511083	INDmg/m3
26/08/2023 03:00	0.003723367	INDmg/m3
26/08/2023 04:00	0.003712988	INDmg/m3
26/08/2023 05:00	0.003676231	INDmg/m3
26/08/2023 06:00	0.00371568	INDmg/m3
26/08/2023 07:00	0.003712134	INDmg/m3
26/08/2023 08:00	0.010377906	INDmg/m3
26/08/2023 09:00	0.004606165	INDmg/m3
26/08/2023 10:00	0.003776417	INDmg/m3
26/08/2023 11:00	0.12529628	INDmg/m3
26/08/2023 12:00	1.099804044	INDmg/m3
26/08/2023 13:00	0.018621204	INDmg/m3
26/08/2023 14:00	0.630389392	INDmg/m3
26/08/2023 15:00	0.097168691	INDmg/m3
26/08/2023 16:00	0.01759845	INDmg/m3
26/08/2023 17:00	0.041271459	INDmg/m3
26/08/2023 18:00	0.006189513	INDmg/m3
26/08/2023 19:00	0.00370497	INDmg/m3
26/08/2023 20:00	0.003750545	INDmg/m3
26/08/2023 21:00	0.003691594	INDmg/m3
26/08/2023 22:00	0.003701394	INDmg/m3
26/08/2023 23:00	0.003697701	INDmg/m3
27/08/2023 00:00	0.006613252	INDmg/m3
27/08/2023 01:00	0.0071087	INDmg/m3
27/08/2023 02:00	0.003711611	INDmg/m3
27/08/2023 03:00	0.003709791	INDmg/m3
27/08/2023 04:00	0.00382186	INDmg/m3
27/08/2023 05:00	0.003969803	INDmg/m3
27/08/2023 06:00	0.003713504	INDmg/m3
27/08/2023 07:00	0.00372357	INDmg/m3
27/08/2023 08:00	0.003733657	INDmg/m3
27/08/2023 09:00	0.003723829	INDmg/m3
27/08/2023 10:00	0.003765908	INDmg/m3
27/08/2023 11:00	0.003749843	INDmg/m3
27/08/2023 12:00	0.003807649	INDmg/m3
27/08/2023 13:00	0.003775047	INDmg/m3
27/08/2023 14:00	0.003738594	INDmg/m3
27/08/2023 15:00	0.008532635	INDmg/m3
27/08/2023 16:00	0.003715873	INDmg/m3
27/08/2023 17:00	0.003723294	INDmg/m3
27/08/2023 18:00	0.004095397	INDmg/m3
27/08/2023 19:00	0.003732743	INDmg/m3
27/08/2023 20:00	0.003721756	INDmg/m3
27/08/2023 21:00	0.003703758	INDmg/m3
27/08/2023 22:00	0.004052354	INDmg/m3
27/08/2023 23:00	0.003818951	INDmg/m3
28/08/2023 00:00	0.003749286	INDmg/m3
28/08/2023 01:00	0.003741114	INDmg/m3
28/08/2023 02:00	0.003737463	INDmg/m3
28/08/2023 03:00	0.004012953	INDmg/m3
28/08/2023 04:00	0.003795712	INDmg/m3

28/08/2023 05:00	0.003788897	INDmg/m3
28/08/2023 06:00	0.556643009	INDmg/m3
28/08/2023 07:00	2.188270092	INDmg/m3
28/08/2023 08:00	1.894431472	INDmg/m3
28/08/2023 09:00	2.420433283	INDmg/m3
28/08/2023 10:00	3.701262474	INDmg/m3
28/08/2023 11:00	2.15899539	INDmg/m3
28/08/2023 12:00	2.152681112	INDmg/m3
28/08/2023 13:00	2.311476469	INDmg/m3
28/08/2023 14:00	2.667114496	INDmg/m3
28/08/2023 15:00	2.330490351	INDmg/m3
28/08/2023 16:00	1.54513979	INDmg/m3
28/08/2023 17:00	0.005782607	INDmg/m3
28/08/2023 18:00	0.003745063	INDmg/m3
28/08/2023 19:00	0.003689385	INDmg/m3
28/08/2023 20:00	0.003750907	INDmg/m3
28/08/2023 21:00	0.003713058	INDmg/m3
28/08/2023 22:00	0.005856804	INDmg/m3
28/08/2023 23:00	0.003687999	INDmg/m3
29/08/2023 00:00	0.003701954	INDmg/m3
29/08/2023 01:00	0.003694068	INDmg/m3
29/08/2023 02:00	0.003679514	INDmg/m3
29/08/2023 03:00	0.003686109	INDmg/m3
29/08/2023 04:00	0.003684684	INDmg/m3
29/08/2023 05:00	0.003687802	INDmg/m3
29/08/2023 06:00	0.003700349	INDmg/m3
29/08/2023 07:00	0.003688258	INDmg/m3
29/08/2023 08:00	0.003791596	INDmg/m3
29/08/2023 09:00	0.003775007	INDmg/m3
29/08/2023 10:00	0.0069798	INDmg/m3
29/08/2023 11:00	0.00610425	INDmg/m3
29/08/2023 12:00	0.003840565	INDmg/m3
29/08/2023 13:00	1.198150754	INDmg/m3
29/08/2023 14:00	0.005220369	INDmg/m3
29/08/2023 15:00	0.004702703	INDmg/m3
29/08/2023 16:00	0.003755204	INDmg/m3
29/08/2023 17:00	0.003725342	INDmg/m3
29/08/2023 18:00	0.003750201	INDmg/m3
29/08/2023 19:00	0.003735637	INDmg/m3
29/08/2023 20:00	0.003738654	INDmg/m3
29/08/2023 21:00	0.003730975	INDmg/m3
29/08/2023 22:00	0.003758508	INDmg/m3
29/08/2023 23:00	0.00371491	INDmg/m3
30/08/2023 00:00	0.003783149	INDmg/m3
30/08/2023 01:00	0.00376133	INDmg/m3
30/08/2023 02:00	0.003700242	INDmg/m3
30/08/2023 03:00	0.003749281	INDmg/m3
30/08/2023 04:00	0.003822113	INDmg/m3
30/08/2023 05:00	0.003788737	INDmg/m3
30/08/2023 06:00	0.005336387	INDmg/m3
30/08/2023 07:00	0.003768416	INDmg/m3
30/08/2023 08:00	0.003716527	INDmg/m3
30/08/2023 09:00	0.003759564	INDmg/m3
30/08/2023 10:00	0.003715516	INDmg/m3
30/08/2023 11:00	0.003804718	INDmg/m3
30/08/2023 12:00	0.003854361	INDmg/m3

30/08/2023 13:00	0.003767358	INDmg/m3
30/08/2023 14:00	0.003721883	INDmg/m3
30/08/2023 15:00	0.00376108	INDmg/m3
30/08/2023 16:00	0.003866923	INDmg/m3
30/08/2023 17:00	0.003677166	INDmg/m3
30/08/2023 18:00	0.00378497	INDmg/m3
30/08/2023 19:00	0.003723287	INDmg/m3
30/08/2023 20:00	0.003661314	INDmg/m3
30/08/2023 21:00	0.003698726	INDmg/m3
30/08/2023 22:00	0.00371674	INDmg/m3
30/08/2023 23:00	0.003672514	INDmg/m3
31/08/2023 00:00	0.003733544	INDmg/m3
31/08/2023 01:00	0.003724711	INDmg/m3
31/08/2023 02:00	0.003682029	INDmg/m3
31/08/2023 03:00	0.003753829	INDmg/m3
31/08/2023 04:00	0.007736727	INDmg/m3
31/08/2023 05:00	0.080518462	INDmg/m3
31/08/2023 06:00	0.113127075	INDmg/m3
31/08/2023 07:00	0.132942349	INDmg/m3
31/08/2023 08:00	0.009820611	INDmg/m3
31/08/2023 09:00	0.004032149	INDmg/m3
31/08/2023 10:00	0.003884962	INDmg/m3
31/08/2023 11:00	0.003696222	INDmg/m3
31/08/2023 12:00	0.004371475	INDmg/m3
31/08/2023 13:00	0.004196743	INDmg/m3
31/08/2023 14:00	0.003857336	INDmg/m3
31/08/2023 15:00	0.003706131	INDmg/m3
31/08/2023 16:00	0.004059654	INDmg/m3
31/08/2023 17:00	0.004122783	INDmg/m3
31/08/2023 18:00	0.004657293	INDmg/m3
31/08/2023 19:00	0.0042804	INDmg/m3
31/08/2023 20:00	0.003764907	INDmg/m3
31/08/2023 21:00	0.003761582	INDmg/m3
31/08/2023 22:00	0.00380004	INDmg/m3
31/08/2023 23:00	0.003956101	INDmg/m3
01/09/2023 00:00	0.003828086	INDmg/m3
01/09/2023 01:00	0.004309928	INDmg/m3
01/09/2023 02:00	0.003917838	INDmg/m3
01/09/2023 03:00	0.00383365	INDmg/m3
01/09/2023 04:00	0.003830443	INDmg/m3
01/09/2023 05:00	0.003915986	INDmg/m3
01/09/2023 06:00	0.037307259	INDmg/m3
01/09/2023 07:00	0.004416735	INDmg/m3
01/09/2023 08:00	0.004150616	INDmg/m3
01/09/2023 09:00	0.004453228	INDmg/m3
01/09/2023 10:00	0.004073332	INDmg/m3
01/09/2023 11:00	0.003927108	INDmg/m3
01/09/2023 12:00	0.004001126	INDmg/m3
01/09/2023 13:00	0.003830209	INDmg/m3
01/09/2023 14:00	0.003814148	INDmg/m3
01/09/2023 15:00	0.00384219	INDmg/m3
01/09/2023 16:00	0.00386996	INDmg/m3
01/09/2023 17:00	0.003792965	INDmg/m3
01/09/2023 18:00	0.003760323	INDmg/m3
01/09/2023 19:00	0.003821001	INDmg/m3
01/09/2023 20:00	0.003808763	INDmg/m3

01/09/2023 21:00	0.003776504	INDmg/m3
01/09/2023 22:00	0.003725992	INDmg/m3
01/09/2023 23:00	0.003740417	INDmg/m3
02/09/2023 00:00	0.003761027	INDmg/m3
02/09/2023 01:00	0.003768109	INDmg/m3
02/09/2023 02:00	0.003863475	INDmg/m3
02/09/2023 03:00	0.003811429	INDmg/m3
02/09/2023 04:00	0.00376919	INDmg/m3
02/09/2023 05:00	0.003773449	INDmg/m3
02/09/2023 06:00	0.003823031	INDmg/m3
02/09/2023 07:00	0.003827217	INDmg/m3
02/09/2023 08:00	0.003783999	INDmg/m3
02/09/2023 09:00	0.003824548	INDmg/m3
02/09/2023 10:00	0.003926757	INDmg/m3
02/09/2023 11:00	0.004163619	INDmg/m3
02/09/2023 12:00	0.003936081	INDmg/m3
02/09/2023 13:00	0.003832386	INDmg/m3
02/09/2023 14:00	0.003706455	INDmg/m3
02/09/2023 15:00	0.00380799	INDmg/m3
02/09/2023 16:00	0.003784816	INDmg/m3
02/09/2023 17:00	0.00374359	INDmg/m3
02/09/2023 18:00	0.003736099	INDmg/m3
02/09/2023 19:00	0.003704206	INDmg/m3
02/09/2023 20:00	0.003708153	INDmg/m3
02/09/2023 21:00	0.003704974	INDmg/m3
02/09/2023 22:00	0.003720983	INDmg/m3
02/09/2023 23:00	0.003719221	INDmg/m3
03/09/2023 00:00	0.00373858	INDmg/m3
03/09/2023 01:00	0.003713863	INDmg/m3
03/09/2023 02:00	0.003725421	INDmg/m3
03/09/2023 03:00	0.0037798	INDmg/m3
03/09/2023 04:00	0.003757302	INDmg/m3
03/09/2023 05:00	0.003717446	INDmg/m3
03/09/2023 06:00	0.003733903	INDmg/m3
03/09/2023 07:00	0.003725572	INDmg/m3
03/09/2023 08:00	0.004324866	INDmg/m3
03/09/2023 09:00	0.004035193	INDmg/m3
03/09/2023 10:00	0.003808162	INDmg/m3
03/09/2023 11:00	0.003924712	INDmg/m3
03/09/2023 12:00	0.003930079	INDmg/m3
03/09/2023 13:00	0.003797679	INDmg/m3
03/09/2023 14:00	0.003767879	INDmg/m3
03/09/2023 15:00	0.003823213	INDmg/m3
03/09/2023 16:00	0.00392286	INDmg/m3
03/09/2023 17:00	0.003822176	INDmg/m3
03/09/2023 18:00	0.003819888	INDmg/m3
03/09/2023 19:00	0.003716209	INDmg/m3
03/09/2023 20:00	0.003663643	INDmg/m3
03/09/2023 21:00	0.003739479	INDmg/m3
03/09/2023 22:00	0.003685338	INDmg/m3
03/09/2023 23:00	0.003714667	INDmg/m3
04/09/2023 00:00	0.003707098	INDmg/m3
04/09/2023 01:00	0.003722322	INDmg/m3
04/09/2023 02:00	0.003746742	INDmg/m3
04/09/2023 03:00	0.003666749	INDmg/m3
04/09/2023 04:00	0.003727545	INDmg/m3

04/09/2023 05:00	0.003749982	INDmg/m3
04/09/2023 06:00	0.003719624	INDmg/m3
04/09/2023 07:00	1.966323614	INDmg/m3
04/09/2023 08:00	1.95034194	INDmg/m3
04/09/2023 09:00	2.616736889	INDmg/m3
04/09/2023 10:00	2.801253319	INDmg/m3
04/09/2023 11:00	1.900578856	INDmg/m3
04/09/2023 12:00	1.654556036	INDmg/m3
04/09/2023 13:00	2.441306591	INDmg/m3
04/09/2023 14:00	0.22430189	INDmg/m3
04/09/2023 15:00	1.740025759	INDmg/m3
04/09/2023 16:00	2.309087753	INDmg/m3
04/09/2023 17:00	0.004724107	INDmg/m3
04/09/2023 18:00	0.003751187	INDmg/m3
04/09/2023 19:00	0.003659979	INDmg/m3
04/09/2023 20:00	0.003722114	INDmg/m3
04/09/2023 21:00	0.003706862	INDmg/m3
04/09/2023 22:00	0.00374422	INDmg/m3
04/09/2023 23:00	0.003679224	INDmg/m3
05/09/2023 00:00	0.00370863	INDmg/m3
05/09/2023 01:00	0.003650229	INDmg/m3
05/09/2023 02:00	0.003681767	INDmg/m3
05/09/2023 03:00	0.003664576	INDmg/m3
05/09/2023 04:00	0.003649172	INDmg/m3
05/09/2023 05:00	0.003671252	INDmg/m3
05/09/2023 06:00	0.103302471	INDmg/m3
05/09/2023 07:00	1.109401584	INDmg/m3
05/09/2023 08:00	1.649936438	INDmg/m3
05/09/2023 09:00	1.812860608	INDmg/m3
05/09/2023 10:00	1.701648355	INDmg/m3
05/09/2023 11:00	1.209239483	INDmg/m3
05/09/2023 12:00	0.994020641	INDmg/m3
05/09/2023 13:00	0.746484935	INDmg/m3
05/09/2023 14:00	1.038336873	INDmg/m3
05/09/2023 15:00	0.921742618	INDmg/m3
05/09/2023 16:00	0.594587505	INDmg/m3
05/09/2023 17:00	0.004027621	INDmg/m3
05/09/2023 18:00	0.004004794	INDmg/m3
05/09/2023 19:00	0.00365566	INDmg/m3
05/09/2023 20:00	0.003715073	INDmg/m3
05/09/2023 21:00	0.003925623	INDmg/m3
05/09/2023 22:00	0.003662041	INDmg/m3
05/09/2023 23:00	0.003686265	INDmg/m3
06/09/2023 00:00	0.003729761	INDmg/m3
06/09/2023 01:00	0.003725495	INDmg/m3
06/09/2023 02:00	0.003687499	INDmg/m3
06/09/2023 03:00	0.003706301	INDmg/m3
06/09/2023 04:00	0.003626387	INDmg/m3
06/09/2023 05:00	0.003743372	INDmg/m3
06/09/2023 06:00	0.225165009	INDmg/m3
06/09/2023 07:00	1.019169211	INDmg/m3
06/09/2023 08:00	1.325043321	INDmg/m3
06/09/2023 09:00	1.803919196	INDmg/m3
06/09/2023 10:00	1.92399478	INDmg/m3
06/09/2023 11:00	1.33011055	INDmg/m3
06/09/2023 12:00	1.265508652	INDmg/m3

06/09/2023 13:00	1.421630263	INDmg/m3
06/09/2023 14:00	1.319667101	INDmg/m3
06/09/2023 15:00	0.780199826	INDmg/m3
06/09/2023 16:00	1.248982906	INDmg/m3
06/09/2023 17:00	0.004385354	INDmg/m3
06/09/2023 18:00	0.003977721	INDmg/m3
06/09/2023 19:00	0.003679224	INDmg/m3
06/09/2023 20:00	0.003678585	INDmg/m3
06/09/2023 21:00	0.003665427	INDmg/m3
06/09/2023 22:00	0.003662326	INDmg/m3
06/09/2023 23:00	0.003678484	INDmg/m3
07/09/2023 00:00	0.00374203	INDmg/m3
07/09/2023 01:00	0.003673316	INDmg/m3
07/09/2023 02:00	0.003708887	INDmg/m3
07/09/2023 03:00	0.003739547	INDmg/m3
07/09/2023 04:00	0.003671818	INDmg/m3
07/09/2023 05:00	0.003694015	INDmg/m3
07/09/2023 06:00	0.10727305	INDmg/m3
07/09/2023 07:00	1.272594929	INDmg/m3
07/09/2023 08:00	0.811737061	INDmg/m3
07/09/2023 09:00	1.041129708	INDmg/m3
07/09/2023 10:00	1.328860879	INDmg/m3
07/09/2023 11:00	1.814271927	INDmg/m3
07/09/2023 12:00	2.100428104	INDmg/m3
07/09/2023 13:00	2.095751047	INDmg/m3
07/09/2023 14:00	1.598586798	INDmg/m3
07/09/2023 15:00	1.996077776	INDmg/m3
07/09/2023 16:00	1.804694653	INDmg/m3
07/09/2023 17:00	0.003970163	INDmg/m3
07/09/2023 18:00	0.003814692	INDmg/m3
07/09/2023 19:00	0.003706135	INDmg/m3
07/09/2023 20:00	0.003758932	INDmg/m3
07/09/2023 21:00	0.003732945	INDmg/m3
07/09/2023 22:00	0.003673215	INDmg/m3
07/09/2023 23:00	0.003677264	INDmg/m3
08/09/2023 00:00	0.003677631	INDmg/m3
08/09/2023 01:00	0.003726182	INDmg/m3
08/09/2023 02:00	0.003647303	INDmg/m3
08/09/2023 03:00	0.003733923	INDmg/m3
08/09/2023 04:00	0.003694431	INDmg/m3
08/09/2023 05:00	0.003644491	INDmg/m3
08/09/2023 06:00	0.003746894	INDmg/m3
08/09/2023 07:00	0.003664865	INDmg/m3
08/09/2023 08:00	0.003749494	INDmg/m3
08/09/2023 09:00	0.003681295	INDmg/m3
08/09/2023 10:00	0.003666373	INDmg/m3
08/09/2023 11:00	0.00369494	INDmg/m3
08/09/2023 12:00	0.003685797	INDmg/m3
08/09/2023 13:00	0.003747807	INDmg/m3
08/09/2023 14:00	0.003813	INDmg/m3
08/09/2023 15:00	0.003756681	INDmg/m3
08/09/2023 16:00	0.00373484	INDmg/m3
08/09/2023 17:00	0.003662988	INDmg/m3
08/09/2023 18:00	0.003726874	INDmg/m3
08/09/2023 19:00	0.003699503	INDmg/m3
08/09/2023 20:00	0.003807162	INDmg/m3

08/09/2023 21:00	0.003802303	INDmg/m3
08/09/2023 22:00	0.003762173	INDmg/m3
08/09/2023 23:00	0.003677072	INDmg/m3
09/09/2023 00:00	0.003740816	INDmg/m3
09/09/2023 01:00	0.003732188	INDmg/m3
09/09/2023 02:00	0.003697386	INDmg/m3
09/09/2023 03:00	0.003769069	INDmg/m3
09/09/2023 04:00	0.003736958	INDmg/m3
09/09/2023 05:00	0.003843414	INDmg/m3
09/09/2023 06:00	0.003777332	INDmg/m3
09/09/2023 07:00	0.003851906	INDmg/m3
09/09/2023 08:00	0.003722773	INDmg/m3
09/09/2023 09:00	0.003836283	INDmg/m3
09/09/2023 10:00	0.00387863	INDmg/m3
09/09/2023 11:00	0.003728569	INDmg/m3
09/09/2023 12:00	0.003988983	INDmg/m3
09/09/2023 13:00	0.003799371	INDmg/m3
09/09/2023 14:00	0.003909716	INDmg/m3
09/09/2023 15:00	0.003836749	INDmg/m3
09/09/2023 16:00	0.003721556	INDmg/m3
09/09/2023 17:00	0.003730126	INDmg/m3
09/09/2023 18:00	0.003667213	INDmg/m3
09/09/2023 19:00	0.003656227	INDmg/m3
09/09/2023 20:00	0.003684391	INDmg/m3
09/09/2023 21:00	0.003735982	INDmg/m3
09/09/2023 22:00	0.003747304	INDmg/m3
09/09/2023 23:00	0.003738793	INDmg/m3
10/09/2023 00:00	0.003724288	INDmg/m3
10/09/2023 01:00	0.003754419	INDmg/m3
10/09/2023 02:00	0.003704414	INDmg/m3
10/09/2023 03:00	0.003714554	INDmg/m3
10/09/2023 04:00	0.00370744	INDmg/m3
10/09/2023 05:00	0.00866435	INDmg/m3
10/09/2023 06:00	0.003755346	INDmg/m3
10/09/2023 07:00	0.003701057	INDmg/m3
10/09/2023 08:00	0.003696777	INDmg/m3
10/09/2023 09:00	0.013690889	INDmg/m3
10/09/2023 10:00	0.006518904	INDmg/m3
10/09/2023 11:00	0.004857008	INDmg/m3
10/09/2023 12:00	0.446323067	INDmg/m3
10/09/2023 13:00	0.007238229	INDmg/m3
10/09/2023 14:00	0.003703174	INDmg/m3
10/09/2023 15:00	0.003768177	INDmg/m3
10/09/2023 16:00	0.003771475	INDmg/m3
10/09/2023 17:00	0.003741956	INDmg/m3
10/09/2023 18:00	0.036299344	INDmg/m3
10/09/2023 19:00	0.003758301	INDmg/m3
10/09/2023 20:00	0.003757456	INDmg/m3
10/09/2023 21:00	0.003776983	INDmg/m3
10/09/2023 22:00	0.003765906	INDmg/m3
10/09/2023 23:00	0.00372127	INDmg/m3
11/09/2023 00:00	0.003719985	INDmg/m3
11/09/2023 01:00	0.003716162	INDmg/m3
11/09/2023 02:00	0.003736414	INDmg/m3
11/09/2023 03:00	0.003734634	INDmg/m3
11/09/2023 04:00	0.00373613	INDmg/m3

11/09/2023 05:00	0.003846339	INDmg/m3
11/09/2023 06:00	0.569927871	INDmg/m3
11/09/2023 07:00	2.554380655	INDmg/m3
11/09/2023 08:00	1.868045568	INDmg/m3
11/09/2023 09:00	1.224204779	INDmg/m3
11/09/2023 10:00	1.505436659	INDmg/m3
11/09/2023 11:00	1.287798285	INDmg/m3
11/09/2023 12:00	1.44980824	INDmg/m3
11/09/2023 13:00	1.842354417	INDmg/m3
11/09/2023 14:00	2.503011703	INDmg/m3
11/09/2023 15:00	1.833125949	INDmg/m3
11/09/2023 16:00	2.053248644	INDmg/m3
11/09/2023 17:00	0.850272238	INDmg/m3
11/09/2023 18:00	0.017543588	INDmg/m3
11/09/2023 19:00	0.004076347	INDmg/m3
11/09/2023 20:00	0.003747035	INDmg/m3
11/09/2023 21:00	0.003698684	INDmg/m3
11/09/2023 22:00	0.003707804	INDmg/m3
11/09/2023 23:00	0.003803988	INDmg/m3
12/09/2023 00:00	0.003733661	INDmg/m3
12/09/2023 01:00	0.003719779	INDmg/m3
12/09/2023 02:00	0.004088657	INDmg/m3
12/09/2023 03:00	0.015245908	INDmg/m3
12/09/2023 04:00	0.053612333	INDmg/m3
12/09/2023 05:00	0.103258878	INDmg/m3
12/09/2023 06:00	0.344518036	INDmg/m3
12/09/2023 07:00	1.457582712	INDmg/m3
12/09/2023 08:00	1.608893156	INDmg/m3
12/09/2023 09:00	2.102872372	INDmg/m3
12/09/2023 10:00	2.644711971	INDmg/m3
12/09/2023 11:00	2.123632193	INDmg/m3
12/09/2023 12:00	1.387168288	INDmg/m3
12/09/2023 13:00	1.669052482	INDmg/m3
12/09/2023 14:00	2.67362237	INDmg/m3
12/09/2023 15:00	1.882736206	INDmg/m3
12/09/2023 16:00	1.756051183	INDmg/m3
12/09/2023 17:00	1.114138722	INDmg/m3
12/09/2023 18:00	0.009311637	INDmg/m3
12/09/2023 19:00	0.006801222	INDmg/m3
12/09/2023 20:00	0.003682331	INDmg/m3
12/09/2023 21:00	0.003644611	INDmg/m3
12/09/2023 22:00	0.003692293	INDmg/m3
12/09/2023 23:00	0.00371681	INDmg/m3
13/09/2023 00:00	0.003654151	INDmg/m3
13/09/2023 01:00	0.003691753	INDmg/m3
13/09/2023 02:00	0.003698231	INDmg/m3
13/09/2023 03:00	0.003644889	INDmg/m3
13/09/2023 04:00	0.003665149	INDmg/m3
13/09/2023 05:00	0.00364185	INDmg/m3
13/09/2023 06:00	0.343038589	INDmg/m3
13/09/2023 07:00	1.605671644	INDmg/m3
13/09/2023 08:00	1.713407397	INDmg/m3
13/09/2023 09:00	2.256742239	INDmg/m3
13/09/2023 10:00	2.222685575	INDmg/m3
13/09/2023 11:00	1.868849635	INDmg/m3
13/09/2023 12:00	1.387835503	INDmg/m3

13/09/2023 13:00	1.528981566	INDmg/m3
13/09/2023 14:00	2.2216537	INDmg/m3
13/09/2023 15:00	1.936363339	INDmg/m3
13/09/2023 16:00	1.466034055	INDmg/m3
13/09/2023 17:00	1.13126564	INDmg/m3
13/09/2023 18:00	0.010290447	INDmg/m3
13/09/2023 19:00	0.008880964	INDmg/m3
13/09/2023 20:00	0.007858371	INDmg/m3
13/09/2023 21:00	0.004096691	INDmg/m3
13/09/2023 22:00	0.003720756	INDmg/m3
13/09/2023 23:00	0.003664497	INDmg/m3
14/09/2023 00:00	0.003629421	INDmg/m3
14/09/2023 01:00	0.003639624	INDmg/m3
14/09/2023 02:00	0.003629203	INDmg/m3
14/09/2023 03:00	0.003646004	INDmg/m3
14/09/2023 04:00	0.0036454	INDmg/m3
14/09/2023 05:00	0.003644202	INDmg/m3
14/09/2023 06:00	0.003705455	INDmg/m3
14/09/2023 07:00	0.003839338	INDmg/m3
14/09/2023 08:00	0.00368151	INDmg/m3
14/09/2023 09:00	0.00506445	INDmg/m3
14/09/2023 10:00	0.003826989	INDmg/m3
14/09/2023 11:00	0.003947625	INDmg/m3
14/09/2023 12:00	0.003951228	INDmg/m3
14/09/2023 13:00	0.003808036	INDmg/m3
14/09/2023 14:00	0.00392248	INDmg/m3
14/09/2023 15:00	0.003708318	INDmg/m3
14/09/2023 16:00	0.010779131	INDmg/m3
14/09/2023 17:00	0.00789531	INDmg/m3
14/09/2023 18:00	0.00388954	INDmg/m3
14/09/2023 19:00	0.003701677	INDmg/m3
14/09/2023 20:00	0.003795705	INDmg/m3
14/09/2023 21:00	0.00376252	INDmg/m3
14/09/2023 22:00	0.003743221	INDmg/m3
14/09/2023 23:00	0.003769631	INDmg/m3
15/09/2023 00:00	0.003719145	INDmg/m3
15/09/2023 01:00	0.003728122	INDmg/m3
15/09/2023 02:00	0.003770664	INDmg/m3
15/09/2023 03:00	0.003862123	INDmg/m3
15/09/2023 04:00	0.003708884	INDmg/m3
15/09/2023 05:00	0.003739084	INDmg/m3
15/09/2023 06:00	0.003747477	INDmg/m3
15/09/2023 07:00	0.00371463	INDmg/m3
15/09/2023 08:00	0.003701314	INDmg/m3
15/09/2023 09:00	0.003758602	INDmg/m3
15/09/2023 10:00	0.003706711	INDmg/m3
15/09/2023 11:00	0.003727562	INDmg/m3
15/09/2023 12:00	0.003777321	INDmg/m3
15/09/2023 13:00	0.003672972	INDmg/m3
15/09/2023 14:00	0.003721656	INDmg/m3
15/09/2023 15:00	0.003674036	INDmg/m3
15/09/2023 16:00	0.003691575	INDmg/m3
15/09/2023 17:00	0.003675809	INDmg/m3
15/09/2023 18:00	0.003701508	INDmg/m3
15/09/2023 19:00	0.003676879	INDmg/m3
15/09/2023 20:00	0.003708148	INDmg/m3

15/09/2023 21:00	0.003697714	INDmg/m3
15/09/2023 22:00	0.003662042	INDmg/m3
15/09/2023 23:00	0.003658605	INDmg/m3
16/09/2023 00:00	0.003694816	INDmg/m3
16/09/2023 01:00	0.003627014	INDmg/m3
16/09/2023 02:00	0.00368149	INDmg/m3
16/09/2023 03:00	0.003687514	INDmg/m3
16/09/2023 04:00	0.003649476	INDmg/m3
16/09/2023 05:00	0.003681095	INDmg/m3
16/09/2023 06:00	0.004887192	INDmg/m3
16/09/2023 07:00	0.016232755	INDmg/m3
16/09/2023 08:00	0.046611376	INDmg/m3
16/09/2023 09:00	0.008321113	INDmg/m3
16/09/2023 10:00	0.004140763	INDmg/m3
16/09/2023 11:00	0.00502637	INDmg/m3
16/09/2023 12:00	0.003868579	INDmg/m3
16/09/2023 13:00	0.003662535	INDmg/m3
16/09/2023 14:00	0.004584705	INDmg/m3
16/09/2023 15:00	0.020060124	INDmg/m3
16/09/2023 16:00	0.01031656	INDmg/m3
16/09/2023 17:00	0.003996453	INDmg/m3
16/09/2023 18:00	0.004284373	INDmg/m3
16/09/2023 19:00	0.015194258	INDmg/m3
16/09/2023 20:00	0.057243936	INDmg/m3
16/09/2023 21:00	0.014104504	INDmg/m3
16/09/2023 22:00	0.073158816	INDmg/m3
16/09/2023 23:00	0.032371022	INDmg/m3
17/09/2023 00:00	0.00525147	INDmg/m3
17/09/2023 01:00	0.073136918	INDmg/m3
17/09/2023 02:00	0.006094326	INDmg/m3
17/09/2023 03:00	0.004559994	INDmg/m3
17/09/2023 04:00	0.064142339	INDmg/m3
17/09/2023 05:00	0.08243385	INDmg/m3
17/09/2023 06:00	0.003911143	INDmg/m3
17/09/2023 07:00	0.317479581	INDmg/m3
17/09/2023 08:00	0.137166694	INDmg/m3
17/09/2023 09:00	0.003736346	INDmg/m3
17/09/2023 10:00	0.230681166	INDmg/m3
17/09/2023 11:00	1.146868467	INDmg/m3
17/09/2023 12:00	1.587618589	INDmg/m3
17/09/2023 13:00	0.651904941	INDmg/m3
17/09/2023 14:00	0.380828768	INDmg/m3
17/09/2023 15:00	0.394358337	INDmg/m3
17/09/2023 16:00	0.004185114	INDmg/m3
17/09/2023 17:00	0.00443485	INDmg/m3
17/09/2023 18:00	0.003865956	INDmg/m3
17/09/2023 19:00	0.003881022	INDmg/m3
17/09/2023 20:00	0.005049051	INDmg/m3
17/09/2023 21:00	0.024889454	INDmg/m3
17/09/2023 22:00	0.003976494	INDmg/m3
17/09/2023 23:00	0.003957793	INDmg/m3
18/09/2023 00:00	0.003923569	INDmg/m3
18/09/2023 01:00	0.003998801	INDmg/m3
18/09/2023 02:00	0.003939539	INDmg/m3
18/09/2023 03:00	0.003937348	INDmg/m3
18/09/2023 04:00	0.003917123	INDmg/m3

18/09/2023 05:00	0.003938667	INDmg/m3
18/09/2023 06:00	0.343116283	INDmg/m3
18/09/2023 07:00	2.043211699	INDmg/m3
18/09/2023 08:00	1.785697579	INDmg/m3
18/09/2023 09:00	1.519442081	INDmg/m3
18/09/2023 10:00	1.70813036	INDmg/m3
18/09/2023 11:00	1.059727788	INDmg/m3
18/09/2023 12:00	1.348593235	INDmg/m3
18/09/2023 13:00	1.233323455	INDmg/m3
18/09/2023 14:00	1.532390356	INDmg/m3
18/09/2023 15:00	1.267389297	INDmg/m3
18/09/2023 16:00	1.228113294	INDmg/m3
18/09/2023 17:00	0.913048804	INDmg/m3
18/09/2023 18:00	0.037197065	INDmg/m3
18/09/2023 19:00	0.030941723	INDmg/m3
18/09/2023 20:00	0.004313173	INDmg/m3
18/09/2023 21:00	0.003757357	INDmg/m3
18/09/2023 22:00	0.003736202	INDmg/m3
18/09/2023 23:00	0.003741983	INDmg/m3
19/09/2023 00:00	0.003779987	INDmg/m3
19/09/2023 01:00	0.00388114	INDmg/m3
19/09/2023 02:00	0.003720951	INDmg/m3
19/09/2023 03:00	0.003749231	INDmg/m3
19/09/2023 04:00	0.003750336	INDmg/m3
19/09/2023 05:00	0.003751652	INDmg/m3
19/09/2023 06:00	0.010132865	INDmg/m3
19/09/2023 07:00	0.006715065	INDmg/m3
19/09/2023 08:00	0.010807639	INDmg/m3
19/09/2023 09:00	0.01139818	INDmg/m3
19/09/2023 10:00	0.01313719	INDmg/m3
19/09/2023 11:00	0.013578231	INDmg/m3
19/09/2023 12:00	0.003934762	INDmg/m3
19/09/2023 13:00	0.003867009	INDmg/m3
19/09/2023 14:00	0.004428444	INDmg/m3
19/09/2023 15:00	0.004084009	INDmg/m3
19/09/2023 16:00	0.003847231	INDmg/m3
19/09/2023 17:00	0.003854857	INDmg/m3
19/09/2023 18:00	0.004013763	INDmg/m3
19/09/2023 19:00	0.003999979	INDmg/m3
19/09/2023 20:00	0.00395252	INDmg/m3
19/09/2023 21:00	0.003910078	INDmg/m3
19/09/2023 22:00	0.004284564	INDmg/m3
19/09/2023 23:00	0.004499277	INDmg/m3
20/09/2023 00:00	0.003897021	INDmg/m3
20/09/2023 01:00	0.005314375	INDmg/m3
20/09/2023 02:00	0.004254384	INDmg/m3
20/09/2023 03:00	0.003909034	INDmg/m3
20/09/2023 04:00	0.008590586	INDmg/m3
20/09/2023 05:00	0.004371688	INDmg/m3
20/09/2023 06:00	0.374640495	INDmg/m3
20/09/2023 07:00	0.770165384	INDmg/m3
20/09/2023 08:00	1.364364624	INDmg/m3
20/09/2023 09:00	1.472617149	INDmg/m3
20/09/2023 10:00	1.486649156	INDmg/m3
20/09/2023 11:00	0.928420365	INDmg/m3
20/09/2023 12:00	1.117585897	INDmg/m3

20/09/2023 13:00	1.737931848	INDmg/m3
20/09/2023 14:00	1.706773043	INDmg/m3
20/09/2023 15:00	1.213555336	INDmg/m3
20/09/2023 16:00	1.370504141	INDmg/m3
20/09/2023 17:00	0.118317701	INDmg/m3
20/09/2023 18:00	0.004663055	INDmg/m3
20/09/2023 19:00	0.003884568	INDmg/m3
20/09/2023 20:00	0.003847913	INDmg/m3
20/09/2023 21:00	0.003801453	INDmg/m3
20/09/2023 22:00	0.003783991	INDmg/m3
20/09/2023 23:00	0.003788659	INDmg/m3
21/09/2023 00:00	0.033849526	INDmg/m3
21/09/2023 01:00	0.003966206	INDmg/m3
21/09/2023 02:00	0.003824261	INDmg/m3
21/09/2023 03:00	0.013485898	INDmg/m3
21/09/2023 04:00	0.004335992	INDmg/m3
21/09/2023 05:00	0.032534074	INDmg/m3
21/09/2023 06:00	0.124753825	INDmg/m3
21/09/2023 07:00	0.744980514	INDmg/m3
21/09/2023 08:00	1.306374669	INDmg/m3
21/09/2023 09:00	1.622223616	INDmg/m3
21/09/2023 10:00	1.837306738	INDmg/m3
21/09/2023 11:00	1.54595089	INDmg/m3
21/09/2023 12:00	1.674114823	INDmg/m3
21/09/2023 13:00	1.833861709	INDmg/m3
21/09/2023 14:00	1.21608305	INDmg/m3
21/09/2023 15:00	0.350239515	INDmg/m3
21/09/2023 16:00	0.706284165	INDmg/m3
21/09/2023 17:00	0.003830411	INDmg/m3
21/09/2023 18:00	0.003806579	INDmg/m3
21/09/2023 19:00	0.003835914	INDmg/m3
21/09/2023 20:00	0.003738859	INDmg/m3
21/09/2023 21:00	0.003746959	INDmg/m3
21/09/2023 22:00	0.003759	INDmg/m3
21/09/2023 23:00	0.003728798	INDmg/m3
22/09/2023 00:00	0.003779301	INDmg/m3
22/09/2023 01:00	0.003730844	INDmg/m3
22/09/2023 02:00	0.003755396	INDmg/m3
22/09/2023 03:00	0.003756526	INDmg/m3
22/09/2023 04:00	0.003774976	INDmg/m3
22/09/2023 05:00	0.003809053	INDmg/m3
22/09/2023 06:00	0.003729129	INDmg/m3
22/09/2023 07:00	0.003747737	INDmg/m3
22/09/2023 08:00	0.003755609	INDmg/m3
22/09/2023 09:00	0.003805731	INDmg/m3
22/09/2023 10:00	0.003841121	INDmg/m3
22/09/2023 11:00	0.003840512	INDmg/m3
22/09/2023 12:00	0.003844039	INDmg/m3
22/09/2023 13:00	0.003882918	INDmg/m3
22/09/2023 14:00	0.710939825	INDmg/m3
22/09/2023 15:00	0.231132627	INDmg/m3
22/09/2023 16:00	0.069943979	INDmg/m3
22/09/2023 17:00	0.003724161	INDmg/m3
22/09/2023 18:00	0.036598783	INDmg/m3
22/09/2023 19:00	0.003675668	INDmg/m3
22/09/2023 20:00	0.003739348	INDmg/m3

22/09/2023 21:00	0.003688047	INDmg/m3
22/09/2023 22:00	0.003761319	INDmg/m3
22/09/2023 23:00	0.003731817	INDmg/m3
23/09/2023 00:00	0.00367172	INDmg/m3
23/09/2023 01:00	0.003731332	INDmg/m3
23/09/2023 02:00	0.003707111	INDmg/m3
23/09/2023 03:00	0.003696884	INDmg/m3
23/09/2023 04:00	0.003723759	INDmg/m3
23/09/2023 05:00	0.003741815	INDmg/m3
23/09/2023 06:00	0.003698235	INDmg/m3
23/09/2023 07:00	0.003712857	INDmg/m3
23/09/2023 08:00	0.003740845	INDmg/m3
23/09/2023 09:00	0.003800103	INDmg/m3
23/09/2023 10:00	0.003797121	INDmg/m3
23/09/2023 11:00	0.003767594	INDmg/m3
23/09/2023 12:00	0.003787598	INDmg/m3
23/09/2023 13:00	0.003729642	INDmg/m3
23/09/2023 14:00	0.003678389	INDmg/m3
23/09/2023 15:00	0.003754358	INDmg/m3
23/09/2023 16:00	0.003661304	INDmg/m3
23/09/2023 17:00	0.003729637	INDmg/m3
23/09/2023 18:00	0.003685244	INDmg/m3
23/09/2023 19:00	0.00366016	INDmg/m3
23/09/2023 20:00	0.003755694	INDmg/m3
23/09/2023 21:00	0.006361263	INDmg/m3
23/09/2023 22:00	0.035624821	INDmg/m3
23/09/2023 23:00	0.064083956	INDmg/m3
24/09/2023 00:00	0.2105432	INDmg/m3
24/09/2023 01:00	0.004942118	INDmg/m3
24/09/2023 02:00	0.003919688	INDmg/m3
24/09/2023 03:00	0.004350693	INDmg/m3
24/09/2023 04:00	0.003747459	INDmg/m3
24/09/2023 05:00	0.003735984	INDmg/m3
24/09/2023 06:00	0.005293063	INDmg/m3
24/09/2023 07:00	0.004027036	INDmg/m3
24/09/2023 08:00	0.003831348	INDmg/m3
24/09/2023 09:00	0.004125547	INDmg/m3
24/09/2023 10:00	0.003804049	INDmg/m3
24/09/2023 11:00	0.003928102	INDmg/m3
24/09/2023 12:00	0.003860827	INDmg/m3
24/09/2023 13:00	0.003878301	INDmg/m3
24/09/2023 14:00	0.003879882	INDmg/m3
24/09/2023 15:00	0.003873761	INDmg/m3
24/09/2023 16:00	0.003870022	INDmg/m3
24/09/2023 17:00	0.003877246	INDmg/m3
24/09/2023 18:00	0.00386136	INDmg/m3
24/09/2023 19:00	0.128761798	INDmg/m3
24/09/2023 20:00	0.004714652	INDmg/m3
24/09/2023 21:00	0.004019142	INDmg/m3
24/09/2023 22:00	0.006147565	INDmg/m3
24/09/2023 23:00	0.003858419	INDmg/m3
25/09/2023 00:00	0.00386861	INDmg/m3
25/09/2023 01:00	0.003893233	INDmg/m3
25/09/2023 02:00	0.003845256	INDmg/m3
25/09/2023 03:00	0.003893956	INDmg/m3
25/09/2023 04:00	0.003883865	INDmg/m3

25/09/2023 05:00	0.003876926	INDmg/m3
25/09/2023 06:00	0.003897545	INDmg/m3
25/09/2023 07:00	0.003904812	INDmg/m3
25/09/2023 08:00	0.003893264	INDmg/m3
25/09/2023 09:00	0.003877768	INDmg/m3
25/09/2023 10:00	0.003854683	INDmg/m3
25/09/2023 11:00	0.003912714	INDmg/m3
25/09/2023 12:00	0.003867284	INDmg/m3
25/09/2023 13:00	0.003873835	INDmg/m3
25/09/2023 14:00	0.003853629	INDmg/m3
25/09/2023 15:00	0.003955762	INDmg/m3
25/09/2023 16:00	0.00383591	INDmg/m3
25/09/2023 17:00	0.003799421	INDmg/m3
25/09/2023 18:00	0.003819267	INDmg/m3
25/09/2023 19:00	0.003833463	INDmg/m3
25/09/2023 20:00	0.045406114	INDmg/m3
25/09/2023 21:00	0.00399211	INDmg/m3
25/09/2023 22:00	0.00383013	INDmg/m3
25/09/2023 23:00	0.003821451	INDmg/m3
26/09/2023 00:00	0.003793225	INDmg/m3
26/09/2023 01:00	0.003795374	INDmg/m3
26/09/2023 02:00	0.003792027	INDmg/m3
26/09/2023 03:00	0.003801232	INDmg/m3
26/09/2023 04:00	0.003816969	INDmg/m3
26/09/2023 05:00	0.003810469	INDmg/m3
26/09/2023 06:00	0.003909112	INDmg/m3
26/09/2023 07:00	0.003813795	INDmg/m3
26/09/2023 08:00	0.003835714	INDmg/m3
26/09/2023 09:00	0.003864703	INDmg/m3
26/09/2023 10:00	0.004857423	INDmg/m3
26/09/2023 11:00	0.005362972	INDmg/m3
26/09/2023 12:00	0.004229757	INDmg/m3
26/09/2023 13:00	0.003933522	INDmg/m3
26/09/2023 14:00	0.003970149	INDmg/m3
26/09/2023 15:00	0.003900363	INDmg/m3
26/09/2023 16:00	0.003853755	INDmg/m3
26/09/2023 17:00	0.003848115	INDmg/m3
26/09/2023 18:00	0.003825948	INDmg/m3
26/09/2023 19:00	0.003843509	INDmg/m3
26/09/2023 20:00	0.003783406	INDmg/m3
26/09/2023 21:00	0.003833092	INDmg/m3
26/09/2023 22:00	0.003774844	INDmg/m3
26/09/2023 23:00	0.003852909	INDmg/m3
27/09/2023 00:00	0.003854319	INDmg/m3
27/09/2023 01:00	0.003882393	INDmg/m3
27/09/2023 02:00	0.003828487	INDmg/m3
27/09/2023 03:00	0.00381676	INDmg/m3
27/09/2023 04:00	0.003802579	INDmg/m3
27/09/2023 05:00	0.003825669	INDmg/m3
27/09/2023 06:00	0.003826421	INDmg/m3
27/09/2023 07:00	0.003823809	INDmg/m3
27/09/2023 08:00	0.003822524	INDmg/m3
27/09/2023 09:00	0.004110161	INDmg/m3
27/09/2023 10:00	0.003902186	INDmg/m3
27/09/2023 11:00	0.003817683	INDmg/m3
27/09/2023 12:00	0.003858508	INDmg/m3

27/09/2023 13:00	0.003971236	INDmg/m3
27/09/2023 14:00	0.003875066	INDmg/m3
27/09/2023 15:00	0.005105102	INDmg/m3
27/09/2023 16:00	0.431723058	INDmg/m3
27/09/2023 17:00	0.003948711	INDmg/m3
27/09/2023 18:00	0.003892699	INDmg/m3
27/09/2023 19:00	0.004085101	INDmg/m3
27/09/2023 20:00	0.014365328	INDmg/m3
27/09/2023 21:00	0.004015216	INDmg/m3
27/09/2023 22:00	0.00412077	INDmg/m3
27/09/2023 23:00	0.003956871	INDmg/m3
28/09/2023 00:00	0.003878306	INDmg/m3
28/09/2023 01:00	0.003886466	INDmg/m3
28/09/2023 02:00	0.004516476	INDmg/m3
28/09/2023 03:00	0.003863652	INDmg/m3
28/09/2023 04:00	0.003832897	INDmg/m3
28/09/2023 05:00	0.003838768	INDmg/m3
28/09/2023 06:00	0.003826474	INDmg/m3
28/09/2023 07:00	0.003826654	INDmg/m3
28/09/2023 08:00	0.003872349	INDmg/m3
28/09/2023 09:00	0.003831589	INDmg/m3
28/09/2023 10:00	0.003809225	INDmg/m3
28/09/2023 11:00	0.003841079	INDmg/m3
28/09/2023 12:00	0.003820176	INDmg/m3
28/09/2023 13:00	0.003848153	INDmg/m3
28/09/2023 14:00	0.003820425	INDmg/m3
28/09/2023 15:00	0.003862681	INDmg/m3
28/09/2023 16:00	0.00454443	INDmg/m3
28/09/2023 17:00	0.004014656	INDmg/m3
28/09/2023 18:00	0.003848811	INDmg/m3
28/09/2023 19:00	0.004178823	INDmg/m3
28/09/2023 20:00	0.09499149	INDmg/m3
28/09/2023 21:00	0.129594713	INDmg/m3
28/09/2023 22:00	0.004475357	INDmg/m3
28/09/2023 23:00	0.020573607	INDmg/m3
29/09/2023 00:00	0.006953612	INDmg/m3
29/09/2023 01:00	0.00731191	INDmg/m3
29/09/2023 02:00	0.003927277	INDmg/m3
29/09/2023 03:00	0.003894582	INDmg/m3
29/09/2023 04:00	0.003906445	INDmg/m3
29/09/2023 05:00	0.003926472	INDmg/m3
29/09/2023 06:00	0.003870339	INDmg/m3
29/09/2023 07:00	0.003820269	INDmg/m3
29/09/2023 08:00	0.004107565	INDmg/m3
29/09/2023 09:00	0.025594315	INDmg/m3
29/09/2023 10:00	0.033426903	INDmg/m3
29/09/2023 11:00	0.004089836	INDmg/m3
29/09/2023 12:00	0.004169001	INDmg/m3
29/09/2023 13:00	0.004140615	INDmg/m3
29/09/2023 14:00	0.003880801	INDmg/m3
29/09/2023 15:00	0.00392262	INDmg/m3
29/09/2023 16:00	0.00381661	INDmg/m3
29/09/2023 17:00	0.003815038	INDmg/m3
29/09/2023 18:00	0.003779202	INDmg/m3
29/09/2023 19:00	0.003756622	INDmg/m3
29/09/2023 20:00	0.003788508	INDmg/m3

29/09/2023 21:00	0.003769277	INDmg/m3
29/09/2023 22:00	0.003757251	INDmg/m3
29/09/2023 23:00	0.003762804	INDmg/m3
30/09/2023 00:00	0.003767231	INDmg/m3
30/09/2023 01:00	0.003773986	INDmg/m3
30/09/2023 02:00	0.004095768	INDmg/m3
30/09/2023 03:00	0.003815195	INDmg/m3
30/09/2023 04:00	0.003833427	INDmg/m3
30/09/2023 05:00	0.00379802	INDmg/m3
30/09/2023 06:00	0.003855847	INDmg/m3
30/09/2023 07:00	0.003867562	INDmg/m3
30/09/2023 08:00	0.004027856	INDmg/m3
30/09/2023 09:00	0.003855732	INDmg/m3
30/09/2023 10:00	0.003945719	INDmg/m3
30/09/2023 11:00	0.003848122	INDmg/m3
30/09/2023 12:00	0.003820838	INDmg/m3
30/09/2023 13:00	0.003806411	INDmg/m3
30/09/2023 14:00	0.003806019	INDmg/m3
30/09/2023 15:00	0.004373529	INDmg/m3
30/09/2023 16:00	0.003831495	INDmg/m3
30/09/2023 17:00	0.003842766	INDmg/m3
30/09/2023 18:00	0.003871933	INDmg/m3
30/09/2023 19:00	0.004193396	INDmg/m3
30/09/2023 20:00	0.003854078	INDmg/m3
30/09/2023 21:00	0.003832435	INDmg/m3
30/09/2023 22:00	0.003927922	INDmg/m3
30/09/2023 23:00	0.003898808	INDmg/m3
01/10/2023 00:00	0.00388178	INDmg/m3
01/10/2023 01:00	0.003877173	INDmg/m3

Quarter - Four

File Name

July to September 23