

Release to Air - Continuous Monitoring results

Operator: **Runtech Ltd.**
Location: **Tata Steel, Port Talbot Works, Port Talbot, SA13 3NG**

Authorisation/Variation Number: **EPR/AB3595FF**

Release Point: **AS 2 - Continuous Monitoring results**

Substance	Particulates
Emission averaging time	Hourly
Maximum emission limit	10 mg/m3 (as an hourly mean)
Maximum value obtained over the reporting period	7.39
Date of the maximum value (dd/mm/yy)	07/06/2023
Time of the maximum value	12:00
Mean hourly value obtained over the reporting period	0.22
Standard deviation of values over the reporting period	0.53
Percentage data capture of values over the reporting period	100.00%

Date and Time

Hourly Readings

01/10/2022 00:00	0.014050369	INDmg/m3
01/10/2022 01:00	0.014135653	INDmg/m3
01/10/2022 02:00	0.014292876	INDmg/m3
01/10/2022 03:00	0.014383076	INDmg/m3
01/10/2022 04:00	0.014120745	INDmg/m3
01/10/2022 05:00	0.013693041	INDmg/m3
01/10/2022 06:00	0.013662481	INDmg/m3
01/10/2022 07:00	0.013625529	INDmg/m3
01/10/2022 08:00	0.01339571	INDmg/m3
01/10/2022 09:00	0.013234828	INDmg/m3
01/10/2022 10:00	0.013291505	INDmg/m3
01/10/2022 11:00	0.013870158	INDmg/m3
01/10/2022 12:00	0.018539058	INDmg/m3
01/10/2022 13:00	0.013873725	INDmg/m3
01/10/2022 14:00	0.01378568	INDmg/m3
01/10/2022 15:00	0.013798147	INDmg/m3
01/10/2022 16:00	0.013723803	INDmg/m3
01/10/2022 17:00	0.013793434	INDmg/m3
01/10/2022 18:00	0.013921748	INDmg/m3
01/10/2022 19:00	0.013876583	INDmg/m3
01/10/2022 20:00	0.014043815	INDmg/m3
01/10/2022 21:00	0.013783702	INDmg/m3
01/10/2022 22:00	0.013741762	INDmg/m3
01/10/2022 23:00	0.013759596	INDmg/m3
02/10/2022 00:00	0.013724811	INDmg/m3
02/10/2022 01:00	0.013717107	INDmg/m3
02/10/2022 02:00	0.013651058	INDmg/m3
02/10/2022 03:00	0.013651988	INDmg/m3
02/10/2022 04:00	0.122074172	INDmg/m3
02/10/2022 05:00	0.103627995	INDmg/m3
02/10/2022 06:00	0.807662547	INDmg/m3
02/10/2022 07:00	0.014442869	INDmg/m3
02/10/2022 08:00	0.013654199	INDmg/m3
02/10/2022 09:00	0.013764801	INDmg/m3
02/10/2022 10:00	0.013368792	INDmg/m3
02/10/2022 11:00	0.013360536	INDmg/m3
02/10/2022 12:00	0.013775428	INDmg/m3
02/10/2022 13:00	0.013735085	INDmg/m3
02/10/2022 14:00	0.013817891	INDmg/m3
02/10/2022 15:00	0.013766794	INDmg/m3
02/10/2022 16:00	0.014118507	INDmg/m3
02/10/2022 17:00	0.013599405	INDmg/m3
02/10/2022 18:00	0.013571462	INDmg/m3
02/10/2022 19:00	0.013683876	INDmg/m3
02/10/2022 20:00	0.01357327	INDmg/m3
02/10/2022 21:00	0.013782419	INDmg/m3
02/10/2022 22:00	0.013604475	INDmg/m3
02/10/2022 23:00	0.013558721	INDmg/m3
03/10/2022 00:00	0.01348811	INDmg/m3
03/10/2022 01:00	0.013497279	INDmg/m3
03/10/2022 02:00	0.013482378	INDmg/m3
03/10/2022 03:00	0.013575166	INDmg/m3
03/10/2022 04:00	0.013557788	INDmg/m3
03/10/2022 05:00	0.013551179	INDmg/m3

03/10/2022 06:00	0.819928348	INDmg/m3
03/10/2022 07:00	1.676006079	INDmg/m3
03/10/2022 08:00	1.56437397	INDmg/m3
03/10/2022 09:00	1.769856095	INDmg/m3
03/10/2022 10:00	1.76058805	INDmg/m3
03/10/2022 11:00	1.453010082	INDmg/m3
03/10/2022 12:00	0.974756181	INDmg/m3
03/10/2022 13:00	1.284469128	INDmg/m3
03/10/2022 14:00	1.44331646	INDmg/m3
03/10/2022 15:00	1.023767352	INDmg/m3
03/10/2022 16:00	1.183293819	INDmg/m3
03/10/2022 17:00	0.468052894	INDmg/m3
03/10/2022 18:00	0.014723723	INDmg/m3
03/10/2022 19:00	0.01391439	INDmg/m3
03/10/2022 20:00	0.014249555	INDmg/m3
03/10/2022 21:00	0.014326896	INDmg/m3
03/10/2022 22:00	0.014150296	INDmg/m3
03/10/2022 23:00	0.01416544	INDmg/m3
04/10/2022 00:00	0.014157644	INDmg/m3
04/10/2022 01:00	0.014189299	INDmg/m3
04/10/2022 02:00	0.013998119	INDmg/m3
04/10/2022 03:00	0.013901353	INDmg/m3
04/10/2022 04:00	0.013957249	INDmg/m3
04/10/2022 05:00	0.013987159	INDmg/m3
04/10/2022 06:00	0.209232837	INDmg/m3
04/10/2022 07:00	0.927770913	INDmg/m3
04/10/2022 08:00	0.999423504	INDmg/m3
04/10/2022 09:00	1.278650045	INDmg/m3
04/10/2022 10:00	1.297077179	INDmg/m3
04/10/2022 11:00	1.136986613	INDmg/m3
04/10/2022 12:00	1.23894906	INDmg/m3
04/10/2022 13:00	1.325666547	INDmg/m3
04/10/2022 14:00	1.553035259	INDmg/m3
04/10/2022 15:00	0.99124074	INDmg/m3
04/10/2022 16:00	1.044660807	INDmg/m3
04/10/2022 17:00	0.509412587	INDmg/m3
04/10/2022 18:00	0.014026348	INDmg/m3
04/10/2022 19:00	0.015523292	INDmg/m3
04/10/2022 20:00	0.015204673	INDmg/m3
04/10/2022 21:00	0.014100364	INDmg/m3
04/10/2022 22:00	0.014094621	INDmg/m3
04/10/2022 23:00	0.014079047	INDmg/m3
05/10/2022 00:00	0.014840034	INDmg/m3
05/10/2022 01:00	0.01454573	INDmg/m3
05/10/2022 02:00	0.014261056	INDmg/m3
05/10/2022 03:00	0.015246581	INDmg/m3
05/10/2022 04:00	0.014277786	INDmg/m3
05/10/2022 05:00	0.0144985	INDmg/m3
05/10/2022 06:00	0.262590706	INDmg/m3
05/10/2022 07:00	0.903474748	INDmg/m3
05/10/2022 08:00	0.906726182	INDmg/m3
05/10/2022 09:00	0.96481359	INDmg/m3
05/10/2022 10:00	1.424782157	INDmg/m3
05/10/2022 11:00	0.963286102	INDmg/m3
05/10/2022 12:00	1.005749345	INDmg/m3
05/10/2022 13:00	1.495483279	INDmg/m3

05/10/2022 14:00	1.63564074	INDmg/m3
05/10/2022 15:00	1.331026196	INDmg/m3
05/10/2022 16:00	0.660349071	INDmg/m3
05/10/2022 17:00	0.014451019	INDmg/m3
05/10/2022 18:00	0.033655379	INDmg/m3
05/10/2022 19:00	0.019750394	INDmg/m3
05/10/2022 20:00	0.014371475	INDmg/m3
05/10/2022 21:00	0.014650729	INDmg/m3
05/10/2022 22:00	0.014388793	INDmg/m3
05/10/2022 23:00	0.014530631	INDmg/m3
06/10/2022 00:00	0.014430068	INDmg/m3
06/10/2022 01:00	0.014540886	INDmg/m3
06/10/2022 02:00	0.01442166	INDmg/m3
06/10/2022 03:00	0.014446309	INDmg/m3
06/10/2022 04:00	0.014421356	INDmg/m3
06/10/2022 05:00	0.014500499	INDmg/m3
06/10/2022 06:00	0.014595369	INDmg/m3
06/10/2022 07:00	0.014535433	INDmg/m3
06/10/2022 08:00	0.014516653	INDmg/m3
06/10/2022 09:00	0.014604888	INDmg/m3
06/10/2022 10:00	0.014698078	INDmg/m3
06/10/2022 11:00	0.014627115	INDmg/m3
06/10/2022 12:00	0.014783773	INDmg/m3
06/10/2022 13:00	0.015326672	INDmg/m3
06/10/2022 14:00	0.014783172	INDmg/m3
06/10/2022 15:00	0.014838727	INDmg/m3
06/10/2022 16:00	0.014708437	INDmg/m3
06/10/2022 17:00	0.014605089	INDmg/m3
06/10/2022 18:00	0.014636233	INDmg/m3
06/10/2022 19:00	0.015451598	INDmg/m3
06/10/2022 20:00	0.016237076	INDmg/m3
06/10/2022 21:00	0.014965154	INDmg/m3
06/10/2022 22:00	0.016091915	INDmg/m3
06/10/2022 23:00	0.015290575	INDmg/m3
07/10/2022 00:00	0.014479053	INDmg/m3
07/10/2022 01:00	0.014629547	INDmg/m3
07/10/2022 02:00	0.0152125	INDmg/m3
07/10/2022 03:00	0.014655462	INDmg/m3
07/10/2022 04:00	0.014721792	INDmg/m3
07/10/2022 05:00	0.014668856	INDmg/m3
07/10/2022 06:00	0.348921865	INDmg/m3
07/10/2022 07:00	1.105397582	INDmg/m3
07/10/2022 08:00	0.800079346	INDmg/m3
07/10/2022 09:00	0.838159025	INDmg/m3
07/10/2022 10:00	1.092994094	INDmg/m3
07/10/2022 11:00	1.061812401	INDmg/m3
07/10/2022 12:00	1.356828928	INDmg/m3
07/10/2022 13:00	1.061264515	INDmg/m3
07/10/2022 14:00	1.422600985	INDmg/m3
07/10/2022 15:00	0.760792553	INDmg/m3
07/10/2022 16:00	1.195508242	INDmg/m3
07/10/2022 17:00	0.512836456	INDmg/m3
07/10/2022 18:00	0.014675089	INDmg/m3
07/10/2022 19:00	0.013742157	INDmg/m3
07/10/2022 20:00	0.013698558	INDmg/m3
07/10/2022 21:00	0.013711403	INDmg/m3

07/10/2022 22:00	0.013821417	INDmg/m3
07/10/2022 23:00	0.013797571	INDmg/m3
08/10/2022 00:00	0.013841573	INDmg/m3
08/10/2022 01:00	0.013536496	INDmg/m3
08/10/2022 02:00	0.013535904	INDmg/m3
08/10/2022 03:00	0.013434856	INDmg/m3
08/10/2022 04:00	0.013554359	INDmg/m3
08/10/2022 05:00	0.013501892	INDmg/m3
08/10/2022 06:00	0.013558039	INDmg/m3
08/10/2022 07:00	0.013482996	INDmg/m3
08/10/2022 08:00	0.013541017	INDmg/m3
08/10/2022 09:00	0.013836132	INDmg/m3
08/10/2022 10:00	0.013885451	INDmg/m3
08/10/2022 11:00	0.013821727	INDmg/m3
08/10/2022 12:00	0.013975205	INDmg/m3
08/10/2022 13:00	0.013842084	INDmg/m3
08/10/2022 14:00	0.013837744	INDmg/m3
08/10/2022 15:00	0.013728676	INDmg/m3
08/10/2022 16:00	0.013652215	INDmg/m3
08/10/2022 17:00	0.013712816	INDmg/m3
08/10/2022 18:00	0.013572901	INDmg/m3
08/10/2022 19:00	0.013550569	INDmg/m3
08/10/2022 20:00	0.013463549	INDmg/m3
08/10/2022 21:00	0.013502385	INDmg/m3
08/10/2022 22:00	0.013615374	INDmg/m3
08/10/2022 23:00	0.01366371	INDmg/m3
09/10/2022 00:00	0.013636442	INDmg/m3
09/10/2022 01:00	0.013536105	INDmg/m3
09/10/2022 02:00	0.013687117	INDmg/m3
09/10/2022 03:00	0.013832331	INDmg/m3
09/10/2022 04:00	0.013771486	INDmg/m3
09/10/2022 05:00	0.01362256	INDmg/m3
09/10/2022 06:00	0.013530617	INDmg/m3
09/10/2022 07:00	0.013692739	INDmg/m3
09/10/2022 08:00	0.013542076	INDmg/m3
09/10/2022 09:00	0.013754778	INDmg/m3
09/10/2022 10:00	0.013685214	INDmg/m3
09/10/2022 11:00	0.013836543	INDmg/m3
09/10/2022 12:00	0.013849661	INDmg/m3
09/10/2022 13:00	0.013910756	INDmg/m3
09/10/2022 14:00	0.013988638	INDmg/m3
09/10/2022 15:00	0.013743444	INDmg/m3
09/10/2022 16:00	0.013809736	INDmg/m3
09/10/2022 17:00	0.013915048	INDmg/m3
09/10/2022 18:00	0.013956118	INDmg/m3
09/10/2022 19:00	0.014020679	INDmg/m3
09/10/2022 20:00	0.013809055	INDmg/m3
09/10/2022 21:00	0.030973447	INDmg/m3
09/10/2022 22:00	0.129201099	INDmg/m3
09/10/2022 23:00	0.053957321	INDmg/m3
10/10/2022 00:00	0.014007953	INDmg/m3
10/10/2022 01:00	0.142385587	INDmg/m3
10/10/2022 02:00	0.221359804	INDmg/m3
10/10/2022 03:00	0.016061943	INDmg/m3
10/10/2022 04:00	0.013771052	INDmg/m3
10/10/2022 05:00	0.01375885	INDmg/m3

10/10/2022 06:00	0.013636847	INDmg/m3
10/10/2022 07:00	0.013663228	INDmg/m3
10/10/2022 08:00	0.013441394	INDmg/m3
10/10/2022 09:00	0.013857067	INDmg/m3
10/10/2022 10:00	0.01383284	INDmg/m3
10/10/2022 11:00	0.013957495	INDmg/m3
10/10/2022 12:00	0.013967498	INDmg/m3
10/10/2022 13:00	0.013986281	INDmg/m3
10/10/2022 14:00	0.01392811	INDmg/m3
10/10/2022 15:00	0.013874491	INDmg/m3
10/10/2022 16:00	0.013787548	INDmg/m3
10/10/2022 17:00	0.013538676	INDmg/m3
10/10/2022 18:00	0.013480314	INDmg/m3
10/10/2022 19:00	0.014092591	INDmg/m3
10/10/2022 20:00	0.014295721	INDmg/m3
10/10/2022 21:00	0.01442978	INDmg/m3
10/10/2022 22:00	0.014346284	INDmg/m3
10/10/2022 23:00	0.014231305	INDmg/m3
11/10/2022 00:00	0.014234279	INDmg/m3
11/10/2022 01:00	0.014361407	INDmg/m3
11/10/2022 02:00	0.014174188	INDmg/m3
11/10/2022 03:00	0.014162189	INDmg/m3
11/10/2022 04:00	0.014178424	INDmg/m3
11/10/2022 05:00	0.014220162	INDmg/m3
11/10/2022 06:00	0.573797166	INDmg/m3
11/10/2022 07:00	1.269417882	INDmg/m3
11/10/2022 08:00	1.032089114	INDmg/m3
11/10/2022 09:00	1.326037526	INDmg/m3
11/10/2022 10:00	2.262488842	INDmg/m3
11/10/2022 11:00	1.519093037	INDmg/m3
11/10/2022 12:00	1.149626136	INDmg/m3
11/10/2022 13:00	1.461915612	INDmg/m3
11/10/2022 14:00	1.477914572	INDmg/m3
11/10/2022 15:00	1.002055526	INDmg/m3
11/10/2022 16:00	1.325459719	INDmg/m3
11/10/2022 17:00	0.189630628	INDmg/m3
11/10/2022 18:00	0.014323545	INDmg/m3
11/10/2022 19:00	0.01434209	INDmg/m3
11/10/2022 20:00	0.014494559	INDmg/m3
11/10/2022 21:00	0.014490899	INDmg/m3
11/10/2022 22:00	0.014679536	INDmg/m3
11/10/2022 23:00	0.014612266	INDmg/m3
12/10/2022 00:00	0.014642245	INDmg/m3
12/10/2022 01:00	0.014628612	INDmg/m3
12/10/2022 02:00	0.014855248	INDmg/m3
12/10/2022 03:00	0.014869642	INDmg/m3
12/10/2022 04:00	0.01497229	INDmg/m3
12/10/2022 05:00	0.014825319	INDmg/m3
12/10/2022 06:00	0.223310515	INDmg/m3
12/10/2022 07:00	0.860255659	INDmg/m3
12/10/2022 08:00	0.922382176	INDmg/m3
12/10/2022 09:00	1.169524908	INDmg/m3
12/10/2022 10:00	1.369194269	INDmg/m3
12/10/2022 11:00	1.095188856	INDmg/m3
12/10/2022 12:00	0.976180077	INDmg/m3
12/10/2022 13:00	1.347768664	INDmg/m3

12/10/2022 14:00	1.451702476	INDmg/m3
12/10/2022 15:00	0.952500284	INDmg/m3
12/10/2022 16:00	1.103161335	INDmg/m3
12/10/2022 17:00	0.244176954	INDmg/m3
12/10/2022 18:00	0.014950031	INDmg/m3
12/10/2022 19:00	0.014738939	INDmg/m3
12/10/2022 20:00	0.015055098	INDmg/m3
12/10/2022 21:00	0.015251102	INDmg/m3
12/10/2022 22:00	0.014663312	INDmg/m3
12/10/2022 23:00	0.025301339	INDmg/m3
13/10/2022 00:00	0.0147291	INDmg/m3
13/10/2022 01:00	0.014688814	INDmg/m3
13/10/2022 02:00	0.014540337	INDmg/m3
13/10/2022 03:00	0.014440805	INDmg/m3
13/10/2022 04:00	0.014612436	INDmg/m3
13/10/2022 05:00	0.014436441	INDmg/m3
13/10/2022 06:00	0.014457408	INDmg/m3
13/10/2022 07:00	0.014434852	INDmg/m3
13/10/2022 08:00	0.014532442	INDmg/m3
13/10/2022 09:00	0.014624091	INDmg/m3
13/10/2022 10:00	0.014888238	INDmg/m3
13/10/2022 11:00	0.014988876	INDmg/m3
13/10/2022 12:00	0.015117425	INDmg/m3
13/10/2022 13:00	0.015153332	INDmg/m3
13/10/2022 14:00	0.01508495	INDmg/m3
13/10/2022 15:00	0.014878216	INDmg/m3
13/10/2022 16:00	0.014857885	INDmg/m3
13/10/2022 17:00	0.014745989	INDmg/m3
13/10/2022 18:00	0.014584062	INDmg/m3
13/10/2022 19:00	0.014623227	INDmg/m3
13/10/2022 20:00	0.014826987	INDmg/m3
13/10/2022 21:00	0.01497171	INDmg/m3
13/10/2022 22:00	0.014925267	INDmg/m3
13/10/2022 23:00	0.014836496	INDmg/m3
14/10/2022 00:00	0.014681186	INDmg/m3
14/10/2022 01:00	0.014585078	INDmg/m3
14/10/2022 02:00	0.014653139	INDmg/m3
14/10/2022 03:00	0.015933292	INDmg/m3
14/10/2022 04:00	0.015818728	INDmg/m3
14/10/2022 05:00	0.01503062	INDmg/m3
14/10/2022 06:00	0.458755732	INDmg/m3
14/10/2022 07:00	0.921026528	INDmg/m3
14/10/2022 08:00	0.938745856	INDmg/m3
14/10/2022 09:00	1.067602277	INDmg/m3
14/10/2022 10:00	1.278886437	INDmg/m3
14/10/2022 11:00	0.828050911	INDmg/m3
14/10/2022 12:00	0.761145175	INDmg/m3
14/10/2022 13:00	0.754331112	INDmg/m3
14/10/2022 14:00	1.395883441	INDmg/m3
14/10/2022 15:00	0.915001631	INDmg/m3
14/10/2022 16:00	1.050819397	INDmg/m3
14/10/2022 17:00	0.788799524	INDmg/m3
14/10/2022 18:00	0.025688795	INDmg/m3
14/10/2022 19:00	0.044356711	INDmg/m3
14/10/2022 20:00	0.0163179	INDmg/m3
14/10/2022 21:00	0.018009685	INDmg/m3

14/10/2022 22:00	0.015119677	INDmg/m3
14/10/2022 23:00	0.027324	INDmg/m3
15/10/2022 00:00	0.105279244	INDmg/m3
15/10/2022 01:00	0.019498369	INDmg/m3
15/10/2022 02:00	0.021214146	INDmg/m3
15/10/2022 03:00	0.01518674	INDmg/m3
15/10/2022 04:00	0.015297219	INDmg/m3
15/10/2022 05:00	0.015370095	INDmg/m3
15/10/2022 06:00	0.021971526	INDmg/m3
15/10/2022 07:00	1.425315619	INDmg/m3
15/10/2022 08:00	0.015202693	INDmg/m3
15/10/2022 09:00	0.016535781	INDmg/m3
15/10/2022 10:00	0.015045963	INDmg/m3
15/10/2022 11:00	0.018132625	INDmg/m3
15/10/2022 12:00	0.015437899	INDmg/m3
15/10/2022 13:00	0.014694821	INDmg/m3
15/10/2022 14:00	0.040594988	INDmg/m3
15/10/2022 15:00	0.105756834	INDmg/m3
15/10/2022 16:00	0.015021901	INDmg/m3
15/10/2022 17:00	0.019551791	INDmg/m3
15/10/2022 18:00	0.01519315	INDmg/m3
15/10/2022 19:00	0.017180877	INDmg/m3
15/10/2022 20:00	0.015020206	INDmg/m3
15/10/2022 21:00	0.249529496	INDmg/m3
15/10/2022 22:00	0.051882084	INDmg/m3
15/10/2022 23:00	0.015015629	INDmg/m3
16/10/2022 00:00	0.170920089	INDmg/m3
16/10/2022 01:00	0.015229608	INDmg/m3
16/10/2022 02:00	0.014778452	INDmg/m3
16/10/2022 03:00	0.020381352	INDmg/m3
16/10/2022 04:00	0.014719516	INDmg/m3
16/10/2022 05:00	0.014602365	INDmg/m3
16/10/2022 06:00	0.014511144	INDmg/m3
16/10/2022 07:00	0.014485985	INDmg/m3
16/10/2022 08:00	0.014484041	INDmg/m3
16/10/2022 09:00	0.014625034	INDmg/m3
16/10/2022 10:00	0.014660831	INDmg/m3
16/10/2022 11:00	0.014847758	INDmg/m3
16/10/2022 12:00	0.01501737	INDmg/m3
16/10/2022 13:00	0.01490749	INDmg/m3
16/10/2022 14:00	0.014920698	INDmg/m3
16/10/2022 15:00	0.014902127	INDmg/m3
16/10/2022 16:00	0.014825739	INDmg/m3
16/10/2022 17:00	0.015671788	INDmg/m3
16/10/2022 18:00	0.014957828	INDmg/m3
16/10/2022 19:00	0.137365505	INDmg/m3
16/10/2022 20:00	0.021764919	INDmg/m3
16/10/2022 21:00	0.015085263	INDmg/m3
16/10/2022 22:00	0.015228915	INDmg/m3
16/10/2022 23:00	0.014970353	INDmg/m3
17/10/2022 00:00	0.015115444	INDmg/m3
17/10/2022 01:00	0.015162227	INDmg/m3
17/10/2022 02:00	0.053869091	INDmg/m3
17/10/2022 03:00	0.016886082	INDmg/m3
17/10/2022 04:00	0.015071508	INDmg/m3
17/10/2022 05:00	0.015634341	INDmg/m3

17/10/2022 06:00	0.015080846	INDmg/m3
17/10/2022 07:00	0.014939575	INDmg/m3
17/10/2022 08:00	0.014943019	INDmg/m3
17/10/2022 09:00	0.056607645	INDmg/m3
17/10/2022 10:00	0.014816058	INDmg/m3
17/10/2022 11:00	0.014950028	INDmg/m3
17/10/2022 12:00	0.015156294	INDmg/m3
17/10/2022 13:00	0.015018514	INDmg/m3
17/10/2022 14:00	0.014929263	INDmg/m3
17/10/2022 15:00	0.014949143	INDmg/m3
17/10/2022 16:00	0.015139328	INDmg/m3
17/10/2022 17:00	0.015009179	INDmg/m3
17/10/2022 18:00	0.014804169	INDmg/m3
17/10/2022 19:00	0.014792421	INDmg/m3
17/10/2022 20:00	0.014860948	INDmg/m3
17/10/2022 21:00	0.014717768	INDmg/m3
17/10/2022 22:00	0.014698523	INDmg/m3
17/10/2022 23:00	0.014680154	INDmg/m3
18/10/2022 00:00	0.014763756	INDmg/m3
18/10/2022 01:00	0.014761853	INDmg/m3
18/10/2022 02:00	0.014806519	INDmg/m3
18/10/2022 03:00	0.014963294	INDmg/m3
18/10/2022 04:00	0.014762504	INDmg/m3
18/10/2022 05:00	0.014729385	INDmg/m3
18/10/2022 06:00	0.014619337	INDmg/m3
18/10/2022 07:00	0.014835962	INDmg/m3
18/10/2022 08:00	0.014722589	INDmg/m3
18/10/2022 09:00	0.014793244	INDmg/m3
18/10/2022 10:00	0.015140163	INDmg/m3
18/10/2022 11:00	0.01518668	INDmg/m3
18/10/2022 12:00	0.01523077	INDmg/m3
18/10/2022 13:00	0.015180497	INDmg/m3
18/10/2022 14:00	0.015087031	INDmg/m3
18/10/2022 15:00	0.015073753	INDmg/m3
18/10/2022 16:00	0.015026362	INDmg/m3
18/10/2022 17:00	0.014819248	INDmg/m3
18/10/2022 18:00	0.015011162	INDmg/m3
18/10/2022 19:00	0.014962194	INDmg/m3
18/10/2022 20:00	0.01498525	INDmg/m3
18/10/2022 21:00	0.015033093	INDmg/m3
18/10/2022 22:00	0.014980695	INDmg/m3
18/10/2022 23:00	0.014906123	INDmg/m3
19/10/2022 00:00	0.014966396	INDmg/m3
19/10/2022 01:00	0.016104434	INDmg/m3
19/10/2022 02:00	0.161293477	INDmg/m3
19/10/2022 03:00	0.015083142	INDmg/m3
19/10/2022 04:00	0.014878104	INDmg/m3
19/10/2022 05:00	0.014776149	INDmg/m3
19/10/2022 06:00	0.014784115	INDmg/m3
19/10/2022 07:00	0.01481136	INDmg/m3
19/10/2022 08:00	0.014648586	INDmg/m3
19/10/2022 09:00	0.014731929	INDmg/m3
19/10/2022 10:00	0.014800049	INDmg/m3
19/10/2022 11:00	0.014781952	INDmg/m3
19/10/2022 12:00	0.014750662	INDmg/m3
19/10/2022 13:00	0.014835358	INDmg/m3

19/10/2022 14:00	0.014738075	INDmg/m3
19/10/2022 15:00	0.014742041	INDmg/m3
19/10/2022 16:00	0.014742282	INDmg/m3
19/10/2022 17:00	0.014779859	INDmg/m3
19/10/2022 18:00	0.014687509	INDmg/m3
19/10/2022 19:00	0.014709641	INDmg/m3
19/10/2022 20:00	0.091410547	INDmg/m3
19/10/2022 21:00	0.014809543	INDmg/m3
19/10/2022 22:00	0.01468078	INDmg/m3
19/10/2022 23:00	0.014690316	INDmg/m3
20/10/2022 00:00	0.014867007	INDmg/m3
20/10/2022 01:00	0.014674676	INDmg/m3
20/10/2022 02:00	0.01481534	INDmg/m3
20/10/2022 03:00	0.014800664	INDmg/m3
20/10/2022 04:00	0.014681164	INDmg/m3
20/10/2022 05:00	0.014674563	INDmg/m3
20/10/2022 06:00	0.014580364	INDmg/m3
20/10/2022 07:00	0.014630238	INDmg/m3
20/10/2022 08:00	0.014651965	INDmg/m3
20/10/2022 09:00	0.014703052	INDmg/m3
20/10/2022 10:00	0.014678535	INDmg/m3
20/10/2022 11:00	0.014976109	INDmg/m3
20/10/2022 12:00	0.026073297	INDmg/m3
20/10/2022 13:00	0.036309518	INDmg/m3
20/10/2022 14:00	0.01477768	INDmg/m3
20/10/2022 15:00	0.01473605	INDmg/m3
20/10/2022 16:00	0.014733857	INDmg/m3
20/10/2022 17:00	0.014663868	INDmg/m3
20/10/2022 18:00	0.014634679	INDmg/m3
20/10/2022 19:00	0.014626202	INDmg/m3
20/10/2022 20:00	0.014635668	INDmg/m3
20/10/2022 21:00	0.014632981	INDmg/m3
20/10/2022 22:00	0.014620832	INDmg/m3
20/10/2022 23:00	0.01473524	INDmg/m3
21/10/2022 00:00	0.014663513	INDmg/m3
21/10/2022 01:00	0.014900181	INDmg/m3
21/10/2022 02:00	0.087568022	INDmg/m3
21/10/2022 03:00	0.014600735	INDmg/m3
21/10/2022 04:00	0.01471916	INDmg/m3
21/10/2022 05:00	0.01477566	INDmg/m3
21/10/2022 06:00	0.022949597	INDmg/m3
21/10/2022 07:00	0.021714555	INDmg/m3
21/10/2022 08:00	0.014675243	INDmg/m3
21/10/2022 09:00	0.014691229	INDmg/m3
21/10/2022 10:00	0.015422695	INDmg/m3
21/10/2022 11:00	0.014861368	INDmg/m3
21/10/2022 12:00	0.014771814	INDmg/m3
21/10/2022 13:00	0.017136957	INDmg/m3
21/10/2022 14:00	0.600681424	INDmg/m3
21/10/2022 15:00	1.316218853	INDmg/m3
21/10/2022 16:00	1.48107636	INDmg/m3
21/10/2022 17:00	0.739038646	INDmg/m3
21/10/2022 18:00	0.752910614	INDmg/m3
21/10/2022 19:00	0.082761958	INDmg/m3
21/10/2022 20:00	0.27227211	INDmg/m3
21/10/2022 21:00	0.823501587	INDmg/m3

21/10/2022 22:00	0.01669006	INDmg/m3
21/10/2022 23:00	0.015656773	INDmg/m3
22/10/2022 00:00	0.01834932	INDmg/m3
22/10/2022 01:00	0.015798965	INDmg/m3
22/10/2022 02:00	0.015451172	INDmg/m3
22/10/2022 03:00	0.015361183	INDmg/m3
22/10/2022 04:00	0.015325787	INDmg/m3
22/10/2022 05:00	0.015489516	INDmg/m3
22/10/2022 06:00	0.015482697	INDmg/m3
22/10/2022 07:00	0.015887994	INDmg/m3
22/10/2022 08:00	0.015481432	INDmg/m3
22/10/2022 09:00	0.015666345	INDmg/m3
22/10/2022 10:00	0.015744153	INDmg/m3
22/10/2022 11:00	0.015537947	INDmg/m3
22/10/2022 12:00	0.015892923	INDmg/m3
22/10/2022 13:00	0.015632734	INDmg/m3
22/10/2022 14:00	0.016957529	INDmg/m3
22/10/2022 15:00	0.02296748	INDmg/m3
22/10/2022 16:00	0.015462101	INDmg/m3
22/10/2022 17:00	0.0525732	INDmg/m3
22/10/2022 18:00	0.019755166	INDmg/m3
22/10/2022 19:00	0.01541697	INDmg/m3
22/10/2022 20:00	0.015455818	INDmg/m3
22/10/2022 21:00	0.019862438	INDmg/m3
22/10/2022 22:00	0.097159564	INDmg/m3
22/10/2022 23:00	0.031026131	INDmg/m3
23/10/2022 00:00	0.7686795	INDmg/m3
23/10/2022 01:00	0.022806544	INDmg/m3
23/10/2022 02:00	0.086898163	INDmg/m3
23/10/2022 03:00	0.094100937	INDmg/m3
23/10/2022 04:00	1.249986291	INDmg/m3
23/10/2022 05:00	1.582775116	INDmg/m3
23/10/2022 06:00	0.015871573	INDmg/m3
23/10/2022 07:00	0.015354222	INDmg/m3
23/10/2022 08:00	0.015171539	INDmg/m3
23/10/2022 09:00	0.015247426	INDmg/m3
23/10/2022 10:00	0.015015152	INDmg/m3
23/10/2022 11:00	0.014973446	INDmg/m3
23/10/2022 12:00	0.01465947	INDmg/m3
23/10/2022 13:00	0.014622891	INDmg/m3
23/10/2022 14:00	0.014568507	INDmg/m3
23/10/2022 15:00	0.014619451	INDmg/m3
23/10/2022 16:00	0.014800504	INDmg/m3
23/10/2022 17:00	0.029995246	INDmg/m3
23/10/2022 18:00	0.022471275	INDmg/m3
23/10/2022 19:00	0.014993567	INDmg/m3
23/10/2022 20:00	0.014920475	INDmg/m3
23/10/2022 21:00	0.01490746	INDmg/m3
23/10/2022 22:00	0.014892625	INDmg/m3
23/10/2022 23:00	0.016189402	INDmg/m3
24/10/2022 00:00	0.01481773	INDmg/m3
24/10/2022 01:00	0.014780778	INDmg/m3
24/10/2022 02:00	0.031832583	INDmg/m3
24/10/2022 03:00	0.022454355	INDmg/m3
24/10/2022 04:00	0.081551522	INDmg/m3
24/10/2022 05:00	0.02048604	INDmg/m3

24/10/2022 06:00	0.015043549	INDmg/m3
24/10/2022 07:00	0.015008724	INDmg/m3
24/10/2022 08:00	0.015332802	INDmg/m3
24/10/2022 09:00	0.028716644	INDmg/m3
24/10/2022 10:00	0.212688014	INDmg/m3
24/10/2022 11:00	0.119910248	INDmg/m3
24/10/2022 12:00	0.015575137	INDmg/m3
24/10/2022 13:00	0.016247211	INDmg/m3
24/10/2022 14:00	0.014195893	INDmg/m3
24/10/2022 15:00	0.014081669	INDmg/m3
24/10/2022 16:00	0.014122711	INDmg/m3
24/10/2022 17:00	0.014181301	INDmg/m3
24/10/2022 18:00	0.014002687	INDmg/m3
24/10/2022 19:00	0.014077671	INDmg/m3
24/10/2022 20:00	0.592883468	INDmg/m3
24/10/2022 21:00	0.161986113	INDmg/m3
24/10/2022 22:00	2.017483473	INDmg/m3
24/10/2022 23:00	0.027428156	INDmg/m3
25/10/2022 00:00	0.032235175	INDmg/m3
25/10/2022 01:00	0.18706052	INDmg/m3
25/10/2022 02:00	0.014218663	INDmg/m3
25/10/2022 03:00	0.014248932	INDmg/m3
25/10/2022 04:00	0.021961136	INDmg/m3
25/10/2022 05:00	0.014234651	INDmg/m3
25/10/2022 06:00	0.01411718	INDmg/m3
25/10/2022 07:00	0.014192509	INDmg/m3
25/10/2022 08:00	0.014177279	INDmg/m3
25/10/2022 09:00	0.014353396	INDmg/m3
25/10/2022 10:00	0.014092228	INDmg/m3
25/10/2022 11:00	0.014101626	INDmg/m3
25/10/2022 12:00	0.014279646	INDmg/m3
25/10/2022 13:00	0.014146184	INDmg/m3
25/10/2022 14:00	0.014105911	INDmg/m3
25/10/2022 15:00	0.014013357	INDmg/m3
25/10/2022 16:00	0.014009701	INDmg/m3
25/10/2022 17:00	0.014861474	INDmg/m3
25/10/2022 18:00	0.013883804	INDmg/m3
25/10/2022 19:00	0.047793008	INDmg/m3
25/10/2022 20:00	0.025698876	INDmg/m3
25/10/2022 21:00	0.030870451	INDmg/m3
25/10/2022 22:00	0.195232883	INDmg/m3
25/10/2022 23:00	0.102244265	INDmg/m3
26/10/2022 00:00	0.024469825	INDmg/m3
26/10/2022 01:00	0.014076918	INDmg/m3
26/10/2022 02:00	0.014145005	INDmg/m3
26/10/2022 03:00	0.01395173	INDmg/m3
26/10/2022 04:00	0.014152679	INDmg/m3
26/10/2022 05:00	0.014169283	INDmg/m3
26/10/2022 06:00	0.329712957	INDmg/m3
26/10/2022 07:00	0.854452372	INDmg/m3
26/10/2022 08:00	1.08187294	INDmg/m3
26/10/2022 09:00	1.549105883	INDmg/m3
26/10/2022 10:00	1.612339258	INDmg/m3
26/10/2022 11:00	1.602024913	INDmg/m3
26/10/2022 12:00	1.614960432	INDmg/m3
26/10/2022 13:00	1.522189021	INDmg/m3

26/10/2022 14:00	1.472354531	INDmg/m3
26/10/2022 15:00	0.949919462	INDmg/m3
26/10/2022 16:00	1.220816612	INDmg/m3
26/10/2022 17:00	0.384127557	INDmg/m3
26/10/2022 18:00	0.015304301	INDmg/m3
26/10/2022 19:00	0.01508643	INDmg/m3
26/10/2022 20:00	0.015239241	INDmg/m3
26/10/2022 21:00	0.015204393	INDmg/m3
26/10/2022 22:00	0.015323887	INDmg/m3
26/10/2022 23:00	0.015150203	INDmg/m3
27/10/2022 00:00	0.015299173	INDmg/m3
27/10/2022 01:00	0.01543763	INDmg/m3
27/10/2022 02:00	0.076082021	INDmg/m3
27/10/2022 03:00	0.077309832	INDmg/m3
27/10/2022 04:00	0.104588881	INDmg/m3
27/10/2022 05:00	0.11931476	INDmg/m3
27/10/2022 06:00	0.877568603	INDmg/m3
27/10/2022 07:00	1.044471264	INDmg/m3
27/10/2022 08:00	1.516407728	INDmg/m3
27/10/2022 09:00	1.379393339	INDmg/m3
27/10/2022 10:00	2.367405891	INDmg/m3
27/10/2022 11:00	1.445444107	INDmg/m3
27/10/2022 12:00	1.569360495	INDmg/m3
27/10/2022 13:00	1.628669381	INDmg/m3
27/10/2022 14:00	2.194361925	INDmg/m3
27/10/2022 15:00	1.17831707	INDmg/m3
27/10/2022 16:00	0.436857879	INDmg/m3
27/10/2022 17:00	0.015447932	INDmg/m3
27/10/2022 18:00	0.015470521	INDmg/m3
27/10/2022 19:00	0.015385024	INDmg/m3
27/10/2022 20:00	0.015554941	INDmg/m3
27/10/2022 21:00	0.015719648	INDmg/m3
27/10/2022 22:00	0.015577505	INDmg/m3
27/10/2022 23:00	0.015765086	INDmg/m3
28/10/2022 00:00	0.015565624	INDmg/m3
28/10/2022 01:00	0.015524345	INDmg/m3
28/10/2022 02:00	0.015580872	INDmg/m3
28/10/2022 03:00	0.015643938	INDmg/m3
28/10/2022 04:00	0.543256879	INDmg/m3
28/10/2022 05:00	0.684971035	INDmg/m3
28/10/2022 06:00	0.022091657	INDmg/m3
28/10/2022 07:00	0.015616134	INDmg/m3
28/10/2022 08:00	0.016507013	INDmg/m3
28/10/2022 09:00	0.01702692	INDmg/m3
28/10/2022 10:00	0.015740367	INDmg/m3
28/10/2022 11:00	0.01580115	INDmg/m3
28/10/2022 12:00	0.015884807	INDmg/m3
28/10/2022 13:00	0.015777586	INDmg/m3
28/10/2022 14:00	0.015809674	INDmg/m3
28/10/2022 15:00	0.01575453	INDmg/m3
28/10/2022 16:00	0.015700508	INDmg/m3
28/10/2022 17:00	0.01560449	INDmg/m3
28/10/2022 18:00	0.015551004	INDmg/m3
28/10/2022 19:00	0.015331983	INDmg/m3
28/10/2022 20:00	0.015353758	INDmg/m3
28/10/2022 21:00	0.015434969	INDmg/m3

28/10/2022 22:00	0.015198457	INDmg/m3
28/10/2022 23:00	0.015503994	INDmg/m3
29/10/2022 00:00	0.015800618	INDmg/m3
29/10/2022 01:00	0.015707148	INDmg/m3
29/10/2022 02:00	0.015407874	INDmg/m3
29/10/2022 03:00	0.015517241	INDmg/m3
29/10/2022 04:00	0.326860607	INDmg/m3
29/10/2022 05:00	0.025379019	INDmg/m3
29/10/2022 06:00	0.033354856	INDmg/m3
29/10/2022 07:00	0.015644819	INDmg/m3
29/10/2022 08:00	0.016125966	INDmg/m3
29/10/2022 09:00	0.015687007	INDmg/m3
29/10/2022 10:00	0.015510355	INDmg/m3
29/10/2022 11:00	0.015660835	INDmg/m3
29/10/2022 12:00	0.015728842	INDmg/m3
29/10/2022 13:00	0.016608916	INDmg/m3
29/10/2022 14:00	0.015753113	INDmg/m3
29/10/2022 15:00	0.015731281	INDmg/m3
29/10/2022 16:00	0.016045922	INDmg/m3
29/10/2022 17:00	0.015703922	INDmg/m3
29/10/2022 18:00	0.015905093	INDmg/m3
29/10/2022 19:00	0.015598384	INDmg/m3
29/10/2022 20:00	0.015659124	INDmg/m3
29/10/2022 21:00	0.0156656	INDmg/m3
29/10/2022 22:00	0.015552886	INDmg/m3
29/10/2022 23:00	0.015405061	INDmg/m3
30/10/2022 00:00	0.01541254	INDmg/m3
30/10/2022 01:00	0.015380301	INDmg/m3
30/10/2022 02:00	0.015569515	INDmg/m3
30/10/2022 03:00	0.015637536	INDmg/m3
30/10/2022 04:00	0.015598281	INDmg/m3
30/10/2022 05:00	0.015557415	INDmg/m3
30/10/2022 06:00	0.015749844	INDmg/m3
30/10/2022 07:00	0.015760306	INDmg/m3
30/10/2022 08:00	0.015742058	INDmg/m3
30/10/2022 09:00	0.084487379	INDmg/m3
30/10/2022 10:00	0.345613569	INDmg/m3
30/10/2022 11:00	0.572180629	INDmg/m3
30/10/2022 12:00	0.450445682	INDmg/m3
30/10/2022 13:00	0.015527439	INDmg/m3
30/10/2022 14:00	0.015745804	INDmg/m3
30/10/2022 15:00	0.015631888	INDmg/m3
30/10/2022 16:00	0.385601699	INDmg/m3
30/10/2022 17:00	0.015467966	INDmg/m3
30/10/2022 18:00	0.015647059	INDmg/m3
30/10/2022 19:00	0.015544679	INDmg/m3
30/10/2022 20:00	0.015474598	INDmg/m3
30/10/2022 21:00	0.01547705	INDmg/m3
30/10/2022 22:00	0.015476665	INDmg/m3
30/10/2022 23:00	0.015385204	INDmg/m3
31/10/2022 00:00	0.015260254	INDmg/m3
31/10/2022 01:00	0.01523298	INDmg/m3
31/10/2022 02:00	0.015217172	INDmg/m3
31/10/2022 03:00	0.015285159	INDmg/m3
31/10/2022 04:00	0.015436818	INDmg/m3
31/10/2022 05:00	0.067605965	INDmg/m3

31/10/2022 06:00	0.015937259	INDmg/m3
31/10/2022 07:00	0.246767744	INDmg/m3
31/10/2022 08:00	2.130640268	INDmg/m3
31/10/2022 09:00	1.548295736	INDmg/m3
31/10/2022 10:00	2.561774731	INDmg/m3
31/10/2022 11:00	2.686080933	INDmg/m3
31/10/2022 12:00	1.399384975	INDmg/m3
31/10/2022 13:00	1.097590804	INDmg/m3
31/10/2022 14:00	1.162960529	INDmg/m3
31/10/2022 15:00	1.649285078	INDmg/m3
31/10/2022 16:00	1.142539024	INDmg/m3
31/10/2022 17:00	1.319464445	INDmg/m3
31/10/2022 18:00	0.558264911	INDmg/m3
31/10/2022 19:00	0.504151046	INDmg/m3
31/10/2022 20:00	0.13944079	INDmg/m3
31/10/2022 21:00	0.698631346	INDmg/m3
31/10/2022 22:00	0.757705629	INDmg/m3
31/10/2022 23:00	0.040318049	INDmg/m3
01/11/2022 00:00	0.027102696	INDmg/m3
01/11/2022 01:00	0.09105859	INDmg/m3
01/11/2022 02:00	0.017848894	INDmg/m3
01/11/2022 03:00	0.015670402	INDmg/m3
01/11/2022 04:00	0.015682487	INDmg/m3
01/11/2022 05:00	0.310933262	INDmg/m3
01/11/2022 06:00	0.023562396	INDmg/m3
01/11/2022 07:00	0.564946651	INDmg/m3
01/11/2022 08:00	1.132237077	INDmg/m3
01/11/2022 09:00	1.322883725	INDmg/m3
01/11/2022 10:00	1.467520952	INDmg/m3
01/11/2022 11:00	2.088489532	INDmg/m3
01/11/2022 12:00	0.989179134	INDmg/m3
01/11/2022 13:00	1.212876558	INDmg/m3
01/11/2022 14:00	1.257807255	INDmg/m3
01/11/2022 15:00	1.865216494	INDmg/m3
01/11/2022 16:00	1.131257892	INDmg/m3
01/11/2022 17:00	1.429892778	INDmg/m3
01/11/2022 18:00	0.091942452	INDmg/m3
01/11/2022 19:00	0.015414915	INDmg/m3
01/11/2022 20:00	0.393810511	INDmg/m3
01/11/2022 21:00	0.022522656	INDmg/m3
01/11/2022 22:00	0.080096148	INDmg/m3
01/11/2022 23:00	0.011151624	INDmg/m3
02/11/2022 00:00	0.09197887	INDmg/m3
02/11/2022 01:00	0.026899187	INDmg/m3
02/11/2022 02:00	0.01576733	INDmg/m3
02/11/2022 03:00	0.214833826	INDmg/m3
02/11/2022 04:00	0.031446554	INDmg/m3
02/11/2022 05:00	0.018071901	INDmg/m3
02/11/2022 06:00	0.010988729	INDmg/m3
02/11/2022 07:00	0.011057089	INDmg/m3
02/11/2022 08:00	0.011099729	INDmg/m3
02/11/2022 09:00	0.011159503	INDmg/m3
02/11/2022 10:00	0.011219418	INDmg/m3
02/11/2022 11:00	0.011242653	INDmg/m3
02/11/2022 12:00	0.011165006	INDmg/m3
02/11/2022 13:00	0.011169378	INDmg/m3

02/11/2022 14:00	0.011390826	INDmg/m3
02/11/2022 15:00	0.013795036	INDmg/m3
02/11/2022 16:00	0.04971363	INDmg/m3
02/11/2022 17:00	0.716753483	INDmg/m3
02/11/2022 18:00	0.256093472	INDmg/m3
02/11/2022 19:00	0.01184612	INDmg/m3
02/11/2022 20:00	0.01407454	INDmg/m3
02/11/2022 21:00	0.011158303	INDmg/m3
02/11/2022 22:00	0.021380942	INDmg/m3
02/11/2022 23:00	0.031718206	INDmg/m3
03/11/2022 00:00	0.011259232	INDmg/m3
03/11/2022 01:00	0.013127398	INDmg/m3
03/11/2022 02:00	0.011127103	INDmg/m3
03/11/2022 03:00	0.042279221	INDmg/m3
03/11/2022 04:00	0.235519588	INDmg/m3
03/11/2022 05:00	0.207087338	INDmg/m3
03/11/2022 06:00	0.127819389	INDmg/m3
03/11/2022 07:00	0.60234189	INDmg/m3
03/11/2022 08:00	1.84168148	INDmg/m3
03/11/2022 09:00	1.5886482	INDmg/m3
03/11/2022 10:00	1.206843853	INDmg/m3
03/11/2022 11:00	1.390393972	INDmg/m3
03/11/2022 12:00	0.916171253	INDmg/m3
03/11/2022 13:00	1.187743783	INDmg/m3
03/11/2022 14:00	1.469315648	INDmg/m3
03/11/2022 15:00	2.143903971	INDmg/m3
03/11/2022 16:00	1.876347423	INDmg/m3
03/11/2022 17:00	1.408844352	INDmg/m3
03/11/2022 18:00	0.035487231	INDmg/m3
03/11/2022 19:00	3.127639055	INDmg/m3
03/11/2022 20:00	0.035748415	INDmg/m3
03/11/2022 21:00	0.015948188	INDmg/m3
03/11/2022 22:00	0.119448714	INDmg/m3
03/11/2022 23:00	0.011577439	INDmg/m3
04/11/2022 00:00	0.010783859	INDmg/m3
04/11/2022 01:00	0.010584039	INDmg/m3
04/11/2022 02:00	0.010525914	INDmg/m3
04/11/2022 03:00	0.010603243	INDmg/m3
04/11/2022 04:00	0.010481076	INDmg/m3
04/11/2022 05:00	0.010399371	INDmg/m3
04/11/2022 06:00	0.013163665	INDmg/m3
04/11/2022 07:00	0.452683687	INDmg/m3
04/11/2022 08:00	0.411472201	INDmg/m3
04/11/2022 09:00	0.010486	INDmg/m3
04/11/2022 10:00	0.011273598	INDmg/m3
04/11/2022 11:00	0.011163196	INDmg/m3
04/11/2022 12:00	0.010979516	INDmg/m3
04/11/2022 13:00	0.011044108	INDmg/m3
04/11/2022 14:00	0.010886362	INDmg/m3
04/11/2022 15:00	0.010720383	INDmg/m3
04/11/2022 16:00	0.010602659	INDmg/m3
04/11/2022 17:00	0.010583245	INDmg/m3
04/11/2022 18:00	0.010516569	INDmg/m3
04/11/2022 19:00	0.010611543	INDmg/m3
04/11/2022 20:00	0.010558872	INDmg/m3
04/11/2022 21:00	0.010431837	INDmg/m3

04/11/2022 22:00	0.010456657	INDmg/m3
04/11/2022 23:00	0.010596532	INDmg/m3
05/11/2022 00:00	0.01124613	INDmg/m3
05/11/2022 01:00	0.010596178	INDmg/m3
05/11/2022 02:00	0.011630133	INDmg/m3
05/11/2022 03:00	0.015101173	INDmg/m3
05/11/2022 04:00	0.03243212	INDmg/m3
05/11/2022 05:00	0.015876729	INDmg/m3
05/11/2022 06:00	0.09081804	INDmg/m3
05/11/2022 07:00	0.015319609	INDmg/m3
05/11/2022 08:00	0.011676905	INDmg/m3
05/11/2022 09:00	0.017440235	INDmg/m3
05/11/2022 10:00	0.017652586	INDmg/m3
05/11/2022 11:00	0.010664836	INDmg/m3
05/11/2022 12:00	0.030057358	INDmg/m3
05/11/2022 13:00	0.011003216	INDmg/m3
05/11/2022 14:00	0.010861547	INDmg/m3
05/11/2022 15:00	0.010729495	INDmg/m3
05/11/2022 16:00	0.010945653	INDmg/m3
05/11/2022 17:00	0.010635336	INDmg/m3
05/11/2022 18:00	0.010533699	INDmg/m3
05/11/2022 19:00	0.010611142	INDmg/m3
05/11/2022 20:00	0.010592745	INDmg/m3
05/11/2022 21:00	0.010660268	INDmg/m3
05/11/2022 22:00	0.010662223	INDmg/m3
05/11/2022 23:00	0.010759569	INDmg/m3
06/11/2022 00:00	0.01059667	INDmg/m3
06/11/2022 01:00	0.010646079	INDmg/m3
06/11/2022 02:00	0.010594742	INDmg/m3
06/11/2022 03:00	0.010593632	INDmg/m3
06/11/2022 04:00	0.01064535	INDmg/m3
06/11/2022 05:00	0.010770547	INDmg/m3
06/11/2022 06:00	0.010631857	INDmg/m3
06/11/2022 07:00	0.010591304	INDmg/m3
06/11/2022 08:00	0.010631142	INDmg/m3
06/11/2022 09:00	0.011119463	INDmg/m3
06/11/2022 10:00	0.016311908	INDmg/m3
06/11/2022 11:00	0.489329904	INDmg/m3
06/11/2022 12:00	0.011319351	INDmg/m3
06/11/2022 13:00	0.512087882	INDmg/m3
06/11/2022 14:00	0.017251505	INDmg/m3
06/11/2022 15:00	0.233750984	INDmg/m3
06/11/2022 16:00	0.016132522	INDmg/m3
06/11/2022 17:00	0.225787804	INDmg/m3
06/11/2022 18:00	0.116703816	INDmg/m3
06/11/2022 19:00	0.133845225	INDmg/m3
06/11/2022 20:00	0.020133866	INDmg/m3
06/11/2022 21:00	0.011115299	INDmg/m3
06/11/2022 22:00	0.011175239	INDmg/m3
06/11/2022 23:00	1.280165553	INDmg/m3
07/11/2022 00:00	0.367961854	INDmg/m3
07/11/2022 01:00	0.022992158	INDmg/m3
07/11/2022 02:00	0.319963247	INDmg/m3
07/11/2022 03:00	0.01166202	INDmg/m3
07/11/2022 04:00	0.011194585	INDmg/m3
07/11/2022 05:00	0.099349737	INDmg/m3

07/11/2022 06:00	0.011097753	INDmg/m3
07/11/2022 07:00	0.916582167	INDmg/m3
07/11/2022 08:00	1.197051764	INDmg/m3
07/11/2022 09:00	1.152094364	INDmg/m3
07/11/2022 10:00	1.946859002	INDmg/m3
07/11/2022 11:00	1.875100017	INDmg/m3
07/11/2022 12:00	1.431511998	INDmg/m3
07/11/2022 13:00	1.511909008	INDmg/m3
07/11/2022 14:00	1.470701933	INDmg/m3
07/11/2022 15:00	1.394526601	INDmg/m3
07/11/2022 16:00	0.897465229	INDmg/m3
07/11/2022 17:00	0.594265103	INDmg/m3
07/11/2022 18:00	0.011249465	INDmg/m3
07/11/2022 19:00	0.011197221	INDmg/m3
07/11/2022 20:00	0.011168659	INDmg/m3
07/11/2022 21:00	0.011302093	INDmg/m3
07/11/2022 22:00	0.011417382	INDmg/m3
07/11/2022 23:00	0.133712769	INDmg/m3
08/11/2022 00:00	0.025805112	INDmg/m3
08/11/2022 01:00	0.014118586	INDmg/m3
08/11/2022 02:00	0.011264537	INDmg/m3
08/11/2022 03:00	0.011314115	INDmg/m3
08/11/2022 04:00	0.011270599	INDmg/m3
08/11/2022 05:00	0.011329056	INDmg/m3
08/11/2022 06:00	0.011267905	INDmg/m3
08/11/2022 07:00	0.012083256	INDmg/m3
08/11/2022 08:00	0.011440714	INDmg/m3
08/11/2022 09:00	0.011991974	INDmg/m3
08/11/2022 10:00	0.01612748	INDmg/m3
08/11/2022 11:00	0.011491284	INDmg/m3
08/11/2022 12:00	0.025451554	INDmg/m3
08/11/2022 13:00	0.011517253	INDmg/m3
08/11/2022 14:00	0.011500929	INDmg/m3
08/11/2022 15:00	0.013144769	INDmg/m3
08/11/2022 16:00	0.054707061	INDmg/m3
08/11/2022 17:00	0.208956867	INDmg/m3
08/11/2022 18:00	0.34977901	INDmg/m3
08/11/2022 19:00	0.057242826	INDmg/m3
08/11/2022 20:00	0.170666724	INDmg/m3
08/11/2022 21:00	0.011296508	INDmg/m3
08/11/2022 22:00	0.432161927	INDmg/m3
08/11/2022 23:00	0.045332454	INDmg/m3
09/11/2022 00:00	0.013523637	INDmg/m3
09/11/2022 01:00	1.202583313	INDmg/m3
09/11/2022 02:00	0.133000031	INDmg/m3
09/11/2022 03:00	0.121620424	INDmg/m3
09/11/2022 04:00	0.011543047	INDmg/m3
09/11/2022 05:00	0.989613116	INDmg/m3
09/11/2022 06:00	0.025883149	INDmg/m3
09/11/2022 07:00	0.321489125	INDmg/m3
09/11/2022 08:00	1.447758675	INDmg/m3
09/11/2022 09:00	1.236580491	INDmg/m3
09/11/2022 10:00	1.306951165	INDmg/m3
09/11/2022 11:00	1.849660039	INDmg/m3
09/11/2022 12:00	1.081837416	INDmg/m3
09/11/2022 13:00	1.226466775	INDmg/m3

09/11/2022 14:00	1.252895713	INDmg/m3
09/11/2022 15:00	1.143053055	INDmg/m3
09/11/2022 16:00	1.217601657	INDmg/m3
09/11/2022 17:00	1.514100909	INDmg/m3
09/11/2022 18:00	0.013312645	INDmg/m3
09/11/2022 19:00	0.011833259	INDmg/m3
09/11/2022 20:00	0.012580644	INDmg/m3
09/11/2022 21:00	0.012001753	INDmg/m3
09/11/2022 22:00	0.011703253	INDmg/m3
09/11/2022 23:00	0.011833105	INDmg/m3
10/11/2022 00:00	0.01224768	INDmg/m3
10/11/2022 01:00	0.01189019	INDmg/m3
10/11/2022 02:00	0.012987129	INDmg/m3
10/11/2022 03:00	0.011725169	INDmg/m3
10/11/2022 04:00	0.01204265	INDmg/m3
10/11/2022 05:00	0.013348199	INDmg/m3
10/11/2022 06:00	0.012021771	INDmg/m3
10/11/2022 07:00	0.011801639	INDmg/m3
10/11/2022 08:00	0.011979795	INDmg/m3
10/11/2022 09:00	0.011971921	INDmg/m3
10/11/2022 10:00	0.011709559	INDmg/m3
10/11/2022 11:00	0.011665408	INDmg/m3
10/11/2022 12:00	0.011904579	INDmg/m3
10/11/2022 13:00	0.011757603	INDmg/m3
10/11/2022 14:00	0.011675362	INDmg/m3
10/11/2022 15:00	0.012623034	INDmg/m3
10/11/2022 16:00	0.01185966	INDmg/m3
10/11/2022 17:00	0.011767183	INDmg/m3
10/11/2022 18:00	0.011657709	INDmg/m3
10/11/2022 19:00	0.011642569	INDmg/m3
10/11/2022 20:00	0.011657542	INDmg/m3
10/11/2022 21:00	0.011736325	INDmg/m3
10/11/2022 22:00	0.011765082	INDmg/m3
10/11/2022 23:00	0.011720313	INDmg/m3
11/11/2022 00:00	0.011773142	INDmg/m3
11/11/2022 01:00	0.011726841	INDmg/m3
11/11/2022 02:00	0.011791508	INDmg/m3
11/11/2022 03:00	0.011701942	INDmg/m3
11/11/2022 04:00	0.011706061	INDmg/m3
11/11/2022 05:00	0.011760177	INDmg/m3
11/11/2022 06:00	0.011786424	INDmg/m3
11/11/2022 07:00	0.32305935	INDmg/m3
11/11/2022 08:00	1.949712992	INDmg/m3
11/11/2022 09:00	1.301593423	INDmg/m3
11/11/2022 10:00	1.877241969	INDmg/m3
11/11/2022 11:00	2.375394821	INDmg/m3
11/11/2022 12:00	1.629137516	INDmg/m3
11/11/2022 13:00	1.463188171	INDmg/m3
11/11/2022 14:00	1.095601797	INDmg/m3
11/11/2022 15:00	1.309264779	INDmg/m3
11/11/2022 16:00	1.006165266	INDmg/m3
11/11/2022 17:00	1.285306931	INDmg/m3
11/11/2022 18:00	0.67752856	INDmg/m3
11/11/2022 19:00	0.011612903	INDmg/m3
11/11/2022 20:00	0.011640172	INDmg/m3
11/11/2022 21:00	0.011751196	INDmg/m3

11/11/2022 22:00	0.011711061	INDmg/m3
11/11/2022 23:00	0.011727381	INDmg/m3
12/11/2022 00:00	0.011715603	INDmg/m3
12/11/2022 01:00	0.011576409	INDmg/m3
12/11/2022 02:00	0.01165197	INDmg/m3
12/11/2022 03:00	0.011600978	INDmg/m3
12/11/2022 04:00	0.011611289	INDmg/m3
12/11/2022 05:00	0.012138383	INDmg/m3
12/11/2022 06:00	0.012009682	INDmg/m3
12/11/2022 07:00	0.011544501	INDmg/m3
12/11/2022 08:00	0.01162535	INDmg/m3
12/11/2022 09:00	0.011594002	INDmg/m3
12/11/2022 10:00	0.011697976	INDmg/m3
12/11/2022 11:00	0.011745368	INDmg/m3
12/11/2022 12:00	0.011655178	INDmg/m3
12/11/2022 13:00	0.01173462	INDmg/m3
12/11/2022 14:00	0.011688956	INDmg/m3
12/11/2022 15:00	0.011736874	INDmg/m3
12/11/2022 16:00	0.011666532	INDmg/m3
12/11/2022 17:00	0.01171835	INDmg/m3
12/11/2022 18:00	0.011635187	INDmg/m3
12/11/2022 19:00	0.011647464	INDmg/m3
12/11/2022 20:00	0.011584189	INDmg/m3
12/11/2022 21:00	0.01165997	INDmg/m3
12/11/2022 22:00	0.011640459	INDmg/m3
12/11/2022 23:00	0.011714572	INDmg/m3
13/11/2022 00:00	0.011693412	INDmg/m3
13/11/2022 01:00	0.011722642	INDmg/m3
13/11/2022 02:00	0.011694515	INDmg/m3
13/11/2022 03:00	0.01160949	INDmg/m3
13/11/2022 04:00	0.011735779	INDmg/m3
13/11/2022 05:00	0.011706848	INDmg/m3
13/11/2022 06:00	0.011750767	INDmg/m3
13/11/2022 07:00	0.011830615	INDmg/m3
13/11/2022 08:00	0.01170923	INDmg/m3
13/11/2022 09:00	0.011639184	INDmg/m3
13/11/2022 10:00	0.012004	INDmg/m3
13/11/2022 11:00	0.011915547	INDmg/m3
13/11/2022 12:00	0.011866177	INDmg/m3
13/11/2022 13:00	0.011764194	INDmg/m3
13/11/2022 14:00	0.011746819	INDmg/m3
13/11/2022 15:00	0.011654994	INDmg/m3
13/11/2022 16:00	0.011646785	INDmg/m3
13/11/2022 17:00	0.01156471	INDmg/m3
13/11/2022 18:00	0.011690569	INDmg/m3
13/11/2022 19:00	0.011619905	INDmg/m3
13/11/2022 20:00	0.011630471	INDmg/m3
13/11/2022 21:00	0.011706012	INDmg/m3
13/11/2022 22:00	0.011575641	INDmg/m3
13/11/2022 23:00	0.011743562	INDmg/m3
14/11/2022 00:00	0.011825265	INDmg/m3
14/11/2022 01:00	0.0116995	INDmg/m3
14/11/2022 02:00	0.011677509	INDmg/m3
14/11/2022 03:00	0.01171331	INDmg/m3
14/11/2022 04:00	0.011758376	INDmg/m3
14/11/2022 05:00	0.013022403	INDmg/m3

14/11/2022 06:00	0.011760699	INDmg/m3
14/11/2022 07:00	0.011743492	INDmg/m3
14/11/2022 08:00	0.01179455	INDmg/m3
14/11/2022 09:00	0.01307538	INDmg/m3
14/11/2022 10:00	0.011949411	INDmg/m3
14/11/2022 11:00	0.012268147	INDmg/m3
14/11/2022 12:00	0.017140087	INDmg/m3
14/11/2022 13:00	0.012250692	INDmg/m3
14/11/2022 14:00	0.0116671	INDmg/m3
14/11/2022 15:00	0.011689677	INDmg/m3
14/11/2022 16:00	0.011701091	INDmg/m3
14/11/2022 17:00	0.011584098	INDmg/m3
14/11/2022 18:00	0.011543291	INDmg/m3
14/11/2022 19:00	0.011507525	INDmg/m3
14/11/2022 20:00	0.011485429	INDmg/m3
14/11/2022 21:00	0.011515859	INDmg/m3
14/11/2022 22:00	0.011666633	INDmg/m3
14/11/2022 23:00	0.022816528	INDmg/m3
15/11/2022 00:00	0.058184691	INDmg/m3
15/11/2022 01:00	0.17721577	INDmg/m3
15/11/2022 02:00	0.093948759	INDmg/m3
15/11/2022 03:00	0.087241448	INDmg/m3
15/11/2022 04:00	0.132184923	INDmg/m3
15/11/2022 05:00	0.35051921	INDmg/m3
15/11/2022 06:00	0.082682386	INDmg/m3
15/11/2022 07:00	0.143773869	INDmg/m3
15/11/2022 08:00	0.011851306	INDmg/m3
15/11/2022 09:00	0.011984614	INDmg/m3
15/11/2022 10:00	0.011766518	INDmg/m3
15/11/2022 11:00	0.011789632	INDmg/m3
15/11/2022 12:00	0.011786658	INDmg/m3
15/11/2022 13:00	0.011319531	INDmg/m3
15/11/2022 14:00	0.011101512	INDmg/m3
15/11/2022 15:00	0.01121876	INDmg/m3
15/11/2022 16:00	0.052105818	INDmg/m3
15/11/2022 17:00	0.01898705	INDmg/m3
15/11/2022 18:00	0.011141646	INDmg/m3
15/11/2022 19:00	0.011391829	INDmg/m3
15/11/2022 20:00	0.012437699	INDmg/m3
15/11/2022 21:00	0.011035497	INDmg/m3
15/11/2022 22:00	0.011070414	INDmg/m3
15/11/2022 23:00	0.011286782	INDmg/m3
16/11/2022 00:00	0.011108552	INDmg/m3
16/11/2022 01:00	0.011142987	INDmg/m3
16/11/2022 02:00	0.011167509	INDmg/m3
16/11/2022 03:00	0.012311175	INDmg/m3
16/11/2022 04:00	0.02786625	INDmg/m3
16/11/2022 05:00	0.012426778	INDmg/m3
16/11/2022 06:00	0.012549138	INDmg/m3
16/11/2022 07:00	0.015380622	INDmg/m3
16/11/2022 08:00	0.010831265	INDmg/m3
16/11/2022 09:00	0.010851298	INDmg/m3
16/11/2022 10:00	0.010975468	INDmg/m3
16/11/2022 11:00	0.01107385	INDmg/m3
16/11/2022 12:00	0.011249045	INDmg/m3
16/11/2022 13:00	0.011093222	INDmg/m3

16/11/2022 14:00	0.011061775	INDmg/m3
16/11/2022 15:00	0.016076053	INDmg/m3
16/11/2022 16:00	0.012628928	INDmg/m3
16/11/2022 17:00	0.011058359	INDmg/m3
16/11/2022 18:00	0.100787938	INDmg/m3
16/11/2022 19:00	0.058912423	INDmg/m3
16/11/2022 20:00	0.033166792	INDmg/m3
16/11/2022 21:00	0.018643297	INDmg/m3
16/11/2022 22:00	0.030268371	INDmg/m3
16/11/2022 23:00	0.012253307	INDmg/m3
17/11/2022 00:00	0.014558043	INDmg/m3
17/11/2022 01:00	0.0131219	INDmg/m3
17/11/2022 02:00	0.025249293	INDmg/m3
17/11/2022 03:00	0.011014956	INDmg/m3
17/11/2022 04:00	0.010932915	INDmg/m3
17/11/2022 05:00	0.010958519	INDmg/m3
17/11/2022 06:00	0.010953302	INDmg/m3
17/11/2022 07:00	1.154983521	INDmg/m3
17/11/2022 08:00	1.170310855	INDmg/m3
17/11/2022 09:00	1.247501254	INDmg/m3
17/11/2022 10:00	1.262443066	INDmg/m3
17/11/2022 11:00	1.512306213	INDmg/m3
17/11/2022 12:00	1.123686433	INDmg/m3
17/11/2022 13:00	0.901962996	INDmg/m3
17/11/2022 14:00	1.201262116	INDmg/m3
17/11/2022 15:00	1.520460367	INDmg/m3
17/11/2022 16:00	0.919385254	INDmg/m3
17/11/2022 17:00	0.939647615	INDmg/m3
17/11/2022 18:00	0.127395272	INDmg/m3
17/11/2022 19:00	0.011429222	INDmg/m3
17/11/2022 20:00	0.011466653	INDmg/m3
17/11/2022 21:00	0.011590033	INDmg/m3
17/11/2022 22:00	0.011616341	INDmg/m3
17/11/2022 23:00	0.011614945	INDmg/m3
18/11/2022 00:00	0.011483865	INDmg/m3
18/11/2022 01:00	0.011477072	INDmg/m3
18/11/2022 02:00	0.011541811	INDmg/m3
18/11/2022 03:00	0.011475721	INDmg/m3
18/11/2022 04:00	0.011466478	INDmg/m3
18/11/2022 05:00	0.011559261	INDmg/m3
18/11/2022 06:00	0.011413292	INDmg/m3
18/11/2022 07:00	0.011446667	INDmg/m3
18/11/2022 08:00	0.011444147	INDmg/m3
18/11/2022 09:00	0.011472777	INDmg/m3
18/11/2022 10:00	0.011585035	INDmg/m3
18/11/2022 11:00	0.011784245	INDmg/m3
18/11/2022 12:00	0.011744827	INDmg/m3
18/11/2022 13:00	0.011754783	INDmg/m3
18/11/2022 14:00	0.011705061	INDmg/m3
18/11/2022 15:00	0.011721745	INDmg/m3
18/11/2022 16:00	0.011452829	INDmg/m3
18/11/2022 17:00	0.011469889	INDmg/m3
18/11/2022 18:00	0.011404241	INDmg/m3
18/11/2022 19:00	0.011407642	INDmg/m3
18/11/2022 20:00	0.011368426	INDmg/m3
18/11/2022 21:00	0.011370235	INDmg/m3

18/11/2022 22:00	0.011434326	INDmg/m3
18/11/2022 23:00	0.011337887	INDmg/m3
19/11/2022 00:00	0.011329161	INDmg/m3
19/11/2022 01:00	0.011340405	INDmg/m3
19/11/2022 02:00	0.011207637	INDmg/m3
19/11/2022 03:00	0.011222557	INDmg/m3
19/11/2022 04:00	0.011251422	INDmg/m3
19/11/2022 05:00	0.011279624	INDmg/m3
19/11/2022 06:00	0.011366733	INDmg/m3
19/11/2022 07:00	0.011285889	INDmg/m3
19/11/2022 08:00	0.011293326	INDmg/m3
19/11/2022 09:00	0.011340994	INDmg/m3
19/11/2022 10:00	0.011434411	INDmg/m3
19/11/2022 11:00	0.011626904	INDmg/m3
19/11/2022 12:00	0.012133861	INDmg/m3
19/11/2022 13:00	0.011790914	INDmg/m3
19/11/2022 14:00	0.011638387	INDmg/m3
19/11/2022 15:00	0.011445113	INDmg/m3
19/11/2022 16:00	0.011396877	INDmg/m3
19/11/2022 17:00	0.01148042	INDmg/m3
19/11/2022 18:00	0.011530309	INDmg/m3
19/11/2022 19:00	0.011569985	INDmg/m3
19/11/2022 20:00	0.011526246	INDmg/m3
19/11/2022 21:00	0.011744855	INDmg/m3
19/11/2022 22:00	0.01825849	INDmg/m3
19/11/2022 23:00	0.019078853	INDmg/m3
20/11/2022 00:00	0.112485453	INDmg/m3
20/11/2022 01:00	0.099261522	INDmg/m3
20/11/2022 02:00	0.016343411	INDmg/m3
20/11/2022 03:00	0.02959867	INDmg/m3
20/11/2022 04:00	0.011646972	INDmg/m3
20/11/2022 05:00	0.011560814	INDmg/m3
20/11/2022 06:00	0.011492142	INDmg/m3
20/11/2022 07:00	0.011481314	INDmg/m3
20/11/2022 08:00	0.011494275	INDmg/m3
20/11/2022 09:00	0.011483701	INDmg/m3
20/11/2022 10:00	0.011558305	INDmg/m3
20/11/2022 11:00	0.011992453	INDmg/m3
20/11/2022 12:00	0.304971933	INDmg/m3
20/11/2022 13:00	0.011668049	INDmg/m3
20/11/2022 14:00	0.023638513	INDmg/m3
20/11/2022 15:00	0.011577385	INDmg/m3
20/11/2022 16:00	0.011512326	INDmg/m3
20/11/2022 17:00	0.011462128	INDmg/m3
20/11/2022 18:00	0.011459748	INDmg/m3
20/11/2022 19:00	0.011569531	INDmg/m3
20/11/2022 20:00	0.011488379	INDmg/m3
20/11/2022 21:00	0.011489481	INDmg/m3
20/11/2022 22:00	0.011578629	INDmg/m3
20/11/2022 23:00	0.011529946	INDmg/m3
21/11/2022 00:00	0.011658469	INDmg/m3
21/11/2022 01:00	0.011544713	INDmg/m3
21/11/2022 02:00	0.011539934	INDmg/m3
21/11/2022 03:00	0.011598418	INDmg/m3
21/11/2022 04:00	0.011482576	INDmg/m3
21/11/2022 05:00	0.011442929	INDmg/m3

21/11/2022 06:00	0.031017162	INDmg/m3
21/11/2022 07:00	0.303926677	INDmg/m3
21/11/2022 08:00	0.937930107	INDmg/m3
21/11/2022 09:00	1.020394087	INDmg/m3
21/11/2022 10:00	1.099600196	INDmg/m3
21/11/2022 11:00	1.305450082	INDmg/m3
21/11/2022 12:00	1.562840462	INDmg/m3
21/11/2022 13:00	1.077415824	INDmg/m3
21/11/2022 14:00	0.744188964	INDmg/m3
21/11/2022 15:00	1.041133285	INDmg/m3
21/11/2022 16:00	0.737993777	INDmg/m3
21/11/2022 17:00	0.874445677	INDmg/m3
21/11/2022 18:00	0.894228399	INDmg/m3
21/11/2022 19:00	0.012102807	INDmg/m3
21/11/2022 20:00	0.011272471	INDmg/m3
21/11/2022 21:00	0.011243175	INDmg/m3
21/11/2022 22:00	0.011338921	INDmg/m3
21/11/2022 23:00	0.011397144	INDmg/m3
22/11/2022 00:00	0.011308604	INDmg/m3
22/11/2022 01:00	0.011465848	INDmg/m3
22/11/2022 02:00	0.011409367	INDmg/m3
22/11/2022 03:00	0.020114131	INDmg/m3
22/11/2022 04:00	0.014324751	INDmg/m3
22/11/2022 05:00	0.011584997	INDmg/m3
22/11/2022 06:00	0.131011397	INDmg/m3
22/11/2022 07:00	0.021433147	INDmg/m3
22/11/2022 08:00	0.011736645	INDmg/m3
22/11/2022 09:00	0.011626898	INDmg/m3
22/11/2022 10:00	0.011612479	INDmg/m3
22/11/2022 11:00	0.011560105	INDmg/m3
22/11/2022 12:00	0.014297402	INDmg/m3
22/11/2022 13:00	0.017739555	INDmg/m3
22/11/2022 14:00	0.011430907	INDmg/m3
22/11/2022 15:00	0.011293722	INDmg/m3
22/11/2022 16:00	0.011323794	INDmg/m3
22/11/2022 17:00	0.011248209	INDmg/m3
22/11/2022 18:00	0.011297313	INDmg/m3
22/11/2022 19:00	0.011267802	INDmg/m3
22/11/2022 20:00	0.011324082	INDmg/m3
22/11/2022 21:00	0.011299006	INDmg/m3
22/11/2022 22:00	0.094371431	INDmg/m3
22/11/2022 23:00	0.013778956	INDmg/m3
23/11/2022 00:00	0.011544603	INDmg/m3
23/11/2022 01:00	0.011638245	INDmg/m3
23/11/2022 02:00	0.011624334	INDmg/m3
23/11/2022 03:00	0.011497513	INDmg/m3
23/11/2022 04:00	0.495855868	INDmg/m3
23/11/2022 05:00	0.988047361	INDmg/m3
23/11/2022 06:00	2.590861082	INDmg/m3
23/11/2022 07:00	0.201222107	INDmg/m3
23/11/2022 08:00	0.01219454	INDmg/m3
23/11/2022 09:00	0.011457981	INDmg/m3
23/11/2022 10:00	0.076144919	INDmg/m3
23/11/2022 11:00	0.290119231	INDmg/m3
23/11/2022 12:00	0.943031669	INDmg/m3
23/11/2022 13:00	0.015498609	INDmg/m3

23/11/2022 14:00	0.04766668	INDmg/m3
23/11/2022 15:00	0.227782682	INDmg/m3
23/11/2022 16:00	0.025361599	INDmg/m3
23/11/2022 17:00	0.032801297	INDmg/m3
23/11/2022 18:00	0.185399726	INDmg/m3
23/11/2022 19:00	0.653015137	INDmg/m3
23/11/2022 20:00	1.814195991	INDmg/m3
23/11/2022 21:00	0.735392272	INDmg/m3
23/11/2022 22:00	0.554568648	INDmg/m3
23/11/2022 23:00	0.09851151	INDmg/m3
24/11/2022 00:00	0.32832253	INDmg/m3
24/11/2022 01:00	0.004913997	INDmg/m3
24/11/2022 02:00	0.004882662	INDmg/m3
24/11/2022 03:00	0.004837354	INDmg/m3
24/11/2022 04:00	0.004860992	INDmg/m3
24/11/2022 05:00	0.004878482	INDmg/m3
24/11/2022 06:00	0.004923204	INDmg/m3
24/11/2022 07:00	0.828816354	INDmg/m3
24/11/2022 08:00	1.321553111	INDmg/m3
24/11/2022 09:00	1.257729292	INDmg/m3
24/11/2022 09:48	1.574713945	INDmg/m3
24/11/2022 10:00	4.185499191	INDmg/m3
24/11/2022 10:34	1.179683685	INDmg/m3
24/11/2022 11:00	1.379447341	INDmg/m3
24/11/2022 12:00	1.714213133	INDmg/m3
24/11/2022 13:00	1.346233487	INDmg/m3
24/11/2022 14:00	1.555380344	INDmg/m3
24/11/2022 15:00	1.648674965	INDmg/m3
24/11/2022 16:00	1.017823339	INDmg/m3
24/11/2022 17:00	0.58889538	INDmg/m3
24/11/2022 18:00	0.004990794	INDmg/m3
24/11/2022 19:00	0.518235147	INDmg/m3
24/11/2022 20:00	0.256218761	INDmg/m3
24/11/2022 21:00	0.027933121	INDmg/m3
24/11/2022 22:00	0.32046774	INDmg/m3
24/11/2022 23:00	0.02145737	INDmg/m3
25/11/2022 00:00	0.034570683	INDmg/m3
25/11/2022 01:00	0.102212645	INDmg/m3
25/11/2022 02:00	0.025043219	INDmg/m3
25/11/2022 03:00	0.038668182	INDmg/m3
25/11/2022 04:00	0.005102051	INDmg/m3
25/11/2022 05:00	0.004632615	INDmg/m3
25/11/2022 06:00	0.004617052	INDmg/m3
25/11/2022 07:00	0.010051656	INDmg/m3
25/11/2022 08:00	0.004537869	INDmg/m3
25/11/2022 09:00	0.004453665	INDmg/m3
25/11/2022 10:00	0.004588685	INDmg/m3
25/11/2022 11:00	0.005023455	INDmg/m3
25/11/2022 12:00	0.00503527	INDmg/m3
25/11/2022 13:00	0.004919797	INDmg/m3
25/11/2022 14:00	0.004960958	INDmg/m3
25/11/2022 15:00	0.004588247	INDmg/m3
25/11/2022 16:00	0.007514213	INDmg/m3
25/11/2022 17:00	0.005212645	INDmg/m3
25/11/2022 18:00	0.007767438	INDmg/m3
25/11/2022 19:00	0.004967709	INDmg/m3

25/11/2022 20:00	0.004128727	INDmg/m3
25/11/2022 21:00	0.0041573	INDmg/m3
25/11/2022 22:00	0.004148636	INDmg/m3
25/11/2022 23:00	0.004172338	INDmg/m3
26/11/2022 00:00	0.004201237	INDmg/m3
26/11/2022 01:00	0.004124179	INDmg/m3
26/11/2022 02:00	0.004120243	INDmg/m3
26/11/2022 03:00	0.004109635	INDmg/m3
26/11/2022 04:00	0.004136852	INDmg/m3
26/11/2022 05:00	0.004107095	INDmg/m3
26/11/2022 06:00	0.004119013	INDmg/m3
26/11/2022 07:00	0.004138864	INDmg/m3
26/11/2022 08:00	0.004183914	INDmg/m3
26/11/2022 09:00	0.004005055	INDmg/m3
26/11/2022 10:00	0.003992112	INDmg/m3
26/11/2022 11:00	0.004083938	INDmg/m3
26/11/2022 12:00	0.007607423	INDmg/m3
26/11/2022 13:00	0.057974819	INDmg/m3
26/11/2022 14:00	0.09669248	INDmg/m3
26/11/2022 15:00	0.197222501	INDmg/m3
26/11/2022 16:00	0.0966378	INDmg/m3
26/11/2022 17:00	0.107786857	INDmg/m3
26/11/2022 18:00	0.01971318	INDmg/m3
26/11/2022 19:00	0.004188543	INDmg/m3
26/11/2022 20:00	0.00509349	INDmg/m3
26/11/2022 21:00	0.068768844	INDmg/m3
26/11/2022 22:00	0.007643517	INDmg/m3
26/11/2022 23:00	0.099220678	INDmg/m3
27/11/2022 00:00	0.004882704	INDmg/m3
27/11/2022 01:00	0.004538119	INDmg/m3
27/11/2022 02:00	0.00459426	INDmg/m3
27/11/2022 03:00	0.004494083	INDmg/m3
27/11/2022 04:00	0.004367805	INDmg/m3
27/11/2022 05:00	0.004327404	INDmg/m3
27/11/2022 06:00	0.004303068	INDmg/m3
27/11/2022 07:00	0.004298698	INDmg/m3
27/11/2022 08:00	0.004291095	INDmg/m3
27/11/2022 09:00	0.004399371	INDmg/m3
27/11/2022 10:00	0.004366017	INDmg/m3
27/11/2022 11:00	0.004283528	INDmg/m3
27/11/2022 12:00	0.004323749	INDmg/m3
27/11/2022 13:00	0.004308945	INDmg/m3
27/11/2022 14:00	0.004339525	INDmg/m3
27/11/2022 15:00	0.00429878	INDmg/m3
27/11/2022 16:00	0.004265419	INDmg/m3
27/11/2022 17:00	0.004222679	INDmg/m3
27/11/2022 18:00	0.004174293	INDmg/m3
27/11/2022 19:00	0.004224945	INDmg/m3
27/11/2022 20:00	0.107624836	INDmg/m3
27/11/2022 21:00	0.069916576	INDmg/m3
27/11/2022 22:00	0.004210401	INDmg/m3
27/11/2022 23:00	0.63240397	INDmg/m3
28/11/2022 00:00	0.032307386	INDmg/m3
28/11/2022 01:00	0.004188561	INDmg/m3
28/11/2022 02:00	0.010561295	INDmg/m3
28/11/2022 03:00	0.010142894	INDmg/m3

28/11/2022 04:00	0.010609111	INDmg/m3
28/11/2022 05:00	0.29892078	INDmg/m3
28/11/2022 06:00	0.816239715	INDmg/m3
28/11/2022 07:00	1.466449976	INDmg/m3
28/11/2022 08:00	1.713423967	INDmg/m3
28/11/2022 09:00	1.913713098	INDmg/m3
28/11/2022 10:00	3.350984573	INDmg/m3
28/11/2022 11:00	2.779638529	INDmg/m3
28/11/2022 12:00	1.230484128	INDmg/m3
28/11/2022 13:00	1.368677139	INDmg/m3
28/11/2022 14:00	1.182307363	INDmg/m3
28/11/2022 15:00	1.423268318	INDmg/m3
28/11/2022 16:00	0.855322123	INDmg/m3
28/11/2022 17:00	0.867341459	INDmg/m3
28/11/2022 18:00	0.136467323	INDmg/m3
28/11/2022 19:00	0.003872131	INDmg/m3
28/11/2022 20:00	0.003902325	INDmg/m3
28/11/2022 21:00	0.004017162	INDmg/m3
28/11/2022 22:00	0.003961427	INDmg/m3
28/11/2022 23:00	0.003985636	INDmg/m3
29/11/2022 00:00	0.003967091	INDmg/m3
29/11/2022 01:00	0.003927309	INDmg/m3
29/11/2022 02:00	0.003942246	INDmg/m3
29/11/2022 03:00	0.003947626	INDmg/m3
29/11/2022 04:00	0.004117746	INDmg/m3
29/11/2022 05:00	0.00393124	INDmg/m3
29/11/2022 06:00	0.003990978	INDmg/m3
29/11/2022 07:00	0.003977454	INDmg/m3
29/11/2022 08:00	0.003933213	INDmg/m3
29/11/2022 09:00	0.003972693	INDmg/m3
29/11/2022 10:00	0.00399858	INDmg/m3
29/11/2022 11:00	0.003966765	INDmg/m3
29/11/2022 12:00	0.004037154	INDmg/m3
29/11/2022 13:00	0.004076372	INDmg/m3
29/11/2022 14:00	0.004023352	INDmg/m3
29/11/2022 15:00	0.00405463	INDmg/m3
29/11/2022 16:00	0.003990123	INDmg/m3
29/11/2022 17:00	0.003975205	INDmg/m3
29/11/2022 18:00	0.003938931	INDmg/m3
29/11/2022 19:00	0.003930448	INDmg/m3
29/11/2022 20:00	0.003892824	INDmg/m3
29/11/2022 21:00	0.003900384	INDmg/m3
29/11/2022 22:00	0.003843646	INDmg/m3
29/11/2022 23:00	0.003861954	INDmg/m3
30/11/2022 00:00	0.003874388	INDmg/m3
30/11/2022 01:00	0.003882411	INDmg/m3
30/11/2022 02:00	0.003848993	INDmg/m3
30/11/2022 03:00	0.003827502	INDmg/m3
30/11/2022 04:00	0.003830648	INDmg/m3
30/11/2022 05:00	0.00383918	INDmg/m3
30/11/2022 06:00	0.003877521	INDmg/m3
30/11/2022 07:00	0.704940081	INDmg/m3
30/11/2022 08:00	1.044484854	INDmg/m3
30/11/2022 09:00	0.04617111	INDmg/m3
30/11/2022 10:00	0.003888465	INDmg/m3
30/11/2022 11:00	0.717103541	INDmg/m3

30/11/2022 12:00	0.58788836	INDmg/m3
30/11/2022 13:00	0.657984793	INDmg/m3
30/11/2022 14:00	0.003952322	INDmg/m3
30/11/2022 15:00	0.003938299	INDmg/m3
30/11/2022 16:00	0.003934376	INDmg/m3
30/11/2022 17:00	0.003887591	INDmg/m3
30/11/2022 18:00	0.003869918	INDmg/m3
30/11/2022 19:00	0.003874852	INDmg/m3
30/11/2022 20:00	0.003872699	INDmg/m3
30/11/2022 21:00	0.003868997	INDmg/m3
30/11/2022 22:00	0.003927297	INDmg/m3
30/11/2022 23:00	0.003895289	INDmg/m3
01/12/2022 00:00	0.003859144	INDmg/m3
01/12/2022 01:00	0.003827735	INDmg/m3
01/12/2022 02:00	0.003915741	INDmg/m3
01/12/2022 03:00	0.003886683	INDmg/m3
01/12/2022 04:00	0.003886033	INDmg/m3
01/12/2022 05:00	0.003935217	INDmg/m3
01/12/2022 06:00	0.003904419	INDmg/m3
01/12/2022 07:00	0.124731429	INDmg/m3
01/12/2022 08:00	0.688604116	INDmg/m3
01/12/2022 09:00	0.657940984	INDmg/m3
01/12/2022 10:00	0.390238971	INDmg/m3
01/12/2022 11:00	0.706420779	INDmg/m3
01/12/2022 12:00	0.741774678	INDmg/m3
01/12/2022 13:00	0.690085053	INDmg/m3
01/12/2022 14:00	0.937202156	INDmg/m3
01/12/2022 15:00	0.951789856	INDmg/m3
01/12/2022 16:00	0.792341232	INDmg/m3
01/12/2022 17:00	0.796229661	INDmg/m3
01/12/2022 18:00	0.124999009	INDmg/m3
01/12/2022 19:00	0.003689533	INDmg/m3
01/12/2022 20:00	0.003674245	INDmg/m3
01/12/2022 21:00	0.003681001	INDmg/m3
01/12/2022 22:00	0.003660463	INDmg/m3
01/12/2022 23:00	0.003672659	INDmg/m3
02/12/2022 00:00	0.003717736	INDmg/m3
02/12/2022 01:00	0.00369104	INDmg/m3
02/12/2022 02:00	0.00368562	INDmg/m3
02/12/2022 03:00	0.003672753	INDmg/m3
02/12/2022 04:00	0.003638877	INDmg/m3
02/12/2022 05:00	0.003740566	INDmg/m3
02/12/2022 06:00	0.003713312	INDmg/m3
02/12/2022 07:00	0.003696778	INDmg/m3
02/12/2022 08:00	0.003692032	INDmg/m3
02/12/2022 09:00	0.003749991	INDmg/m3
02/12/2022 10:00	0.003666745	INDmg/m3
02/12/2022 11:00	0.00377214	INDmg/m3
02/12/2022 12:00	0.003840351	INDmg/m3
02/12/2022 13:00	0.160434544	INDmg/m3
02/12/2022 14:00	1.030210137	INDmg/m3
02/12/2022 15:00	0.769138753	INDmg/m3
02/12/2022 16:00	0.003694615	INDmg/m3
02/12/2022 17:00	0.003695957	INDmg/m3
02/12/2022 18:00	0.003746877	INDmg/m3
02/12/2022 19:00	0.003753637	INDmg/m3

02/12/2022 20:00	0.003767167	INDmg/m3
02/12/2022 21:00	0.003710581	INDmg/m3
02/12/2022 22:00	0.0037423	INDmg/m3
02/12/2022 23:00	0.003742378	INDmg/m3
03/12/2022 00:00	0.003766253	INDmg/m3
03/12/2022 01:00	0.00372311	INDmg/m3
03/12/2022 02:00	0.003739447	INDmg/m3
03/12/2022 03:00	0.003726818	INDmg/m3
03/12/2022 04:00	0.003749428	INDmg/m3
03/12/2022 05:00	0.003728646	INDmg/m3
03/12/2022 06:00	0.003724402	INDmg/m3
03/12/2022 07:00	0.00369461	INDmg/m3
03/12/2022 08:00	0.003716165	INDmg/m3
03/12/2022 09:00	0.003733932	INDmg/m3
03/12/2022 10:00	0.003725106	INDmg/m3
03/12/2022 11:00	0.003710486	INDmg/m3
03/12/2022 12:00	0.003731634	INDmg/m3
03/12/2022 13:00	0.003715479	INDmg/m3
03/12/2022 14:00	0.00374047	INDmg/m3
03/12/2022 15:00	0.003735822	INDmg/m3
03/12/2022 16:00	0.003693311	INDmg/m3
03/12/2022 17:00	0.003675472	INDmg/m3
03/12/2022 18:00	0.003704499	INDmg/m3
03/12/2022 19:00	0.00366252	INDmg/m3
03/12/2022 20:00	0.00368449	INDmg/m3
03/12/2022 21:00	0.003676503	INDmg/m3
03/12/2022 22:00	0.00365585	INDmg/m3
03/12/2022 23:00	0.003652183	INDmg/m3
04/12/2022 00:00	0.003646925	INDmg/m3
04/12/2022 01:00	0.003631247	INDmg/m3
04/12/2022 02:00	0.003653785	INDmg/m3
04/12/2022 03:00	0.0036153	INDmg/m3
04/12/2022 04:00	0.00365032	INDmg/m3
04/12/2022 05:00	0.003623462	INDmg/m3
04/12/2022 06:00	0.003702603	INDmg/m3
04/12/2022 07:00	0.00361372	INDmg/m3
04/12/2022 08:00	0.003617702	INDmg/m3
04/12/2022 09:00	0.003612242	INDmg/m3
04/12/2022 10:00	0.003602234	INDmg/m3
04/12/2022 11:00	0.00360927	INDmg/m3
04/12/2022 12:00	0.003985904	INDmg/m3
04/12/2022 13:00	0.003993526	INDmg/m3
04/12/2022 14:00	0.003590963	INDmg/m3
04/12/2022 15:00	0.003653229	INDmg/m3
04/12/2022 16:00	0.003616881	INDmg/m3
04/12/2022 17:00	0.003602628	INDmg/m3
04/12/2022 18:00	0.003602788	INDmg/m3
04/12/2022 19:00	0.003598397	INDmg/m3
04/12/2022 20:00	0.003608431	INDmg/m3
04/12/2022 21:00	0.003620859	INDmg/m3
04/12/2022 22:00	0.003587604	INDmg/m3
04/12/2022 23:00	0.003597441	INDmg/m3
05/12/2022 00:00	0.003574985	INDmg/m3
05/12/2022 01:00	0.003595026	INDmg/m3
05/12/2022 02:00	0.00361984	INDmg/m3
05/12/2022 03:00	0.003587035	INDmg/m3

05/12/2022 04:00	0.003604266	INDmg/m3
05/12/2022 05:00	0.003602683	INDmg/m3
05/12/2022 06:00	0.005360276	INDmg/m3
05/12/2022 07:00	0.200856164	INDmg/m3
05/12/2022 08:00	0.53361547	INDmg/m3
05/12/2022 09:00	0.780192137	INDmg/m3
05/12/2022 10:00	0.063140176	INDmg/m3
05/12/2022 11:00	0.003554939	INDmg/m3
05/12/2022 12:00	0.003628426	INDmg/m3
05/12/2022 13:00	0.003628189	INDmg/m3
05/12/2022 14:00	0.003637599	INDmg/m3
05/12/2022 15:00	0.003647568	INDmg/m3
05/12/2022 16:00	0.003655194	INDmg/m3
05/12/2022 17:00	0.003661119	INDmg/m3
05/12/2022 18:00	0.003639419	INDmg/m3
05/12/2022 19:00	0.003605048	INDmg/m3
05/12/2022 20:00	0.003630505	INDmg/m3
05/12/2022 21:00	0.003742938	INDmg/m3
05/12/2022 22:00	0.003622264	INDmg/m3
05/12/2022 23:00	0.003630822	INDmg/m3
06/12/2022 00:00	0.003625544	INDmg/m3
06/12/2022 01:00	0.003631457	INDmg/m3
06/12/2022 02:00	0.003635952	INDmg/m3
06/12/2022 03:00	0.003591263	INDmg/m3
06/12/2022 04:00	0.003624695	INDmg/m3
06/12/2022 05:00	0.00362787	INDmg/m3
06/12/2022 06:00	0.003635093	INDmg/m3
06/12/2022 07:00	0.174970284	INDmg/m3
06/12/2022 08:00	0.345974952	INDmg/m3
06/12/2022 09:00	0.666314781	INDmg/m3
06/12/2022 10:00	0.684094489	INDmg/m3
06/12/2022 11:00	0.669866562	INDmg/m3
06/12/2022 12:00	0.625554681	INDmg/m3
06/12/2022 13:00	0.679794729	INDmg/m3
06/12/2022 14:00	0.826981604	INDmg/m3
06/12/2022 15:00	0.873726368	INDmg/m3
06/12/2022 16:00	0.795402825	INDmg/m3
06/12/2022 17:00	0.633553147	INDmg/m3
06/12/2022 18:00	0.896655262	INDmg/m3
06/12/2022 19:00	0.130607247	INDmg/m3
06/12/2022 20:00	0.003448736	INDmg/m3
06/12/2022 21:00	0.003447668	INDmg/m3
06/12/2022 22:00	0.003477888	INDmg/m3
06/12/2022 23:00	0.003503209	INDmg/m3
07/12/2022 00:00	0.003496737	INDmg/m3
07/12/2022 01:00	0.003483218	INDmg/m3
07/12/2022 02:00	0.003471804	INDmg/m3
07/12/2022 03:00	0.003485351	INDmg/m3
07/12/2022 04:00	0.003482664	INDmg/m3
07/12/2022 05:00	0.003490672	INDmg/m3
07/12/2022 06:00	0.003469283	INDmg/m3
07/12/2022 07:00	0.178581819	INDmg/m3
07/12/2022 08:00	0.519861162	INDmg/m3
07/12/2022 09:00	0.726982176	INDmg/m3
07/12/2022 10:00	1.110175371	INDmg/m3
07/12/2022 11:00	0.91099149	INDmg/m3

07/12/2022 12:00	0.705915689	INDmg/m3
07/12/2022 13:00	0.461727202	INDmg/m3
07/12/2022 14:00	0.362042427	INDmg/m3
07/12/2022 15:00	0.404964805	INDmg/m3
07/12/2022 16:00	0.396344244	INDmg/m3
07/12/2022 17:00	0.33999455	INDmg/m3
07/12/2022 18:00	0.258198649	INDmg/m3
07/12/2022 19:00	0.003457455	INDmg/m3
07/12/2022 20:00	0.003465065	INDmg/m3
07/12/2022 21:00	0.003466172	INDmg/m3
07/12/2022 22:00	0.003467557	INDmg/m3
07/12/2022 23:00	0.003443103	INDmg/m3
08/12/2022 00:00	0.003426648	INDmg/m3
08/12/2022 01:00	0.003448077	INDmg/m3
08/12/2022 02:00	0.003457332	INDmg/m3
08/12/2022 03:00	0.003420091	INDmg/m3
08/12/2022 04:00	0.003405139	INDmg/m3
08/12/2022 05:00	0.003443033	INDmg/m3
08/12/2022 06:00	0.003466599	INDmg/m3
08/12/2022 07:00	0.169056922	INDmg/m3
08/12/2022 08:00	0.274483263	INDmg/m3
08/12/2022 09:00	0.583268285	INDmg/m3
08/12/2022 10:00	0.829136074	INDmg/m3
08/12/2022 11:00	0.827995956	INDmg/m3
08/12/2022 12:00	0.530675888	INDmg/m3
08/12/2022 13:00	0.594502807	INDmg/m3
08/12/2022 14:00	0.692671359	INDmg/m3
08/12/2022 15:00	0.830906272	INDmg/m3
08/12/2022 16:00	0.729090929	INDmg/m3
08/12/2022 17:00	0.004296391	INDmg/m3
08/12/2022 18:00	0.003425893	INDmg/m3
08/12/2022 19:00	0.003512351	INDmg/m3
08/12/2022 20:00	0.003415108	INDmg/m3
08/12/2022 21:00	0.00348279	INDmg/m3
08/12/2022 22:00	0.003443103	INDmg/m3
08/12/2022 23:00	0.003453317	INDmg/m3
09/12/2022 00:00	0.003436655	INDmg/m3
09/12/2022 01:00	0.003436184	INDmg/m3
09/12/2022 02:00	0.003472704	INDmg/m3
09/12/2022 03:00	0.003433531	INDmg/m3
09/12/2022 04:00	0.00341642	INDmg/m3
09/12/2022 05:00	0.003414666	INDmg/m3
09/12/2022 06:00	0.003429666	INDmg/m3
09/12/2022 07:00	0.464384019	INDmg/m3
09/12/2022 08:00	0.294966847	INDmg/m3
09/12/2022 09:00	0.526612878	INDmg/m3
09/12/2022 10:00	0.892025113	INDmg/m3
09/12/2022 11:00	0.972027659	INDmg/m3
09/12/2022 12:00	0.553773344	INDmg/m3
09/12/2022 13:00	0.619956315	INDmg/m3
09/12/2022 14:00	0.754102528	INDmg/m3
09/12/2022 15:00	0.878133237	INDmg/m3
09/12/2022 16:00	0.797178209	INDmg/m3
09/12/2022 17:00	0.420352191	INDmg/m3
09/12/2022 18:00	0.003387791	INDmg/m3
09/12/2022 19:00	0.003384649	INDmg/m3

09/12/2022 20:00	0.003429221	INDmg/m3
09/12/2022 21:00	0.003415443	INDmg/m3
09/12/2022 22:00	0.003406047	INDmg/m3
09/12/2022 23:00	0.003375174	INDmg/m3
10/12/2022 00:00	0.003416189	INDmg/m3
10/12/2022 01:00	0.003418323	INDmg/m3
10/12/2022 02:00	0.003445698	INDmg/m3
10/12/2022 03:00	0.003433004	INDmg/m3
10/12/2022 04:00	0.00339991	INDmg/m3
10/12/2022 05:00	0.003404421	INDmg/m3
10/12/2022 06:00	0.003456309	INDmg/m3
10/12/2022 07:00	0.003460172	INDmg/m3
10/12/2022 08:00	0.003430995	INDmg/m3
10/12/2022 09:00	0.003448137	INDmg/m3
10/12/2022 10:00	0.003434972	INDmg/m3
10/12/2022 11:00	0.003626035	INDmg/m3
10/12/2022 12:00	0.003721762	INDmg/m3
10/12/2022 13:00	0.009437132	INDmg/m3
10/12/2022 14:00	0.004871016	INDmg/m3
10/12/2022 15:00	0.040704936	INDmg/m3
10/12/2022 16:00	0.003623317	INDmg/m3
10/12/2022 17:00	0.003467051	INDmg/m3
10/12/2022 18:00	0.081183009	INDmg/m3
10/12/2022 19:00	0.044161715	INDmg/m3
10/12/2022 20:00	0.003705797	INDmg/m3
10/12/2022 21:00	0.744343579	INDmg/m3
10/12/2022 22:00	0.859575808	INDmg/m3
10/12/2022 23:00	0.492171824	INDmg/m3
11/12/2022 00:00	0.022405542	INDmg/m3
11/12/2022 01:00	0.056555867	INDmg/m3
11/12/2022 02:00	0.003483934	INDmg/m3
11/12/2022 03:00	0.003436904	INDmg/m3
11/12/2022 04:00	0.003452766	INDmg/m3
11/12/2022 05:00	0.003499265	INDmg/m3
11/12/2022 06:00	0.003561822	INDmg/m3
11/12/2022 07:00	0.003485888	INDmg/m3
11/12/2022 08:00	0.003461466	INDmg/m3
11/12/2022 09:00	0.00344635	INDmg/m3
11/12/2022 10:00	0.003554122	INDmg/m3
11/12/2022 11:00	0.003645628	INDmg/m3
11/12/2022 12:00	0.003694044	INDmg/m3
11/12/2022 13:00	0.004088244	INDmg/m3
11/12/2022 14:00	0.003562283	INDmg/m3
11/12/2022 15:00	0.003561751	INDmg/m3
11/12/2022 16:00	0.003521367	INDmg/m3
11/12/2022 17:00	0.003451208	INDmg/m3
11/12/2022 18:00	0.003558318	INDmg/m3
11/12/2022 19:00	0.003483348	INDmg/m3
11/12/2022 20:00	0.003440998	INDmg/m3
11/12/2022 21:00	0.00347087	INDmg/m3
11/12/2022 22:00	0.003445606	INDmg/m3
11/12/2022 23:00	0.003458887	INDmg/m3
12/12/2022 00:00	0.003469546	INDmg/m3
12/12/2022 01:00	0.003430911	INDmg/m3
12/12/2022 02:00	0.003417574	INDmg/m3
12/12/2022 03:00	0.003428619	INDmg/m3

12/12/2022 04:00	0.003420245	INDmg/m3
12/12/2022 05:00	0.00342231	INDmg/m3
12/12/2022 06:00	0.003454872	INDmg/m3
12/12/2022 07:00	0.003414655	INDmg/m3
12/12/2022 08:00	0.003434937	INDmg/m3
12/12/2022 09:00	0.003443627	INDmg/m3
12/12/2022 10:00	0.003609105	INDmg/m3
12/12/2022 11:00	0.003658387	INDmg/m3
12/12/2022 12:00	0.579650223	INDmg/m3
12/12/2022 13:00	0.221741617	INDmg/m3
12/12/2022 14:00	0.115535006	INDmg/m3
12/12/2022 15:00	0.003433884	INDmg/m3
12/12/2022 16:00	0.003403237	INDmg/m3
12/12/2022 17:00	0.00342259	INDmg/m3
12/12/2022 18:00	0.00341386	INDmg/m3
12/12/2022 19:00	0.003422827	INDmg/m3
12/12/2022 20:00	0.003432321	INDmg/m3
12/12/2022 21:00	0.003458745	INDmg/m3
12/12/2022 22:00	0.00345669	INDmg/m3
12/12/2022 23:00	0.003425603	INDmg/m3
13/12/2022 00:00	0.003433812	INDmg/m3
13/12/2022 01:00	0.003455645	INDmg/m3
13/12/2022 02:00	0.003434381	INDmg/m3
13/12/2022 03:00	0.003422707	INDmg/m3
13/12/2022 04:00	0.003433084	INDmg/m3
13/12/2022 05:00	0.003491677	INDmg/m3
13/12/2022 06:00	0.003435302	INDmg/m3
13/12/2022 07:00	0.003460662	INDmg/m3
13/12/2022 08:00	0.003442259	INDmg/m3
13/12/2022 09:00	0.003468722	INDmg/m3
13/12/2022 10:00	0.003465362	INDmg/m3
13/12/2022 11:00	0.003440974	INDmg/m3
13/12/2022 12:00	0.003467709	INDmg/m3
13/12/2022 13:00	0.003496311	INDmg/m3
13/12/2022 14:00	0.003455488	INDmg/m3
13/12/2022 15:00	0.003464348	INDmg/m3
13/12/2022 16:00	0.003490531	INDmg/m3
13/12/2022 17:00	0.00345605	INDmg/m3
13/12/2022 18:00	0.00343687	INDmg/m3
13/12/2022 19:00	0.003460427	INDmg/m3
13/12/2022 20:00	0.003452612	INDmg/m3
13/12/2022 21:00	0.003458688	INDmg/m3
13/12/2022 22:00	0.003466715	INDmg/m3
13/12/2022 23:00	0.003469402	INDmg/m3
14/12/2022 00:00	0.003441131	INDmg/m3
14/12/2022 01:00	0.003426045	INDmg/m3
14/12/2022 02:00	0.003470245	INDmg/m3
14/12/2022 03:00	0.003408482	INDmg/m3
14/12/2022 04:00	0.003402889	INDmg/m3
14/12/2022 05:00	0.003422992	INDmg/m3
14/12/2022 06:00	0.00345999	INDmg/m3
14/12/2022 07:00	0.089581117	INDmg/m3
14/12/2022 08:00	0.439294815	INDmg/m3
14/12/2022 09:00	0.768887162	INDmg/m3
14/12/2022 10:00	0.556068718	INDmg/m3
14/12/2022 11:00	0.653022647	INDmg/m3

14/12/2022 12:00	0.450818181	INDmg/m3
14/12/2022 13:00	0.7090469	INDmg/m3
14/12/2022 14:00	0.795478106	INDmg/m3
14/12/2022 15:00	1.097810864	INDmg/m3
14/12/2022 16:00	0.639437377	INDmg/m3
14/12/2022 17:00	0.699428201	INDmg/m3
14/12/2022 18:00	0.183053195	INDmg/m3
14/12/2022 19:00	0.0033914	INDmg/m3
14/12/2022 20:00	0.003390447	INDmg/m3
14/12/2022 21:00	0.003397943	INDmg/m3
14/12/2022 22:00	0.003377632	INDmg/m3
14/12/2022 23:00	0.003362373	INDmg/m3
15/12/2022 00:00	0.003392311	INDmg/m3
15/12/2022 01:00	0.003355153	INDmg/m3
15/12/2022 02:00	0.003380101	INDmg/m3
15/12/2022 03:00	0.003382388	INDmg/m3
15/12/2022 04:00	0.0034097	INDmg/m3
15/12/2022 05:00	0.003392481	INDmg/m3
15/12/2022 06:00	0.003368287	INDmg/m3
15/12/2022 07:00	0.34378615	INDmg/m3
15/12/2022 08:00	0.690126002	INDmg/m3
15/12/2022 09:00	0.158997074	INDmg/m3
15/12/2022 10:00	0.184614256	INDmg/m3
15/12/2022 11:00	0.228920341	INDmg/m3
15/12/2022 12:00	0.463298261	INDmg/m3
15/12/2022 13:00	0.693943501	INDmg/m3
15/12/2022 14:00	0.908469498	INDmg/m3
15/12/2022 15:00	0.00356239	INDmg/m3
15/12/2022 16:00	0.00344651	INDmg/m3
15/12/2022 17:00	0.003403286	INDmg/m3
15/12/2022 18:00	0.003402615	INDmg/m3
15/12/2022 19:00	0.003412513	INDmg/m3
15/12/2022 20:00	0.003349891	INDmg/m3
15/12/2022 21:00	0.003413657	INDmg/m3
15/12/2022 22:00	0.003400577	INDmg/m3
15/12/2022 23:00	0.003435093	INDmg/m3
16/12/2022 00:00	0.00336588	INDmg/m3
16/12/2022 01:00	0.00337739	INDmg/m3
16/12/2022 02:00	0.003346911	INDmg/m3
16/12/2022 03:00	0.003387465	INDmg/m3
16/12/2022 04:00	0.003386233	INDmg/m3
16/12/2022 05:00	0.00341243	INDmg/m3
16/12/2022 06:00	0.00337098	INDmg/m3
16/12/2022 07:00	0.003364622	INDmg/m3
16/12/2022 08:00	0.003355798	INDmg/m3
16/12/2022 09:00	0.003378446	INDmg/m3
16/12/2022 10:00	0.003496454	INDmg/m3
16/12/2022 11:00	0.003655016	INDmg/m3
16/12/2022 12:00	0.003606114	INDmg/m3
16/12/2022 13:00	0.003562354	INDmg/m3
16/12/2022 14:00	0.003551145	INDmg/m3
16/12/2022 15:00	0.003440879	INDmg/m3
16/12/2022 16:00	0.00341938	INDmg/m3
16/12/2022 17:00	0.00340492	INDmg/m3
16/12/2022 18:00	0.003416257	INDmg/m3
16/12/2022 19:00	0.003426847	INDmg/m3

16/12/2022 20:00	0.003491668	INDmg/m3
16/12/2022 21:00	0.00338447	INDmg/m3
16/12/2022 22:00	0.302954257	INDmg/m3
16/12/2022 23:00	3.262105465	INDmg/m3
17/12/2022 00:00	1.109673619	INDmg/m3
17/12/2022 01:00	0.064812347	INDmg/m3
17/12/2022 02:00	0.139203742	INDmg/m3
17/12/2022 03:00	2.800214291	INDmg/m3
17/12/2022 04:00	0.637199819	INDmg/m3
17/12/2022 05:00	0.854075015	INDmg/m3
17/12/2022 06:00	1.872693181	INDmg/m3
17/12/2022 07:00	1.721804142	INDmg/m3
17/12/2022 08:00	0.023724349	INDmg/m3
17/12/2022 09:00	0.003467575	INDmg/m3
17/12/2022 10:00	0.003515331	INDmg/m3
17/12/2022 11:00	0.003478426	INDmg/m3
17/12/2022 12:00	0.003519138	INDmg/m3
17/12/2022 13:00	0.003506307	INDmg/m3
17/12/2022 14:00	0.00351349	INDmg/m3
17/12/2022 15:00	0.003513633	INDmg/m3
17/12/2022 16:00	0.003476462	INDmg/m3
17/12/2022 17:00	0.003499975	INDmg/m3
17/12/2022 18:00	0.003477301	INDmg/m3
17/12/2022 19:00	0.00348333	INDmg/m3
17/12/2022 20:00	0.003501382	INDmg/m3
17/12/2022 21:00	0.003461384	INDmg/m3
17/12/2022 22:00	0.003447201	INDmg/m3
17/12/2022 23:00	0.003471269	INDmg/m3
18/12/2022 00:00	0.003466772	INDmg/m3
18/12/2022 01:00	0.003453468	INDmg/m3
18/12/2022 02:00	0.00348237	INDmg/m3
18/12/2022 03:00	0.003442886	INDmg/m3
18/12/2022 04:00	0.003444509	INDmg/m3
18/12/2022 05:00	0.003472664	INDmg/m3
18/12/2022 06:00	0.003471087	INDmg/m3
18/12/2022 07:00	0.014200473	INDmg/m3
18/12/2022 08:00	0.030754196	INDmg/m3
18/12/2022 09:00	0.113010712	INDmg/m3
18/12/2022 10:00	0.049864937	INDmg/m3
18/12/2022 11:00	0.012231243	INDmg/m3
18/12/2022 12:00	0.012320921	INDmg/m3
18/12/2022 13:00	0.023564162	INDmg/m3
18/12/2022 14:00	0.069158509	INDmg/m3
18/12/2022 15:00	0.071730331	INDmg/m3
18/12/2022 16:00	0.059268374	INDmg/m3
18/12/2022 17:00	0.010144792	INDmg/m3
18/12/2022 18:00	0.01211748	INDmg/m3
18/12/2022 19:00	0.003663832	INDmg/m3
18/12/2022 20:00	0.003723319	INDmg/m3
18/12/2022 21:00	0.003696045	INDmg/m3
18/12/2022 22:00	0.141209736	INDmg/m3
18/12/2022 23:00	0.276161849	INDmg/m3
19/12/2022 00:00	0.00373512	INDmg/m3
19/12/2022 01:00	0.008673216	INDmg/m3
19/12/2022 02:00	0.004287078	INDmg/m3
19/12/2022 03:00	0.00546533	INDmg/m3

19/12/2022 04:00	0.004062487	INDmg/m3
19/12/2022 05:00	0.004266263	INDmg/m3
19/12/2022 06:00	0.028793145	INDmg/m3
19/12/2022 07:00	0.004714755	INDmg/m3
19/12/2022 08:00	0.003916887	INDmg/m3
19/12/2022 09:00	0.003890447	INDmg/m3
19/12/2022 10:00	0.003889253	INDmg/m3
19/12/2022 11:00	0.003915451	INDmg/m3
19/12/2022 12:00	0.004082839	INDmg/m3
19/12/2022 13:00	0.009296698	INDmg/m3
19/12/2022 14:00	0.003934488	INDmg/m3
19/12/2022 15:00	0.003991254	INDmg/m3
19/12/2022 16:00	0.005133346	INDmg/m3
19/12/2022 17:00	0.018419035	INDmg/m3
19/12/2022 18:00	0.12214262	INDmg/m3
19/12/2022 19:00	0.156634748	INDmg/m3
19/12/2022 20:00	0.325454056	INDmg/m3
19/12/2022 21:00	0.568522692	INDmg/m3
19/12/2022 22:00	0.074788295	INDmg/m3
19/12/2022 23:00	0.014974158	INDmg/m3
20/12/2022 00:00	0.104047708	INDmg/m3
20/12/2022 01:00	0.121374317	INDmg/m3
20/12/2022 02:00	2.375539303	INDmg/m3
20/12/2022 03:00	1.386441708	INDmg/m3
20/12/2022 04:00	0.004063041	INDmg/m3
20/12/2022 05:00	0.00395798	INDmg/m3
20/12/2022 06:00	0.003965621	INDmg/m3
20/12/2022 07:00	0.003952147	INDmg/m3
20/12/2022 08:00	0.003958027	INDmg/m3
20/12/2022 09:00	0.00403576	INDmg/m3
20/12/2022 10:00	0.011063808	INDmg/m3
20/12/2022 11:00	0.004739204	INDmg/m3
20/12/2022 12:00	0.00444256	INDmg/m3
20/12/2022 13:00	0.004583706	INDmg/m3
20/12/2022 14:00	0.004340928	INDmg/m3
20/12/2022 15:00	0.004220738	INDmg/m3
20/12/2022 16:00	0.004126225	INDmg/m3
20/12/2022 17:00	0.004039993	INDmg/m3
20/12/2022 18:00	0.004028674	INDmg/m3
20/12/2022 19:00	0.003939481	INDmg/m3
20/12/2022 20:00	0.003932646	INDmg/m3
20/12/2022 21:00	0.00391699	INDmg/m3
20/12/2022 22:00	0.003863246	INDmg/m3
20/12/2022 23:00	0.003853037	INDmg/m3
21/12/2022 00:00	0.003963724	INDmg/m3
21/12/2022 01:00	0.052592073	INDmg/m3
21/12/2022 02:00	0.420784414	INDmg/m3
21/12/2022 03:00	0.800915003	INDmg/m3
21/12/2022 04:00	0.028163195	INDmg/m3
21/12/2022 05:00	0.420876235	INDmg/m3
21/12/2022 06:00	0.338224679	INDmg/m3
21/12/2022 07:00	0.004210095	INDmg/m3
21/12/2022 08:00	0.019825885	INDmg/m3
21/12/2022 09:00	2.025922537	INDmg/m3
21/12/2022 10:00	0.004141498	INDmg/m3
21/12/2022 11:00	0.007458705	INDmg/m3

21/12/2022 12:00	0.003977162	INDmg/m3
21/12/2022 13:00	0.004236759	INDmg/m3
21/12/2022 14:00	0.0042655	INDmg/m3
21/12/2022 15:00	0.004287896	INDmg/m3
21/12/2022 16:00	0.004004787	INDmg/m3
21/12/2022 17:00	0.004334545	INDmg/m3
21/12/2022 18:00	0.003972392	INDmg/m3
21/12/2022 19:00	0.003944261	INDmg/m3
21/12/2022 20:00	0.004450008	INDmg/m3
21/12/2022 21:00	0.003903596	INDmg/m3
26/12/2022 08:23	0.017000001	INDmg/m3
26/12/2022 09:00	0.004169898	INDmg/m3
26/12/2022 10:00	0.004628981	INDmg/m3
26/12/2022 11:00	0.005210029	INDmg/m3
26/12/2022 12:00	0.070923977	INDmg/m3
26/12/2022 13:00	0.005057508	INDmg/m3
26/12/2022 14:00	0.005974944	INDmg/m3
26/12/2022 15:00	0.004531194	INDmg/m3
26/12/2022 16:00	0.004381466	INDmg/m3
26/12/2022 17:00	0.004611891	INDmg/m3
26/12/2022 18:00	0.004542478	INDmg/m3
26/12/2022 19:00	0.004267438	INDmg/m3
26/12/2022 20:00	0.004249709	INDmg/m3
26/12/2022 21:00	0.004203984	INDmg/m3
26/12/2022 22:00	0.004156091	INDmg/m3
26/12/2022 23:00	0.004183016	INDmg/m3
27/12/2022 00:00	0.004226625	INDmg/m3
27/12/2022 01:00	0.004207526	INDmg/m3
27/12/2022 02:00	0.089516118	INDmg/m3
27/12/2022 03:00	0.044336379	INDmg/m3
27/12/2022 04:00	0.004227535	INDmg/m3
27/12/2022 05:00	0.004241983	INDmg/m3
27/12/2022 06:00	0.373483002	INDmg/m3
27/12/2022 07:00	0.048094135	INDmg/m3
27/12/2022 08:00	1.054227829	INDmg/m3
27/12/2022 09:00	0.425243378	INDmg/m3
27/12/2022 10:00	0.392122239	INDmg/m3
27/12/2022 11:00	0.412139475	INDmg/m3
27/12/2022 12:00	0.314404398	INDmg/m3
27/12/2022 13:00	0.280392051	INDmg/m3
27/12/2022 14:00	0.64442122	INDmg/m3
27/12/2022 15:00	1.496222258	INDmg/m3
27/12/2022 16:00	1.094722748	INDmg/m3
27/12/2022 17:00	0.696137726	INDmg/m3
27/12/2022 18:00	0.00776489	INDmg/m3
27/12/2022 19:00	0.004399928	INDmg/m3
27/12/2022 20:00	0.004788483	INDmg/m3
27/12/2022 21:00	0.006026175	INDmg/m3
27/12/2022 22:00	0.004932762	INDmg/m3
27/12/2022 23:00	0.004553643	INDmg/m3
28/12/2022 00:00	0.004512961	INDmg/m3
28/12/2022 01:00	0.004502106	INDmg/m3
28/12/2022 02:00	0.0045277	INDmg/m3
28/12/2022 03:00	0.004846815	INDmg/m3
28/12/2022 04:00	0.004920942	INDmg/m3
28/12/2022 05:00	0.013677376	INDmg/m3

28/12/2022 06:00	0.181506366	INDmg/m3
28/12/2022 07:00	0.185185954	INDmg/m3
28/12/2022 08:00	0.488161683	INDmg/m3
28/12/2022 09:00	1.004064918	INDmg/m3
28/12/2022 10:00	1.225920558	INDmg/m3
28/12/2022 11:00	1.05839467	INDmg/m3
28/12/2022 12:00	0.487174451	INDmg/m3
28/12/2022 13:00	0.314054579	INDmg/m3
28/12/2022 14:00	0.148701638	INDmg/m3
28/12/2022 15:00	0.257885963	INDmg/m3
28/12/2022 16:00	0.463079631	INDmg/m3
28/12/2022 17:00	0.071624741	INDmg/m3
28/12/2022 18:00	0.00444188	INDmg/m3
28/12/2022 19:00	0.010145975	INDmg/m3
28/12/2022 20:00	0.038359083	INDmg/m3
28/12/2022 21:00	0.00470343	INDmg/m3
28/12/2022 22:00	0.010008437	INDmg/m3
28/12/2022 23:00	0.006962931	INDmg/m3
29/12/2022 00:00	0.004774406	INDmg/m3
29/12/2022 01:00	0.062292334	INDmg/m3
29/12/2022 02:00	0.385815859	INDmg/m3
29/12/2022 03:00	0.004746882	INDmg/m3
29/12/2022 04:00	0.004512954	INDmg/m3
29/12/2022 05:00	0.004454225	INDmg/m3
29/12/2022 06:00	0.008559084	INDmg/m3
29/12/2022 07:00	0.26610139	INDmg/m3
29/12/2022 08:00	0.31890887	INDmg/m3
29/12/2022 09:00	1.022591829	INDmg/m3
29/12/2022 10:00	1.161791325	INDmg/m3
29/12/2022 11:00	1.249890924	INDmg/m3
29/12/2022 12:00	0.640599787	INDmg/m3
29/12/2022 13:00	1.128471613	INDmg/m3
29/12/2022 14:00	1.21893084	INDmg/m3
29/12/2022 15:00	1.284673333	INDmg/m3
29/12/2022 16:00	0.563592196	INDmg/m3
29/12/2022 17:00	0.459064037	INDmg/m3
29/12/2022 18:00	0.141369626	INDmg/m3
29/12/2022 19:00	0.004319509	INDmg/m3
29/12/2022 20:00	0.004389022	INDmg/m3
29/12/2022 21:00	0.004273538	INDmg/m3
29/12/2022 22:00	0.004306045	INDmg/m3
29/12/2022 23:00	0.004254846	INDmg/m3
30/12/2022 00:00	0.004266808	INDmg/m3
30/12/2022 01:00	0.00429259	INDmg/m3
30/12/2022 02:00	0.004278023	INDmg/m3
30/12/2022 03:00	0.004278018	INDmg/m3
30/12/2022 04:00	0.004499438	INDmg/m3
30/12/2022 05:00	0.004295518	INDmg/m3
30/12/2022 06:00	0.016435256	INDmg/m3
30/12/2022 07:00	0.194562897	INDmg/m3
30/12/2022 08:00	0.084964983	INDmg/m3
30/12/2022 09:00	0.022956891	INDmg/m3
30/12/2022 10:00	0.010512685	INDmg/m3
30/12/2022 11:00	0.004505487	INDmg/m3
30/12/2022 12:00	0.004417172	INDmg/m3
30/12/2022 13:00	0.004864792	INDmg/m3

30/12/2022 14:00	0.004585975	INDmg/m3
30/12/2022 15:00	0.004888194	INDmg/m3
30/12/2022 16:00	0.004623738	INDmg/m3
30/12/2022 17:00	0.004564071	INDmg/m3
30/12/2022 18:00	0.004592464	INDmg/m3
30/12/2022 19:00	0.004690815	INDmg/m3
30/12/2022 20:00	0.004901533	INDmg/m3
30/12/2022 21:00	0.004551954	INDmg/m3
30/12/2022 22:00	0.004504776	INDmg/m3
30/12/2022 23:00	0.004564388	INDmg/m3
31/12/2022 00:00	0.004842618	INDmg/m3
31/12/2022 01:00	0.004783797	INDmg/m3
31/12/2022 02:00	0.041502018	INDmg/m3
31/12/2022 03:00	0.087353967	INDmg/m3
31/12/2022 04:00	0.012139004	INDmg/m3
31/12/2022 05:00	0.004778889	INDmg/m3
31/12/2022 06:00	0.004635729	INDmg/m3
31/12/2022 07:00	0.00472707	INDmg/m3
31/12/2022 08:00	0.004637681	INDmg/m3
31/12/2022 09:00	0.004756295	INDmg/m3
31/12/2022 10:00	0.004960647	INDmg/m3
31/12/2022 11:00	0.03080841	INDmg/m3
31/12/2022 12:00	0.00573006	INDmg/m3
31/12/2022 13:00	0.052556388	INDmg/m3
31/12/2022 14:00	0.09803535	INDmg/m3
31/12/2022 15:00	0.059632622	INDmg/m3
31/12/2022 16:00	0.155161262	INDmg/m3
31/12/2022 17:00	0.018624017	INDmg/m3
31/12/2022 18:00	0.004853008	INDmg/m3
31/12/2022 19:00	0.008190096	INDmg/m3
31/12/2022 20:00	0.00572004	INDmg/m3
31/12/2022 21:00	0.004742062	INDmg/m3
31/12/2022 22:00	0.023384854	INDmg/m3
31/12/2022 23:00	0.004748476	INDmg/m3
01/01/2023 00:00	0.004664989	INDmg/m3
01/01/2023 01:00	0.005915935	INDmg/m3
01/01/2023 02:00	0.004745033	INDmg/m3
01/01/2023 03:00	0.00472763	INDmg/m3
01/01/2023 04:00	0.004704859	INDmg/m3
01/01/2023 05:00	0.037814759	INDmg/m3
01/01/2023 06:00	0.004714193	INDmg/m3
01/01/2023 07:00	0.004683779	INDmg/m3
01/01/2023 08:00	0.004638802	INDmg/m3
01/01/2023 09:00	0.004626699	INDmg/m3
01/01/2023 10:00	0.00467437	INDmg/m3
01/01/2023 11:00	0.004807191	INDmg/m3
01/01/2023 12:00	0.004777005	INDmg/m3
01/01/2023 13:00	0.004621272	INDmg/m3
01/01/2023 14:00	0.004667435	INDmg/m3
01/01/2023 15:00	0.004567406	INDmg/m3
01/01/2023 16:00	0.004585015	INDmg/m3
01/01/2023 17:00	0.004542593	INDmg/m3
01/01/2023 18:00	0.004547722	INDmg/m3
01/01/2023 19:00	0.004476754	INDmg/m3
01/01/2023 20:00	0.004462373	INDmg/m3
01/01/2023 21:00	0.004480569	INDmg/m3

01/01/2023 22:00	0.004424416	INDmg/m3
01/01/2023 23:00	0.00568871	INDmg/m3
02/01/2023 00:00	0.004860256	INDmg/m3
02/01/2023 01:00	0.006518288	INDmg/m3
02/01/2023 02:00	0.004462021	INDmg/m3
02/01/2023 03:00	0.004444244	INDmg/m3
02/01/2023 04:00	0.004537313	INDmg/m3
02/01/2023 05:00	0.004424259	INDmg/m3
02/01/2023 06:00	0.004383093	INDmg/m3
02/01/2023 07:00	0.22966601	INDmg/m3
02/01/2023 08:00	0.68043083	INDmg/m3
02/01/2023 09:00	1.117651701	INDmg/m3
02/01/2023 10:00	1.22490263	INDmg/m3
02/01/2023 11:00	0.912470043	INDmg/m3
02/01/2023 12:00	0.763692379	INDmg/m3
02/01/2023 13:00	0.988836467	INDmg/m3
02/01/2023 14:00	0.830695152	INDmg/m3
02/01/2023 15:00	0.917151928	INDmg/m3
02/01/2023 16:00	0.757190883	INDmg/m3
02/01/2023 17:00	0.915332198	INDmg/m3
02/01/2023 18:00	0.003801167	INDmg/m3
02/01/2023 19:00	0.003851949	INDmg/m3
02/01/2023 20:00	0.003876994	INDmg/m3
02/01/2023 21:00	0.003874003	INDmg/m3
02/01/2023 22:00	0.003866148	INDmg/m3
02/01/2023 23:00	0.003870934	INDmg/m3
03/01/2023 00:00	0.003945709	INDmg/m3
03/01/2023 01:00	0.003863485	INDmg/m3
03/01/2023 02:00	0.003951852	INDmg/m3
03/01/2023 03:00	0.003914918	INDmg/m3
03/01/2023 04:00	0.043520629	INDmg/m3
03/01/2023 05:00	0.039137613	INDmg/m3
03/01/2023 06:00	0.017321752	INDmg/m3
03/01/2023 07:00	0.004110042	INDmg/m3
03/01/2023 08:00	0.062137753	INDmg/m3
03/01/2023 09:00	0.254394323	INDmg/m3
03/01/2023 10:00	0.098708183	INDmg/m3
03/01/2023 11:00	0.008506721	INDmg/m3
03/01/2023 12:00	0.044754587	INDmg/m3
03/01/2023 13:00	0.011948331	INDmg/m3
03/01/2023 14:00	0.006866498	INDmg/m3
03/01/2023 15:00	0.008150032	INDmg/m3
03/01/2023 16:00	0.043349881	INDmg/m3
03/01/2023 17:00	0.016591245	INDmg/m3
03/01/2023 18:00	0.006306618	INDmg/m3
03/01/2023 19:00	0.00621107	INDmg/m3
03/01/2023 20:00	0.014529045	INDmg/m3
03/01/2023 21:00	0.004898728	INDmg/m3
03/01/2023 22:00	0.006553275	INDmg/m3
03/01/2023 23:00	0.005146555	INDmg/m3
04/01/2023 00:00	0.004832645	INDmg/m3
04/01/2023 01:00	0.288529456	INDmg/m3
04/01/2023 02:00	0.04480119	INDmg/m3
04/01/2023 03:00	0.01860759	INDmg/m3
04/01/2023 04:00	0.006185837	INDmg/m3
04/01/2023 05:00	0.005611476	INDmg/m3

04/01/2023 06:00	0.004818952	INDmg/m3
04/01/2023 07:00	0.004693165	INDmg/m3
04/01/2023 08:00	0.004731697	INDmg/m3
04/01/2023 09:00	0.004712305	INDmg/m3
04/01/2023 10:00	0.004907447	INDmg/m3
04/01/2023 11:00	0.004768547	INDmg/m3
04/01/2023 12:00	0.004790682	INDmg/m3
04/01/2023 13:00	0.009672195	INDmg/m3
04/01/2023 14:00	0.004880755	INDmg/m3
04/01/2023 15:00	0.004788485	INDmg/m3
04/01/2023 16:00	0.004749392	INDmg/m3
04/01/2023 17:00	0.004759735	INDmg/m3
04/01/2023 18:00	0.004757348	INDmg/m3
04/01/2023 19:00	0.004764239	INDmg/m3
04/01/2023 20:00	0.00470317	INDmg/m3
04/01/2023 21:00	0.004729192	INDmg/m3
04/01/2023 22:00	0.004783665	INDmg/m3
04/01/2023 23:00	0.004762563	INDmg/m3
05/01/2023 00:00	0.004862017	INDmg/m3
05/01/2023 01:00	0.004842627	INDmg/m3
05/01/2023 02:00	0.004866275	INDmg/m3
05/01/2023 03:00	0.004929614	INDmg/m3
05/01/2023 04:00	0.005900537	INDmg/m3
05/01/2023 05:00	0.010033484	INDmg/m3
05/01/2023 06:00	0.011118552	INDmg/m3
05/01/2023 07:00	0.240320772	INDmg/m3
05/01/2023 08:00	0.500714898	INDmg/m3
05/01/2023 09:00	1.387387633	INDmg/m3
05/01/2023 10:00	1.195587993	INDmg/m3
05/01/2023 11:00	1.262509227	INDmg/m3
05/01/2023 12:00	0.801366091	INDmg/m3
05/01/2023 13:00	1.128855824	INDmg/m3
05/01/2023 14:00	1.37449789	INDmg/m3
05/01/2023 15:00	1.61751461	INDmg/m3
05/01/2023 16:00	0.925038815	INDmg/m3
05/01/2023 17:00	0.979085922	INDmg/m3
05/01/2023 18:00	0.005101866	INDmg/m3
05/01/2023 19:00	0.005556855	INDmg/m3
05/01/2023 20:00	0.005182029	INDmg/m3
05/01/2023 21:00	0.005067393	INDmg/m3
05/01/2023 22:00	0.100641809	INDmg/m3
05/01/2023 23:00	0.05243526	INDmg/m3
06/01/2023 00:00	0.007813375	INDmg/m3
06/01/2023 01:00	0.005186437	INDmg/m3
06/01/2023 02:00	0.004880652	INDmg/m3
06/01/2023 03:00	0.004866085	INDmg/m3
06/01/2023 04:00	0.004729534	INDmg/m3
06/01/2023 05:00	0.00470965	INDmg/m3
06/01/2023 06:00	0.004758551	INDmg/m3
06/01/2023 07:00	0.004881233	INDmg/m3
06/01/2023 08:00	0.004754047	INDmg/m3
06/01/2023 09:00	0.004762016	INDmg/m3
06/01/2023 10:00	0.004647166	INDmg/m3
06/01/2023 11:00	0.004756141	INDmg/m3
06/01/2023 12:00	0.004813485	INDmg/m3
06/01/2023 13:00	0.004677579	INDmg/m3

06/01/2023 14:00	0.00487579	INDmg/m3
06/01/2023 15:00	0.0048162	INDmg/m3
06/01/2023 16:00	0.02725457	INDmg/m3
06/01/2023 17:00	0.013543548	INDmg/m3
06/01/2023 18:00	0.0476752	INDmg/m3
06/01/2023 19:00	0.00496652	INDmg/m3
06/01/2023 20:00	0.004694751	INDmg/m3
06/01/2023 21:00	0.004699224	INDmg/m3
06/01/2023 22:00	0.007276102	INDmg/m3
06/01/2023 23:00	0.00492792	INDmg/m3
07/01/2023 00:00	0.006445481	INDmg/m3
07/01/2023 01:00	0.022673298	INDmg/m3
07/01/2023 02:00	0.105828077	INDmg/m3
07/01/2023 03:00	0.007720804	INDmg/m3
07/01/2023 04:00	0.014019083	INDmg/m3
07/01/2023 05:00	0.015416075	INDmg/m3
07/01/2023 06:00	0.014563705	INDmg/m3
07/01/2023 07:00	0.033868991	INDmg/m3
07/01/2023 08:00	0.034983728	INDmg/m3
07/01/2023 09:00	0.00514239	INDmg/m3
07/01/2023 10:00	0.004814005	INDmg/m3
07/01/2023 11:00	0.004826616	INDmg/m3
07/01/2023 12:00	0.004906555	INDmg/m3
07/01/2023 13:00	0.004987954	INDmg/m3
07/01/2023 14:00	0.004813431	INDmg/m3
07/01/2023 15:00	0.109545261	INDmg/m3
07/01/2023 16:00	0.029791942	INDmg/m3
07/01/2023 17:00	0.006924213	INDmg/m3
07/01/2023 18:00	0.004769516	INDmg/m3
07/01/2023 19:00	0.004882903	INDmg/m3
07/01/2023 20:00	0.09976887	INDmg/m3
07/01/2023 21:00	0.014334431	INDmg/m3
07/01/2023 22:00	0.054141909	INDmg/m3
07/01/2023 23:00	0.096883327	INDmg/m3
08/01/2023 00:00	0.200983346	INDmg/m3
08/01/2023 01:00	0.004693436	INDmg/m3
08/01/2023 02:00	0.156045631	INDmg/m3
08/01/2023 03:00	0.729197204	INDmg/m3
08/01/2023 04:00	0.005940695	INDmg/m3
08/01/2023 05:00	0.026856985	INDmg/m3
08/01/2023 06:00	0.039984617	INDmg/m3
08/01/2023 07:00	0.004584185	INDmg/m3
08/01/2023 08:00	0.004541757	INDmg/m3
08/01/2023 09:00	0.012277425	INDmg/m3
08/01/2023 10:00	0.818246365	INDmg/m3
08/01/2023 11:00	0.044840965	INDmg/m3
08/01/2023 12:00	0.00763545	INDmg/m3
08/01/2023 13:00	0.079060003	INDmg/m3
08/01/2023 14:00	0.171808928	INDmg/m3
08/01/2023 15:00	0.00463788	INDmg/m3
08/01/2023 16:00	0.004537706	INDmg/m3
08/01/2023 17:00	0.00478096	INDmg/m3
08/01/2023 18:00	0.098093554	INDmg/m3
08/01/2023 19:00	0.006375385	INDmg/m3
08/01/2023 20:00	0.03244051	INDmg/m3
08/01/2023 21:00	0.698126733	INDmg/m3

08/01/2023 22:00	0.090369135	INDmg/m3
08/01/2023 23:00	0.004533638	INDmg/m3
09/01/2023 00:00	0.00455887	INDmg/m3
09/01/2023 01:00	0.004542242	INDmg/m3
09/01/2023 02:00	0.004518013	INDmg/m3
09/01/2023 03:00	0.004568405	INDmg/m3
09/01/2023 04:00	0.004498715	INDmg/m3
09/01/2023 05:00	0.004855713	INDmg/m3
09/01/2023 06:00	0.01813102	INDmg/m3
09/01/2023 07:00	0.004516464	INDmg/m3
09/01/2023 08:00	0.004710779	INDmg/m3
09/01/2023 09:00	0.004494353	INDmg/m3
09/01/2023 10:00	0.004563621	INDmg/m3
09/01/2023 11:00	0.005069932	INDmg/m3
09/01/2023 12:00	0.004779098	INDmg/m3
09/01/2023 13:00	0.004675506	INDmg/m3
09/01/2023 14:00	0.004552397	INDmg/m3
09/01/2023 15:00	0.00447733	INDmg/m3
09/01/2023 16:00	0.004389588	INDmg/m3
09/01/2023 17:00	0.00432581	INDmg/m3
09/01/2023 18:00	0.004302753	INDmg/m3
09/01/2023 19:00	0.004276047	INDmg/m3
09/01/2023 20:00	0.004238937	INDmg/m3
09/01/2023 21:00	0.004264291	INDmg/m3
09/01/2023 22:00	0.004219647	INDmg/m3
09/01/2023 23:00	0.004245274	INDmg/m3
10/01/2023 00:00	0.004205447	INDmg/m3
10/01/2023 01:00	0.004273236	INDmg/m3
10/01/2023 02:00	0.0042944	INDmg/m3
10/01/2023 03:00	0.004273569	INDmg/m3
10/01/2023 04:00	0.025613099	INDmg/m3
10/01/2023 05:00	0.150901541	INDmg/m3
10/01/2023 06:00	0.359264225	INDmg/m3
10/01/2023 07:00	1.537599325	INDmg/m3
10/01/2023 08:00	0.289375931	INDmg/m3
10/01/2023 09:00	0.263456672	INDmg/m3
10/01/2023 10:00	0.0046026	INDmg/m3
10/01/2023 11:00	0.004723688	INDmg/m3
10/01/2023 12:00	0.004750168	INDmg/m3
10/01/2023 13:00	0.004821096	INDmg/m3
10/01/2023 14:00	0.00464313	INDmg/m3
10/01/2023 15:00	0.004763884	INDmg/m3
10/01/2023 16:00	0.004806457	INDmg/m3
10/01/2023 17:00	0.0048581	INDmg/m3
10/01/2023 18:00	0.009682976	INDmg/m3
10/01/2023 19:00	0.00628	INDmg/m3
10/01/2023 20:00	0.005171043	INDmg/m3
10/01/2023 21:00	0.005090385	INDmg/m3
10/01/2023 22:00	0.004851397	INDmg/m3
10/01/2023 23:00	0.004849185	INDmg/m3
11/01/2023 00:00	0.004916152	INDmg/m3
11/01/2023 01:00	0.004927095	INDmg/m3
11/01/2023 02:00	0.004939212	INDmg/m3
11/01/2023 03:00	0.004861413	INDmg/m3
11/01/2023 04:00	0.097782031	INDmg/m3
11/01/2023 05:00	0.225771427	INDmg/m3

11/01/2023 06:00	0.006436136	INDmg/m3
11/01/2023 07:00	0.005606416	INDmg/m3
11/01/2023 08:00	0.091964118	INDmg/m3
11/01/2023 09:00	0.21959354	INDmg/m3
11/01/2023 10:00	0.005275084	INDmg/m3
11/01/2023 11:00	0.286173254	INDmg/m3
11/01/2023 12:00	0.192115426	INDmg/m3
11/01/2023 13:00	1.222439051	INDmg/m3
11/01/2023 14:00	0.347771198	INDmg/m3
11/01/2023 15:00	0.004756015	INDmg/m3
11/01/2023 16:00	0.01615447	INDmg/m3
11/01/2023 17:00	0.026578026	INDmg/m3
11/01/2023 18:00	1.446419358	INDmg/m3
11/01/2023 19:00	0.004858715	INDmg/m3
11/01/2023 20:00	0.006164917	INDmg/m3
11/01/2023 21:00	0.083874911	INDmg/m3
11/01/2023 22:00	0.054584537	INDmg/m3
11/01/2023 23:00	0.031767748	INDmg/m3
12/01/2023 00:00	0.007364957	INDmg/m3
12/01/2023 01:00	0.007232178	INDmg/m3
12/01/2023 02:00	0.024654211	INDmg/m3
12/01/2023 03:00	0.035630405	INDmg/m3
12/01/2023 04:00	0.026530985	INDmg/m3
12/01/2023 05:00	0.020282896	INDmg/m3
12/01/2023 06:00	0.009701314	INDmg/m3
12/01/2023 07:00	0.006765075	INDmg/m3
12/01/2023 08:00	0.008263001	INDmg/m3
12/01/2023 09:00	0.007657388	INDmg/m3
12/01/2023 10:00	0.00705578	INDmg/m3
12/01/2023 11:00	0.005841409	INDmg/m3
12/01/2023 12:00	0.00542256	INDmg/m3
12/01/2023 13:00	0.005191639	INDmg/m3
12/01/2023 14:00	0.005328866	INDmg/m3
12/01/2023 15:00	0.005340289	INDmg/m3
12/01/2023 16:00	0.140417427	INDmg/m3
12/01/2023 17:00	0.042485535	INDmg/m3
12/01/2023 18:00	0.243601486	INDmg/m3
12/01/2023 19:00	0.178330943	INDmg/m3
12/01/2023 20:00	0.067264989	INDmg/m3
12/01/2023 21:00	0.005215463	INDmg/m3
12/01/2023 22:00	0.005096306	INDmg/m3
12/01/2023 23:00	0.005033874	INDmg/m3
13/01/2023 00:00	0.005003722	INDmg/m3
13/01/2023 01:00	0.005446047	INDmg/m3
13/01/2023 02:00	0.028137837	INDmg/m3
13/01/2023 03:00	0.005640224	INDmg/m3
13/01/2023 04:00	0.004914747	INDmg/m3
13/01/2023 05:00	0.004858113	INDmg/m3
13/01/2023 06:00	0.004817449	INDmg/m3
13/01/2023 07:00	0.946479023	INDmg/m3
13/01/2023 08:00	1.001444221	INDmg/m3
13/01/2023 09:00	1.39455092	INDmg/m3
13/01/2023 10:00	1.62269938	INDmg/m3
13/01/2023 11:00	1.977779865	INDmg/m3
13/01/2023 12:00	0.902820468	INDmg/m3
13/01/2023 13:00	1.116782427	INDmg/m3

13/01/2023 14:00	1.079966068	INDmg/m3
13/01/2023 15:00	1.570025206	INDmg/m3
13/01/2023 16:00	0.847331405	INDmg/m3
13/01/2023 17:00	0.897999883	INDmg/m3
13/01/2023 18:00	0.831177115	INDmg/m3
13/01/2023 19:00	0.00468681	INDmg/m3
13/01/2023 20:00	0.004442837	INDmg/m3
13/01/2023 21:00	0.004403436	INDmg/m3
13/01/2023 22:00	0.004848115	INDmg/m3
13/01/2023 23:00	0.022802446	INDmg/m3
14/01/2023 00:00	0.014267914	INDmg/m3
14/01/2023 01:00	0.028430408	INDmg/m3
14/01/2023 02:00	0.026551643	INDmg/m3
14/01/2023 03:00	0.219960377	INDmg/m3
14/01/2023 04:00	0.038168982	INDmg/m3
14/01/2023 05:00	0.034625694	INDmg/m3
14/01/2023 06:00	0.007618232	INDmg/m3
14/01/2023 07:00	0.005637748	INDmg/m3
14/01/2023 08:00	0.00589501	INDmg/m3
14/01/2023 09:00	0.004713342	INDmg/m3
14/01/2023 10:00	0.004701256	INDmg/m3
14/01/2023 11:00	0.004722276	INDmg/m3
14/01/2023 12:00	0.004778088	INDmg/m3
14/01/2023 13:00	0.004700272	INDmg/m3
14/01/2023 14:00	0.004888451	INDmg/m3
14/01/2023 15:00	0.0046513	INDmg/m3
14/01/2023 16:00	0.004624269	INDmg/m3
14/01/2023 17:00	0.016464936	INDmg/m3
14/01/2023 18:00	0.029167643	INDmg/m3
14/01/2023 19:00	0.004488024	INDmg/m3
14/01/2023 20:00	0.004525469	INDmg/m3
14/01/2023 21:00	0.004483218	INDmg/m3
14/01/2023 22:00	0.004450565	INDmg/m3
14/01/2023 23:00	0.004380903	INDmg/m3
15/01/2023 00:00	0.004608458	INDmg/m3
15/01/2023 01:00	0.005006222	INDmg/m3
15/01/2023 02:00	0.045614511	INDmg/m3
15/01/2023 03:00	0.004308901	INDmg/m3
15/01/2023 04:00	0.194458693	INDmg/m3
15/01/2023 05:00	0.077983819	INDmg/m3
15/01/2023 06:00	0.014956668	INDmg/m3
15/01/2023 07:00	0.004313124	INDmg/m3
15/01/2023 08:00	0.004280107	INDmg/m3
15/01/2023 09:00	0.0808888	INDmg/m3
15/01/2023 10:00	0.321943194	INDmg/m3
15/01/2023 11:00	0.006444712	INDmg/m3
15/01/2023 12:00	0.00583244	INDmg/m3
15/01/2023 13:00	0.004455793	INDmg/m3
15/01/2023 14:00	0.004634787	INDmg/m3
15/01/2023 15:00	0.019903565	INDmg/m3
15/01/2023 16:00	0.004291049	INDmg/m3
15/01/2023 17:00	0.004324503	INDmg/m3
15/01/2023 18:00	0.004215365	INDmg/m3
15/01/2023 19:00	0.00422712	INDmg/m3
15/01/2023 20:00	0.00417229	INDmg/m3
15/01/2023 21:00	0.004129774	INDmg/m3

15/01/2023 22:00	0.004123377	INDmg/m3
15/01/2023 23:00	0.00408962	INDmg/m3
16/01/2023 00:00	0.004107057	INDmg/m3
16/01/2023 01:00	0.004104755	INDmg/m3
16/01/2023 02:00	0.004086447	INDmg/m3
16/01/2023 03:00	0.0040315	INDmg/m3
16/01/2023 04:00	0.004036298	INDmg/m3
16/01/2023 05:00	0.004058812	INDmg/m3
16/01/2023 06:00	0.004608078	INDmg/m3
16/01/2023 07:00	0.320466131	INDmg/m3
16/01/2023 08:00	0.634776175	INDmg/m3
16/01/2023 09:00	1.323312521	INDmg/m3
16/01/2023 10:00	1.148977399	INDmg/m3
16/01/2023 11:00	1.696435928	INDmg/m3
16/01/2023 12:00	0.853740811	INDmg/m3
16/01/2023 13:00	0.894640565	INDmg/m3
16/01/2023 14:00	1.132020593	INDmg/m3
16/01/2023 15:00	1.432168245	INDmg/m3
16/01/2023 16:00	1.188480854	INDmg/m3
16/01/2023 17:00	0.669415653	INDmg/m3
16/01/2023 18:00	0.00356839	INDmg/m3
16/01/2023 19:00	0.003547296	INDmg/m3
16/01/2023 20:00	0.003602628	INDmg/m3
16/01/2023 21:00	0.003594902	INDmg/m3
16/01/2023 22:00	0.003578243	INDmg/m3
16/01/2023 23:00	0.003598288	INDmg/m3
17/01/2023 00:00	0.003569957	INDmg/m3
17/01/2023 01:00	0.003578644	INDmg/m3
17/01/2023 02:00	0.003548682	INDmg/m3
17/01/2023 03:00	0.003559348	INDmg/m3
17/01/2023 04:00	0.003545348	INDmg/m3
17/01/2023 05:00	0.003530088	INDmg/m3
17/01/2023 06:00	0.003567182	INDmg/m3
17/01/2023 07:00	0.003597615	INDmg/m3
17/01/2023 08:00	0.0035325	INDmg/m3
17/01/2023 09:00	0.00358373	INDmg/m3
17/01/2023 10:00	0.00353995	INDmg/m3
17/01/2023 11:00	0.003686632	INDmg/m3
17/01/2023 12:00	0.003853759	INDmg/m3
17/01/2023 13:00	0.003800996	INDmg/m3
17/01/2023 14:00	0.003827786	INDmg/m3
17/01/2023 15:00	0.003765935	INDmg/m3
17/01/2023 16:00	0.003671146	INDmg/m3
17/01/2023 17:00	0.003609152	INDmg/m3
17/01/2023 18:00	0.003547555	INDmg/m3
17/01/2023 19:00	0.003537724	INDmg/m3
17/01/2023 20:00	0.003556849	INDmg/m3
17/01/2023 21:00	0.003637088	INDmg/m3
17/01/2023 22:00	0.005195645	INDmg/m3
17/01/2023 23:00	0.004036904	INDmg/m3
18/01/2023 00:00	0.003567708	INDmg/m3
18/01/2023 01:00	0.00360899	INDmg/m3
18/01/2023 02:00	0.003513925	INDmg/m3
18/01/2023 03:00	0.00357334	INDmg/m3
18/01/2023 04:00	0.003515028	INDmg/m3
18/01/2023 05:00	0.004361256	INDmg/m3

18/01/2023 06:00	0.003542745	INDmg/m3
18/01/2023 07:00	0.003759621	INDmg/m3
18/01/2023 08:00	0.433135211	INDmg/m3
18/01/2023 09:00	0.871175766	INDmg/m3
18/01/2023 10:00	0.113195159	INDmg/m3
18/01/2023 11:00	0.844279766	INDmg/m3
18/01/2023 12:00	0.003598743	INDmg/m3
18/01/2023 13:00	0.003584785	INDmg/m3
18/01/2023 14:00	0.015287757	INDmg/m3
18/01/2023 15:00	0.003666551	INDmg/m3
18/01/2023 16:00	0.00388146	INDmg/m3
18/01/2023 17:00	0.004135762	INDmg/m3
18/01/2023 18:00	0.003596207	INDmg/m3
18/01/2023 19:00	0.003566135	INDmg/m3
18/01/2023 20:00	0.00830612	INDmg/m3
18/01/2023 21:00	0.010370769	INDmg/m3
18/01/2023 22:00	1.870041847	INDmg/m3
18/01/2023 23:00	0.052161422	INDmg/m3
19/01/2023 00:00	0.003556814	INDmg/m3
19/01/2023 01:00	0.003547895	INDmg/m3
19/01/2023 02:00	0.003550398	INDmg/m3
19/01/2023 03:00	0.003545027	INDmg/m3
19/01/2023 04:00	0.003612024	INDmg/m3
19/01/2023 05:00	0.003598233	INDmg/m3
19/01/2023 06:00	0.00358535	INDmg/m3
19/01/2023 07:00	0.281719089	INDmg/m3
19/01/2023 08:00	0.519694924	INDmg/m3
19/01/2023 09:00	0.933396637	INDmg/m3
19/01/2023 10:00	0.893225014	INDmg/m3
19/01/2023 11:00	0.167406484	INDmg/m3
19/01/2023 12:00	0.003771665	INDmg/m3
19/01/2023 13:00	0.003871679	INDmg/m3
19/01/2023 14:00	0.003804209	INDmg/m3
19/01/2023 15:00	0.004129049	INDmg/m3
19/01/2023 16:00	0.003792391	INDmg/m3
19/01/2023 17:00	0.003666086	INDmg/m3
19/01/2023 18:00	0.003627334	INDmg/m3
19/01/2023 19:00	0.003588102	INDmg/m3
19/01/2023 20:00	0.003599416	INDmg/m3
19/01/2023 21:00	0.00355112	INDmg/m3
19/01/2023 22:00	0.003583306	INDmg/m3
19/01/2023 23:00	0.003582799	INDmg/m3
20/01/2023 00:00	0.003548422	INDmg/m3
20/01/2023 01:00	0.003554034	INDmg/m3
20/01/2023 02:00	0.003550086	INDmg/m3
20/01/2023 03:00	0.003509538	INDmg/m3
20/01/2023 04:00	0.003541902	INDmg/m3
20/01/2023 05:00	0.003598453	INDmg/m3
20/01/2023 06:00	0.003540597	INDmg/m3
20/01/2023 07:00	0.003548967	INDmg/m3
20/01/2023 08:00	0.00378336	INDmg/m3
20/01/2023 09:00	0.003639907	INDmg/m3
20/01/2023 10:00	0.003696651	INDmg/m3
20/01/2023 11:00	0.004114521	INDmg/m3
20/01/2023 12:00	0.003912386	INDmg/m3
20/01/2023 13:00	0.003776411	INDmg/m3

20/01/2023 14:00	0.003697924	INDmg/m3
20/01/2023 15:00	0.003747167	INDmg/m3
20/01/2023 16:00	0.003637397	INDmg/m3
20/01/2023 17:00	0.003594732	INDmg/m3
20/01/2023 18:00	0.003554908	INDmg/m3
20/01/2023 19:00	0.00350518	INDmg/m3
20/01/2023 20:00	0.003510239	INDmg/m3
20/01/2023 21:00	0.003545099	INDmg/m3
20/01/2023 22:00	0.003517184	INDmg/m3
20/01/2023 23:00	0.003539406	INDmg/m3
21/01/2023 00:00	0.00355253	INDmg/m3
21/01/2023 01:00	0.003615126	INDmg/m3
21/01/2023 02:00	0.003575752	INDmg/m3
21/01/2023 03:00	0.003511231	INDmg/m3
21/01/2023 04:00	0.003623018	INDmg/m3
21/01/2023 05:00	0.003543773	INDmg/m3
21/01/2023 06:00	0.003503209	INDmg/m3
21/01/2023 07:00	0.003591972	INDmg/m3
21/01/2023 08:00	0.003596371	INDmg/m3
21/01/2023 09:00	0.003547273	INDmg/m3
21/01/2023 10:00	0.003587649	INDmg/m3
21/01/2023 11:00	0.003653779	INDmg/m3
21/01/2023 12:00	0.003612373	INDmg/m3
21/01/2023 13:00	0.003603526	INDmg/m3
21/01/2023 14:00	0.003640087	INDmg/m3
21/01/2023 15:00	0.003615582	INDmg/m3
21/01/2023 16:00	0.003517292	INDmg/m3
21/01/2023 17:00	0.003569118	INDmg/m3
21/01/2023 18:00	0.003507999	INDmg/m3
21/01/2023 19:00	0.003597052	INDmg/m3
21/01/2023 20:00	0.003566178	INDmg/m3
21/01/2023 21:00	0.003512083	INDmg/m3
21/01/2023 22:00	0.003555311	INDmg/m3
21/01/2023 23:00	0.003522506	INDmg/m3
22/01/2023 00:00	0.003534907	INDmg/m3
22/01/2023 01:00	0.00354886	INDmg/m3
22/01/2023 02:00	0.003543916	INDmg/m3
22/01/2023 03:00	0.003529949	INDmg/m3
22/01/2023 04:00	0.003539977	INDmg/m3
22/01/2023 05:00	0.003545455	INDmg/m3
22/01/2023 06:00	0.00352503	INDmg/m3
22/01/2023 07:00	0.003525312	INDmg/m3
22/01/2023 08:00	0.003534041	INDmg/m3
22/01/2023 09:00	0.003561792	INDmg/m3
22/01/2023 10:00	0.003509691	INDmg/m3
22/01/2023 11:00	0.003569516	INDmg/m3
22/01/2023 12:00	0.003583879	INDmg/m3
22/01/2023 13:00	0.003626941	INDmg/m3
22/01/2023 14:00	0.003686552	INDmg/m3
22/01/2023 15:00	0.003579824	INDmg/m3
22/01/2023 16:00	0.003540064	INDmg/m3
22/01/2023 17:00	0.00352462	INDmg/m3
22/01/2023 18:00	0.003526954	INDmg/m3
22/01/2023 19:00	0.003583305	INDmg/m3
22/01/2023 20:00	0.003565977	INDmg/m3
22/01/2023 21:00	0.003545605	INDmg/m3

22/01/2023 22:00	0.003592832	INDmg/m3
22/01/2023 23:00	0.003551187	INDmg/m3
23/01/2023 00:00	0.003558224	INDmg/m3
23/01/2023 01:00	0.003572775	INDmg/m3
23/01/2023 02:00	0.003562234	INDmg/m3
23/01/2023 03:00	0.003583713	INDmg/m3
23/01/2023 04:00	0.00358788	INDmg/m3
23/01/2023 05:00	0.003585609	INDmg/m3
23/01/2023 06:00	0.003574623	INDmg/m3
23/01/2023 07:00	0.30892691	INDmg/m3
23/01/2023 08:00	0.618176877	INDmg/m3
23/01/2023 09:00	1.468872786	INDmg/m3
23/01/2023 10:00	1.170152426	INDmg/m3
23/01/2023 11:00	1.370070934	INDmg/m3
23/01/2023 12:00	0.767561734	INDmg/m3
23/01/2023 13:00	0.976394594	INDmg/m3
23/01/2023 14:00	1.34355998	INDmg/m3
23/01/2023 15:00	1.103121996	INDmg/m3
23/01/2023 16:00	0.591087699	INDmg/m3
23/01/2023 17:00	0.788688719	INDmg/m3
23/01/2023 18:00	0.348668158	INDmg/m3
23/01/2023 19:00	0.003520524	INDmg/m3
23/01/2023 20:00	0.003518694	INDmg/m3
23/01/2023 21:00	0.003513926	INDmg/m3
23/01/2023 22:00	0.003505323	INDmg/m3
23/01/2023 23:00	0.003510415	INDmg/m3
24/01/2023 00:00	0.003503206	INDmg/m3
24/01/2023 01:00	0.003502089	INDmg/m3
24/01/2023 02:00	0.003593897	INDmg/m3
24/01/2023 03:00	0.003593328	INDmg/m3
24/01/2023 04:00	0.003538546	INDmg/m3
24/01/2023 05:00	0.003576068	INDmg/m3
24/01/2023 06:00	0.003567297	INDmg/m3
24/01/2023 07:00	0.120393932	INDmg/m3
24/01/2023 08:00	0.374836296	INDmg/m3
24/01/2023 09:00	0.751471519	INDmg/m3
24/01/2023 10:00	0.79922235	INDmg/m3
24/01/2023 11:00	0.70514977	INDmg/m3
24/01/2023 12:00	0.369926184	INDmg/m3
24/01/2023 13:00	0.289107263	INDmg/m3
24/01/2023 14:00	0.529016495	INDmg/m3
24/01/2023 15:00	0.977432132	INDmg/m3
24/01/2023 16:00	0.612742484	INDmg/m3
24/01/2023 17:00	0.217178509	INDmg/m3
24/01/2023 18:00	0.003559067	INDmg/m3
24/01/2023 19:00	0.003534585	INDmg/m3
24/01/2023 20:00	0.003601944	INDmg/m3
24/01/2023 21:00	0.003650134	INDmg/m3
24/01/2023 22:00	0.003640174	INDmg/m3
24/01/2023 23:00	0.003604151	INDmg/m3
25/01/2023 00:00	0.003525596	INDmg/m3
25/01/2023 01:00	0.003526022	INDmg/m3
25/01/2023 02:00	0.003583763	INDmg/m3
25/01/2023 03:00	0.003492937	INDmg/m3
25/01/2023 04:00	0.003544277	INDmg/m3
25/01/2023 05:00	0.003829275	INDmg/m3

25/01/2023 06:00	0.003534196	INDmg/m3
25/01/2023 07:00	0.003537851	INDmg/m3
25/01/2023 08:00	0.003740206	INDmg/m3
25/01/2023 09:00	0.004301808	INDmg/m3
25/01/2023 10:00	0.00377398	INDmg/m3
25/01/2023 11:00	0.004502971	INDmg/m3
25/01/2023 12:00	0.003702127	INDmg/m3
25/01/2023 13:00	0.013608268	INDmg/m3
25/01/2023 14:00	0.003670685	INDmg/m3
25/01/2023 15:00	0.003659511	INDmg/m3
25/01/2023 16:00	0.003675858	INDmg/m3
25/01/2023 17:00	0.004211531	INDmg/m3
25/01/2023 18:00	0.003772511	INDmg/m3
25/01/2023 19:00	0.003695559	INDmg/m3
25/01/2023 20:00	0.00368794	INDmg/m3
25/01/2023 21:00	0.003673402	INDmg/m3
25/01/2023 22:00	0.003659238	INDmg/m3
25/01/2023 23:00	0.003631528	INDmg/m3
26/01/2023 00:00	0.003624523	INDmg/m3
26/01/2023 01:00	0.003598056	INDmg/m3
26/01/2023 02:00	0.003631948	INDmg/m3
26/01/2023 03:00	0.003626739	INDmg/m3
26/01/2023 04:00	0.003624768	INDmg/m3
26/01/2023 05:00	0.003613941	INDmg/m3
26/01/2023 06:00	0.003612919	INDmg/m3
26/01/2023 07:00	0.003603023	INDmg/m3
26/01/2023 08:00	0.003609109	INDmg/m3
26/01/2023 09:00	0.003578329	INDmg/m3
26/01/2023 10:00	0.003649671	INDmg/m3
26/01/2023 11:00	0.003735122	INDmg/m3
26/01/2023 12:00	0.00386153	INDmg/m3
26/01/2023 13:00	0.003697057	INDmg/m3
26/01/2023 14:00	0.003692943	INDmg/m3
26/01/2023 15:00	0.227951601	INDmg/m3
26/01/2023 16:00	0.124763206	INDmg/m3
26/01/2023 17:00	0.003636808	INDmg/m3
26/01/2023 18:00	0.003603862	INDmg/m3
26/01/2023 19:00	0.003587249	INDmg/m3
26/01/2023 20:00	0.00361576	INDmg/m3
26/01/2023 21:00	0.003594243	INDmg/m3
26/01/2023 22:00	0.003579529	INDmg/m3
26/01/2023 23:00	0.003585167	INDmg/m3
27/01/2023 00:00	0.003548963	INDmg/m3
27/01/2023 01:00	0.003535171	INDmg/m3
27/01/2023 02:00	0.003567988	INDmg/m3
27/01/2023 03:00	0.003547124	INDmg/m3
27/01/2023 04:00	0.003517011	INDmg/m3
27/01/2023 05:00	0.003509138	INDmg/m3
27/01/2023 06:00	0.003511658	INDmg/m3
27/01/2023 07:00	0.0869966	INDmg/m3
27/01/2023 08:00	0.595633507	INDmg/m3
27/01/2023 09:00	1.048678517	INDmg/m3
27/01/2023 10:00	0.876581848	INDmg/m3
27/01/2023 11:00	0.301297873	INDmg/m3
27/01/2023 12:00	0.792778492	INDmg/m3
27/01/2023 13:00	1.067411304	INDmg/m3

27/01/2023 14:00	0.99472481	INDmg/m3
27/01/2023 15:00	1.325414062	INDmg/m3
27/01/2023 16:00	0.758209407	INDmg/m3
27/01/2023 17:00	0.986904621	INDmg/m3
27/01/2023 18:00	0.363666058	INDmg/m3
27/01/2023 19:00	0.003489531	INDmg/m3
27/01/2023 20:00	0.003490272	INDmg/m3
27/01/2023 21:00	0.003543872	INDmg/m3
27/01/2023 22:00	0.003564379	INDmg/m3
27/01/2023 23:00	0.003493492	INDmg/m3
28/01/2023 00:00	0.003500818	INDmg/m3
28/01/2023 01:00	0.003525728	INDmg/m3
28/01/2023 02:00	0.003490124	INDmg/m3
28/01/2023 03:00	0.00351643	INDmg/m3
28/01/2023 04:00	0.003500254	INDmg/m3
28/01/2023 05:00	0.003510692	INDmg/m3
28/01/2023 06:00	0.003505043	INDmg/m3
28/01/2023 07:00	0.003482376	INDmg/m3
28/01/2023 08:00	0.00355275	INDmg/m3
28/01/2023 09:00	0.003468573	INDmg/m3
28/01/2023 10:00	0.003521787	INDmg/m3
28/01/2023 11:00	0.003552159	INDmg/m3
28/01/2023 12:00	0.003464909	INDmg/m3
28/01/2023 13:00	0.003574184	INDmg/m3
28/01/2023 14:00	0.003747091	INDmg/m3
28/01/2023 15:00	0.003576104	INDmg/m3
28/01/2023 16:00	0.0035605	INDmg/m3
28/01/2023 17:00	0.003538812	INDmg/m3
28/01/2023 18:00	0.003528822	INDmg/m3
28/01/2023 19:00	0.003547869	INDmg/m3
28/01/2023 20:00	0.003599969	INDmg/m3
28/01/2023 21:00	0.003543769	INDmg/m3
28/01/2023 22:00	0.003583754	INDmg/m3
28/01/2023 23:00	0.003539929	INDmg/m3
29/01/2023 00:00	0.003504341	INDmg/m3
29/01/2023 01:00	0.003716157	INDmg/m3
29/01/2023 02:00	0.003509545	INDmg/m3
29/01/2023 03:00	0.003711889	INDmg/m3
29/01/2023 04:00	0.004900326	INDmg/m3
29/01/2023 05:00	0.005406269	INDmg/m3
29/01/2023 06:00	0.009078551	INDmg/m3
29/01/2023 07:00	0.005268216	INDmg/m3
29/01/2023 08:00	0.003923425	INDmg/m3
29/01/2023 09:00	0.004716504	INDmg/m3
29/01/2023 10:00	0.004021118	INDmg/m3
29/01/2023 11:00	0.003895575	INDmg/m3
29/01/2023 12:00	0.006486019	INDmg/m3
29/01/2023 13:00	0.003908522	INDmg/m3
29/01/2023 14:00	0.003662416	INDmg/m3
29/01/2023 15:00	0.003653588	INDmg/m3
29/01/2023 16:00	0.003712013	INDmg/m3
29/01/2023 17:00	0.00369292	INDmg/m3
29/01/2023 18:00	0.003780026	INDmg/m3
29/01/2023 19:00	0.003684208	INDmg/m3
29/01/2023 20:00	0.003651612	INDmg/m3
29/01/2023 21:00	0.003864359	INDmg/m3

29/01/2023 22:00	0.003809955	INDmg/m3
29/01/2023 23:00	0.003732453	INDmg/m3
30/01/2023 00:00	0.003885099	INDmg/m3
30/01/2023 01:00	0.003941434	INDmg/m3
30/01/2023 02:00	0.003750336	INDmg/m3
30/01/2023 03:00	0.003760834	INDmg/m3
30/01/2023 04:00	0.003778264	INDmg/m3
30/01/2023 05:00	0.003706024	INDmg/m3
30/01/2023 06:00	0.003715882	INDmg/m3
30/01/2023 07:00	0.179318771	INDmg/m3
30/01/2023 08:00	0.760535359	INDmg/m3
30/01/2023 09:00	1.165205359	INDmg/m3
30/01/2023 10:00	1.254404902	INDmg/m3
30/01/2023 11:00	1.331193566	INDmg/m3
30/01/2023 12:00	1.130402327	INDmg/m3
30/01/2023 13:00	0.804420292	INDmg/m3
30/01/2023 14:00	1.15330267	INDmg/m3
30/01/2023 15:00	1.466858864	INDmg/m3
30/01/2023 16:00	0.848047078	INDmg/m3
30/01/2023 17:00	1.24821496	INDmg/m3
30/01/2023 18:00	0.040802993	INDmg/m3
30/01/2023 19:00	0.00368653	INDmg/m3
30/01/2023 20:00	0.003596991	INDmg/m3
30/01/2023 21:00	0.003570643	INDmg/m3
30/01/2023 22:00	0.003557971	INDmg/m3
30/01/2023 23:00	0.003590861	INDmg/m3
31/01/2023 00:00	0.003650134	INDmg/m3
31/01/2023 01:00	0.003666179	INDmg/m3
31/01/2023 02:00	0.003601446	INDmg/m3
31/01/2023 03:00	0.003603308	INDmg/m3
31/01/2023 04:00	0.003630012	INDmg/m3
31/01/2023 05:00	0.00367153	INDmg/m3
31/01/2023 06:00	0.003836094	INDmg/m3
31/01/2023 07:00	0.004019981	INDmg/m3
31/01/2023 08:00	0.00390679	INDmg/m3
31/01/2023 09:00	0.003690235	INDmg/m3
31/01/2023 10:00	0.003716047	INDmg/m3
31/01/2023 11:00	0.003755902	INDmg/m3
31/01/2023 12:00	0.003801455	INDmg/m3
31/01/2023 13:00	0.003822668	INDmg/m3
31/01/2023 14:00	0.003787209	INDmg/m3
31/01/2023 15:00	0.003697989	INDmg/m3
31/01/2023 16:00	0.003660826	INDmg/m3
31/01/2023 17:00	0.003636137	INDmg/m3
31/01/2023 18:00	0.003570397	INDmg/m3
31/01/2023 19:00	0.00358467	INDmg/m3
31/01/2023 20:00	0.003562321	INDmg/m3
31/01/2023 21:00	0.003587091	INDmg/m3
31/01/2023 22:00	0.003568867	INDmg/m3
31/01/2023 23:00	0.003576276	INDmg/m3
01/02/2023 00:00	0.003574869	INDmg/m3
01/02/2023 01:00	0.003555622	INDmg/m3
01/02/2023 02:00	0.003565981	INDmg/m3
01/02/2023 03:00	0.003581906	INDmg/m3
01/02/2023 04:00	0.003546272	INDmg/m3
01/02/2023 05:00	0.003550958	INDmg/m3

01/02/2023 06:00	0.003587321	INDmg/m3
01/02/2023 07:00	0.003548453	INDmg/m3
01/02/2023 08:00	0.003564855	INDmg/m3
01/02/2023 09:00	0.003574747	INDmg/m3
01/02/2023 10:00	0.003665328	INDmg/m3
01/02/2023 11:00	0.003750896	INDmg/m3
01/02/2023 12:00	0.003738164	INDmg/m3
01/02/2023 13:00	0.003703898	INDmg/m3
01/02/2023 14:00	0.003690452	INDmg/m3
01/02/2023 15:00	0.003639068	INDmg/m3
01/02/2023 16:00	0.003607754	INDmg/m3
01/02/2023 17:00	0.003596095	INDmg/m3
01/02/2023 18:00	0.003566816	INDmg/m3
01/02/2023 19:00	0.003563727	INDmg/m3
01/02/2023 20:00	0.003605214	INDmg/m3
01/02/2023 21:00	0.003606291	INDmg/m3
01/02/2023 22:00	0.003644677	INDmg/m3
01/02/2023 23:00	0.003678664	INDmg/m3
02/02/2023 00:00	0.003660077	INDmg/m3
02/02/2023 01:00	0.003663362	INDmg/m3
02/02/2023 02:00	0.003626315	INDmg/m3
02/02/2023 03:00	0.003698073	INDmg/m3
02/02/2023 04:00	0.003964237	INDmg/m3
02/02/2023 05:00	0.004010135	INDmg/m3
02/02/2023 06:00	0.003938044	INDmg/m3
02/02/2023 07:00	0.270549893	INDmg/m3
02/02/2023 08:00	0.620121777	INDmg/m3
02/02/2023 09:00	1.146471381	INDmg/m3
02/02/2023 10:00	1.482353091	INDmg/m3
02/02/2023 11:00	2.139642477	INDmg/m3
02/02/2023 12:00	1.461631417	INDmg/m3
02/02/2023 13:00	1.075081229	INDmg/m3
02/02/2023 14:00	1.266675353	INDmg/m3
02/02/2023 15:00	1.379485726	INDmg/m3
02/02/2023 16:00	0.957896352	INDmg/m3
02/02/2023 17:00	1.086398602	INDmg/m3
02/02/2023 18:00	0.203498647	INDmg/m3
02/02/2023 19:00	0.004015209	INDmg/m3
02/02/2023 20:00	0.003868023	INDmg/m3
02/02/2023 21:00	0.003726822	INDmg/m3
02/02/2023 22:00	0.003826843	INDmg/m3
02/02/2023 23:00	0.004162187	INDmg/m3
03/02/2023 00:00	0.00373816	INDmg/m3
03/02/2023 01:00	0.003776762	INDmg/m3
03/02/2023 02:00	0.003978053	INDmg/m3
03/02/2023 03:00	0.005787779	INDmg/m3
03/02/2023 04:00	0.005002993	INDmg/m3
03/02/2023 05:00	0.004203383	INDmg/m3
03/02/2023 06:00	0.003749569	INDmg/m3
03/02/2023 07:00	0.003742452	INDmg/m3
03/02/2023 08:00	0.003726133	INDmg/m3
03/02/2023 09:00	0.003743726	INDmg/m3
03/02/2023 10:00	0.003735398	INDmg/m3
03/02/2023 11:00	0.003801736	INDmg/m3
03/02/2023 12:00	0.003765037	INDmg/m3
03/02/2023 13:00	0.003784029	INDmg/m3

03/02/2023 14:00	0.0037948	INDmg/m3
03/02/2023 15:00	0.003827225	INDmg/m3
03/02/2023 16:00	0.003779766	INDmg/m3
03/02/2023 17:00	0.003844544	INDmg/m3
03/02/2023 18:00	0.003828024	INDmg/m3
03/02/2023 19:00	0.003759342	INDmg/m3
03/02/2023 20:00	0.003797958	INDmg/m3
03/02/2023 21:00	0.003951819	INDmg/m3
03/02/2023 22:00	0.003774262	INDmg/m3
03/02/2023 23:00	0.003787873	INDmg/m3
04/02/2023 00:00	0.003842329	INDmg/m3
04/02/2023 01:00	0.003805221	INDmg/m3
04/02/2023 02:00	0.003784172	INDmg/m3
04/02/2023 03:00	0.003825803	INDmg/m3
04/02/2023 04:00	0.003761115	INDmg/m3
04/02/2023 05:00	0.003745265	INDmg/m3
04/02/2023 06:00	0.003733955	INDmg/m3
04/02/2023 07:00	0.003700659	INDmg/m3
04/02/2023 08:00	0.003745349	INDmg/m3
04/02/2023 09:00	0.003773506	INDmg/m3
04/02/2023 10:00	0.003723728	INDmg/m3
04/02/2023 11:00	0.003742456	INDmg/m3
04/02/2023 12:00	0.003702942	INDmg/m3
04/02/2023 13:00	0.003725899	INDmg/m3
04/02/2023 14:00	0.003819182	INDmg/m3
04/02/2023 15:00	0.003740054	INDmg/m3
04/02/2023 16:00	0.003753299	INDmg/m3
04/02/2023 17:00	0.003789577	INDmg/m3
04/02/2023 18:00	0.003780329	INDmg/m3
04/02/2023 19:00	0.003717415	INDmg/m3
04/02/2023 20:00	0.00376976	INDmg/m3
04/02/2023 21:00	0.003807358	INDmg/m3
04/02/2023 22:00	0.003768416	INDmg/m3
04/02/2023 23:00	0.003806915	INDmg/m3
05/02/2023 00:00	0.003810011	INDmg/m3
05/02/2023 01:00	0.003767241	INDmg/m3
05/02/2023 02:00	0.003728793	INDmg/m3
05/02/2023 03:00	0.003749781	INDmg/m3
05/02/2023 04:00	0.003709687	INDmg/m3
05/02/2023 05:00	0.003676042	INDmg/m3
05/02/2023 06:00	0.003679421	INDmg/m3
05/02/2023 07:00	0.003656421	INDmg/m3
05/02/2023 08:00	0.003640243	INDmg/m3
05/02/2023 09:00	0.003647027	INDmg/m3
05/02/2023 10:00	0.003810572	INDmg/m3
05/02/2023 11:00	0.003862359	INDmg/m3
05/02/2023 12:00	0.003808265	INDmg/m3
05/02/2023 13:00	0.003765391	INDmg/m3
05/02/2023 14:00	0.003737732	INDmg/m3
05/02/2023 15:00	0.003714391	INDmg/m3
05/02/2023 16:00	0.003621215	INDmg/m3
05/02/2023 17:00	0.003598905	INDmg/m3
05/02/2023 18:00	0.003596367	INDmg/m3
05/02/2023 19:00	0.003543438	INDmg/m3
05/02/2023 20:00	0.003540343	INDmg/m3
05/02/2023 21:00	0.00350349	INDmg/m3

05/02/2023 22:00	0.003518139	INDmg/m3
05/02/2023 23:00	0.003532804	INDmg/m3
06/02/2023 00:00	0.003549523	INDmg/m3
06/02/2023 01:00	0.003490955	INDmg/m3
06/02/2023 02:00	0.003535146	INDmg/m3
06/02/2023 03:00	0.003552091	INDmg/m3
06/02/2023 04:00	0.00357076	INDmg/m3
06/02/2023 05:00	0.003533851	INDmg/m3
06/02/2023 06:00	0.003576915	INDmg/m3
06/02/2023 07:00	0.216486841	INDmg/m3
06/02/2023 08:00	0.490196913	INDmg/m3
06/02/2023 09:00	0.994131446	INDmg/m3
06/02/2023 10:00	1.150442362	INDmg/m3
06/02/2023 11:00	1.671492577	INDmg/m3
06/02/2023 12:00	1.142775655	INDmg/m3
06/02/2023 13:00	0.635401189	INDmg/m3
06/02/2023 14:00	0.894572973	INDmg/m3
06/02/2023 15:00	1.513506651	INDmg/m3
06/02/2023 16:00	1.258471966	INDmg/m3
06/02/2023 17:00	0.823612809	INDmg/m3
06/02/2023 18:00	0.96301043	INDmg/m3
06/02/2023 19:00	0.004480921	INDmg/m3
06/02/2023 20:00	0.003560003	INDmg/m3
06/02/2023 21:00	0.003551242	INDmg/m3
06/02/2023 22:00	0.00355913	INDmg/m3
06/02/2023 23:00	0.003923155	INDmg/m3
07/02/2023 00:00	0.003697643	INDmg/m3
07/02/2023 01:00	0.003470825	INDmg/m3
07/02/2023 02:00	0.003514481	INDmg/m3
07/02/2023 03:00	0.003607301	INDmg/m3
07/02/2023 04:00	0.003547766	INDmg/m3
07/02/2023 05:00	0.003620361	INDmg/m3
07/02/2023 06:00	0.0035201	INDmg/m3
07/02/2023 07:00	0.003569956	INDmg/m3
07/02/2023 08:00	0.003665983	INDmg/m3
07/02/2023 09:00	0.003533239	INDmg/m3
07/02/2023 10:00	0.003682313	INDmg/m3
07/02/2023 11:00	0.003740332	INDmg/m3
07/02/2023 12:00	0.003684566	INDmg/m3
07/02/2023 13:00	0.003702039	INDmg/m3
07/02/2023 14:00	0.003786799	INDmg/m3
07/02/2023 15:00	0.003715359	INDmg/m3
07/02/2023 16:00	0.003614916	INDmg/m3
07/02/2023 17:00	0.003564613	INDmg/m3
07/02/2023 18:00	0.003538394	INDmg/m3
07/02/2023 19:00	0.003515186	INDmg/m3
07/02/2023 20:00	0.003511947	INDmg/m3
07/02/2023 21:00	0.003506024	INDmg/m3
07/02/2023 22:00	0.003562678	INDmg/m3
07/02/2023 23:00	0.003548757	INDmg/m3
08/02/2023 00:00	0.003473061	INDmg/m3
08/02/2023 01:00	0.00355061	INDmg/m3
08/02/2023 02:00	0.003534756	INDmg/m3
08/02/2023 03:00	0.003484346	INDmg/m3
08/02/2023 04:00	0.003549171	INDmg/m3
08/02/2023 05:00	0.003507721	INDmg/m3

08/02/2023 06:00	0.003533756	INDmg/m3
08/02/2023 07:00	0.141909793	INDmg/m3
08/02/2023 08:00	0.439960241	INDmg/m3
08/02/2023 09:00	0.567334414	INDmg/m3
08/02/2023 10:00	0.885671198	INDmg/m3
08/02/2023 11:00	1.198423028	INDmg/m3
08/02/2023 12:00	0.564807594	INDmg/m3
08/02/2023 13:00	0.934407473	INDmg/m3
08/02/2023 14:00	1.112513423	INDmg/m3
08/02/2023 15:00	1.020539165	INDmg/m3
08/02/2023 16:00	0.651828587	INDmg/m3
08/02/2023 17:00	0.003448601	INDmg/m3
08/02/2023 18:00	0.003475038	INDmg/m3
08/02/2023 19:00	0.003511086	INDmg/m3
08/02/2023 20:00	0.003531503	INDmg/m3
08/02/2023 21:00	0.003441445	INDmg/m3
08/02/2023 22:00	0.003543234	INDmg/m3
08/02/2023 23:00	0.003530114	INDmg/m3
09/02/2023 00:00	0.003475769	INDmg/m3
09/02/2023 01:00	0.003557503	INDmg/m3
09/02/2023 02:00	0.003532334	INDmg/m3
09/02/2023 03:00	0.003654147	INDmg/m3
09/02/2023 04:00	0.003614889	INDmg/m3
09/02/2023 05:00	0.004078831	INDmg/m3
09/02/2023 06:00	0.003512638	INDmg/m3
09/02/2023 07:00	0.292582989	INDmg/m3
09/02/2023 08:00	0.151727423	INDmg/m3
09/02/2023 09:00	0.199039191	INDmg/m3
09/02/2023 10:00	0.663580358	INDmg/m3
09/02/2023 11:00	0.603779435	INDmg/m3
09/02/2023 12:00	0.452794313	INDmg/m3
09/02/2023 13:00	0.977680385	INDmg/m3
09/02/2023 14:00	1.252803445	INDmg/m3
09/02/2023 15:00	1.973155975	INDmg/m3
09/02/2023 16:00	1.059551954	INDmg/m3
09/02/2023 17:00	1.24160862	INDmg/m3
09/02/2023 18:00	0.081652634	INDmg/m3
09/02/2023 19:00	0.003580149	INDmg/m3
09/02/2023 20:00	0.003467015	INDmg/m3
09/02/2023 21:00	0.003456462	INDmg/m3
09/02/2023 22:00	0.003460599	INDmg/m3
09/02/2023 23:00	0.003595016	INDmg/m3
10/02/2023 00:00	0.003513085	INDmg/m3
10/02/2023 01:00	0.003583424	INDmg/m3
10/02/2023 02:00	0.003456536	INDmg/m3
10/02/2023 03:00	0.003418654	INDmg/m3
10/02/2023 04:00	0.003431352	INDmg/m3
10/02/2023 05:00	0.003458002	INDmg/m3
10/02/2023 06:00	0.003446293	INDmg/m3
10/02/2023 07:00	0.003476502	INDmg/m3
10/02/2023 08:00	0.003432121	INDmg/m3
10/02/2023 09:00	0.003449804	INDmg/m3
10/02/2023 10:00	0.00340154	INDmg/m3
10/02/2023 11:00	0.003494478	INDmg/m3
10/02/2023 12:00	0.004643709	INDmg/m3
10/02/2023 13:00	0.004632916	INDmg/m3

10/02/2023 14:00	0.004319059	INDmg/m3
10/02/2023 15:00	0.004816185	INDmg/m3
10/02/2023 16:00	0.003834543	INDmg/m3
10/02/2023 17:00	0.003695592	INDmg/m3
10/02/2023 18:00	0.003531491	INDmg/m3
10/02/2023 19:00	0.0035011	INDmg/m3
10/02/2023 20:00	0.00354241	INDmg/m3
10/02/2023 21:00	0.003597781	INDmg/m3
10/02/2023 22:00	0.003513064	INDmg/m3
10/02/2023 23:00	0.003661484	INDmg/m3
11/02/2023 00:00	0.003566937	INDmg/m3
11/02/2023 01:00	0.003556971	INDmg/m3
11/02/2023 02:00	0.003590216	INDmg/m3
11/02/2023 03:00	0.003656705	INDmg/m3
11/02/2023 04:00	0.003652293	INDmg/m3
11/02/2023 05:00	0.003708226	INDmg/m3
11/02/2023 06:00	0.003638211	INDmg/m3
11/02/2023 07:00	0.003854397	INDmg/m3
11/02/2023 08:00	0.003603474	INDmg/m3
11/02/2023 09:00	0.003636899	INDmg/m3
11/02/2023 10:00	0.003587584	INDmg/m3
11/02/2023 11:00	0.003545582	INDmg/m3
11/02/2023 12:00	0.003573101	INDmg/m3
11/02/2023 13:00	0.003609381	INDmg/m3
11/02/2023 14:00	0.003699667	INDmg/m3
11/02/2023 15:00	0.003641955	INDmg/m3
11/02/2023 16:00	0.003810403	INDmg/m3
11/02/2023 17:00	0.004105002	INDmg/m3
11/02/2023 18:00	0.003702327	INDmg/m3
11/02/2023 19:00	0.003582922	INDmg/m3
11/02/2023 20:00	0.003574745	INDmg/m3
11/02/2023 21:00	0.003563283	INDmg/m3
11/02/2023 22:00	0.00357274	INDmg/m3
11/02/2023 23:00	0.003547582	INDmg/m3
12/02/2023 00:00	0.003577284	INDmg/m3
12/02/2023 01:00	0.003561601	INDmg/m3
12/02/2023 02:00	0.003562757	INDmg/m3
12/02/2023 03:00	0.003587794	INDmg/m3
12/02/2023 04:00	0.003556223	INDmg/m3
12/02/2023 05:00	0.003575914	INDmg/m3
12/02/2023 06:00	0.003565379	INDmg/m3
12/02/2023 07:00	0.003572373	INDmg/m3
12/02/2023 08:00	0.003582606	INDmg/m3
12/02/2023 09:00	0.003569758	INDmg/m3
12/02/2023 10:00	0.003581905	INDmg/m3
12/02/2023 11:00	0.003558689	INDmg/m3
12/02/2023 12:00	0.003580942	INDmg/m3
12/02/2023 13:00	0.003615038	INDmg/m3
12/02/2023 14:00	0.003607363	INDmg/m3
12/02/2023 15:00	0.003624453	INDmg/m3
12/02/2023 16:00	0.003607464	INDmg/m3
12/02/2023 17:00	0.003582464	INDmg/m3
12/02/2023 18:00	0.003557322	INDmg/m3
12/02/2023 19:00	0.003594405	INDmg/m3
12/02/2023 20:00	0.003566172	INDmg/m3
12/02/2023 21:00	0.003562725	INDmg/m3

12/02/2023 22:00	0.003588993	INDmg/m3
12/02/2023 23:00	0.003565051	INDmg/m3
13/02/2023 00:00	0.003585284	INDmg/m3
13/02/2023 01:00	0.003578897	INDmg/m3
13/02/2023 02:00	0.003580843	INDmg/m3
13/02/2023 03:00	0.003566174	INDmg/m3
13/02/2023 04:00	0.003564208	INDmg/m3
13/02/2023 05:00	0.003568384	INDmg/m3
13/02/2023 06:00	0.003558131	INDmg/m3
13/02/2023 07:00	0.003585684	INDmg/m3
13/02/2023 08:00	0.003593392	INDmg/m3
13/02/2023 09:00	0.003545895	INDmg/m3
13/02/2023 10:00	0.003653789	INDmg/m3
13/02/2023 11:00	0.003683755	INDmg/m3
13/02/2023 12:00	0.003654712	INDmg/m3
13/02/2023 13:00	0.003670965	INDmg/m3
13/02/2023 14:00	0.003686921	INDmg/m3
13/02/2023 15:00	0.003681187	INDmg/m3
13/02/2023 16:00	0.003525771	INDmg/m3
13/02/2023 17:00	0.003550621	INDmg/m3
13/02/2023 18:00	0.003571528	INDmg/m3
13/02/2023 19:00	0.003555025	INDmg/m3
13/02/2023 20:00	0.003579836	INDmg/m3
13/02/2023 21:00	0.003580868	INDmg/m3
13/02/2023 22:00	0.003530242	INDmg/m3
13/02/2023 23:00	0.003561133	INDmg/m3
14/02/2023 00:00	0.003550061	INDmg/m3
14/02/2023 01:00	0.003510968	INDmg/m3
14/02/2023 02:00	0.00355794	INDmg/m3
14/02/2023 03:00	0.003534883	INDmg/m3
14/02/2023 04:00	0.003566301	INDmg/m3
14/02/2023 05:00	0.003552624	INDmg/m3
14/02/2023 06:00	0.003536043	INDmg/m3
14/02/2023 07:00	0.350668788	INDmg/m3
14/02/2023 08:00	1.16421926	INDmg/m3
14/02/2023 09:00	1.063704848	INDmg/m3
14/02/2023 10:00	1.590170503	INDmg/m3
14/02/2023 11:00	1.674999475	INDmg/m3
14/02/2023 12:00	0.836868048	INDmg/m3
14/02/2023 13:00	1.03642261	INDmg/m3
14/02/2023 14:00	0.986814022	INDmg/m3
14/02/2023 15:00	1.445766091	INDmg/m3
14/02/2023 16:00	1.023343921	INDmg/m3
14/02/2023 17:00	0.53393501	INDmg/m3
14/02/2023 18:00	0.003544458	INDmg/m3
14/02/2023 19:00	0.003518841	INDmg/m3
14/02/2023 20:00	0.003523194	INDmg/m3
14/02/2023 21:00	0.003514763	INDmg/m3
14/02/2023 22:00	0.0034873	INDmg/m3
14/02/2023 23:00	0.003494194	INDmg/m3
15/02/2023 00:00	0.003481642	INDmg/m3
15/02/2023 01:00	0.003502084	INDmg/m3
15/02/2023 02:00	0.003488442	INDmg/m3
15/02/2023 03:00	0.003466427	INDmg/m3
15/02/2023 04:00	0.003484791	INDmg/m3
15/02/2023 05:00	0.003483785	INDmg/m3

15/02/2023 06:00	0.003500674	INDmg/m3
15/02/2023 07:00	0.003491097	INDmg/m3
15/02/2023 08:00	0.003524225	INDmg/m3
15/02/2023 09:00	0.003511214	INDmg/m3
15/02/2023 10:00	0.00355472	INDmg/m3
15/02/2023 11:00	0.003528811	INDmg/m3
15/02/2023 12:00	0.003711889	INDmg/m3
15/02/2023 13:00	0.039017852	INDmg/m3
15/02/2023 14:00	0.007283475	INDmg/m3
15/02/2023 15:00	0.004241731	INDmg/m3
15/02/2023 16:00	0.003529286	INDmg/m3
15/02/2023 17:00	0.003574908	INDmg/m3
15/02/2023 18:00	0.003725025	INDmg/m3
15/02/2023 19:00	0.004752174	INDmg/m3
15/02/2023 20:00	0.003595531	INDmg/m3
15/02/2023 21:00	0.003553751	INDmg/m3
15/02/2023 22:00	0.003694887	INDmg/m3
15/02/2023 23:00	0.003620934	INDmg/m3
16/02/2023 00:00	0.00430201	INDmg/m3
16/02/2023 01:00	0.003576922	INDmg/m3
16/02/2023 02:00	0.004408123	INDmg/m3
16/02/2023 03:00	0.004712468	INDmg/m3
16/02/2023 04:00	0.003711699	INDmg/m3
16/02/2023 05:00	0.004149601	INDmg/m3
16/02/2023 06:00	0.005049691	INDmg/m3
16/02/2023 07:00	0.249407873	INDmg/m3
16/02/2023 08:00	0.530863404	INDmg/m3
16/02/2023 09:00	1.068316102	INDmg/m3
16/02/2023 10:00	1.641627192	INDmg/m3
16/02/2023 11:00	1.346579552	INDmg/m3
16/02/2023 12:00	0.941128373	INDmg/m3
16/02/2023 13:00	0.825556695	INDmg/m3
16/02/2023 14:00	1.113856673	INDmg/m3
16/02/2023 15:00	1.181028366	INDmg/m3
16/02/2023 16:00	0.967947245	INDmg/m3
16/02/2023 17:00	0.973729551	INDmg/m3
16/02/2023 18:00	0.293253511	INDmg/m3
16/02/2023 19:00	0.004463191	INDmg/m3
16/02/2023 20:00	0.005437664	INDmg/m3
16/02/2023 21:00	0.003937487	INDmg/m3
16/02/2023 22:00	0.004234876	INDmg/m3
16/02/2023 23:00	0.004279968	INDmg/m3
17/02/2023 00:00	0.004543691	INDmg/m3
17/02/2023 01:00	0.004030415	INDmg/m3
17/02/2023 02:00	0.003880876	INDmg/m3
17/02/2023 03:00	0.004152808	INDmg/m3
17/02/2023 04:00	0.004419144	INDmg/m3
17/02/2023 05:00	0.00450072	INDmg/m3
17/02/2023 06:00	0.004480303	INDmg/m3
17/02/2023 07:00	0.004791955	INDmg/m3
17/02/2023 08:00	0.004382458	INDmg/m3
17/02/2023 09:00	0.004440145	INDmg/m3
17/02/2023 10:00	0.003808333	INDmg/m3
17/02/2023 11:00	0.003804773	INDmg/m3
17/02/2023 12:00	0.003780144	INDmg/m3
17/02/2023 13:00	0.003866905	INDmg/m3

17/02/2023 14:00	0.004138633	INDmg/m3
17/02/2023 15:00	0.004004498	INDmg/m3
17/02/2023 16:00	0.004429298	INDmg/m3
17/02/2023 17:00	0.004491565	INDmg/m3
17/02/2023 18:00	0.004365121	INDmg/m3
17/02/2023 19:00	0.006617128	INDmg/m3
17/02/2023 20:00	0.008923872	INDmg/m3
17/02/2023 21:00	0.006300467	INDmg/m3
17/02/2023 22:00	0.005004359	INDmg/m3
17/02/2023 23:00	0.004076067	INDmg/m3
18/02/2023 00:00	0.003964525	INDmg/m3
18/02/2023 01:00	0.003830543	INDmg/m3
18/02/2023 02:00	0.003834636	INDmg/m3
18/02/2023 03:00	0.003880617	INDmg/m3
18/02/2023 04:00	0.003870484	INDmg/m3
18/02/2023 05:00	0.003999423	INDmg/m3
18/02/2023 06:00	0.004159248	INDmg/m3
18/02/2023 07:00	0.005085777	INDmg/m3
18/02/2023 08:00	0.004191769	INDmg/m3
18/02/2023 09:00	0.004164736	INDmg/m3
18/02/2023 10:00	0.004197866	INDmg/m3
18/02/2023 11:00	0.004288939	INDmg/m3
18/02/2023 12:00	0.004086965	INDmg/m3
18/02/2023 13:00	0.00401154	INDmg/m3
18/02/2023 14:00	0.003996618	INDmg/m3
18/02/2023 15:00	0.003978051	INDmg/m3
18/02/2023 16:00	0.003996892	INDmg/m3
18/02/2023 17:00	0.00395405	INDmg/m3
18/02/2023 18:00	0.004033256	INDmg/m3
18/02/2023 19:00	0.0039876	INDmg/m3
18/02/2023 20:00	0.003996052	INDmg/m3
18/02/2023 21:00	0.003994921	INDmg/m3
18/02/2023 22:00	0.003989558	INDmg/m3
18/02/2023 23:00	0.003953266	INDmg/m3
19/02/2023 00:00	0.004016049	INDmg/m3
19/02/2023 01:00	0.003992387	INDmg/m3
19/02/2023 02:00	0.003993513	INDmg/m3
19/02/2023 03:00	0.003985918	INDmg/m3
19/02/2023 04:00	0.004015494	INDmg/m3
19/02/2023 05:00	0.003956405	INDmg/m3
19/02/2023 06:00	0.003971563	INDmg/m3
19/02/2023 07:00	0.003963081	INDmg/m3
19/02/2023 08:00	0.003996897	INDmg/m3
19/02/2023 09:00	0.00392754	INDmg/m3
19/02/2023 10:00	0.003994931	INDmg/m3
19/02/2023 11:00	0.004036342	INDmg/m3
19/02/2023 12:00	0.00409444	INDmg/m3
19/02/2023 13:00	0.004173182	INDmg/m3
19/02/2023 14:00	0.004135739	INDmg/m3
19/02/2023 15:00	0.003931579	INDmg/m3
19/02/2023 16:00	0.003902415	INDmg/m3
19/02/2023 17:00	0.003876826	INDmg/m3
19/02/2023 18:00	0.004314021	INDmg/m3
19/02/2023 19:00	0.003818123	INDmg/m3
19/02/2023 20:00	0.004071503	INDmg/m3
19/02/2023 21:00	0.004018007	INDmg/m3

19/02/2023 22:00	0.003859952	INDmg/m3
19/02/2023 23:00	0.003882591	INDmg/m3
20/02/2023 00:00	0.004669515	INDmg/m3
20/02/2023 01:00	0.004224757	INDmg/m3
20/02/2023 02:00	0.004216615	INDmg/m3
20/02/2023 03:00	0.004423	INDmg/m3
20/02/2023 04:00	0.003891792	INDmg/m3
20/02/2023 05:00	0.003872416	INDmg/m3
20/02/2023 06:00	0.004238313	INDmg/m3
20/02/2023 07:00	0.00406982	INDmg/m3
20/02/2023 08:00	0.004296328	INDmg/m3
20/02/2023 09:00	0.004175318	INDmg/m3
20/02/2023 10:00	0.00410087	INDmg/m3
20/02/2023 11:00	0.003953202	INDmg/m3
20/02/2023 12:00	0.004009833	INDmg/m3
20/02/2023 13:00	0.004975593	INDmg/m3
20/02/2023 14:00	0.004074298	INDmg/m3
20/02/2023 15:00	0.00414084	INDmg/m3
20/02/2023 16:00	0.004475234	INDmg/m3
20/02/2023 17:00	0.004409699	INDmg/m3
20/02/2023 18:00	0.004206532	INDmg/m3
20/02/2023 19:00	0.004109233	INDmg/m3
20/02/2023 20:00	0.004264778	INDmg/m3
20/02/2023 21:00	0.004366691	INDmg/m3
20/02/2023 22:00	0.004397197	INDmg/m3
20/02/2023 23:00	0.004410577	INDmg/m3
21/02/2023 00:00	0.004490132	INDmg/m3
21/02/2023 01:00	0.004148318	INDmg/m3
21/02/2023 02:00	0.004236423	INDmg/m3
21/02/2023 03:00	0.004291954	INDmg/m3
21/02/2023 04:00	0.004161965	INDmg/m3
21/02/2023 05:00	0.004002523	INDmg/m3
21/02/2023 06:00	0.004184111	INDmg/m3
21/02/2023 07:00	0.300832838	INDmg/m3
21/02/2023 08:00	0.964263499	INDmg/m3
21/02/2023 09:00	1.104122758	INDmg/m3
21/02/2023 10:00	1.313456893	INDmg/m3
21/02/2023 11:00	1.810357451	INDmg/m3
21/02/2023 12:00	1.520060778	INDmg/m3
21/02/2023 13:00	0.943938136	INDmg/m3
21/02/2023 14:00	1.139268041	INDmg/m3
21/02/2023 15:00	1.677913547	INDmg/m3
21/02/2023 16:00	0.914027035	INDmg/m3
21/02/2023 17:00	1.019390941	INDmg/m3
21/02/2023 18:00	0.836045563	INDmg/m3
21/02/2023 19:00	0.003838305	INDmg/m3
21/02/2023 20:00	0.003811238	INDmg/m3
21/02/2023 21:00	0.003999717	INDmg/m3
21/02/2023 22:00	0.004100129	INDmg/m3
21/02/2023 23:00	0.003926449	INDmg/m3
22/02/2023 00:00	0.003901701	INDmg/m3
22/02/2023 01:00	0.003868438	INDmg/m3
22/02/2023 02:00	0.003872419	INDmg/m3
22/02/2023 03:00	0.067989081	INDmg/m3
22/02/2023 04:00	0.008491084	INDmg/m3
22/02/2023 05:00	0.004144537	INDmg/m3

22/02/2023 06:00	0.004059986	INDmg/m3
22/02/2023 07:00	0.142160267	INDmg/m3
22/02/2023 08:00	0.420488149	INDmg/m3
22/02/2023 09:00	1.02325654	INDmg/m3
22/02/2023 10:00	1.356209993	INDmg/m3
22/02/2023 11:00	2.150547266	INDmg/m3
22/02/2023 12:00	0.989408612	INDmg/m3
22/02/2023 13:00	1.174388289	INDmg/m3
22/02/2023 14:00	1.31392765	INDmg/m3
22/02/2023 15:00	1.592736244	INDmg/m3
22/02/2023 16:00	0.982855082	INDmg/m3
22/02/2023 17:00	1.214305997	INDmg/m3
22/02/2023 18:00	0.877173841	INDmg/m3
22/02/2023 19:00	0.107580602	INDmg/m3
22/02/2023 20:00	0.003643362	INDmg/m3
22/02/2023 21:00	0.003636599	INDmg/m3
22/02/2023 22:00	0.004297797	INDmg/m3
22/02/2023 23:00	0.003656135	INDmg/m3
23/02/2023 00:00	0.003666744	INDmg/m3
23/02/2023 01:00	0.003754269	INDmg/m3
23/02/2023 02:00	0.00374435	INDmg/m3
23/02/2023 03:00	0.003717604	INDmg/m3
23/02/2023 04:00	0.003664121	INDmg/m3
23/02/2023 05:00	0.003673131	INDmg/m3
23/02/2023 06:00	0.003696583	INDmg/m3
23/02/2023 07:00	0.130918011	INDmg/m3
23/02/2023 08:00	0.807764471	INDmg/m3
23/02/2023 09:00	0.882033169	INDmg/m3
23/02/2023 10:00	0.82070452	INDmg/m3
23/02/2023 11:00	0.415439844	INDmg/m3
23/02/2023 12:00	0.003820934	INDmg/m3
23/02/2023 13:00	0.003736189	INDmg/m3
23/02/2023 14:00	0.003697241	INDmg/m3
23/02/2023 15:00	0.003695	INDmg/m3
23/02/2023 16:00	0.003626919	INDmg/m3
23/02/2023 17:00	0.003588629	INDmg/m3
23/02/2023 18:00	0.003548143	INDmg/m3
23/02/2023 19:00	0.003566386	INDmg/m3
23/02/2023 20:00	0.003505466	INDmg/m3
23/02/2023 21:00	0.003483633	INDmg/m3
23/02/2023 22:00	0.003534602	INDmg/m3
23/02/2023 23:00	0.003433573	INDmg/m3
24/02/2023 00:00	0.003502512	INDmg/m3
24/02/2023 01:00	0.003501238	INDmg/m3
24/02/2023 02:00	0.003438998	INDmg/m3
24/02/2023 03:00	0.003490392	INDmg/m3
24/02/2023 04:00	0.003537579	INDmg/m3
24/02/2023 05:00	0.003437154	INDmg/m3
24/02/2023 06:00	0.003483362	INDmg/m3
24/02/2023 07:00	0.003525285	INDmg/m3
24/02/2023 08:00	0.00346814	INDmg/m3
24/02/2023 09:00	0.003512507	INDmg/m3
24/02/2023 10:00	0.003541537	INDmg/m3
24/02/2023 11:00	0.003559979	INDmg/m3
24/02/2023 12:00	0.003631104	INDmg/m3
24/02/2023 13:00	0.00363923	INDmg/m3

24/02/2023 14:00	0.003600652	INDmg/m3
24/02/2023 15:00	0.003701078	INDmg/m3
24/02/2023 16:00	0.037800144	INDmg/m3
24/02/2023 17:00	0.022964466	INDmg/m3
24/02/2023 18:00	0.003605327	INDmg/m3
24/02/2023 19:00	0.003655396	INDmg/m3
24/02/2023 20:00	0.003561632	INDmg/m3
24/02/2023 21:00	0.003556478	INDmg/m3
24/02/2023 22:00	0.00354615	INDmg/m3
24/02/2023 23:00	0.003547994	INDmg/m3
25/02/2023 00:00	0.003519531	INDmg/m3
25/02/2023 01:00	0.003517597	INDmg/m3
25/02/2023 02:00	0.003533081	INDmg/m3
25/02/2023 03:00	0.003524468	INDmg/m3
25/02/2023 04:00	0.003502225	INDmg/m3
25/02/2023 05:00	0.003537703	INDmg/m3
25/02/2023 06:00	0.003581553	INDmg/m3
25/02/2023 07:00	0.003530681	INDmg/m3
25/02/2023 08:00	0.003471966	INDmg/m3
25/02/2023 09:00	0.003638954	INDmg/m3
25/02/2023 10:00	0.003702997	INDmg/m3
25/02/2023 11:00	0.003625333	INDmg/m3
25/02/2023 12:00	0.003610276	INDmg/m3
25/02/2023 13:00	0.003584885	INDmg/m3
25/02/2023 14:00	0.00359519	INDmg/m3
25/02/2023 15:00	0.003531754	INDmg/m3
25/02/2023 16:00	0.003496171	INDmg/m3
25/02/2023 17:00	0.003524867	INDmg/m3
25/02/2023 18:00	0.003469701	INDmg/m3
25/02/2023 19:00	0.003514167	INDmg/m3
25/02/2023 20:00	0.003468704	INDmg/m3
25/02/2023 21:00	0.00350984	INDmg/m3
25/02/2023 22:00	0.003456899	INDmg/m3
25/02/2023 23:00	0.003508135	INDmg/m3
26/02/2023 00:00	0.003444598	INDmg/m3
26/02/2023 01:00	0.003497858	INDmg/m3
26/02/2023 02:00	0.003507718	INDmg/m3
26/02/2023 03:00	0.003419214	INDmg/m3
26/02/2023 04:00	0.003453082	INDmg/m3
26/02/2023 05:00	0.003473352	INDmg/m3
26/02/2023 06:00	0.003429785	INDmg/m3
26/02/2023 07:00	0.003457482	INDmg/m3
26/02/2023 08:00	0.003447382	INDmg/m3
26/02/2023 09:00	0.003517848	INDmg/m3
26/02/2023 10:00	0.00365604	INDmg/m3
26/02/2023 11:00	0.003635419	INDmg/m3
26/02/2023 12:00	0.003583544	INDmg/m3
26/02/2023 13:00	0.003588045	INDmg/m3
26/02/2023 14:00	0.003528824	INDmg/m3
26/02/2023 15:00	0.003486169	INDmg/m3
26/02/2023 16:00	0.003531224	INDmg/m3
26/02/2023 17:00	0.003517856	INDmg/m3
26/02/2023 18:00	0.003459228	INDmg/m3
26/02/2023 19:00	0.003470841	INDmg/m3
26/02/2023 20:00	0.003461921	INDmg/m3
26/02/2023 21:00	0.003415154	INDmg/m3

26/02/2023 22:00	0.003422099	INDmg/m3
26/02/2023 23:00	0.003418087	INDmg/m3
27/02/2023 00:00	0.003404645	INDmg/m3
27/02/2023 01:00	0.003436026	INDmg/m3
27/02/2023 02:00	0.003417261	INDmg/m3
27/02/2023 03:00	0.00338989	INDmg/m3
27/02/2023 04:00	0.003397213	INDmg/m3
27/02/2023 05:00	0.00339067	INDmg/m3
27/02/2023 06:00	0.003387897	INDmg/m3
27/02/2023 07:00	0.003395008	INDmg/m3
27/02/2023 08:00	0.003427775	INDmg/m3
27/02/2023 09:00	0.003544975	INDmg/m3
27/02/2023 10:00	0.003612441	INDmg/m3
27/02/2023 11:00	0.003739797	INDmg/m3
27/02/2023 12:00	0.003522754	INDmg/m3
27/02/2023 13:00	0.003540825	INDmg/m3
27/02/2023 14:00	0.003476043	INDmg/m3
27/02/2023 15:00	0.003458409	INDmg/m3
27/02/2023 16:00	0.003503636	INDmg/m3
27/02/2023 17:00	0.003486334	INDmg/m3
27/02/2023 18:00	0.003438068	INDmg/m3
27/02/2023 19:00	0.003468155	INDmg/m3
27/02/2023 20:00	0.003466728	INDmg/m3
27/02/2023 21:00	0.003431394	INDmg/m3
27/02/2023 22:00	0.003478457	INDmg/m3
27/02/2023 23:00	0.003449522	INDmg/m3
28/02/2023 00:00	0.003429549	INDmg/m3
28/02/2023 01:00	0.003452549	INDmg/m3
28/02/2023 02:00	0.003492073	INDmg/m3
28/02/2023 03:00	0.003418046	INDmg/m3
28/02/2023 04:00	0.003447452	INDmg/m3
28/02/2023 05:00	0.003428861	INDmg/m3
28/02/2023 06:00	0.003449981	INDmg/m3
28/02/2023 07:00	0.003520391	INDmg/m3
28/02/2023 08:00	0.00546011	INDmg/m3
28/02/2023 09:00	0.004395323	INDmg/m3
28/02/2023 10:00	0.003615843	INDmg/m3
28/02/2023 11:00	0.003540389	INDmg/m3
28/02/2023 12:00	0.003494345	INDmg/m3
28/02/2023 13:00	0.00352193	INDmg/m3
28/02/2023 14:00	0.005837317	INDmg/m3
28/02/2023 15:00	0.0047851	INDmg/m3
28/02/2023 16:00	0.003598911	INDmg/m3
28/02/2023 17:00	0.003518837	INDmg/m3
28/02/2023 18:00	0.003504484	INDmg/m3
28/02/2023 19:00	0.00353673	INDmg/m3
28/02/2023 20:00	0.003513495	INDmg/m3
28/02/2023 21:00	0.003462093	INDmg/m3
28/02/2023 22:00	0.003508992	INDmg/m3
28/02/2023 23:00	0.003510663	INDmg/m3
01/03/2023 00:00	0.003429708	INDmg/m3
01/03/2023 01:00	0.003492371	INDmg/m3
01/03/2023 02:00	0.003485461	INDmg/m3
01/03/2023 03:00	0.003465306	INDmg/m3
01/03/2023 04:00	0.003504059	INDmg/m3
01/03/2023 05:00	0.003774303	INDmg/m3

01/03/2023 06:00	0.003496161	INDmg/m3
01/03/2023 07:00	0.003448382	INDmg/m3
01/03/2023 08:00	0.004130275	INDmg/m3
01/03/2023 09:00	0.011214376	INDmg/m3
01/03/2023 10:00	0.008124018	INDmg/m3
01/03/2023 11:00	0.004407749	INDmg/m3
01/03/2023 12:00	0.003716844	INDmg/m3
01/03/2023 13:00	0.003760601	INDmg/m3
01/03/2023 14:00	0.003854544	INDmg/m3
01/03/2023 15:00	0.003818532	INDmg/m3
01/03/2023 16:00	0.00359143	INDmg/m3
01/03/2023 17:00	0.003522054	INDmg/m3
01/03/2023 18:00	0.004110027	INDmg/m3
01/03/2023 19:00	0.003437908	INDmg/m3
01/03/2023 20:00	0.003504051	INDmg/m3
01/03/2023 21:00	0.003468156	INDmg/m3
01/03/2023 22:00	0.003451449	INDmg/m3
01/03/2023 23:00	0.003772928	INDmg/m3
02/03/2023 00:00	0.008009332	INDmg/m3
02/03/2023 01:00	0.014327009	INDmg/m3
02/03/2023 02:00	0.004231411	INDmg/m3
02/03/2023 03:00	0.003470406	INDmg/m3
02/03/2023 04:00	0.006166433	INDmg/m3
02/03/2023 05:00	0.003481627	INDmg/m3
02/03/2023 06:00	0.003438029	INDmg/m3
02/03/2023 07:00	0.003434947	INDmg/m3
02/03/2023 08:00	0.003467027	INDmg/m3
02/03/2023 09:00	0.003446324	INDmg/m3
02/03/2023 10:00	0.003447292	INDmg/m3
02/03/2023 11:00	0.003478297	INDmg/m3
02/03/2023 12:00	0.003531804	INDmg/m3
02/03/2023 13:00	0.003684855	INDmg/m3
02/03/2023 14:00	0.003658481	INDmg/m3
02/03/2023 15:00	0.003519829	INDmg/m3
02/03/2023 16:00	0.003449953	INDmg/m3
02/03/2023 17:00	0.003529994	INDmg/m3
02/03/2023 18:00	0.003478263	INDmg/m3
02/03/2023 19:00	0.00344845	INDmg/m3
02/03/2023 20:00	0.003433936	INDmg/m3
02/03/2023 21:00	0.00347688	INDmg/m3
02/03/2023 22:00	0.003438592	INDmg/m3
02/03/2023 23:00	0.003401883	INDmg/m3
03/03/2023 00:00	0.003426732	INDmg/m3
03/03/2023 01:00	0.003399683	INDmg/m3
03/03/2023 02:00	0.003434867	INDmg/m3
03/03/2023 03:00	0.0034607	INDmg/m3
03/03/2023 04:00	0.003414613	INDmg/m3
03/03/2023 05:00	0.00341161	INDmg/m3
03/03/2023 06:00	0.003392812	INDmg/m3
03/03/2023 07:00	0.003374508	INDmg/m3
03/03/2023 08:00	0.003408358	INDmg/m3
03/03/2023 09:00	0.003493074	INDmg/m3
03/03/2023 10:00	0.003550961	INDmg/m3
03/03/2023 11:00	0.003440868	INDmg/m3
03/03/2023 12:00	0.003493923	INDmg/m3
03/03/2023 13:00	0.003420177	INDmg/m3

03/03/2023 14:00	0.00346649	INDmg/m3
03/03/2023 15:00	0.003443188	INDmg/m3
03/03/2023 16:00	0.003421139	INDmg/m3
03/03/2023 17:00	0.00345142	INDmg/m3
03/03/2023 18:00	0.00344566	INDmg/m3
03/03/2023 19:00	0.003401487	INDmg/m3
03/03/2023 20:00	0.003410161	INDmg/m3
03/03/2023 21:00	0.003418208	INDmg/m3
03/03/2023 22:00	0.00338735	INDmg/m3
03/03/2023 23:00	0.003418843	INDmg/m3
04/03/2023 00:00	0.003394332	INDmg/m3
04/03/2023 01:00	0.003398722	INDmg/m3
04/03/2023 02:00	0.003402617	INDmg/m3
04/03/2023 03:00	0.003404133	INDmg/m3
04/03/2023 04:00	0.003423474	INDmg/m3
04/03/2023 05:00	0.003449294	INDmg/m3
04/03/2023 06:00	0.003401146	INDmg/m3
04/03/2023 07:00	0.003405367	INDmg/m3
04/03/2023 08:00	0.003394342	INDmg/m3
04/03/2023 09:00	0.003412826	INDmg/m3
04/03/2023 10:00	0.0034349	INDmg/m3
04/03/2023 11:00	0.003392313	INDmg/m3
04/03/2023 12:00	0.003427612	INDmg/m3
04/03/2023 13:00	0.00344319	INDmg/m3
04/03/2023 14:00	0.003481542	INDmg/m3
04/03/2023 15:00	0.003486467	INDmg/m3
04/03/2023 16:00	0.003482925	INDmg/m3
04/03/2023 17:00	0.003402388	INDmg/m3
04/03/2023 18:00	0.003409198	INDmg/m3
04/03/2023 19:00	0.003428538	INDmg/m3
04/03/2023 20:00	0.003401373	INDmg/m3
04/03/2023 21:00	0.00343027	INDmg/m3
04/03/2023 22:00	0.003380874	INDmg/m3
04/03/2023 23:00	0.003406724	INDmg/m3
05/03/2023 00:00	0.00338978	INDmg/m3
05/03/2023 01:00	0.003389196	INDmg/m3
05/03/2023 02:00	0.003400359	INDmg/m3
05/03/2023 03:00	0.003387398	INDmg/m3
05/03/2023 04:00	0.003398389	INDmg/m3
05/03/2023 05:00	0.003398611	INDmg/m3
05/03/2023 06:00	0.003395064	INDmg/m3
05/03/2023 07:00	0.00339039	INDmg/m3
05/03/2023 08:00	0.003376512	INDmg/m3
05/03/2023 09:00	0.003397212	INDmg/m3
05/03/2023 10:00	0.003476875	INDmg/m3
05/03/2023 11:00	0.003429625	INDmg/m3
05/03/2023 12:00	0.003437557	INDmg/m3
05/03/2023 13:00	0.003445471	INDmg/m3
05/03/2023 14:00	0.003380524	INDmg/m3
05/03/2023 15:00	0.003421969	INDmg/m3
05/03/2023 16:00	0.003514736	INDmg/m3
05/03/2023 17:00	0.020586759	INDmg/m3
05/03/2023 18:00	0.003527863	INDmg/m3
05/03/2023 19:00	0.00341333	INDmg/m3
05/03/2023 20:00	0.00342536	INDmg/m3
05/03/2023 21:00	0.005052706	INDmg/m3

05/03/2023 22:00	0.003440003	INDmg/m3
05/03/2023 23:00	0.003398557	INDmg/m3
06/03/2023 00:00	0.003406114	INDmg/m3
06/03/2023 01:00	0.003439165	INDmg/m3
06/03/2023 02:00	0.003410953	INDmg/m3
06/03/2023 03:00	0.003478024	INDmg/m3
06/03/2023 04:00	0.003472546	INDmg/m3
06/03/2023 05:00	0.00340853	INDmg/m3
06/03/2023 06:00	0.003453975	INDmg/m3
06/03/2023 07:00	0.003462966	INDmg/m3
06/03/2023 08:00	0.003462566	INDmg/m3
06/03/2023 09:00	0.003643187	INDmg/m3
06/03/2023 10:00	0.003513895	INDmg/m3
06/03/2023 11:00	0.003470658	INDmg/m3
06/03/2023 12:00	0.003838375	INDmg/m3
06/03/2023 13:00	0.007204884	INDmg/m3
06/03/2023 14:00	0.003624975	INDmg/m3
06/03/2023 15:00	0.00349758	INDmg/m3
06/03/2023 16:00	0.00346953	INDmg/m3
06/03/2023 17:00	0.003720651	INDmg/m3
06/03/2023 18:00	0.003704309	INDmg/m3
06/03/2023 19:00	0.003649215	INDmg/m3
06/03/2023 20:00	0.009017239	INDmg/m3
06/03/2023 21:00	0.074251987	INDmg/m3
06/03/2023 22:00	0.436792403	INDmg/m3
06/03/2023 23:00	0.003884263	INDmg/m3
07/03/2023 00:00	0.003783114	INDmg/m3
07/03/2023 01:00	0.023141934	INDmg/m3
07/03/2023 02:00	0.003880007	INDmg/m3
07/03/2023 03:00	0.003515751	INDmg/m3
07/03/2023 04:00	0.00355341	INDmg/m3
07/03/2023 05:00	0.003510809	INDmg/m3
07/03/2023 06:00	0.005742883	INDmg/m3
07/03/2023 07:00	0.010564114	INDmg/m3
07/03/2023 08:00	0.006490259	INDmg/m3
07/03/2023 09:00	0.00463386	INDmg/m3
07/03/2023 10:00	0.004367044	INDmg/m3
07/03/2023 11:00	0.004598238	INDmg/m3
07/03/2023 12:00	0.004189176	INDmg/m3
07/03/2023 13:00	0.004694189	INDmg/m3
07/03/2023 14:00	0.004121407	INDmg/m3
07/03/2023 15:00	0.003576397	INDmg/m3
07/03/2023 16:00	0.003596331	INDmg/m3
07/03/2023 17:00	0.003487733	INDmg/m3
07/03/2023 18:00	0.003503354	INDmg/m3
07/03/2023 19:00	0.003512662	INDmg/m3
07/03/2023 20:00	0.003503624	INDmg/m3
07/03/2023 21:00	0.003454026	INDmg/m3
07/03/2023 22:00	0.003476041	INDmg/m3
07/03/2023 23:00	0.003492923	INDmg/m3
08/03/2023 00:00	0.003431845	INDmg/m3
08/03/2023 01:00	0.00508843	INDmg/m3
08/03/2023 02:00	0.019063042	INDmg/m3
08/03/2023 03:00	0.037921458	INDmg/m3
08/03/2023 04:00	0.085581459	INDmg/m3
08/03/2023 05:00	0.016569797	INDmg/m3

08/03/2023 06:00	0.04575045	INDmg/m3
08/03/2023 07:00	1.025550961	INDmg/m3
08/03/2023 08:00	1.264440298	INDmg/m3
08/03/2023 09:00	0.721559107	INDmg/m3
08/03/2023 10:00	1.426873446	INDmg/m3
08/03/2023 11:00	1.321914673	INDmg/m3
08/03/2023 12:00	0.677771807	INDmg/m3
08/03/2023 13:00	1.179772854	INDmg/m3
08/03/2023 14:00	1.184531331	INDmg/m3
08/03/2023 15:00	0.838362694	INDmg/m3
08/03/2023 16:00	0.496382087	INDmg/m3
08/03/2023 17:00	1.152495623	INDmg/m3
08/03/2023 18:00	0.076768458	INDmg/m3
08/03/2023 19:00	0.005158812	INDmg/m3
08/03/2023 20:00	0.004039986	INDmg/m3
08/03/2023 21:00	0.003477006	INDmg/m3
08/03/2023 22:00	0.003562727	INDmg/m3
08/03/2023 23:00	0.003472929	INDmg/m3
09/03/2023 00:00	0.003501799	INDmg/m3
09/03/2023 01:00	0.003470242	INDmg/m3
09/03/2023 02:00	0.003499835	INDmg/m3
09/03/2023 03:00	0.004209158	INDmg/m3
09/03/2023 04:00	0.003512363	INDmg/m3
09/03/2023 05:00	0.003556	INDmg/m3
09/03/2023 06:00	0.017637167	INDmg/m3
09/03/2023 07:00	0.296405822	INDmg/m3
09/03/2023 08:00	0.693848431	INDmg/m3
09/03/2023 09:00	0.984939396	INDmg/m3
09/03/2023 10:00	1.632951975	INDmg/m3
09/03/2023 11:00	1.570693851	INDmg/m3
09/03/2023 12:00	0.95954901	INDmg/m3
09/03/2023 13:00	1.062128663	INDmg/m3
09/03/2023 14:00	2.103214025	INDmg/m3
09/03/2023 15:00	1.440851808	INDmg/m3
09/03/2023 16:00	0.936350346	INDmg/m3
09/03/2023 17:00	0.596168458	INDmg/m3
09/03/2023 18:00	0.006099994	INDmg/m3
09/03/2023 19:00	0.003648534	INDmg/m3
09/03/2023 20:00	0.036298923	INDmg/m3
09/03/2023 21:00	0.170796841	INDmg/m3
09/03/2023 22:00	0.028760556	INDmg/m3
09/03/2023 23:00	0.003963973	INDmg/m3
10/03/2023 00:00	0.016670901	INDmg/m3
10/03/2023 01:00	0.093947664	INDmg/m3
10/03/2023 02:00	0.292544454	INDmg/m3
10/03/2023 03:00	0.200847998	INDmg/m3
10/03/2023 04:00	0.010326309	INDmg/m3
10/03/2023 05:00	0.003628222	INDmg/m3
10/03/2023 06:00	0.003783184	INDmg/m3
10/03/2023 07:00	0.005260446	INDmg/m3
10/03/2023 08:00	0.007434436	INDmg/m3
10/03/2023 09:00	0.13794966	INDmg/m3
10/03/2023 10:00	0.939751387	INDmg/m3
10/03/2023 11:00	0.980086207	INDmg/m3
10/03/2023 12:00	0.757614017	INDmg/m3
10/03/2023 13:00	0.926391542	INDmg/m3

10/03/2023 14:00	1.048870921	INDmg/m3
10/03/2023 15:00	1.245909691	INDmg/m3
10/03/2023 16:00	1.177970171	INDmg/m3
10/03/2023 17:00	1.162295818	INDmg/m3
10/03/2023 18:00	0.456328005	INDmg/m3
10/03/2023 19:00	0.003467654	INDmg/m3
10/03/2023 20:00	0.00348913	INDmg/m3
10/03/2023 21:00	0.003496873	INDmg/m3
10/03/2023 22:00	0.003464951	INDmg/m3
10/03/2023 23:00	0.003470975	INDmg/m3
11/03/2023 00:00	0.003451673	INDmg/m3
11/03/2023 01:00	0.003448579	INDmg/m3
11/03/2023 02:00	0.003496734	INDmg/m3
11/03/2023 03:00	0.003525554	INDmg/m3
11/03/2023 04:00	0.003467853	INDmg/m3
11/03/2023 05:00	0.003529846	INDmg/m3
11/03/2023 06:00	0.004610741	INDmg/m3
11/03/2023 07:00	0.005617252	INDmg/m3
11/03/2023 08:00	0.01567677	INDmg/m3
11/03/2023 09:00	0.003945888	INDmg/m3
11/03/2023 10:00	0.003509126	INDmg/m3
11/03/2023 11:00	0.003507715	INDmg/m3
11/03/2023 12:00	0.003504621	INDmg/m3
11/03/2023 13:00	0.0035398	INDmg/m3
11/03/2023 14:00	0.042895563	INDmg/m3
11/03/2023 15:00	0.03574359	INDmg/m3
11/03/2023 16:00	0.024901103	INDmg/m3
11/03/2023 17:00	0.020534594	INDmg/m3
11/03/2023 18:00	0.00697172	INDmg/m3
11/03/2023 19:00	0.00356	INDmg/m3
11/03/2023 20:00	0.005393639	INDmg/m3
11/03/2023 21:00	0.008958625	INDmg/m3
11/03/2023 22:00	0.020236721	INDmg/m3
11/03/2023 23:00	0.003562161	INDmg/m3
12/03/2023 00:00	0.003649769	INDmg/m3
12/03/2023 01:00	0.003638317	INDmg/m3
12/03/2023 02:00	0.003591992	INDmg/m3
12/03/2023 03:00	0.003667112	INDmg/m3
12/03/2023 04:00	0.003620237	INDmg/m3
12/03/2023 05:00	0.003605054	INDmg/m3
12/03/2023 06:00	0.003706182	INDmg/m3
12/03/2023 07:00	0.003711169	INDmg/m3
12/03/2023 08:00	0.003651361	INDmg/m3
12/03/2023 09:00	0.003726127	INDmg/m3
12/03/2023 10:00	0.003661864	INDmg/m3
12/03/2023 11:00	0.003703531	INDmg/m3
12/03/2023 12:00	0.003676334	INDmg/m3
12/03/2023 13:00	0.003734292	INDmg/m3
12/03/2023 14:00	0.003759684	INDmg/m3
12/03/2023 15:00	0.003869991	INDmg/m3
12/03/2023 16:00	0.015229685	INDmg/m3
12/03/2023 17:00	0.081519537	INDmg/m3
12/03/2023 18:00	0.218931556	INDmg/m3
12/03/2023 19:00	0.410380065	INDmg/m3
12/03/2023 20:00	0.338739067	INDmg/m3
12/03/2023 21:00	0.005007673	INDmg/m3

12/03/2023 22:00	0.003834781	INDmg/m3
12/03/2023 23:00	0.003747236	INDmg/m3
13/03/2023 00:00	0.214597434	INDmg/m3
13/03/2023 01:00	0.011484887	INDmg/m3
13/03/2023 02:00	0.004083375	INDmg/m3
13/03/2023 03:00	0.003869158	INDmg/m3
13/03/2023 04:00	0.003794741	INDmg/m3
13/03/2023 05:00	0.003833597	INDmg/m3
13/03/2023 06:00	0.028074907	INDmg/m3
13/03/2023 07:00	0.161280006	INDmg/m3
13/03/2023 08:00	1.034623861	INDmg/m3
13/03/2023 09:00	1.29421699	INDmg/m3
13/03/2023 10:00	0.581779659	INDmg/m3
13/03/2023 11:00	1.175378084	INDmg/m3
13/03/2023 12:00	0.69517225	INDmg/m3
13/03/2023 13:00	0.939489067	INDmg/m3
13/03/2023 14:00	0.496027768	INDmg/m3
13/03/2023 15:00	0.810959041	INDmg/m3
13/03/2023 16:00	0.611441553	INDmg/m3
13/03/2023 17:00	0.809518516	INDmg/m3
13/03/2023 18:00	0.005430393	INDmg/m3
13/03/2023 19:00	0.00461161	INDmg/m3
13/03/2023 20:00	0.005464238	INDmg/m3
13/03/2023 21:00	0.005096706	INDmg/m3
13/03/2023 22:00	0.003930093	INDmg/m3
13/03/2023 23:00	0.003700039	INDmg/m3
14/03/2023 00:00	0.003745681	INDmg/m3
14/03/2023 01:00	0.003693856	INDmg/m3
14/03/2023 02:00	0.003694694	INDmg/m3
14/03/2023 03:00	0.00369012	INDmg/m3
14/03/2023 04:00	0.003720954	INDmg/m3
14/03/2023 05:00	0.00372283	INDmg/m3
14/03/2023 06:00	0.068155989	INDmg/m3
14/03/2023 07:00	0.003684368	INDmg/m3
14/03/2023 08:00	0.003982545	INDmg/m3
14/03/2023 09:00	0.003987607	INDmg/m3
14/03/2023 10:00	0.003903513	INDmg/m3
14/03/2023 11:00	0.003886244	INDmg/m3
14/03/2023 12:00	0.003801456	INDmg/m3
14/03/2023 13:00	0.003761374	INDmg/m3
14/03/2023 14:00	0.003646196	INDmg/m3
14/03/2023 15:00	0.003642517	INDmg/m3
14/03/2023 16:00	0.003606286	INDmg/m3
14/03/2023 17:00	0.003673591	INDmg/m3
14/03/2023 18:00	0.004287387	INDmg/m3
14/03/2023 19:00	1.056918144	INDmg/m3
14/03/2023 20:00	0.003701681	INDmg/m3
14/03/2023 21:00	0.003566012	INDmg/m3
14/03/2023 22:00	0.003562079	INDmg/m3
14/03/2023 23:00	0.003567143	INDmg/m3
15/03/2023 00:00	0.00356026	INDmg/m3
15/03/2023 01:00	0.003521521	INDmg/m3
15/03/2023 02:00	0.003509264	INDmg/m3
15/03/2023 03:00	0.003555566	INDmg/m3
15/03/2023 04:00	0.003494772	INDmg/m3
15/03/2023 05:00	0.003498986	INDmg/m3

15/03/2023 06:00	0.00350659	INDmg/m3
15/03/2023 07:00	0.003513898	INDmg/m3
15/03/2023 08:00	0.003541467	INDmg/m3
15/03/2023 09:00	0.012032112	INDmg/m3
15/03/2023 10:00	0.072370633	INDmg/m3
15/03/2023 11:00	0.004125162	INDmg/m3
15/03/2023 12:00	0.005592049	INDmg/m3
15/03/2023 13:00	0.42708531	INDmg/m3
15/03/2023 14:00	0.635242939	INDmg/m3
15/03/2023 15:00	0.447176278	INDmg/m3
15/03/2023 16:00	0.448424548	INDmg/m3
15/03/2023 17:00	0.302381307	INDmg/m3
15/03/2023 18:00	0.363191456	INDmg/m3
15/03/2023 19:00	0.076436363	INDmg/m3
15/03/2023 20:00	0.097110637	INDmg/m3
15/03/2023 21:00	0.063747905	INDmg/m3
15/03/2023 22:00	0.049282789	INDmg/m3
15/03/2023 23:00	0.012764823	INDmg/m3
16/03/2023 00:00	0.004836947	INDmg/m3
16/03/2023 01:00	0.003773144	INDmg/m3
16/03/2023 02:00	0.003689731	INDmg/m3
16/03/2023 03:00	0.003710325	INDmg/m3
16/03/2023 04:00	0.00368711	INDmg/m3
16/03/2023 05:00	0.003804266	INDmg/m3
16/03/2023 06:00	0.003700603	INDmg/m3
16/03/2023 07:00	0.003752943	INDmg/m3
16/03/2023 08:00	0.003722803	INDmg/m3
16/03/2023 09:00	0.003707392	INDmg/m3
16/03/2023 10:00	0.059860401	INDmg/m3
16/03/2023 11:00	0.237244502	INDmg/m3
16/03/2023 12:00	0.341097265	INDmg/m3
16/03/2023 13:00	0.2652587	INDmg/m3
16/03/2023 14:00	0.544658661	INDmg/m3
16/03/2023 15:00	0.361940116	INDmg/m3
16/03/2023 16:00	0.010764792	INDmg/m3
16/03/2023 17:00	0.043120258	INDmg/m3
16/03/2023 18:00	0.004002533	INDmg/m3
16/03/2023 19:00	0.004292415	INDmg/m3
16/03/2023 20:00	0.003769301	INDmg/m3
16/03/2023 21:00	0.003808385	INDmg/m3
16/03/2023 22:00	0.00378737	INDmg/m3
16/03/2023 23:00	0.003785959	INDmg/m3
17/03/2023 00:00	0.003846309	INDmg/m3
17/03/2023 01:00	0.003838437	INDmg/m3
17/03/2023 02:00	0.003809672	INDmg/m3
17/03/2023 03:00	0.003834585	INDmg/m3
17/03/2023 04:00	0.003852632	INDmg/m3
17/03/2023 05:00	0.003873024	INDmg/m3
17/03/2023 06:00	0.003856245	INDmg/m3
17/03/2023 07:00	0.145513594	INDmg/m3
17/03/2023 08:00	0.500585973	INDmg/m3
17/03/2023 09:00	0.700581431	INDmg/m3
17/03/2023 10:00	1.096527219	INDmg/m3
17/03/2023 11:00	1.207169175	INDmg/m3
17/03/2023 12:00	1.178645253	INDmg/m3
17/03/2023 13:00	1.256695271	INDmg/m3

17/03/2023 14:00	1.264063239	INDmg/m3
17/03/2023 15:00	1.141028166	INDmg/m3
17/03/2023 16:00	0.865767121	INDmg/m3
17/03/2023 17:00	0.809429407	INDmg/m3
17/03/2023 18:00	0.382423401	INDmg/m3
17/03/2023 19:00	0.003989584	INDmg/m3
17/03/2023 20:00	0.044787403	INDmg/m3
17/03/2023 21:00	0.399009138	INDmg/m3
17/03/2023 22:00	0.003839752	INDmg/m3
17/03/2023 23:00	0.004050991	INDmg/m3
18/03/2023 00:00	0.004084458	INDmg/m3
18/03/2023 01:00	0.003785525	INDmg/m3
18/03/2023 02:00	0.003810282	INDmg/m3
18/03/2023 03:00	0.003788834	INDmg/m3
18/03/2023 04:00	0.003835006	INDmg/m3
18/03/2023 05:00	0.003811982	INDmg/m3
18/03/2023 06:00	0.0038298	INDmg/m3
18/03/2023 07:00	0.003777986	INDmg/m3
18/03/2023 08:00	0.003829659	INDmg/m3
18/03/2023 09:00	0.003891539	INDmg/m3
18/03/2023 10:00	0.003841297	INDmg/m3
18/03/2023 11:00	0.003916366	INDmg/m3
18/03/2023 12:00	0.003913587	INDmg/m3
18/03/2023 13:00	0.003891255	INDmg/m3
18/03/2023 14:00	0.003893887	INDmg/m3
18/03/2023 15:00	0.003952366	INDmg/m3
18/03/2023 16:00	0.003922008	INDmg/m3
18/03/2023 17:00	0.003919147	INDmg/m3
18/03/2023 18:00	0.003892752	INDmg/m3
18/03/2023 19:00	0.00416787	INDmg/m3
18/03/2023 20:00	0.003808158	INDmg/m3
18/03/2023 21:00	0.003772379	INDmg/m3
18/03/2023 22:00	0.003764488	INDmg/m3
18/03/2023 23:00	0.003758428	INDmg/m3
19/03/2023 00:00	0.003727515	INDmg/m3
19/03/2023 01:00	0.003733394	INDmg/m3
19/03/2023 02:00	0.003709567	INDmg/m3
19/03/2023 03:00	0.003713145	INDmg/m3
19/03/2023 04:00	0.003703526	INDmg/m3
19/03/2023 05:00	0.003658852	INDmg/m3
19/03/2023 06:00	0.003650387	INDmg/m3
19/03/2023 07:00	0.003678568	INDmg/m3
19/03/2023 08:00	0.003646198	INDmg/m3
19/03/2023 09:00	0.003679323	INDmg/m3
19/03/2023 10:00	0.003724165	INDmg/m3
19/03/2023 11:00	0.003746958	INDmg/m3
19/03/2023 12:00	0.003768566	INDmg/m3
19/03/2023 13:00	0.003754423	INDmg/m3
19/03/2023 14:00	0.003758368	INDmg/m3
19/03/2023 15:00	0.00374956	INDmg/m3
19/03/2023 16:00	0.003722876	INDmg/m3
19/03/2023 17:00	0.004467988	INDmg/m3
19/03/2023 18:00	0.02200882	INDmg/m3
19/03/2023 19:00	0.029746929	INDmg/m3
19/03/2023 20:00	0.00368993	INDmg/m3
19/03/2023 21:00	0.003606576	INDmg/m3

19/03/2023 22:00	0.00359925	INDmg/m3
19/03/2023 23:00	0.003634473	INDmg/m3
20/03/2023 00:00	0.004039706	INDmg/m3
20/03/2023 01:00	0.004222279	INDmg/m3
20/03/2023 02:00	0.004759009	INDmg/m3
20/03/2023 03:00	0.003833176	INDmg/m3
20/03/2023 04:00	0.003906006	INDmg/m3
20/03/2023 05:00	0.17822355	INDmg/m3
20/03/2023 06:00	0.004093091	INDmg/m3
20/03/2023 07:00	0.240456641	INDmg/m3
20/03/2023 08:00	0.506095231	INDmg/m3
20/03/2023 09:00	0.730758548	INDmg/m3
20/03/2023 10:00	1.126372814	INDmg/m3
20/03/2023 11:00	1.096505284	INDmg/m3
20/03/2023 12:00	0.83491838	INDmg/m3
20/03/2023 13:00	0.863061368	INDmg/m3
20/03/2023 14:00	1.039474487	INDmg/m3
20/03/2023 15:00	0.633876681	INDmg/m3
20/03/2023 16:00	1.141878963	INDmg/m3
20/03/2023 17:00	1.110502243	INDmg/m3
20/03/2023 18:00	0.781918526	INDmg/m3
20/03/2023 19:00	0.460068762	INDmg/m3
20/03/2023 20:00	0.005477615	INDmg/m3
20/03/2023 21:00	0.012170971	INDmg/m3
20/03/2023 22:00	0.00516673	INDmg/m3
20/03/2023 23:00	0.092526689	INDmg/m3
21/03/2023 00:00	0.202641666	INDmg/m3
21/03/2023 01:00	0.025894098	INDmg/m3
21/03/2023 02:00	0.004292868	INDmg/m3
21/03/2023 03:00	0.003983399	INDmg/m3
21/03/2023 04:00	0.00472736	INDmg/m3
21/03/2023 05:00	0.004355879	INDmg/m3
21/03/2023 06:00	0.00388644	INDmg/m3
21/03/2023 07:00	0.123489596	INDmg/m3
21/03/2023 08:00	0.795267463	INDmg/m3
21/03/2023 09:00	0.852792382	INDmg/m3
21/03/2023 10:00	0.995849788	INDmg/m3
21/03/2023 11:00	0.81996572	INDmg/m3
21/03/2023 12:00	0.590102971	INDmg/m3
21/03/2023 13:00	0.732253015	INDmg/m3
21/03/2023 14:00	0.891961992	INDmg/m3
21/03/2023 15:00	0.886178017	INDmg/m3
21/03/2023 16:00	0.678124666	INDmg/m3
21/03/2023 17:00	0.576419294	INDmg/m3
21/03/2023 18:00	0.057995785	INDmg/m3
21/03/2023 19:00	0.014699259	INDmg/m3
21/03/2023 20:00	0.014397338	INDmg/m3
21/03/2023 21:00	0.004117935	INDmg/m3
21/03/2023 22:00	0.004340008	INDmg/m3
21/03/2023 23:00	0.011474066	INDmg/m3
22/03/2023 00:00	0.008086353	INDmg/m3
22/03/2023 01:00	0.038937118	INDmg/m3
22/03/2023 02:00	0.054921098	INDmg/m3
22/03/2023 03:00	0.158054769	INDmg/m3
22/03/2023 04:00	0.003858059	INDmg/m3
22/03/2023 05:00	0.003851906	INDmg/m3

22/03/2023 06:00	0.003818583	INDmg/m3
22/03/2023 07:00	0.09621495	INDmg/m3
22/03/2023 08:00	0.375956237	INDmg/m3
22/03/2023 09:00	0.643944323	INDmg/m3
22/03/2023 10:00	0.926739156	INDmg/m3
22/03/2023 11:00	0.980351686	INDmg/m3
22/03/2023 12:00	0.684211433	INDmg/m3
22/03/2023 13:00	0.682778537	INDmg/m3
22/03/2023 14:00	0.972935498	INDmg/m3
22/03/2023 15:00	0.98511523	INDmg/m3
22/03/2023 16:00	0.972988069	INDmg/m3
22/03/2023 17:00	0.139514208	INDmg/m3
22/03/2023 18:00	0.003691146	INDmg/m3
22/03/2023 19:00	0.003663648	INDmg/m3
22/03/2023 20:00	0.018382987	INDmg/m3
22/03/2023 21:00	0.003702602	INDmg/m3
22/03/2023 22:00	0.003713784	INDmg/m3
22/03/2023 23:00	0.584245265	INDmg/m3
23/03/2023 00:00	0.003680364	INDmg/m3
23/03/2023 01:00	0.003802863	INDmg/m3
23/03/2023 02:00	0.003694717	INDmg/m3
23/03/2023 03:00	0.003726857	INDmg/m3
23/03/2023 04:00	0.003645148	INDmg/m3
23/03/2023 05:00	0.003676041	INDmg/m3
23/03/2023 06:00	0.003676328	INDmg/m3
23/03/2023 07:00	0.247499734	INDmg/m3
23/03/2023 08:00	0.845200419	INDmg/m3
23/03/2023 09:00	0.989299297	INDmg/m3
23/03/2023 10:00	0.945797503	INDmg/m3
23/03/2023 11:00	1.089356542	INDmg/m3
23/03/2023 12:00	1.131928682	INDmg/m3
23/03/2023 13:00	1.048573852	INDmg/m3
23/03/2023 14:00	1.183098555	INDmg/m3
23/03/2023 15:00	1.448211432	INDmg/m3
23/03/2023 16:00	1.33080399	INDmg/m3
23/03/2023 17:00	1.145418882	INDmg/m3
23/03/2023 18:00	0.751600206	INDmg/m3
23/03/2023 19:00	0.003606071	INDmg/m3
23/03/2023 20:00	0.003672947	INDmg/m3
23/03/2023 21:00	0.003906542	INDmg/m3
23/03/2023 22:00	0.003775887	INDmg/m3
23/03/2023 23:00	0.003706597	INDmg/m3
24/03/2023 00:00	0.003657917	INDmg/m3
24/03/2023 01:00	0.00364861	INDmg/m3
24/03/2023 02:00	0.003716799	INDmg/m3
24/03/2023 03:00	0.003757661	INDmg/m3
24/03/2023 04:00	0.003651352	INDmg/m3
24/03/2023 05:00	0.003643756	INDmg/m3
24/03/2023 06:00	0.003669561	INDmg/m3
24/03/2023 07:00	0.003644778	INDmg/m3
24/03/2023 08:00	0.003689599	INDmg/m3
24/03/2023 09:00	0.003719659	INDmg/m3
24/03/2023 10:00	0.003729922	INDmg/m3
24/03/2023 11:00	0.003846275	INDmg/m3
24/03/2023 12:00	0.004111447	INDmg/m3
24/03/2023 13:00	0.003863641	INDmg/m3

24/03/2023 14:00	0.011804147	INDmg/m3
24/03/2023 15:00	0.00379841	INDmg/m3
24/03/2023 16:00	0.003876969	INDmg/m3
24/03/2023 17:00	0.003704371	INDmg/m3
24/03/2023 18:00	0.003690011	INDmg/m3
24/03/2023 19:00	0.003658298	INDmg/m3
24/03/2023 20:00	0.003631319	INDmg/m3
24/03/2023 21:00	0.003633399	INDmg/m3
24/03/2023 22:00	0.003640743	INDmg/m3
24/03/2023 23:00	0.003645351	INDmg/m3
25/03/2023 00:00	0.00399043	INDmg/m3
25/03/2023 01:00	0.014048451	INDmg/m3
25/03/2023 02:00	0.003672289	INDmg/m3
25/03/2023 03:00	0.003639335	INDmg/m3
25/03/2023 04:00	0.003922803	INDmg/m3
25/03/2023 05:00	0.019357082	INDmg/m3
25/03/2023 06:00	0.004782718	INDmg/m3
25/03/2023 07:00	0.003694717	INDmg/m3
25/03/2023 08:00	0.003703421	INDmg/m3
25/03/2023 09:00	0.003726535	INDmg/m3
25/03/2023 10:00	0.053230546	INDmg/m3
25/03/2023 11:00	0.003813997	INDmg/m3
25/03/2023 12:00	0.003892976	INDmg/m3
25/03/2023 13:00	0.003819143	INDmg/m3
25/03/2023 14:00	0.003830224	INDmg/m3
25/03/2023 15:00	0.003800044	INDmg/m3
25/03/2023 16:00	0.007559016	INDmg/m3
25/03/2023 17:00	0.004434325	INDmg/m3
25/03/2023 18:00	0.003668339	INDmg/m3
25/03/2023 19:00	0.048788492	INDmg/m3
25/03/2023 20:00	0.003653504	INDmg/m3
25/03/2023 21:00	0.003595979	INDmg/m3
25/03/2023 22:00	0.00362065	INDmg/m3
25/03/2023 23:00	0.008040057	INDmg/m3
26/03/2023 00:00	0.406598717	INDmg/m3
26/03/2023 01:00	0.813416421	INDmg/m3
26/03/2023 02:00	0.22792083	INDmg/m3
26/03/2023 03:00	0.153935462	INDmg/m3
26/03/2023 04:00	0.172563896	INDmg/m3
26/03/2023 05:00	0.023830295	INDmg/m3
26/03/2023 06:00	0.004646487	INDmg/m3
26/03/2023 07:00	0.003761336	INDmg/m3
26/03/2023 08:00	0.003597115	INDmg/m3
26/03/2023 09:00	0.003633805	INDmg/m3
26/03/2023 10:00	0.003755397	INDmg/m3
26/03/2023 11:00	0.003803812	INDmg/m3
26/03/2023 12:00	0.003775633	INDmg/m3
26/03/2023 13:00	0.003828343	INDmg/m3
26/03/2023 14:00	0.003764689	INDmg/m3
26/03/2023 15:00	0.003771726	INDmg/m3
26/03/2023 16:00	0.00375436	INDmg/m3
26/03/2023 17:00	0.003732884	INDmg/m3
26/03/2023 18:00	0.003702486	INDmg/m3
26/03/2023 19:00	0.085707724	INDmg/m3
26/03/2023 20:00	0.00367124	INDmg/m3
26/03/2023 21:00	0.003635402	INDmg/m3

26/03/2023 22:00	0.003616755	INDmg/m3
26/03/2023 23:00	0.003582986	INDmg/m3
27/03/2023 00:00	0.003609614	INDmg/m3
27/03/2023 01:00	0.003615469	INDmg/m3
27/03/2023 02:00	0.003580221	INDmg/m3
27/03/2023 03:00	0.003640278	INDmg/m3
27/03/2023 04:00	0.003636117	INDmg/m3
27/03/2023 05:00	0.003554436	INDmg/m3
27/03/2023 06:00	0.212605879	INDmg/m3
27/03/2023 07:00	1.090770602	INDmg/m3
27/03/2023 08:00	1.398168683	INDmg/m3
27/03/2023 09:00	1.568029404	INDmg/m3
27/03/2023 10:00	2.260242701	INDmg/m3
27/03/2023 11:00	1.499061942	INDmg/m3
27/03/2023 12:00	1.310462832	INDmg/m3
27/03/2023 13:00	1.608336091	INDmg/m3
27/03/2023 14:00	1.719338536	INDmg/m3
27/03/2023 15:00	1.456934333	INDmg/m3
27/03/2023 16:00	1.246630192	INDmg/m3
27/03/2023 17:00	0.003693032	INDmg/m3
27/03/2023 18:00	0.003606118	INDmg/m3
27/03/2023 19:00	0.003590452	INDmg/m3
27/03/2023 20:00	0.003567989	INDmg/m3
27/03/2023 21:00	0.003569277	INDmg/m3
27/03/2023 22:00	0.003555871	INDmg/m3
27/03/2023 23:00	0.003516415	INDmg/m3
28/03/2023 00:00	0.003527461	INDmg/m3
28/03/2023 01:00	0.003518815	INDmg/m3
28/03/2023 02:00	0.003522814	INDmg/m3
28/03/2023 03:00	0.003534774	INDmg/m3
28/03/2023 04:00	0.042989172	INDmg/m3
28/03/2023 05:00	0.118454725	INDmg/m3
28/03/2023 06:00	0.113034271	INDmg/m3
28/03/2023 07:00	0.715578973	INDmg/m3
28/03/2023 08:00	1.373532653	INDmg/m3
28/03/2023 09:00	1.768743873	INDmg/m3
28/03/2023 10:00	1.522188663	INDmg/m3
28/03/2023 11:00	1.137529135	INDmg/m3
28/03/2023 12:00	1.2115587	INDmg/m3
28/03/2023 13:00	1.638583422	INDmg/m3
28/03/2023 14:00	1.54451251	INDmg/m3
28/03/2023 15:00	1.292148829	INDmg/m3
28/03/2023 16:00	0.007734545	INDmg/m3
28/03/2023 17:00	0.003795591	INDmg/m3
28/03/2023 18:00	0.003663741	INDmg/m3
28/03/2023 19:00	0.003674526	INDmg/m3
28/03/2023 20:00	0.003706907	INDmg/m3
28/03/2023 21:00	0.003663647	INDmg/m3
28/03/2023 22:00	0.004236483	INDmg/m3
28/03/2023 23:00	0.003731323	INDmg/m3
29/03/2023 00:00	0.006563541	INDmg/m3
29/03/2023 01:00	0.004061692	INDmg/m3
29/03/2023 02:00	0.003803421	INDmg/m3
29/03/2023 03:00	0.003729205	INDmg/m3
29/03/2023 04:00	0.003760133	INDmg/m3
29/03/2023 05:00	0.003912988	INDmg/m3

29/03/2023 06:00	0.003834951	INDmg/m3
29/03/2023 07:00	0.003886151	INDmg/m3
29/03/2023 08:00	0.068504319	INDmg/m3
29/03/2023 09:00	0.090087622	INDmg/m3
29/03/2023 10:00	0.020793222	INDmg/m3
29/03/2023 11:00	0.003834122	INDmg/m3
29/03/2023 12:00	0.005683204	INDmg/m3
29/03/2023 13:00	0.010286028	INDmg/m3
29/03/2023 14:00	0.003842481	INDmg/m3
29/03/2023 15:00	0.00391577	INDmg/m3
29/03/2023 16:00	0.004163007	INDmg/m3
29/03/2023 17:00	0.059706926	INDmg/m3
29/03/2023 18:00	1.956792712	INDmg/m3
29/03/2023 19:00	0.116348289	INDmg/m3
29/03/2023 20:00	0.011596608	INDmg/m3
29/03/2023 21:00	0.256367534	INDmg/m3
29/03/2023 22:00	0.003940553	INDmg/m3
29/03/2023 23:00	0.003878793	INDmg/m3
30/03/2023 00:00	0.003933811	INDmg/m3
30/03/2023 01:00	0.003927574	INDmg/m3
30/03/2023 02:00	0.003885406	INDmg/m3
30/03/2023 03:00	0.006649524	INDmg/m3
30/03/2023 04:00	0.003920365	INDmg/m3
30/03/2023 05:00	0.007902806	INDmg/m3
30/03/2023 06:00	0.400715798	INDmg/m3
30/03/2023 07:00	1.337315679	INDmg/m3
30/03/2023 08:00	2.002573252	INDmg/m3
30/03/2023 09:00	2.077398539	INDmg/m3
30/03/2023 10:00	2.05667448	INDmg/m3
30/03/2023 11:00	1.60631144	INDmg/m3
30/03/2023 12:00	1.662892342	INDmg/m3
30/03/2023 13:00	1.434123755	INDmg/m3
30/03/2023 14:00	1.560246587	INDmg/m3
30/03/2023 15:00	1.460827351	INDmg/m3
30/03/2023 16:00	1.016949415	INDmg/m3
30/03/2023 17:00	0.007730798	INDmg/m3
30/03/2023 18:00	0.069325022	INDmg/m3
30/03/2023 19:00	0.003783891	INDmg/m3
30/03/2023 20:00	0.137176827	INDmg/m3
30/03/2023 21:00	0.158354834	INDmg/m3
30/03/2023 22:00	0.003867773	INDmg/m3
30/03/2023 23:00	0.023977516	INDmg/m3
31/03/2023 00:00	0.024683878	INDmg/m3
31/03/2023 01:00	0.016159354	INDmg/m3
31/03/2023 02:00	0.025180023	INDmg/m3
31/03/2023 03:00	0.172432095	INDmg/m3
31/03/2023 04:00	0.0175566	INDmg/m3
31/03/2023 05:00	0.034502115	INDmg/m3
31/03/2023 06:00	0.003930434	INDmg/m3
31/03/2023 07:00	0.009665512	INDmg/m3
31/03/2023 08:00	0.006465724	INDmg/m3
31/03/2023 09:00	0.147815734	INDmg/m3
31/03/2023 10:00	0.024078147	INDmg/m3
31/03/2023 11:00	0.018406905	INDmg/m3
31/03/2023 12:00	0.011929779	INDmg/m3
31/03/2023 13:00	0.00542187	INDmg/m3

31/03/2023 14:00	0.004127823	INDmg/m3
31/03/2023 15:00	0.006972673	INDmg/m3
31/03/2023 16:00	0.004666249	INDmg/m3
31/03/2023 17:00	0.006741257	INDmg/m3
31/03/2023 18:00	0.003979419	INDmg/m3
31/03/2023 19:00	0.004129606	INDmg/m3
31/03/2023 20:00	0.006377931	INDmg/m3
31/03/2023 21:00	0.004201804	INDmg/m3
31/03/2023 22:00	0.004346185	INDmg/m3
31/03/2023 23:00	0.004114893	INDmg/m3
01/04/2023 01:00	0.004066679	INDmg/m3
01/04/2023 02:00	0.004474227	INDmg/m3
01/04/2023 03:00	0.007619766	INDmg/m3
01/04/2023 04:00	0.00431852	INDmg/m3
01/04/2023 05:00	0.004035194	INDmg/m3
01/04/2023 06:00	0.003970691	INDmg/m3
01/04/2023 07:00	0.004059407	INDmg/m3
01/04/2023 08:00	0.00484417	INDmg/m3
01/04/2023 09:00	0.014265239	INDmg/m3
01/04/2023 10:00	0.112055942	INDmg/m3
01/04/2023 11:00	0.010028172	INDmg/m3
01/04/2023 12:00	0.003940609	INDmg/m3
01/04/2023 13:00	0.003912379	INDmg/m3
01/04/2023 14:00	0.004060475	INDmg/m3
01/04/2023 15:00	0.616150498	INDmg/m3
01/04/2023 16:00	0.028822351	INDmg/m3
01/04/2023 17:00	0.003972657	INDmg/m3
01/04/2023 18:00	0.003949298	INDmg/m3
01/04/2023 19:00	0.003947263	INDmg/m3
01/04/2023 20:00	0.003872211	INDmg/m3
01/04/2023 21:00	0.003855887	INDmg/m3
01/04/2023 22:00	0.003806756	INDmg/m3
01/04/2023 23:00	0.003797458	INDmg/m3
02/04/2023 00:00	0.003767462	INDmg/m3
02/04/2023 01:00	0.003722224	INDmg/m3
02/04/2023 02:00	0.003737297	INDmg/m3
02/04/2023 03:00	0.003736271	INDmg/m3
02/04/2023 04:00	0.003726406	INDmg/m3
02/04/2023 05:00	0.003709361	INDmg/m3
02/04/2023 06:00	0.003695085	INDmg/m3
02/04/2023 07:00	0.003689348	INDmg/m3
02/04/2023 08:00	0.003787933	INDmg/m3
02/04/2023 09:00	0.003880828	INDmg/m3
02/04/2023 10:00	0.003802069	INDmg/m3
02/04/2023 11:00	0.003759342	INDmg/m3
02/04/2023 12:00	0.003740412	INDmg/m3
02/04/2023 13:00	0.003759563	INDmg/m3
02/04/2023 14:00	0.003703843	INDmg/m3
02/04/2023 15:00	0.003705334	INDmg/m3
02/04/2023 16:00	0.003729103	INDmg/m3
02/04/2023 17:00	0.003655209	INDmg/m3
02/04/2023 18:00	0.003662149	INDmg/m3
02/04/2023 19:00	0.003651068	INDmg/m3
02/04/2023 20:00	0.003623646	INDmg/m3
02/04/2023 21:00	0.003602172	INDmg/m3
02/04/2023 22:00	0.003619069	INDmg/m3

02/04/2023 23:00	0.003593337	INDmg/m3
03/04/2023 00:00	0.003615582	INDmg/m3
03/04/2023 01:00	0.003569999	INDmg/m3
03/04/2023 02:00	0.003566331	INDmg/m3
03/04/2023 03:00	0.003573569	INDmg/m3
03/04/2023 04:00	0.00354305	INDmg/m3
03/04/2023 05:00	0.003548321	INDmg/m3
03/04/2023 06:00	0.291944921	INDmg/m3
03/04/2023 07:00	1.331179261	INDmg/m3
03/04/2023 08:00	2.245748043	INDmg/m3
03/04/2023 09:00	2.17827487	INDmg/m3
03/04/2023 10:00	1.950532436	INDmg/m3
03/04/2023 11:00	1.608567238	INDmg/m3
03/04/2023 12:00	1.689151645	INDmg/m3
03/04/2023 13:00	1.671711326	INDmg/m3
03/04/2023 14:00	1.889709473	INDmg/m3
03/04/2023 15:00	1.586534262	INDmg/m3
03/04/2023 16:00	1.964157462	INDmg/m3
03/04/2023 17:00	0.004970307	INDmg/m3
03/04/2023 18:00	0.003519976	INDmg/m3
03/04/2023 19:00	0.003589062	INDmg/m3
03/04/2023 20:00	0.003512941	INDmg/m3
03/04/2023 21:00	0.003508985	INDmg/m3
03/04/2023 22:00	0.003492934	INDmg/m3
03/04/2023 23:00	0.003498283	INDmg/m3
04/04/2023 00:00	0.003514346	INDmg/m3
04/04/2023 01:00	0.003468854	INDmg/m3
04/04/2023 02:00	0.003485041	INDmg/m3
04/04/2023 03:00	0.003499557	INDmg/m3
04/04/2023 04:00	0.003496314	INDmg/m3
04/04/2023 05:00	0.003476457	INDmg/m3
04/04/2023 06:00	0.170651734	INDmg/m3
04/04/2023 07:00	1.510623217	INDmg/m3
04/04/2023 08:00	1.656662583	INDmg/m3
04/04/2023 09:00	1.844125152	INDmg/m3
04/04/2023 10:00	1.515962005	INDmg/m3
04/04/2023 11:00	1.482836008	INDmg/m3
04/04/2023 12:00	1.87892139	INDmg/m3
04/04/2023 13:00	1.543092132	INDmg/m3
04/04/2023 14:00	1.548068166	INDmg/m3
04/04/2023 15:00	1.387697697	INDmg/m3
04/04/2023 16:00	0.49619329	INDmg/m3
04/04/2023 17:00	0.003532084	INDmg/m3
04/04/2023 18:00	0.003555437	INDmg/m3
04/04/2023 19:00	0.003532235	INDmg/m3
04/04/2023 20:00	0.003496599	INDmg/m3
04/04/2023 21:00	0.00348602	INDmg/m3
04/04/2023 22:00	0.003461787	INDmg/m3
04/04/2023 23:00	0.003468308	INDmg/m3
05/04/2023 00:00	0.003457766	INDmg/m3
05/04/2023 01:00	0.003452238	INDmg/m3
05/04/2023 02:00	0.003483656	INDmg/m3
05/04/2023 03:00	0.003450268	INDmg/m3
05/04/2023 04:00	0.007951265	INDmg/m3
05/04/2023 05:00	0.005022005	INDmg/m3
05/04/2023 06:00	0.009334748	INDmg/m3

05/04/2023 07:00	0.014770166	INDmg/m3
05/04/2023 08:00	0.013228139	INDmg/m3
05/04/2023 09:00	0.011879589	INDmg/m3
05/04/2023 10:00	0.004553995	INDmg/m3
05/04/2023 11:00	0.008727401	INDmg/m3
05/04/2023 12:00	0.004428174	INDmg/m3
05/04/2023 13:00	0.004179091	INDmg/m3
05/04/2023 14:00	0.009859848	INDmg/m3
05/04/2023 15:00	0.042832881	INDmg/m3
05/04/2023 16:00	0.016684325	INDmg/m3
05/04/2023 17:00	0.014612611	INDmg/m3
05/04/2023 18:00	0.017445315	INDmg/m3
05/04/2023 19:00	0.051912382	INDmg/m3
05/04/2023 20:00	0.0155499	INDmg/m3
05/04/2023 21:00	0.003616426	INDmg/m3
05/04/2023 22:00	0.003706628	INDmg/m3
05/04/2023 23:00	0.003804493	INDmg/m3
06/04/2023 00:00	0.003938426	INDmg/m3
06/04/2023 01:00	0.003867513	INDmg/m3
06/04/2023 02:00	0.023970606	INDmg/m3
06/04/2023 03:00	0.003608776	INDmg/m3
06/04/2023 04:00	0.003623015	INDmg/m3
06/04/2023 05:00	0.003605948	INDmg/m3
06/04/2023 06:00	0.003599246	INDmg/m3
06/04/2023 07:00	0.003604091	INDmg/m3
06/04/2023 08:00	0.003628117	INDmg/m3
06/04/2023 09:00	0.003650878	INDmg/m3
06/04/2023 10:00	0.003757028	INDmg/m3
06/04/2023 11:00	0.017489694	INDmg/m3
06/04/2023 12:00	0.184053361	INDmg/m3
06/04/2023 13:00	0.095748976	INDmg/m3
06/04/2023 14:00	1.403904438	INDmg/m3
06/04/2023 15:00	0.003709602	INDmg/m3
06/04/2023 16:00	0.003680895	INDmg/m3
06/04/2023 17:00	0.003660933	INDmg/m3
06/04/2023 18:00	0.003691968	INDmg/m3
06/04/2023 19:00	0.003566171	INDmg/m3
06/04/2023 20:00	0.003549087	INDmg/m3
06/04/2023 21:00	0.003549678	INDmg/m3
06/04/2023 22:00	0.00355747	INDmg/m3
06/04/2023 23:00	0.003532632	INDmg/m3
07/04/2023 00:00	0.003484622	INDmg/m3
07/04/2023 01:00	0.003465175	INDmg/m3
07/04/2023 02:00	0.003484051	INDmg/m3
07/04/2023 03:00	0.003513772	INDmg/m3
07/04/2023 04:00	0.003502509	INDmg/m3
07/04/2023 05:00	0.003529125	INDmg/m3
07/04/2023 06:00	0.570600212	INDmg/m3
07/04/2023 07:00	0.748954892	INDmg/m3
07/04/2023 08:00	1.637708545	INDmg/m3
07/04/2023 09:00	1.202640176	INDmg/m3
07/04/2023 10:00	2.258192062	INDmg/m3
07/04/2023 11:00	1.749866009	INDmg/m3
07/04/2023 12:00	6.873316288	INDmg/m3
07/04/2023 13:00	2.154245615	INDmg/m3
07/04/2023 14:00	2.061625481	INDmg/m3

07/04/2023 15:00	1.584062696	INDmg/m3
07/04/2023 16:00	1.373785496	INDmg/m3
07/04/2023 17:00	0.807131112	INDmg/m3
07/04/2023 18:00	0.003548246	INDmg/m3
07/04/2023 19:00	0.003493774	INDmg/m3
07/04/2023 20:00	0.003493782	INDmg/m3
07/04/2023 21:00	0.003440407	INDmg/m3
07/04/2023 22:00	0.003442503	INDmg/m3
07/04/2023 23:00	0.003484335	INDmg/m3
08/04/2023 00:00	0.003453517	INDmg/m3
08/04/2023 01:00	0.003432684	INDmg/m3
08/04/2023 02:00	0.003498559	INDmg/m3
08/04/2023 03:00	0.003488286	INDmg/m3
08/04/2023 04:00	0.003437348	INDmg/m3
08/04/2023 05:00	0.003484061	INDmg/m3
08/04/2023 06:00	0.003462783	INDmg/m3
08/04/2023 07:00	0.003451703	INDmg/m3
08/04/2023 08:00	0.003508	INDmg/m3
08/04/2023 09:00	0.003485479	INDmg/m3
08/04/2023 10:00	0.003526038	INDmg/m3
08/04/2023 11:00	0.003512087	INDmg/m3
08/04/2023 12:00	0.003539233	INDmg/m3
08/04/2023 13:00	0.003540929	INDmg/m3
08/04/2023 14:00	0.003521232	INDmg/m3
08/04/2023 15:00	0.003504473	INDmg/m3
08/04/2023 16:00	0.003477427	INDmg/m3
08/04/2023 17:00	0.003497156	INDmg/m3
08/04/2023 18:00	0.003507147	INDmg/m3
08/04/2023 19:00	0.003433779	INDmg/m3
08/04/2023 20:00	0.003529681	INDmg/m3
08/04/2023 21:00	0.003506165	INDmg/m3
08/04/2023 22:00	0.003425357	INDmg/m3
08/04/2023 23:00	0.003463914	INDmg/m3
09/04/2023 00:00	0.003424345	INDmg/m3
09/04/2023 01:00	0.003378351	INDmg/m3
09/04/2023 02:00	0.003461964	INDmg/m3
09/04/2023 03:00	0.003454514	INDmg/m3
09/04/2023 04:00	0.003438037	INDmg/m3
09/04/2023 05:00	0.003430192	INDmg/m3
09/04/2023 06:00	0.003434316	INDmg/m3
09/04/2023 07:00	0.003418718	INDmg/m3
09/04/2023 08:00	0.00348154	INDmg/m3
09/04/2023 09:00	0.003487163	INDmg/m3
09/04/2023 10:00	0.003509397	INDmg/m3
09/04/2023 11:00	0.003561034	INDmg/m3
09/04/2023 12:00	0.003519404	INDmg/m3
09/04/2023 13:00	0.003524899	INDmg/m3
09/04/2023 14:00	0.003511946	INDmg/m3
09/04/2023 15:00	0.003493068	INDmg/m3
09/04/2023 16:00	0.003485158	INDmg/m3
09/04/2023 17:00	0.003465232	INDmg/m3
09/04/2023 18:00	0.003497727	INDmg/m3
09/04/2023 19:00	0.003483511	INDmg/m3
09/04/2023 20:00	0.01460999	INDmg/m3
09/04/2023 21:00	0.011353553	INDmg/m3
09/04/2023 22:00	0.020718241	INDmg/m3

09/04/2023 23:00	0.040517539	INDmg/m3
10/04/2023 00:00	0.019445289	INDmg/m3
10/04/2023 01:00	0.004543679	INDmg/m3
10/04/2023 02:00	0.047682192	INDmg/m3
10/04/2023 03:00	0.03744242	INDmg/m3
10/04/2023 04:00	0.003748376	INDmg/m3
10/04/2023 05:00	0.003602743	INDmg/m3
10/04/2023 06:00	0.003660742	INDmg/m3
10/04/2023 07:00	0.010654272	INDmg/m3
10/04/2023 08:00	0.004300755	INDmg/m3
10/04/2023 09:00	0.003621778	INDmg/m3
10/04/2023 10:00	0.006102314	INDmg/m3
10/04/2023 11:00	0.003693867	INDmg/m3
10/04/2023 12:00	0.004156381	INDmg/m3
10/04/2023 13:00	0.003947046	INDmg/m3
10/04/2023 14:00	0.00383394	INDmg/m3
10/04/2023 15:00	0.003747517	INDmg/m3
10/04/2023 16:00	0.003670311	INDmg/m3
10/04/2023 17:00	0.003651255	INDmg/m3
10/04/2023 18:00	0.00362867	INDmg/m3
10/04/2023 19:00	0.003619913	INDmg/m3
10/04/2023 20:00	0.003575542	INDmg/m3
10/04/2023 21:00	0.003546432	INDmg/m3
10/04/2023 22:00	0.003508701	INDmg/m3
10/04/2023 23:00	0.003501664	INDmg/m3
11/04/2023 00:00	0.003552873	INDmg/m3
11/04/2023 01:00	0.003524322	INDmg/m3
11/04/2023 02:00	0.237323463	INDmg/m3
11/04/2023 03:00	0.003805977	INDmg/m3
11/04/2023 04:00	0.003763221	INDmg/m3
11/04/2023 05:00	0.003505887	INDmg/m3
11/04/2023 06:00	0.003665334	INDmg/m3
11/04/2023 07:00	0.61468327	INDmg/m3
11/04/2023 08:00	0.003541055	INDmg/m3
11/04/2023 09:00	0.00618554	INDmg/m3
11/04/2023 10:00	0.009700776	INDmg/m3
11/04/2023 11:00	0.016690047	INDmg/m3
11/04/2023 12:00	0.128536731	INDmg/m3
11/04/2023 13:00	0.012325728	INDmg/m3
11/04/2023 14:00	0.011072932	INDmg/m3
11/04/2023 15:00	0.31820482	INDmg/m3
11/04/2023 16:00	0.649148822	INDmg/m3
11/04/2023 17:00	0.099213876	INDmg/m3
11/04/2023 18:00	0.003678285	INDmg/m3
11/04/2023 19:00	0.003600263	INDmg/m3
11/04/2023 20:00	0.018172873	INDmg/m3
11/04/2023 21:00	0.011610433	INDmg/m3
11/04/2023 22:00	0.003719104	INDmg/m3
11/04/2023 23:00	0.003608031	INDmg/m3
12/04/2023 00:00	0.003575994	INDmg/m3
12/04/2023 01:00	1.034352303	INDmg/m3
12/04/2023 02:00	0.021155819	INDmg/m3
12/04/2023 03:00	0.41796577	INDmg/m3
12/04/2023 04:00	0.003606452	INDmg/m3
12/04/2023 05:00	0.060731821	INDmg/m3
12/04/2023 06:00	0.273776054	INDmg/m3

12/04/2023 07:00	1.152029395	INDmg/m3
12/04/2023 08:00	2.021220922	INDmg/m3
12/04/2023 09:00	1.650609016	INDmg/m3
12/04/2023 10:00	1.375767469	INDmg/m3
12/04/2023 11:00	0.513370812	INDmg/m3
12/04/2023 12:00	0.941603243	INDmg/m3
12/04/2023 13:00	0.753830016	INDmg/m3
12/04/2023 14:00	1.144736052	INDmg/m3
12/04/2023 15:00	0.688435376	INDmg/m3
12/04/2023 16:00	0.321478754	INDmg/m3
12/04/2023 17:00	0.05634534	INDmg/m3
12/04/2023 18:00	0.006526641	INDmg/m3
12/04/2023 19:00	0.014257613	INDmg/m3
12/04/2023 20:00	0.009441991	INDmg/m3
12/04/2023 21:00	0.003552595	INDmg/m3
12/04/2023 22:00	0.003531373	INDmg/m3
12/04/2023 23:00	0.003542385	INDmg/m3
13/04/2023 00:00	0.003531663	INDmg/m3
13/04/2023 01:00	0.00352391	INDmg/m3
13/04/2023 02:00	0.00353252	INDmg/m3
13/04/2023 03:00	0.003485051	INDmg/m3
13/04/2023 04:00	0.003496165	INDmg/m3
13/04/2023 05:00	0.003515892	INDmg/m3
13/04/2023 06:00	0.315772712	INDmg/m3
13/04/2023 07:00	0.975460887	INDmg/m3
13/04/2023 08:00	1.339861035	INDmg/m3
13/04/2023 09:00	0.806111574	INDmg/m3
13/04/2023 10:00	1.184583783	INDmg/m3
13/04/2023 11:00	0.730042756	INDmg/m3
13/04/2023 12:00	0.324532866	INDmg/m3
13/04/2023 13:00	0.00392671	INDmg/m3
13/04/2023 14:00	0.003638521	INDmg/m3
13/04/2023 15:00	0.003559411	INDmg/m3
13/04/2023 16:00	0.0035416	INDmg/m3
13/04/2023 17:00	0.003525044	INDmg/m3
13/04/2023 18:00	0.00349518	INDmg/m3
13/04/2023 19:00	0.003516166	INDmg/m3
13/04/2023 20:00	0.003496882	INDmg/m3
13/04/2023 21:00	0.003525049	INDmg/m3
13/04/2023 22:00	0.003518431	INDmg/m3
13/04/2023 23:00	0.003486877	INDmg/m3
14/04/2023 00:00	0.00354041	INDmg/m3
14/04/2023 01:00	0.004484191	INDmg/m3
14/04/2023 02:00	0.013646037	INDmg/m3
14/04/2023 03:00	0.00369349	INDmg/m3
14/04/2023 04:00	0.003724608	INDmg/m3
14/04/2023 05:00	0.092852265	INDmg/m3
14/04/2023 06:00	0.108346947	INDmg/m3
14/04/2023 07:00	0.396594673	INDmg/m3
14/04/2023 08:00	0.100905128	INDmg/m3
14/04/2023 09:00	0.020071724	INDmg/m3
14/04/2023 10:00	0.003556753	INDmg/m3
14/04/2023 11:00	0.003518845	INDmg/m3
14/04/2023 12:00	0.003515175	INDmg/m3
14/04/2023 13:00	0.004274672	INDmg/m3
14/04/2023 14:00	0.006600292	INDmg/m3

14/04/2023 15:00	0.004979241	INDmg/m3
14/04/2023 16:00	0.03760675	INDmg/m3
14/04/2023 17:00	0.003780846	INDmg/m3
14/04/2023 18:00	0.003518712	INDmg/m3
14/04/2023 19:00	0.003506173	INDmg/m3
14/04/2023 20:00	0.003467146	INDmg/m3
14/04/2023 21:00	0.003468556	INDmg/m3
14/04/2023 22:00	0.003450903	INDmg/m3
14/04/2023 23:00	0.003506863	INDmg/m3
15/04/2023 00:00	0.003465474	INDmg/m3
15/04/2023 01:00	0.003464064	INDmg/m3
15/04/2023 02:00	0.003446791	INDmg/m3
15/04/2023 03:00	0.003407903	INDmg/m3
15/04/2023 04:00	0.003499405	INDmg/m3
15/04/2023 05:00	0.003478299	INDmg/m3
15/04/2023 06:00	0.003422833	INDmg/m3
15/04/2023 07:00	0.003543052	INDmg/m3
15/04/2023 08:00	0.003511929	INDmg/m3
15/04/2023 09:00	0.003578612	INDmg/m3
15/04/2023 10:00	0.003665153	INDmg/m3
15/04/2023 11:00	0.003752382	INDmg/m3
15/04/2023 12:00	0.003762108	INDmg/m3
15/04/2023 13:00	0.00982752	INDmg/m3
15/04/2023 14:00	0.003607182	INDmg/m3
15/04/2023 15:00	0.00362054	INDmg/m3
15/04/2023 16:00	0.003625443	INDmg/m3
15/04/2023 17:00	0.003518419	INDmg/m3
15/04/2023 18:00	0.003465324	INDmg/m3
15/04/2023 19:00	0.003464364	INDmg/m3
15/04/2023 20:00	0.003436309	INDmg/m3
15/04/2023 21:00	0.003441342	INDmg/m3
15/04/2023 22:00	0.003517994	INDmg/m3
15/04/2023 23:00	0.003495608	INDmg/m3
16/04/2023 00:00	0.003428786	INDmg/m3
16/04/2023 01:00	0.003522365	INDmg/m3
16/04/2023 02:00	0.006737461	INDmg/m3
16/04/2023 03:00	0.003918589	INDmg/m3
16/04/2023 04:00	0.003728174	INDmg/m3
16/04/2023 05:00	0.003501236	INDmg/m3
16/04/2023 06:00	0.004278657	INDmg/m3
16/04/2023 07:00	0.003872909	INDmg/m3
16/04/2023 08:00	0.003511222	INDmg/m3
16/04/2023 09:00	0.00347843	INDmg/m3
16/04/2023 10:00	0.003556969	INDmg/m3
16/04/2023 11:00	0.003465191	INDmg/m3
16/04/2023 12:00	0.00345897	INDmg/m3
16/04/2023 13:00	0.003698374	INDmg/m3
16/04/2023 14:00	0.003536791	INDmg/m3
16/04/2023 15:00	0.003819281	INDmg/m3
16/04/2023 16:00	0.003578645	INDmg/m3
16/04/2023 17:00	0.003568354	INDmg/m3
16/04/2023 18:00	0.003549118	INDmg/m3
16/04/2023 19:00	0.004130011	INDmg/m3
16/04/2023 20:00	0.004347922	INDmg/m3
16/04/2023 21:00	0.003630434	INDmg/m3
16/04/2023 22:00	0.003493356	INDmg/m3

16/04/2023 23:00	0.003830829	INDmg/m3
17/04/2023 00:00	0.004019736	INDmg/m3
17/04/2023 01:00	0.003662524	INDmg/m3
17/04/2023 02:00	0.003545429	INDmg/m3
17/04/2023 03:00	0.003539105	INDmg/m3
17/04/2023 04:00	0.003541819	INDmg/m3
17/04/2023 05:00	0.003543588	INDmg/m3
17/04/2023 06:00	0.003569714	INDmg/m3
17/04/2023 07:00	0.003492373	INDmg/m3
17/04/2023 08:00	0.003498	INDmg/m3
17/04/2023 09:00	0.003599081	INDmg/m3
17/04/2023 10:00	0.003585942	INDmg/m3
17/04/2023 11:00	0.003765968	INDmg/m3
17/04/2023 12:00	0.003575235	INDmg/m3
17/04/2023 13:00	0.003546963	INDmg/m3
17/04/2023 14:00	0.003545894	INDmg/m3
17/04/2023 15:00	0.00362688	INDmg/m3
17/04/2023 16:00	0.003553877	INDmg/m3
17/04/2023 17:00	0.003583713	INDmg/m3
17/04/2023 18:00	0.003542774	INDmg/m3
17/04/2023 19:00	0.003549864	INDmg/m3
17/04/2023 20:00	0.00357185	INDmg/m3
17/04/2023 21:00	0.003586079	INDmg/m3
17/04/2023 22:00	0.003553276	INDmg/m3
17/04/2023 23:00	0.003584929	INDmg/m3
18/04/2023 00:00	0.003568625	INDmg/m3
18/04/2023 01:00	0.003525205	INDmg/m3
18/04/2023 02:00	0.003505599	INDmg/m3
18/04/2023 03:00	0.003500816	INDmg/m3
18/04/2023 04:00	0.00353826	INDmg/m3
18/04/2023 05:00	0.003577162	INDmg/m3
18/04/2023 06:00	0.003607187	INDmg/m3
18/04/2023 07:00	0.66584605	INDmg/m3
18/04/2023 08:00	0.607520878	INDmg/m3
18/04/2023 09:00	0.525194705	INDmg/m3
18/04/2023 10:00	0.003598229	INDmg/m3
18/04/2023 11:00	0.079777278	INDmg/m3
18/04/2023 12:00	0.378317893	INDmg/m3
18/04/2023 13:00	0.648767591	INDmg/m3
18/04/2023 14:00	0.458022892	INDmg/m3
18/04/2023 15:00	0.450793564	INDmg/m3
18/04/2023 16:00	0.334711343	INDmg/m3
18/04/2023 17:00	0.003505036	INDmg/m3
18/04/2023 18:00	0.003461926	INDmg/m3
18/04/2023 19:00	0.003444101	INDmg/m3
18/04/2023 20:00	0.003469846	INDmg/m3
18/04/2023 21:00	0.003464324	INDmg/m3
18/04/2023 22:00	0.003412622	INDmg/m3
18/04/2023 23:00	0.003435545	INDmg/m3
19/04/2023 00:00	0.003423745	INDmg/m3
19/04/2023 01:00	0.003398384	INDmg/m3
19/04/2023 02:00	0.003388371	INDmg/m3
19/04/2023 03:00	0.003392021	INDmg/m3
19/04/2023 04:00	0.003393156	INDmg/m3
19/04/2023 05:00	0.00341412	INDmg/m3
19/04/2023 06:00	0.100549072	INDmg/m3

19/04/2023 07:00	0.492257237	INDmg/m3
19/04/2023 08:00	0.701965153	INDmg/m3
19/04/2023 09:00	1.034799814	INDmg/m3
19/04/2023 10:00	1.05621624	INDmg/m3
19/04/2023 11:00	0.704563677	INDmg/m3
19/04/2023 12:00	0.656818569	INDmg/m3
19/04/2023 13:00	0.966440916	INDmg/m3
19/04/2023 14:00	1.100804687	INDmg/m3
19/04/2023 15:00	0.858991027	INDmg/m3
19/04/2023 16:00	0.827253819	INDmg/m3
19/04/2023 17:00	0.005189165	INDmg/m3
19/04/2023 18:00	0.003480951	INDmg/m3
19/04/2023 19:00	0.003418348	INDmg/m3
19/04/2023 20:00	0.003417318	INDmg/m3
19/04/2023 21:00	0.00347352	INDmg/m3
19/04/2023 22:00	0.003457097	INDmg/m3
19/04/2023 23:00	0.003453086	INDmg/m3
20/04/2023 00:00	0.003565368	INDmg/m3
20/04/2023 01:00	0.00339839	INDmg/m3
20/04/2023 02:00	0.003404415	INDmg/m3
20/04/2023 03:00	0.003356927	INDmg/m3
20/04/2023 04:00	0.003365312	INDmg/m3
20/04/2023 05:00	0.003383584	INDmg/m3
20/04/2023 06:00	0.136139691	INDmg/m3
20/04/2023 07:00	0.587143898	INDmg/m3
20/04/2023 08:00	1.11673975	INDmg/m3
20/04/2023 09:00	0.899105847	INDmg/m3
20/04/2023 10:00	1.348719001	INDmg/m3
20/04/2023 11:00	0.974440217	INDmg/m3
20/04/2023 12:00	1.001195312	INDmg/m3
20/04/2023 13:00	0.801930308	INDmg/m3
20/04/2023 14:00	1.192070246	INDmg/m3
20/04/2023 15:00	0.858878732	INDmg/m3
20/04/2023 16:00	1.125890613	INDmg/m3
20/04/2023 17:00	0.696776807	INDmg/m3
20/04/2023 18:00	0.003431078	INDmg/m3
20/04/2023 19:00	0.00340893	INDmg/m3
20/04/2023 20:00	0.0034025	INDmg/m3
20/04/2023 21:00	0.003392032	INDmg/m3
20/04/2023 22:00	0.003351418	INDmg/m3
20/04/2023 23:00	0.003349257	INDmg/m3
21/04/2023 00:00	0.003355138	INDmg/m3
21/04/2023 01:00	0.003338553	INDmg/m3
21/04/2023 02:00	0.003321569	INDmg/m3
21/04/2023 03:00	0.003328032	INDmg/m3
21/04/2023 04:00	0.00334165	INDmg/m3
21/04/2023 05:00	0.003325216	INDmg/m3
21/04/2023 06:00	0.12326926	INDmg/m3
21/04/2023 07:00	0.800453007	INDmg/m3
21/04/2023 08:00	1.137874961	INDmg/m3
21/04/2023 09:00	1.192046285	INDmg/m3
21/04/2023 10:00	1.417173862	INDmg/m3
21/04/2023 11:00	0.928619444	INDmg/m3
21/04/2023 12:00	1.033627987	INDmg/m3
21/04/2023 13:00	1.064573765	INDmg/m3
21/04/2023 14:00	1.058784127	INDmg/m3

21/04/2023 15:00	0.905898809	INDmg/m3
21/04/2023 16:00	0.770647645	INDmg/m3
21/04/2023 17:00	0.506879687	INDmg/m3
21/04/2023 18:00	0.038146816	INDmg/m3
21/04/2023 19:00	0.003374966	INDmg/m3
21/04/2023 20:00	0.003359583	INDmg/m3
21/04/2023 21:00	0.003381162	INDmg/m3
21/04/2023 22:00	0.00332748	INDmg/m3
21/04/2023 23:00	0.003363784	INDmg/m3
22/04/2023 00:00	0.003363983	INDmg/m3
22/04/2023 01:00	0.003377781	INDmg/m3
22/04/2023 02:00	0.003346909	INDmg/m3
22/04/2023 03:00	0.003333763	INDmg/m3
22/04/2023 04:00	0.003363114	INDmg/m3
22/04/2023 05:00	0.003349329	INDmg/m3
22/04/2023 06:00	0.003382507	INDmg/m3
22/04/2023 07:00	0.003353981	INDmg/m3
22/04/2023 08:00	0.003352169	INDmg/m3
22/04/2023 09:00	0.003419144	INDmg/m3
22/04/2023 10:00	0.003524446	INDmg/m3
22/04/2023 11:00	0.003387465	INDmg/m3
22/04/2023 12:00	0.003428579	INDmg/m3
22/04/2023 13:00	0.003428135	INDmg/m3
22/04/2023 14:00	0.07281176	INDmg/m3
22/04/2023 15:00	0.008526873	INDmg/m3
22/04/2023 16:00	0.008024029	INDmg/m3
22/04/2023 17:00	0.126589954	INDmg/m3
22/04/2023 18:00	0.090712085	INDmg/m3
22/04/2023 19:00	0.052796915	INDmg/m3
22/04/2023 20:00	0.00370851	INDmg/m3
22/04/2023 21:00	0.003384436	INDmg/m3
22/04/2023 22:00	0.003361467	INDmg/m3
22/04/2023 23:00	0.003353762	INDmg/m3
23/04/2023 00:00	0.003394457	INDmg/m3
23/04/2023 01:00	0.003394158	INDmg/m3
23/04/2023 02:00	0.003414035	INDmg/m3
23/04/2023 03:00	0.003419405	INDmg/m3
23/04/2023 04:00	0.00339384	INDmg/m3
23/04/2023 05:00	0.003386839	INDmg/m3
23/04/2023 06:00	0.00339884	INDmg/m3
23/04/2023 07:00	0.00340295	INDmg/m3
23/04/2023 08:00	0.003410555	INDmg/m3
23/04/2023 09:00	0.003497019	INDmg/m3
23/04/2023 10:00	0.003474769	INDmg/m3
23/04/2023 11:00	0.003549959	INDmg/m3
23/04/2023 12:00	0.003546867	INDmg/m3
23/04/2023 13:00	0.071107738	INDmg/m3
23/04/2023 14:00	0.003496312	INDmg/m3
23/04/2023 15:00	0.362217098	INDmg/m3
23/04/2023 16:00	0.004537792	INDmg/m3
23/04/2023 17:00	0.003687498	INDmg/m3
23/04/2023 18:00	0.00346361	INDmg/m3
23/04/2023 19:00	0.003436907	INDmg/m3
23/04/2023 20:00	0.00340847	INDmg/m3
23/04/2023 21:00	0.00341476	INDmg/m3
23/04/2023 22:00	0.003412361	INDmg/m3

23/04/2023 23:00	0.003418606	INDmg/m3
24/04/2023 00:00	0.003416542	INDmg/m3
24/04/2023 01:00	0.003424515	INDmg/m3
24/04/2023 02:00	0.003382696	INDmg/m3
24/04/2023 03:00	0.00339613	INDmg/m3
24/04/2023 04:00	0.003450731	INDmg/m3
24/04/2023 05:00	0.003447419	INDmg/m3
24/04/2023 06:00	0.543649495	INDmg/m3
24/04/2023 07:00	1.147020578	INDmg/m3
24/04/2023 08:00	0.90204066	INDmg/m3
24/04/2023 09:00	0.389220446	INDmg/m3
24/04/2023 10:00	0.387215525	INDmg/m3
24/04/2023 11:00	0.254033655	INDmg/m3
24/04/2023 12:00	0.480719924	INDmg/m3
24/04/2023 13:00	0.818829238	INDmg/m3
24/04/2023 14:00	1.093251824	INDmg/m3
24/04/2023 15:00	0.560238361	INDmg/m3
24/04/2023 16:00	1.075217843	INDmg/m3
24/04/2023 17:00	1.149386883	INDmg/m3
24/04/2023 18:00	0.004650805	INDmg/m3
24/04/2023 19:00	0.003451233	INDmg/m3
24/04/2023 20:00	0.003432366	INDmg/m3
24/04/2023 21:00	0.00340549	INDmg/m3
24/04/2023 22:00	0.003404306	INDmg/m3
24/04/2023 23:00	0.003401489	INDmg/m3
25/04/2023 00:00	0.003402668	INDmg/m3
25/04/2023 01:00	0.003408534	INDmg/m3
25/04/2023 02:00	0.003402773	INDmg/m3
25/04/2023 03:00	0.00338207	INDmg/m3
25/04/2023 04:00	0.003391686	INDmg/m3
25/04/2023 05:00	0.003417145	INDmg/m3
25/04/2023 06:00	0.170709744	INDmg/m3
25/04/2023 07:00	0.786414981	INDmg/m3
25/04/2023 08:00	0.934686184	INDmg/m3
25/04/2023 09:00	0.793356776	INDmg/m3
25/04/2023 10:00	0.862424612	INDmg/m3
25/04/2023 11:00	0.521696687	INDmg/m3
25/04/2023 12:00	0.543914676	INDmg/m3
25/04/2023 13:00	0.877297044	INDmg/m3
25/04/2023 14:00	1.246594429	INDmg/m3
25/04/2023 15:00	1.020277619	INDmg/m3
25/04/2023 16:00	1.123223782	INDmg/m3
25/04/2023 17:00	0.089584775	INDmg/m3
25/04/2023 18:00	0.00341175	INDmg/m3
25/04/2023 19:00	0.003404422	INDmg/m3
25/04/2023 20:00	0.003367209	INDmg/m3
25/04/2023 21:00	0.003347951	INDmg/m3
25/04/2023 22:00	0.003369622	INDmg/m3
25/04/2023 23:00	0.003360729	INDmg/m3
26/04/2023 00:00	0.003337807	INDmg/m3
26/04/2023 01:00	0.003331985	INDmg/m3
26/04/2023 02:00	0.003324083	INDmg/m3
26/04/2023 03:00	0.003323512	INDmg/m3
26/04/2023 04:00	0.003317605	INDmg/m3
26/04/2023 05:00	0.003337522	INDmg/m3
26/04/2023 06:00	0.246792376	INDmg/m3

26/04/2023 07:00	0.548078954	INDmg/m3
26/04/2023 08:00	1.06877768	INDmg/m3
26/04/2023 09:00	1.501877904	INDmg/m3
26/04/2023 10:00	0.75148505	INDmg/m3
26/04/2023 11:00	0.927466989	INDmg/m3
26/04/2023 12:00	0.879080415	INDmg/m3
26/04/2023 13:00	1.173322797	INDmg/m3
26/04/2023 14:00	1.2569592	INDmg/m3
26/04/2023 15:00	1.002684593	INDmg/m3
26/04/2023 16:00	0.792261779	INDmg/m3
26/04/2023 17:00	0.248363867	INDmg/m3
26/04/2023 18:00	0.003416774	INDmg/m3
26/04/2023 19:00	0.00342203	INDmg/m3
26/04/2023 20:00	0.003407456	INDmg/m3
26/04/2023 21:00	0.003364676	INDmg/m3
26/04/2023 22:00	0.003377147	INDmg/m3
26/04/2023 23:00	0.003365626	INDmg/m3
27/04/2023 00:00	0.003375918	INDmg/m3
27/04/2023 01:00	0.003374193	INDmg/m3
27/04/2023 02:00	0.003376093	INDmg/m3
27/04/2023 03:00	0.003381308	INDmg/m3
27/04/2023 04:00	0.00337092	INDmg/m3
27/04/2023 05:00	0.003388912	INDmg/m3
27/04/2023 06:00	0.641460896	INDmg/m3
27/04/2023 07:00	1.029650688	INDmg/m3
27/04/2023 08:00	1.583502173	INDmg/m3
27/04/2023 09:00	1.815134645	INDmg/m3
27/04/2023 10:00	1.702295423	INDmg/m3
27/04/2023 11:00	1.097532034	INDmg/m3
27/04/2023 12:00	1.625342607	INDmg/m3
27/04/2023 13:00	1.478039026	INDmg/m3
27/04/2023 14:00	0.909209311	INDmg/m3
27/04/2023 15:00	1.029595256	INDmg/m3
27/04/2023 16:00	1.159419537	INDmg/m3
27/04/2023 17:00	0.079201229	INDmg/m3
27/04/2023 18:00	0.003686743	INDmg/m3
27/04/2023 19:00	0.006120347	INDmg/m3
27/04/2023 20:00	0.003958885	INDmg/m3
27/04/2023 21:00	0.003510543	INDmg/m3
27/04/2023 22:00	0.003825383	INDmg/m3
27/04/2023 23:00	0.005800772	INDmg/m3
28/04/2023 00:00	0.007917375	INDmg/m3
28/04/2023 01:00	0.00361411	INDmg/m3
28/04/2023 02:00	0.004103377	INDmg/m3
28/04/2023 03:00	0.00400902	INDmg/m3
28/04/2023 04:00	0.003783377	INDmg/m3
28/04/2023 05:00	0.003562592	INDmg/m3
28/04/2023 06:00	0.003502652	INDmg/m3
28/04/2023 07:00	0.00347503	INDmg/m3
28/04/2023 08:00	0.003494905	INDmg/m3
28/04/2023 09:00	0.003494194	INDmg/m3
28/04/2023 10:00	0.003515868	INDmg/m3
28/04/2023 11:00	0.00358232	INDmg/m3
28/04/2023 12:00	0.003591251	INDmg/m3
28/04/2023 13:00	0.003564647	INDmg/m3
28/04/2023 14:00	0.003549989	INDmg/m3

28/04/2023 15:00	0.003542229	INDmg/m3
28/04/2023 16:00	0.003539542	INDmg/m3
28/04/2023 17:00	0.003538266	INDmg/m3
28/04/2023 18:00	0.0035267	INDmg/m3
28/04/2023 19:00	0.003635087	INDmg/m3
28/04/2023 20:00	0.003532499	INDmg/m3
28/04/2023 21:00	0.003642899	INDmg/m3
28/04/2023 22:00	0.004154594	INDmg/m3
28/04/2023 23:00	0.003540101	INDmg/m3
29/04/2023 00:00	0.003513358	INDmg/m3
29/04/2023 01:00	0.003537676	INDmg/m3
29/04/2023 02:00	0.003554842	INDmg/m3
29/04/2023 03:00	0.005877954	INDmg/m3
29/04/2023 04:00	0.003982536	INDmg/m3
29/04/2023 05:00	0.003593112	INDmg/m3
29/04/2023 06:00	0.003588556	INDmg/m3
29/04/2023 07:00	0.003520553	INDmg/m3
29/04/2023 08:00	0.003690697	INDmg/m3
29/04/2023 09:00	0.003531953	INDmg/m3
29/04/2023 10:00	0.003564478	INDmg/m3
29/04/2023 11:00	0.003607591	INDmg/m3
29/04/2023 12:00	0.003648632	INDmg/m3
29/04/2023 13:00	0.003554689	INDmg/m3
29/04/2023 14:00	0.003579816	INDmg/m3
29/04/2023 15:00	0.003557691	INDmg/m3
29/04/2023 16:00	0.003608709	INDmg/m3
29/04/2023 17:00	0.003506029	INDmg/m3
29/04/2023 18:00	0.003525033	INDmg/m3
29/04/2023 19:00	0.003503212	INDmg/m3
29/04/2023 20:00	0.00346294	INDmg/m3
29/04/2023 21:00	0.003471936	INDmg/m3
29/04/2023 22:00	0.003488846	INDmg/m3
29/04/2023 23:00	0.003455746	INDmg/m3
30/04/2023 00:00	0.003575299	INDmg/m3
30/04/2023 01:00	0.004675587	INDmg/m3
30/04/2023 02:00	0.004793409	INDmg/m3
30/04/2023 03:00	0.273795128	INDmg/m3
30/04/2023 04:00	0.062855951	INDmg/m3
30/04/2023 05:00	0.004016666	INDmg/m3
30/04/2023 06:00	0.003530117	INDmg/m3
30/04/2023 07:00	0.003669199	INDmg/m3
30/04/2023 08:00	0.003954075	INDmg/m3
30/04/2023 09:00	0.004111376	INDmg/m3
30/04/2023 10:00	0.003504057	INDmg/m3
30/04/2023 11:00	0.003595471	INDmg/m3
30/04/2023 12:00	0.003661387	INDmg/m3
30/04/2023 13:00	0.003581359	INDmg/m3
30/04/2023 14:00	0.00550064	INDmg/m3
30/04/2023 15:00	0.003905965	INDmg/m3
30/04/2023 16:00	0.003740339	INDmg/m3
30/04/2023 17:00	0.003553909	INDmg/m3
30/04/2023 18:00	0.003685803	INDmg/m3
30/04/2023 19:00	0.003678194	INDmg/m3
30/04/2023 20:00	0.003575113	INDmg/m3
30/04/2023 21:00	0.003580004	INDmg/m3
30/04/2023 22:00	0.003570276	INDmg/m3

30/04/2023 23:00	0.003573055	INDmg/m3
01/05/2023 00:00	0.003628825	INDmg/m3
01/05/2023 01:00	0.003555776	INDmg/m3
01/05/2023 02:00	0.003560349	INDmg/m3
01/05/2023 03:00	0.003574342	INDmg/m3
01/05/2023 04:00	0.003528418	INDmg/m3
01/05/2023 05:00	0.003577279	INDmg/m3
01/05/2023 06:00	0.003564926	INDmg/m3
01/05/2023 07:00	0.003550108	INDmg/m3
01/05/2023 08:00	0.003579454	INDmg/m3
01/05/2023 09:00	0.003574188	INDmg/m3
01/05/2023 10:00	0.003536875	INDmg/m3
01/05/2023 11:00	0.003868655	INDmg/m3
01/05/2023 12:00	0.016344892	INDmg/m3
01/05/2023 13:00	0.003625012	INDmg/m3
01/05/2023 14:00	0.003591192	INDmg/m3
01/05/2023 15:00	0.003588698	INDmg/m3
01/05/2023 16:00	0.003624346	INDmg/m3
01/05/2023 17:00	0.003569795	INDmg/m3
01/05/2023 18:00	0.003556038	INDmg/m3
01/05/2023 19:00	0.003497009	INDmg/m3
01/05/2023 20:00	0.003537288	INDmg/m3
01/05/2023 21:00	0.003494618	INDmg/m3
01/05/2023 22:00	0.003480836	INDmg/m3
01/05/2023 23:00	0.003472213	INDmg/m3
02/05/2023 00:00	0.003451239	INDmg/m3
02/05/2023 01:00	0.003455072	INDmg/m3
02/05/2023 02:00	0.003502227	INDmg/m3
02/05/2023 03:00	0.003530795	INDmg/m3
02/05/2023 04:00	0.003533909	INDmg/m3
02/05/2023 05:00	0.003480802	INDmg/m3
02/05/2023 06:00	0.710338533	INDmg/m3
02/05/2023 07:00	1.805781722	INDmg/m3
02/05/2023 08:00	1.612594604	INDmg/m3
02/05/2023 09:00	2.061910152	INDmg/m3
02/05/2023 10:00	1.531243205	INDmg/m3
02/05/2023 11:00	0.783570945	INDmg/m3
02/05/2023 12:00	0.684713542	INDmg/m3
02/05/2023 13:00	0.978951991	INDmg/m3
02/05/2023 14:00	1.717968583	INDmg/m3
02/05/2023 15:00	1.057033539	INDmg/m3
02/05/2023 16:00	1.134629369	INDmg/m3
02/05/2023 17:00	0.693793058	INDmg/m3
02/05/2023 18:00	0.003543684	INDmg/m3
02/05/2023 19:00	0.003475881	INDmg/m3
02/05/2023 20:00	0.003495464	INDmg/m3
02/05/2023 21:00	0.00347401	INDmg/m3
02/05/2023 22:00	0.003434458	INDmg/m3
02/05/2023 23:00	0.003467954	INDmg/m3
03/05/2023 00:00	0.003448321	INDmg/m3
03/05/2023 01:00	0.003452957	INDmg/m3
03/05/2023 02:00	0.003441568	INDmg/m3
03/05/2023 03:00	0.003517167	INDmg/m3
03/05/2023 04:00	0.003491384	INDmg/m3
03/05/2023 05:00	0.003429184	INDmg/m3
03/05/2023 06:00	0.123566009	INDmg/m3

03/05/2023 07:00	0.424836874	INDmg/m3
03/05/2023 08:00	1.427450776	INDmg/m3
03/05/2023 09:00	1.950232506	INDmg/m3
03/05/2023 10:00	1.684871197	INDmg/m3
03/05/2023 11:00	0.891684651	INDmg/m3
03/05/2023 12:00	0.834155738	INDmg/m3
03/05/2023 13:00	1.31625843	INDmg/m3
03/05/2023 14:00	0.005480958	INDmg/m3
03/05/2023 15:00	0.003510124	INDmg/m3
03/05/2023 16:00	0.003468441	INDmg/m3
03/05/2023 17:00	0.003482366	INDmg/m3
03/05/2023 18:00	0.003440995	INDmg/m3
03/05/2023 19:00	0.003485198	INDmg/m3
03/05/2023 20:00	0.003427854	INDmg/m3
03/05/2023 21:00	0.003404641	INDmg/m3
03/05/2023 22:00	0.00346673	INDmg/m3
03/05/2023 23:00	0.003431755	INDmg/m3
04/05/2023 00:00	0.003442034	INDmg/m3
04/05/2023 01:00	0.003512087	INDmg/m3
04/05/2023 02:00	0.003445041	INDmg/m3
04/05/2023 03:00	0.003394502	INDmg/m3
04/05/2023 04:00	0.003411395	INDmg/m3
04/05/2023 05:00	0.003422991	INDmg/m3
04/05/2023 06:00	0.00339619	INDmg/m3
04/05/2023 07:00	0.003394839	INDmg/m3
04/05/2023 08:00	0.003446861	INDmg/m3
04/05/2023 09:00	0.003423346	INDmg/m3
04/05/2023 10:00	0.003433051	INDmg/m3
04/05/2023 11:00	0.003481077	INDmg/m3
04/05/2023 12:00	0.003444722	INDmg/m3
04/05/2023 13:00	0.003502233	INDmg/m3
04/05/2023 14:00	0.003535375	INDmg/m3
04/05/2023 15:00	0.004276472	INDmg/m3
04/05/2023 16:00	0.006730783	INDmg/m3
04/05/2023 17:00	0.015249733	INDmg/m3
04/05/2023 18:00	0.11569301	INDmg/m3
04/05/2023 19:00	0.003933598	INDmg/m3
04/05/2023 20:00	0.003542793	INDmg/m3
04/05/2023 21:00	0.003423823	INDmg/m3
04/05/2023 22:00	0.003527187	INDmg/m3
04/05/2023 23:00	0.00350391	INDmg/m3
05/05/2023 00:00	0.155388474	INDmg/m3
05/05/2023 01:00	0.006487017	INDmg/m3
05/05/2023 02:00	0.003440902	INDmg/m3
05/05/2023 03:00	0.003453925	INDmg/m3
05/05/2023 04:00	0.00347487	INDmg/m3
05/05/2023 05:00	0.003493348	INDmg/m3
05/05/2023 06:00	0.003485469	INDmg/m3
05/05/2023 07:00	0.003491105	INDmg/m3
05/05/2023 08:00	0.003738306	INDmg/m3
05/05/2023 09:00	0.003472231	INDmg/m3
05/05/2023 10:00	0.003524927	INDmg/m3
05/05/2023 11:00	0.003502646	INDmg/m3
05/05/2023 12:00	0.003497304	INDmg/m3
05/05/2023 13:00	0.584865153	INDmg/m3
05/05/2023 14:00	0.092583194	INDmg/m3

05/05/2023 15:00	1.414810181	INDmg/m3
05/05/2023 16:00	0.005443583	INDmg/m3
05/05/2023 17:00	0.003503637	INDmg/m3
05/05/2023 18:00	0.00350349	INDmg/m3
05/05/2023 19:00	0.003493491	INDmg/m3
05/05/2023 20:00	0.003549657	INDmg/m3
05/05/2023 21:00	0.003510393	INDmg/m3
05/05/2023 22:00	0.003498426	INDmg/m3
05/05/2023 23:00	0.003505189	INDmg/m3
06/05/2023 00:00	0.00350758	INDmg/m3
06/05/2023 01:00	0.003497298	INDmg/m3
06/05/2023 02:00	0.003498986	INDmg/m3
06/05/2023 03:00	0.003548428	INDmg/m3
06/05/2023 04:00	0.003515025	INDmg/m3
06/05/2023 05:00	0.003500394	INDmg/m3
06/05/2023 06:00	0.057781242	INDmg/m3
06/05/2023 07:00	0.222766533	INDmg/m3
06/05/2023 08:00	0.044810943	INDmg/m3
06/05/2023 09:00	0.013845902	INDmg/m3
06/05/2023 10:00	0.003656505	INDmg/m3
06/05/2023 11:00	0.003991844	INDmg/m3
06/05/2023 12:00	0.003983964	INDmg/m3
06/05/2023 13:00	0.003585279	INDmg/m3
06/05/2023 14:00	0.003565259	INDmg/m3
06/05/2023 15:00	0.003604939	INDmg/m3
06/05/2023 16:00	0.003838299	INDmg/m3
06/05/2023 17:00	0.003627552	INDmg/m3
06/05/2023 18:00	0.003625825	INDmg/m3
06/05/2023 19:00	0.003628075	INDmg/m3
06/05/2023 20:00	0.003633986	INDmg/m3
06/05/2023 21:00	0.003631946	INDmg/m3
06/05/2023 22:00	0.003566652	INDmg/m3
06/05/2023 23:00	0.003552907	INDmg/m3
07/05/2023 00:00	0.00355566	INDmg/m3
07/05/2023 01:00	0.00355622	INDmg/m3
07/05/2023 02:00	0.003577203	INDmg/m3
07/05/2023 03:00	0.003560721	INDmg/m3
07/05/2023 04:00	0.003524066	INDmg/m3
07/05/2023 05:00	0.00353362	INDmg/m3
07/05/2023 06:00	0.003636395	INDmg/m3
07/05/2023 07:00	0.003596994	INDmg/m3
07/05/2023 08:00	0.003551471	INDmg/m3
07/05/2023 09:00	0.003521546	INDmg/m3
07/05/2023 10:00	0.00358974	INDmg/m3
07/05/2023 11:00	0.003641827	INDmg/m3
07/05/2023 12:00	0.003579971	INDmg/m3
07/05/2023 13:00	0.003609621	INDmg/m3
07/05/2023 14:00	0.003606508	INDmg/m3
07/05/2023 15:00	0.003563962	INDmg/m3
07/05/2023 16:00	0.003598915	INDmg/m3
07/05/2023 17:00	0.003548325	INDmg/m3
07/05/2023 18:00	0.003550966	INDmg/m3
07/05/2023 19:00	0.003541583	INDmg/m3
07/05/2023 20:00	0.003516445	INDmg/m3
07/05/2023 21:00	0.003680841	INDmg/m3
07/05/2023 22:00	0.003521794	INDmg/m3

07/05/2023 23:00	0.003528027	INDmg/m3
08/05/2023 00:00	0.003541662	INDmg/m3
08/05/2023 01:00	0.00349716	INDmg/m3
08/05/2023 02:00	0.003513917	INDmg/m3
08/05/2023 03:00	0.007768581	INDmg/m3
08/05/2023 04:00	0.075199902	INDmg/m3
08/05/2023 05:00	0.110850222	INDmg/m3
08/05/2023 06:00	0.9940871	INDmg/m3
08/05/2023 07:00	0.898923635	INDmg/m3
08/05/2023 08:00	1.225580335	INDmg/m3
08/05/2023 09:00	2.133021593	INDmg/m3
08/05/2023 10:00	1.854098082	INDmg/m3
08/05/2023 11:00	1.201925516	INDmg/m3
08/05/2023 12:00	1.292373657	INDmg/m3
08/05/2023 13:00	2.229199648	INDmg/m3
08/05/2023 14:00	2.89515233	INDmg/m3
08/05/2023 15:00	1.865228415	INDmg/m3
08/05/2023 16:00	1.574267149	INDmg/m3
08/05/2023 17:00	0.021964561	INDmg/m3
08/05/2023 18:00	0.670021057	INDmg/m3
08/05/2023 19:00	0.551515639	INDmg/m3
08/05/2023 20:00	0.011599422	INDmg/m3
08/05/2023 21:00	0.004070463	INDmg/m3
08/05/2023 22:00	0.00379063	INDmg/m3
08/05/2023 23:00	0.020700974	INDmg/m3
09/05/2023 00:00	0.004188953	INDmg/m3
09/05/2023 01:00	0.012571118	INDmg/m3
09/05/2023 02:00	0.004396923	INDmg/m3
09/05/2023 03:00	0.0040682	INDmg/m3
09/05/2023 04:00	0.004288327	INDmg/m3
09/05/2023 05:00	0.009581776	INDmg/m3
09/05/2023 06:00	0.302894831	INDmg/m3
09/05/2023 07:00	1.473106265	INDmg/m3
09/05/2023 08:00	1.640210629	INDmg/m3
09/05/2023 09:00	0.563625216	INDmg/m3
09/05/2023 10:00	1.452875853	INDmg/m3
09/05/2023 11:00	0.09784884	INDmg/m3
09/05/2023 12:00	0.00369398	INDmg/m3
09/05/2023 13:00	0.005369902	INDmg/m3
09/05/2023 14:00	0.003773648	INDmg/m3
09/05/2023 15:00	0.003678852	INDmg/m3
09/05/2023 16:00	0.003692834	INDmg/m3
09/05/2023 17:00	0.003654813	INDmg/m3
09/05/2023 18:00	1.394055247	INDmg/m3
09/05/2023 19:00	0.026601266	INDmg/m3
09/05/2023 20:00	0.003667116	INDmg/m3
09/05/2023 21:00	0.003653798	INDmg/m3
09/05/2023 22:00	0.003646841	INDmg/m3
09/05/2023 23:00	0.003644693	INDmg/m3
10/05/2023 00:00	0.00383667	INDmg/m3
10/05/2023 01:00	0.003625262	INDmg/m3
10/05/2023 02:00	0.0036398	INDmg/m3
10/05/2023 03:00	0.003649754	INDmg/m3
10/05/2023 04:00	0.003709809	INDmg/m3
10/05/2023 05:00	0.003747943	INDmg/m3
10/05/2023 06:00	0.003895893	INDmg/m3

10/05/2023 07:00	0.003725336	INDmg/m3
10/05/2023 08:00	0.004961309	INDmg/m3
10/05/2023 09:00	0.006219737	INDmg/m3
10/05/2023 10:00	0.003694025	INDmg/m3
10/05/2023 11:00	0.003800721	INDmg/m3
10/05/2023 12:00	0.003705391	INDmg/m3
10/05/2023 13:00	0.00380241	INDmg/m3
10/05/2023 14:00	0.003701196	INDmg/m3
10/05/2023 15:00	0.003673218	INDmg/m3
10/05/2023 16:00	0.003671431	INDmg/m3
10/05/2023 17:00	0.003643156	INDmg/m3
10/05/2023 18:00	0.003654453	INDmg/m3
10/05/2023 19:00	0.003585335	INDmg/m3
10/05/2023 20:00	0.003607868	INDmg/m3
10/05/2023 21:00	0.003684966	INDmg/m3
10/05/2023 22:00	0.003588546	INDmg/m3
10/05/2023 23:00	0.003731256	INDmg/m3
11/05/2023 00:00	0.003744708	INDmg/m3
11/05/2023 01:00	0.003645038	INDmg/m3
11/05/2023 02:00	0.00369314	INDmg/m3
11/05/2023 03:00	0.003567661	INDmg/m3
11/05/2023 04:00	0.00359925	INDmg/m3
11/05/2023 05:00	0.003564412	INDmg/m3
11/05/2023 06:00	0.188311204	INDmg/m3
11/05/2023 07:00	1.216562629	INDmg/m3
11/05/2023 08:00	1.665245891	INDmg/m3
11/05/2023 09:00	1.285248637	INDmg/m3
11/05/2023 10:00	1.498876333	INDmg/m3
11/05/2023 11:00	1.074758172	INDmg/m3
11/05/2023 12:00	0.937750638	INDmg/m3
11/05/2023 13:00	1.086870909	INDmg/m3
11/05/2023 14:00	0.808951437	INDmg/m3
11/05/2023 15:00	0.99503088	INDmg/m3
11/05/2023 16:00	0.612332523	INDmg/m3
11/05/2023 17:00	0.003565892	INDmg/m3
11/05/2023 18:00	0.029166214	INDmg/m3
11/05/2023 19:00	0.027237404	INDmg/m3
11/05/2023 20:00	0.003508707	INDmg/m3
11/05/2023 21:00	0.003486316	INDmg/m3
11/05/2023 22:00	0.003493626	INDmg/m3
11/05/2023 23:00	0.00345641	INDmg/m3
12/05/2023 00:00	0.003487445	INDmg/m3
12/05/2023 01:00	0.003448702	INDmg/m3
12/05/2023 02:00	0.003435498	INDmg/m3
12/05/2023 03:00	0.00343546	INDmg/m3
12/05/2023 04:00	0.003464781	INDmg/m3
12/05/2023 05:00	0.003462353	INDmg/m3
12/05/2023 06:00	0.003471239	INDmg/m3
12/05/2023 07:00	0.003501943	INDmg/m3
12/05/2023 08:00	0.003539107	INDmg/m3
12/05/2023 09:00	0.003578333	INDmg/m3
12/05/2023 10:00	0.003587487	INDmg/m3
12/05/2023 11:00	0.003623012	INDmg/m3
12/05/2023 12:00	0.003632446	INDmg/m3
12/05/2023 13:00	0.003564919	INDmg/m3
12/05/2023 14:00	0.003512362	INDmg/m3

12/05/2023 15:00	0.003522231	INDmg/m3
12/05/2023 16:00	0.003507148	INDmg/m3
12/05/2023 17:00	0.00350758	INDmg/m3
12/05/2023 18:00	0.003476856	INDmg/m3
12/05/2023 19:00	0.003525339	INDmg/m3
12/05/2023 20:00	0.003450237	INDmg/m3
12/05/2023 21:00	0.003426287	INDmg/m3
12/05/2023 22:00	0.003403741	INDmg/m3
12/05/2023 23:00	0.003429945	INDmg/m3
13/05/2023 00:00	0.003483077	INDmg/m3
13/05/2023 01:00	0.00345997	INDmg/m3
13/05/2023 02:00	0.003444002	INDmg/m3
13/05/2023 03:00	0.003414363	INDmg/m3
13/05/2023 04:00	0.003462486	INDmg/m3
13/05/2023 05:00	0.003476853	INDmg/m3
13/05/2023 06:00	0.003417104	INDmg/m3
13/05/2023 07:00	0.003508272	INDmg/m3
13/05/2023 08:00	0.003550994	INDmg/m3
13/05/2023 09:00	0.00357217	INDmg/m3
13/05/2023 10:00	0.003539307	INDmg/m3
13/05/2023 11:00	0.003520114	INDmg/m3
13/05/2023 12:00	0.003480218	INDmg/m3
13/05/2023 13:00	0.003441291	INDmg/m3
13/05/2023 14:00	0.003479548	INDmg/m3
13/05/2023 15:00	0.003392924	INDmg/m3
13/05/2023 16:00	0.003448265	INDmg/m3
13/05/2023 17:00	0.003420866	INDmg/m3
13/05/2023 18:00	0.003536899	INDmg/m3
13/05/2023 19:00	0.00358967	INDmg/m3
13/05/2023 20:00	0.003467975	INDmg/m3
13/05/2023 21:00	0.003432573	INDmg/m3
13/05/2023 22:00	0.003499832	INDmg/m3
13/05/2023 23:00	0.003521397	INDmg/m3
14/05/2023 00:00	0.003477285	INDmg/m3
14/05/2023 01:00	0.003544362	INDmg/m3
14/05/2023 02:00	0.003578159	INDmg/m3
14/05/2023 03:00	0.00351364	INDmg/m3
14/05/2023 04:00	0.003539823	INDmg/m3
14/05/2023 05:00	0.003563636	INDmg/m3
14/05/2023 06:00	0.003470956	INDmg/m3
14/05/2023 07:00	0.003478119	INDmg/m3
14/05/2023 08:00	0.003561951	INDmg/m3
14/05/2023 09:00	0.003455877	INDmg/m3
14/05/2023 10:00	0.003444198	INDmg/m3
14/05/2023 11:00	0.003432647	INDmg/m3
14/05/2023 12:00	0.003444664	INDmg/m3
14/05/2023 13:00	0.003496309	INDmg/m3
14/05/2023 14:00	0.00347347	INDmg/m3
14/05/2023 15:00	0.003755669	INDmg/m3
14/05/2023 16:00	0.003861746	INDmg/m3
14/05/2023 17:00	0.003473493	INDmg/m3
14/05/2023 18:00	0.003483517	INDmg/m3
14/05/2023 19:00	0.003513202	INDmg/m3
14/05/2023 20:00	0.045162946	INDmg/m3
14/05/2023 21:00	0.007098968	INDmg/m3
14/05/2023 22:00	0.005145531	INDmg/m3

14/05/2023 23:00	0.003495326	INDmg/m3
15/05/2023 00:00	0.003447446	INDmg/m3
15/05/2023 01:00	0.003489839	INDmg/m3
15/05/2023 02:00	0.003509835	INDmg/m3
15/05/2023 03:00	0.003430873	INDmg/m3
15/05/2023 04:00	0.003468125	INDmg/m3
15/05/2023 05:00	0.00343437	INDmg/m3
15/05/2023 06:00	0.704394341	INDmg/m3
15/05/2023 07:00	1.776256204	INDmg/m3
15/05/2023 08:00	2.665055513	INDmg/m3
15/05/2023 09:00	2.057888985	INDmg/m3
15/05/2023 10:00	2.740876913	INDmg/m3
15/05/2023 11:00	2.83607769	INDmg/m3
15/05/2023 12:00	3.315807104	INDmg/m3
15/05/2023 13:00	1.720903039	INDmg/m3
15/05/2023 14:00	1.16247797	INDmg/m3
15/05/2023 15:00	1.029890895	INDmg/m3
15/05/2023 16:00	1.019218087	INDmg/m3
15/05/2023 17:00	0.724899888	INDmg/m3
15/05/2023 18:00	0.003516185	INDmg/m3
15/05/2023 19:00	0.003458997	INDmg/m3
15/05/2023 20:00	0.003519283	INDmg/m3
15/05/2023 21:00	0.003353764	INDmg/m3
15/05/2023 22:00	0.003375528	INDmg/m3
15/05/2023 23:00	0.00337778	INDmg/m3
16/05/2023 00:00	0.003359781	INDmg/m3
16/05/2023 01:00	0.003351332	INDmg/m3
16/05/2023 02:00	0.003347766	INDmg/m3
16/05/2023 03:00	0.003348127	INDmg/m3
16/05/2023 04:00	0.003359805	INDmg/m3
16/05/2023 05:00	0.003335829	INDmg/m3
16/05/2023 06:00	0.171449497	INDmg/m3
16/05/2023 07:00	0.471087039	INDmg/m3
16/05/2023 08:00	1.434015155	INDmg/m3
16/05/2023 09:00	1.751472592	INDmg/m3
16/05/2023 10:00	1.187312722	INDmg/m3
16/05/2023 11:00	0.801979065	INDmg/m3
16/05/2023 12:00	1.155027032	INDmg/m3
16/05/2023 13:00	1.543347955	INDmg/m3
16/05/2023 14:00	2.108213186	INDmg/m3
16/05/2023 15:00	1.428291559	INDmg/m3
16/05/2023 16:00	1.661482334	INDmg/m3
16/05/2023 17:00	0.006986654	INDmg/m3
16/05/2023 18:00	0.003454047	INDmg/m3
16/05/2023 19:00	0.00337201	INDmg/m3
16/05/2023 20:00	0.003359598	INDmg/m3
16/05/2023 21:00	0.003347961	INDmg/m3
16/05/2023 22:00	0.00336898	INDmg/m3
16/05/2023 23:00	0.003367574	INDmg/m3
17/05/2023 00:00	0.003335272	INDmg/m3
17/05/2023 01:00	0.003315069	INDmg/m3
17/05/2023 02:00	0.00336588	INDmg/m3
17/05/2023 03:00	0.003338842	INDmg/m3
17/05/2023 04:00	0.00333836	INDmg/m3
17/05/2023 05:00	0.003357713	INDmg/m3
17/05/2023 06:00	0.27724722	INDmg/m3

17/05/2023 07:00	2.039021015	INDmg/m3
17/05/2023 08:00	1.301305175	INDmg/m3
17/05/2023 09:00	1.974113822	INDmg/m3
17/05/2023 10:00	1.967363596	INDmg/m3
17/05/2023 11:00	1.333751917	INDmg/m3
17/05/2023 12:00	1.088328719	INDmg/m3
17/05/2023 13:00	1.288553834	INDmg/m3
17/05/2023 14:00	1.001131535	INDmg/m3
17/05/2023 15:00	0.727880061	INDmg/m3
17/05/2023 16:00	1.19977057	INDmg/m3
17/05/2023 17:00	0.007454158	INDmg/m3
17/05/2023 18:00	0.003706998	INDmg/m3
17/05/2023 19:00	0.003511793	INDmg/m3
17/05/2023 20:00	0.00345631	INDmg/m3
17/05/2023 21:00	0.003443095	INDmg/m3
17/05/2023 22:00	0.003348714	INDmg/m3
17/05/2023 23:00	0.003311515	INDmg/m3
18/05/2023 00:00	0.003336677	INDmg/m3
18/05/2023 01:00	0.003325779	INDmg/m3
18/05/2023 02:00	0.003334607	INDmg/m3
18/05/2023 03:00	0.003358936	INDmg/m3
18/05/2023 04:00	0.00333677	INDmg/m3
18/05/2023 05:00	0.003348611	INDmg/m3
18/05/2023 06:00	0.188768581	INDmg/m3
18/05/2023 07:00	1.044001579	INDmg/m3
18/05/2023 08:00	0.736898839	INDmg/m3
18/05/2023 09:00	1.530772328	INDmg/m3
18/05/2023 10:00	1.892720819	INDmg/m3
18/05/2023 11:00	1.639185429	INDmg/m3
18/05/2023 12:00	1.430131435	INDmg/m3
18/05/2023 13:00	2.05886054	INDmg/m3
18/05/2023 14:00	1.337255478	INDmg/m3
18/05/2023 15:00	1.152231216	INDmg/m3
18/05/2023 16:00	1.00622499	INDmg/m3
18/05/2023 17:00	0.59012115	INDmg/m3
18/05/2023 18:00	0.003487703	INDmg/m3
18/05/2023 19:00	0.003381682	INDmg/m3
18/05/2023 20:00	0.003370987	INDmg/m3
18/05/2023 21:00	0.003376935	INDmg/m3
18/05/2023 22:00	0.003308671	INDmg/m3
18/05/2023 23:00	0.003323723	INDmg/m3
19/05/2023 00:00	0.003353982	INDmg/m3
19/05/2023 01:00	0.003353752	INDmg/m3
19/05/2023 02:00	0.003325587	INDmg/m3
19/05/2023 03:00	0.003315188	INDmg/m3
19/05/2023 04:00	0.003328586	INDmg/m3
19/05/2023 05:00	0.003322587	INDmg/m3
19/05/2023 06:00	0.178046793	INDmg/m3
19/05/2023 07:00	0.624171257	INDmg/m3
19/05/2023 08:00	1.156888247	INDmg/m3
19/05/2023 09:00	1.48245728	INDmg/m3
19/05/2023 10:00	1.359433651	INDmg/m3
19/05/2023 11:00	1.004811883	INDmg/m3
19/05/2023 12:00	1.286276937	INDmg/m3
19/05/2023 13:00	0.960710824	INDmg/m3
19/05/2023 14:00	0.503672779	INDmg/m3

19/05/2023 15:00	0.003550519	INDmg/m3
19/05/2023 16:00	0.003466171	INDmg/m3
19/05/2023 17:00	0.017604448	INDmg/m3
19/05/2023 18:00	0.003491102	INDmg/m3
19/05/2023 19:00	0.003353036	INDmg/m3
19/05/2023 20:00	0.00330897	INDmg/m3
19/05/2023 21:00	0.003316291	INDmg/m3
19/05/2023 22:00	0.003310853	INDmg/m3
19/05/2023 23:00	0.003302497	INDmg/m3
20/05/2023 00:00	0.003315918	INDmg/m3
20/05/2023 01:00	0.003316103	INDmg/m3
20/05/2023 02:00	0.003327092	INDmg/m3
20/05/2023 03:00	0.003325125	INDmg/m3
20/05/2023 04:00	0.003300501	INDmg/m3
20/05/2023 05:00	0.003322411	INDmg/m3
20/05/2023 06:00	0.003324089	INDmg/m3
20/05/2023 07:00	0.003336302	INDmg/m3
20/05/2023 08:00	0.003482492	INDmg/m3
20/05/2023 09:00	0.00349222	INDmg/m3
20/05/2023 10:00	0.003531825	INDmg/m3
20/05/2023 11:00	0.004888095	INDmg/m3
20/05/2023 12:00	0.004032989	INDmg/m3
20/05/2023 13:00	0.003537141	INDmg/m3
20/05/2023 14:00	0.00339349	INDmg/m3
20/05/2023 15:00	0.003366826	INDmg/m3
20/05/2023 16:00	0.003334522	INDmg/m3
20/05/2023 17:00	0.003345509	INDmg/m3
20/05/2023 18:00	0.003319487	INDmg/m3
20/05/2023 19:00	0.003303194	INDmg/m3
20/05/2023 20:00	0.003313463	INDmg/m3
20/05/2023 21:00	0.003339684	INDmg/m3
20/05/2023 22:00	0.003317619	INDmg/m3
20/05/2023 23:00	0.003304124	INDmg/m3
21/05/2023 00:00	0.003293035	INDmg/m3
21/05/2023 01:00	0.003297993	INDmg/m3
21/05/2023 02:00	0.003322413	INDmg/m3
21/05/2023 03:00	0.003301453	INDmg/m3
21/05/2023 04:00	0.003314238	INDmg/m3
21/05/2023 05:00	0.003294528	INDmg/m3
21/05/2023 06:00	0.003328501	INDmg/m3
21/05/2023 07:00	0.003387915	INDmg/m3
21/05/2023 08:00	0.003519969	INDmg/m3
21/05/2023 09:00	0.003722986	INDmg/m3
21/05/2023 10:00	0.003596667	INDmg/m3
21/05/2023 11:00	0.00348518	INDmg/m3
21/05/2023 12:00	0.003429464	INDmg/m3
21/05/2023 13:00	0.003439215	INDmg/m3
21/05/2023 14:00	0.003296377	INDmg/m3
21/05/2023 15:00	0.003317916	INDmg/m3
21/05/2023 16:00	0.003321836	INDmg/m3
21/05/2023 17:00	0.003346149	INDmg/m3
21/05/2023 18:00	0.003333207	INDmg/m3
21/05/2023 19:00	0.003327002	INDmg/m3
21/05/2023 20:00	0.003339953	INDmg/m3
21/05/2023 21:00	0.003311228	INDmg/m3
21/05/2023 22:00	0.003332641	INDmg/m3

21/05/2023 23:00	0.003311987	INDmg/m3
22/05/2023 00:00	0.003316301	INDmg/m3
22/05/2023 01:00	0.003283018	INDmg/m3
22/05/2023 02:00	0.003290824	INDmg/m3
22/05/2023 03:00	0.003328041	INDmg/m3
22/05/2023 04:00	0.003314049	INDmg/m3
22/05/2023 05:00	0.003314151	INDmg/m3
22/05/2023 06:00	1.058183432	INDmg/m3
22/05/2023 07:00	0.88126421	INDmg/m3
22/05/2023 08:00	0.742472589	INDmg/m3
22/05/2023 09:00	0.713030457	INDmg/m3
22/05/2023 10:00	1.466652393	INDmg/m3
22/05/2023 11:00	1.181829095	INDmg/m3
22/05/2023 12:00	0.771795154	INDmg/m3
22/05/2023 13:00	1.14602828	INDmg/m3
22/05/2023 14:00	1.746960521	INDmg/m3
22/05/2023 15:00	1.193722725	INDmg/m3
22/05/2023 16:00	1.035442948	INDmg/m3
22/05/2023 17:00	0.00366919	INDmg/m3
22/05/2023 18:00	0.003442945	INDmg/m3
22/05/2023 19:00	0.003347555	INDmg/m3
22/05/2023 20:00	0.003332073	INDmg/m3
22/05/2023 21:00	0.003303228	INDmg/m3
22/05/2023 22:00	0.003329625	INDmg/m3
22/05/2023 23:00	0.003332265	INDmg/m3
23/05/2023 00:00	0.003313202	INDmg/m3
23/05/2023 01:00	0.003322786	INDmg/m3
23/05/2023 02:00	0.003325597	INDmg/m3
23/05/2023 03:00	0.003287689	INDmg/m3
23/05/2023 04:00	0.003317793	INDmg/m3
23/05/2023 05:00	0.003294407	INDmg/m3
23/05/2023 06:00	1.649698019	INDmg/m3
23/05/2023 07:00	1.113152623	INDmg/m3
23/05/2023 08:00	1.326932311	INDmg/m3
23/05/2023 09:00	1.867213726	INDmg/m3
23/05/2023 10:00	1.956843138	INDmg/m3
23/05/2023 11:00	0.96598208	INDmg/m3
23/05/2023 12:00	1.293719769	INDmg/m3
23/05/2023 13:00	1.842682242	INDmg/m3
23/05/2023 14:00	1.987217426	INDmg/m3
23/05/2023 15:00	1.32470274	INDmg/m3
23/05/2023 16:00	1.433635235	INDmg/m3
23/05/2023 17:00	0.004872747	INDmg/m3
23/05/2023 18:00	0.003349727	INDmg/m3
23/05/2023 19:00	0.003321836	INDmg/m3
23/05/2023 20:00	0.003308801	INDmg/m3
23/05/2023 21:00	0.003336585	INDmg/m3
23/05/2023 22:00	0.003331425	INDmg/m3
23/05/2023 23:00	0.0033379	INDmg/m3
24/05/2023 00:00	0.003281567	INDmg/m3
24/05/2023 01:00	0.003335459	INDmg/m3
24/05/2023 02:00	0.00328998	INDmg/m3
24/05/2023 03:00	0.003328042	INDmg/m3
24/05/2023 04:00	0.003325883	INDmg/m3
24/05/2023 05:00	0.003287041	INDmg/m3
24/05/2023 06:00	0.207493484	INDmg/m3

24/05/2023 07:00	1.134188175	INDmg/m3
24/05/2023 08:00	2.00311017	INDmg/m3
24/05/2023 09:00	3.12086153	INDmg/m3
24/05/2023 10:00	3.784981728	INDmg/m3
24/05/2023 11:00	2.75720644	INDmg/m3
24/05/2023 12:00	2.456397772	INDmg/m3
24/05/2023 13:00	2.529793978	INDmg/m3
24/05/2023 14:00	1.809765816	INDmg/m3
24/05/2023 15:00	1.79537642	INDmg/m3
24/05/2023 16:00	1.14923358	INDmg/m3
24/05/2023 17:00	0.003720107	INDmg/m3
24/05/2023 18:00	0.003384582	INDmg/m3
24/05/2023 19:00	0.003332452	INDmg/m3
24/05/2023 20:00	0.003313571	INDmg/m3
24/05/2023 21:00	0.0033207	INDmg/m3
24/05/2023 22:00	0.003318746	INDmg/m3
24/05/2023 23:00	0.003299852	INDmg/m3
25/05/2023 00:00	0.003293286	INDmg/m3
25/05/2023 01:00	0.003294009	INDmg/m3
25/05/2023 02:00	0.00328415	INDmg/m3
25/05/2023 03:00	0.003304075	INDmg/m3
25/05/2023 04:00	0.003306181	INDmg/m3
25/05/2023 05:00	0.003291553	INDmg/m3
25/05/2023 06:00	0.249001697	INDmg/m3
25/05/2023 07:00	2.338736534	INDmg/m3
25/05/2023 08:00	2.46453619	INDmg/m3
25/05/2023 09:00	3.507426262	INDmg/m3
25/05/2023 10:00	1.521439552	INDmg/m3
25/05/2023 11:00	3.035515308	INDmg/m3
25/05/2023 12:00	2.626728058	INDmg/m3
25/05/2023 13:00	2.816161633	INDmg/m3
25/05/2023 14:00	4.678374767	INDmg/m3
25/05/2023 15:00	2.910411358	INDmg/m3
25/05/2023 16:00	2.962733746	INDmg/m3
25/05/2023 17:00	4.799088478	INDmg/m3
25/05/2023 18:00	0.004187787	INDmg/m3
25/05/2023 19:00	0.003314574	INDmg/m3
25/05/2023 20:00	0.003369204	INDmg/m3
25/05/2023 21:00	0.003379376	INDmg/m3
25/05/2023 22:00	0.003316397	INDmg/m3
25/05/2023 23:00	0.003286116	INDmg/m3
26/05/2023 00:00	0.003267413	INDmg/m3
26/05/2023 01:00	0.003288331	INDmg/m3
26/05/2023 02:00	0.003306333	INDmg/m3
26/05/2023 03:00	0.003314063	INDmg/m3
26/05/2023 04:00	0.003281567	INDmg/m3
26/05/2023 05:00	0.003307674	INDmg/m3
26/05/2023 06:00	0.003296183	INDmg/m3
26/05/2023 07:00	0.003314979	INDmg/m3
26/05/2023 08:00	0.003330387	INDmg/m3
26/05/2023 09:00	0.003397374	INDmg/m3
26/05/2023 10:00	0.003421171	INDmg/m3
26/05/2023 11:00	0.003516161	INDmg/m3
26/05/2023 12:00	0.003854196	INDmg/m3
26/05/2023 13:00	0.003542613	INDmg/m3
26/05/2023 14:00	0.003363086	INDmg/m3

26/05/2023 15:00	0.003325506	INDmg/m3
26/05/2023 16:00	0.003319121	INDmg/m3
26/05/2023 17:00	0.003333487	INDmg/m3
26/05/2023 18:00	0.003533062	INDmg/m3
26/05/2023 19:00	0.003289014	INDmg/m3
26/05/2023 20:00	0.003356583	INDmg/m3
26/05/2023 21:00	0.003305599	INDmg/m3
26/05/2023 22:00	0.003352624	INDmg/m3
26/05/2023 23:00	0.003276097	INDmg/m3
27/05/2023 00:00	0.003276178	INDmg/m3
27/05/2023 01:00	0.003285271	INDmg/m3
27/05/2023 02:00	0.003279627	INDmg/m3
27/05/2023 03:00	0.003255527	INDmg/m3
27/05/2023 04:00	0.003303595	INDmg/m3
27/05/2023 05:00	0.003273767	INDmg/m3
27/05/2023 06:00	0.003302388	INDmg/m3
27/05/2023 07:00	0.003315191	INDmg/m3
27/05/2023 08:00	0.003407058	INDmg/m3
27/05/2023 09:00	0.003467075	INDmg/m3
27/05/2023 10:00	0.003359686	INDmg/m3
27/05/2023 11:00	0.00359784	INDmg/m3
27/05/2023 12:00	0.003591079	INDmg/m3
27/05/2023 13:00	0.003467015	INDmg/m3
27/05/2023 14:00	0.003314892	INDmg/m3
27/05/2023 15:00	0.003309732	INDmg/m3
27/05/2023 16:00	0.003294971	INDmg/m3
27/05/2023 17:00	0.003335735	INDmg/m3
27/05/2023 18:00	0.003284185	INDmg/m3
27/05/2023 19:00	0.003323528	INDmg/m3
27/05/2023 20:00	0.003368627	INDmg/m3
27/05/2023 21:00	0.00330815	INDmg/m3
27/05/2023 22:00	0.003264955	INDmg/m3
27/05/2023 23:00	0.003266138	INDmg/m3
28/05/2023 00:00	0.003263268	INDmg/m3
28/05/2023 01:00	0.00329002	INDmg/m3
28/05/2023 02:00	0.003306746	INDmg/m3
28/05/2023 03:00	0.003298103	INDmg/m3
28/05/2023 04:00	0.003299196	INDmg/m3
28/05/2023 05:00	0.003286681	INDmg/m3
28/05/2023 06:00	0.003330476	INDmg/m3
28/05/2023 07:00	0.003365164	INDmg/m3
28/05/2023 08:00	0.003556383	INDmg/m3
28/05/2023 09:00	0.003387005	INDmg/m3
28/05/2023 10:00	0.003347078	INDmg/m3
28/05/2023 11:00	0.00342133	INDmg/m3
28/05/2023 12:00	0.003319476	INDmg/m3
28/05/2023 13:00	0.003287199	INDmg/m3
28/05/2023 14:00	0.003309257	INDmg/m3
28/05/2023 15:00	0.003321643	INDmg/m3
28/05/2023 16:00	0.003293397	INDmg/m3
28/05/2023 17:00	0.003307854	INDmg/m3
28/05/2023 18:00	0.003306803	INDmg/m3
28/05/2023 19:00	0.003324282	INDmg/m3
28/05/2023 20:00	0.00329204	INDmg/m3
28/05/2023 21:00	0.003317607	INDmg/m3
28/05/2023 22:00	0.003325402	INDmg/m3

28/05/2023 23:00	0.003292237	INDmg/m3
29/05/2023 00:00	0.003295849	INDmg/m3
29/05/2023 01:00	0.003319304	INDmg/m3
29/05/2023 02:00	0.003317421	INDmg/m3
29/05/2023 03:00	0.003281851	INDmg/m3
29/05/2023 04:00	0.003281962	INDmg/m3
29/05/2023 05:00	0.003290709	INDmg/m3
29/05/2023 06:00	4.691481113	INDmg/m3
29/05/2023 07:00	1.450955987	INDmg/m3
29/05/2023 08:00	3.53463006	INDmg/m3
29/05/2023 09:00	0.078023821	INDmg/m3
29/05/2023 10:00	2.235019922	INDmg/m3
29/05/2023 11:00	2.664808035	INDmg/m3
29/05/2023 12:00	0.72789973	INDmg/m3
29/05/2023 13:00	0.899932861	INDmg/m3
29/05/2023 14:00	1.252819777	INDmg/m3
29/05/2023 15:00	2.5192132	INDmg/m3
29/05/2023 16:00	1.400149703	INDmg/m3
29/05/2023 17:00	2.159000397	INDmg/m3
29/05/2023 18:00	0.003323531	INDmg/m3
29/05/2023 19:00	0.003322952	INDmg/m3
29/05/2023 20:00	0.003274525	INDmg/m3
29/05/2023 21:00	0.003277627	INDmg/m3
29/05/2023 22:00	0.00329497	INDmg/m3
29/05/2023 23:00	0.003283128	INDmg/m3
30/05/2023 00:00	0.00328382	INDmg/m3
30/05/2023 01:00	0.003295622	INDmg/m3
30/05/2023 02:00	0.003308343	INDmg/m3
30/05/2023 03:00	0.003275479	INDmg/m3
30/05/2023 04:00	0.003314537	INDmg/m3
30/05/2023 05:00	0.003296797	INDmg/m3
30/05/2023 06:00	0.003288732	INDmg/m3
30/05/2023 07:00	0.00331253	INDmg/m3
30/05/2023 08:00	0.003306097	INDmg/m3
30/05/2023 09:00	0.003308196	INDmg/m3
30/05/2023 10:00	0.003338079	INDmg/m3
30/05/2023 11:00	0.003527295	INDmg/m3
30/05/2023 12:00	0.003895936	INDmg/m3
30/05/2023 13:00	0.00351816	INDmg/m3
30/05/2023 14:00	0.003334982	INDmg/m3
30/05/2023 15:00	0.003339217	INDmg/m3
30/05/2023 16:00	0.003349064	INDmg/m3
30/05/2023 17:00	0.003408879	INDmg/m3
30/05/2023 18:00	0.003449396	INDmg/m3
30/05/2023 19:00	0.003334425	INDmg/m3
30/05/2023 20:00	0.003250098	INDmg/m3
30/05/2023 21:00	0.003253339	INDmg/m3
30/05/2023 22:00	0.003286758	INDmg/m3
30/05/2023 23:00	0.003271795	INDmg/m3
31/05/2023 00:00	0.003280804	INDmg/m3
31/05/2023 01:00	0.003274245	INDmg/m3
31/05/2023 02:00	0.003287683	INDmg/m3
31/05/2023 03:00	0.003269632	INDmg/m3
31/05/2023 04:00	0.003279893	INDmg/m3
31/05/2023 05:00	0.003254964	INDmg/m3
31/05/2023 06:00	0.003301339	INDmg/m3

31/05/2023 07:00	0.003258048	INDmg/m3
31/05/2023 08:00	0.003277221	INDmg/m3
31/05/2023 09:00	0.00326525	INDmg/m3
31/05/2023 10:00	0.003304918	INDmg/m3
31/05/2023 11:00	0.003290983	INDmg/m3
31/05/2023 12:00	0.003312719	INDmg/m3
31/05/2023 13:00	0.003273044	INDmg/m3
31/05/2023 14:00	0.003288206	INDmg/m3
31/05/2023 15:00	0.003324377	INDmg/m3
31/05/2023 16:00	0.003323058	INDmg/m3
31/05/2023 17:00	0.00328829	INDmg/m3
31/05/2023 18:00	0.003290219	INDmg/m3
31/05/2023 19:00	0.003286191	INDmg/m3
31/05/2023 20:00	0.003291919	INDmg/m3
31/05/2023 21:00	0.003293648	INDmg/m3
31/05/2023 22:00	0.003295818	INDmg/m3
31/05/2023 23:00	0.003328412	INDmg/m3
01/06/2023 00:00	0.003323156	INDmg/m3
01/06/2023 01:00	0.003303825	INDmg/m3
01/06/2023 02:00	0.003344001	INDmg/m3
01/06/2023 03:00	0.003308026	INDmg/m3
01/06/2023 04:00	0.003302302	INDmg/m3
01/06/2023 05:00	0.003331318	INDmg/m3
01/06/2023 06:00	0.003305705	INDmg/m3
01/06/2023 07:00	0.003326162	INDmg/m3
01/06/2023 08:00	0.003317338	INDmg/m3
01/06/2023 09:00	0.003359482	INDmg/m3
01/06/2023 10:00	0.003452394	INDmg/m3
01/06/2023 11:00	0.003350564	INDmg/m3
01/06/2023 12:00	0.003522484	INDmg/m3
01/06/2023 13:00	0.003373767	INDmg/m3
01/06/2023 14:00	0.003335078	INDmg/m3
01/06/2023 15:00	0.003376195	INDmg/m3
01/06/2023 16:00	0.003296662	INDmg/m3
01/06/2023 17:00	0.003295173	INDmg/m3
01/06/2023 18:00	0.00328567	INDmg/m3
01/06/2023 19:00	0.003327564	INDmg/m3
01/06/2023 20:00	0.003265446	INDmg/m3
01/06/2023 21:00	0.003289014	INDmg/m3
01/06/2023 22:00	0.003273117	INDmg/m3
01/06/2023 23:00	0.003292996	INDmg/m3
02/06/2023 00:00	0.003279076	INDmg/m3
02/06/2023 01:00	0.003295788	INDmg/m3
02/06/2023 02:00	0.003294389	INDmg/m3
02/06/2023 03:00	0.003301395	INDmg/m3
02/06/2023 04:00	0.00327253	INDmg/m3
02/06/2023 05:00	0.00328962	INDmg/m3
02/06/2023 06:00	0.003289212	INDmg/m3
02/06/2023 07:00	0.003310188	INDmg/m3
02/06/2023 08:00	0.003387855	INDmg/m3
02/06/2023 09:00	0.003383349	INDmg/m3
02/06/2023 10:00	0.003358438	INDmg/m3
02/06/2023 11:00	0.003372362	INDmg/m3
02/06/2023 12:00	0.003440869	INDmg/m3
02/06/2023 13:00	0.003385323	INDmg/m3
02/06/2023 14:00	0.003308994	INDmg/m3

02/06/2023 15:00	0.003340427	INDmg/m3
02/06/2023 16:00	0.003322871	INDmg/m3
02/06/2023 17:00	0.003367841	INDmg/m3
02/06/2023 18:00	0.00332869	INDmg/m3
02/06/2023 19:00	0.003319397	INDmg/m3
02/06/2023 20:00	0.003279235	INDmg/m3
02/06/2023 21:00	0.003289051	INDmg/m3
02/06/2023 22:00	0.003301116	INDmg/m3
02/06/2023 23:00	0.003282574	INDmg/m3
03/06/2023 00:00	0.003324006	INDmg/m3
03/06/2023 01:00	0.003290864	INDmg/m3
03/06/2023 02:00	0.003273045	INDmg/m3
03/06/2023 03:00	0.003302498	INDmg/m3
03/06/2023 04:00	0.003290862	INDmg/m3
03/06/2023 05:00	0.003287967	INDmg/m3
03/06/2023 06:00	0.003302971	INDmg/m3
03/06/2023 07:00	0.003308673	INDmg/m3
03/06/2023 08:00	0.003334143	INDmg/m3
03/06/2023 09:00	0.003387399	INDmg/m3
03/06/2023 10:00	0.003399905	INDmg/m3
03/06/2023 11:00	0.003671434	INDmg/m3
03/06/2023 12:00	0.003695275	INDmg/m3
03/06/2023 13:00	0.003677072	INDmg/m3
03/06/2023 14:00	0.003427495	INDmg/m3
03/06/2023 15:00	0.003316387	INDmg/m3
03/06/2023 16:00	0.003334049	INDmg/m3
03/06/2023 17:00	0.003302217	INDmg/m3
03/06/2023 18:00	0.003302586	INDmg/m3
03/06/2023 19:00	0.003317127	INDmg/m3
03/06/2023 20:00	0.003768019	INDmg/m3
03/06/2023 21:00	0.00329782	INDmg/m3
03/06/2023 22:00	0.003309641	INDmg/m3
03/06/2023 23:00	0.003297911	INDmg/m3
04/06/2023 00:00	0.003248274	INDmg/m3
04/06/2023 01:00	0.0032959	INDmg/m3
04/06/2023 02:00	0.0032994	INDmg/m3
04/06/2023 03:00	0.003299508	INDmg/m3
04/06/2023 04:00	0.003290178	INDmg/m3
04/06/2023 05:00	0.003276734	INDmg/m3
04/06/2023 06:00	0.003300153	INDmg/m3
04/06/2023 07:00	0.00330774	INDmg/m3
04/06/2023 08:00	0.003344275	INDmg/m3
04/06/2023 09:00	0.003483925	INDmg/m3
04/06/2023 10:00	0.004741977	INDmg/m3
04/06/2023 11:00	0.005110778	INDmg/m3
04/06/2023 12:00	0.005366493	INDmg/m3
04/06/2023 13:00	0.003360094	INDmg/m3
04/06/2023 14:00	0.003311444	INDmg/m3
04/06/2023 15:00	0.003305421	INDmg/m3
04/06/2023 16:00	0.003291904	INDmg/m3
04/06/2023 17:00	0.003290219	INDmg/m3
04/06/2023 18:00	0.003522082	INDmg/m3
04/06/2023 19:00	0.00341719	INDmg/m3
04/06/2023 20:00	0.003360592	INDmg/m3
04/06/2023 21:00	0.003308598	INDmg/m3
04/06/2023 22:00	0.003320914	INDmg/m3

04/06/2023 23:00	0.003295364	INDmg/m3
05/06/2023 00:00	0.003293958	INDmg/m3
05/06/2023 01:00	0.003423271	INDmg/m3
05/06/2023 02:00	0.003321857	INDmg/m3
05/06/2023 03:00	0.003305964	INDmg/m3
05/06/2023 04:00	0.00332061	INDmg/m3
05/06/2023 05:00	0.003288408	INDmg/m3
05/06/2023 06:00	0.003274502	INDmg/m3
05/06/2023 07:00	0.003312445	INDmg/m3
05/06/2023 08:00	0.003325784	INDmg/m3
05/06/2023 09:00	0.003306869	INDmg/m3
05/06/2023 10:00	0.003338554	INDmg/m3
05/06/2023 11:00	0.003333955	INDmg/m3
05/06/2023 12:00	0.00338634	INDmg/m3
05/06/2023 13:00	0.003374192	INDmg/m3
05/06/2023 14:00	0.003270374	INDmg/m3
05/06/2023 15:00	0.003307222	INDmg/m3
05/06/2023 16:00	0.003351199	INDmg/m3
05/06/2023 17:00	0.003423339	INDmg/m3
05/06/2023 18:00	0.003311711	INDmg/m3
05/06/2023 19:00	0.003284544	INDmg/m3
05/06/2023 20:00	0.003301033	INDmg/m3
05/06/2023 21:00	0.003271939	INDmg/m3
05/06/2023 22:00	0.003282936	INDmg/m3
05/06/2023 23:00	0.003303252	INDmg/m3
06/06/2023 00:00	0.003287686	INDmg/m3
06/06/2023 01:00	0.003319476	INDmg/m3
06/06/2023 02:00	0.003294575	INDmg/m3
06/06/2023 03:00	0.003289735	INDmg/m3
06/06/2023 04:00	0.00330531	INDmg/m3
06/06/2023 05:00	0.003325968	INDmg/m3
06/06/2023 06:00	0.003287604	INDmg/m3
06/06/2023 07:00	0.003298634	INDmg/m3
06/06/2023 08:00	0.00331433	INDmg/m3
06/06/2023 09:00	0.00325052	INDmg/m3
06/06/2023 10:00	0.003311337	INDmg/m3
06/06/2023 11:00	0.003288167	INDmg/m3
06/06/2023 12:00	0.003322865	INDmg/m3
06/06/2023 13:00	0.003295651	INDmg/m3
06/06/2023 14:00	0.00330551	INDmg/m3
06/06/2023 15:00	0.00342894	INDmg/m3
06/06/2023 16:00	0.003294325	INDmg/m3
06/06/2023 17:00	0.003310703	INDmg/m3
06/06/2023 18:00	0.003266433	INDmg/m3
06/06/2023 19:00	0.003286039	INDmg/m3
06/06/2023 20:00	0.003251155	INDmg/m3
06/06/2023 21:00	0.003273198	INDmg/m3
06/06/2023 22:00	0.003270022	INDmg/m3
06/06/2023 23:00	0.003290055	INDmg/m3
07/06/2023 00:00	0.003291196	INDmg/m3
07/06/2023 01:00	0.003295371	INDmg/m3
07/06/2023 02:00	0.003285795	INDmg/m3
07/06/2023 03:00	0.003296974	INDmg/m3
07/06/2023 04:00	0.003285914	INDmg/m3
07/06/2023 05:00	0.003295368	INDmg/m3
07/06/2023 06:00	0.003292353	INDmg/m3

07/06/2023 07:00	0.003301026	INDmg/m3
07/06/2023 08:00	0.003329817	INDmg/m3
07/06/2023 09:00	0.003325124	INDmg/m3
07/06/2023 10:00	0.003335357	INDmg/m3
07/06/2023 11:00	0.003337343	INDmg/m3
07/06/2023 12:00	7.388901234	INDmg/m3
07/06/2023 13:00	3.244271755	INDmg/m3
07/06/2023 14:00	3.051378489	INDmg/m3
07/06/2023 15:00	1.973973155	INDmg/m3
07/06/2023 16:00	2.071422815	INDmg/m3
07/06/2023 17:00	1.365684986	INDmg/m3
07/06/2023 18:00	0.003322132	INDmg/m3
07/06/2023 19:00	0.003392696	INDmg/m3
07/06/2023 20:00	0.003285954	INDmg/m3
07/06/2023 21:00	0.003297562	INDmg/m3
07/06/2023 22:00	0.00330356	INDmg/m3
07/06/2023 23:00	0.003290709	INDmg/m3
08/06/2023 00:00	0.003372004	INDmg/m3
08/06/2023 01:00	0.00327678	INDmg/m3
08/06/2023 02:00	0.003316034	INDmg/m3
08/06/2023 03:00	0.003302867	INDmg/m3
08/06/2023 04:00	0.0032899	INDmg/m3
08/06/2023 05:00	0.003302325	INDmg/m3
08/06/2023 06:00	0.715103507	INDmg/m3
08/06/2023 07:00	0.729800522	INDmg/m3
08/06/2023 08:00	0.903934002	INDmg/m3
08/06/2023 09:00	1.470229745	INDmg/m3
08/06/2023 10:00	1.976283789	INDmg/m3
08/06/2023 11:00	1.12643981	INDmg/m3
08/06/2023 12:00	1.161257505	INDmg/m3
08/06/2023 13:00	1.294030786	INDmg/m3
08/06/2023 14:00	1.105435133	INDmg/m3
08/06/2023 15:00	1.226981997	INDmg/m3
08/06/2023 16:00	0.521688759	INDmg/m3
08/06/2023 17:00	0.003436627	INDmg/m3
08/06/2023 18:00	0.003319122	INDmg/m3
08/06/2023 19:00	0.003273644	INDmg/m3
08/06/2023 20:00	0.003303988	INDmg/m3
08/06/2023 21:00	0.003284384	INDmg/m3
08/06/2023 22:00	0.003292304	INDmg/m3
08/06/2023 23:00	0.003319872	INDmg/m3
09/06/2023 00:00	0.00332111	INDmg/m3
09/06/2023 01:00	0.003290785	INDmg/m3
09/06/2023 02:00	0.003293596	INDmg/m3
09/06/2023 03:00	0.003289138	INDmg/m3
09/06/2023 04:00	0.003269331	INDmg/m3
09/06/2023 05:00	0.003289575	INDmg/m3
09/06/2023 06:00	0.704000056	INDmg/m3
09/06/2023 07:00	0.57450664	INDmg/m3
09/06/2023 08:00	1.41825521	INDmg/m3
09/06/2023 09:00	1.597386956	INDmg/m3
09/06/2023 10:00	1.794176459	INDmg/m3
09/06/2023 11:00	1.096486926	INDmg/m3
09/06/2023 12:00	1.953717232	INDmg/m3
09/06/2023 13:00	2.033035755	INDmg/m3
09/06/2023 14:00	2.098366976	INDmg/m3

09/06/2023 15:00	1.491115093	INDmg/m3
09/06/2023 16:00	0.861245811	INDmg/m3
09/06/2023 17:00	0.003394102	INDmg/m3
09/06/2023 18:00	0.003418254	INDmg/m3
09/06/2023 19:00	0.003362494	INDmg/m3
09/06/2023 20:00	0.003338076	INDmg/m3
09/06/2023 21:00	0.003304381	INDmg/m3
09/06/2023 22:00	0.003317339	INDmg/m3
09/06/2023 23:00	0.003326814	INDmg/m3
10/06/2023 00:00	0.003314992	INDmg/m3
10/06/2023 01:00	0.003312247	INDmg/m3
10/06/2023 02:00	0.003302584	INDmg/m3
10/06/2023 03:00	0.003319683	INDmg/m3
10/06/2023 04:00	0.003320064	INDmg/m3
10/06/2023 05:00	0.003285482	INDmg/m3
10/06/2023 06:00	0.003277549	INDmg/m3
10/06/2023 07:00	0.003288655	INDmg/m3
10/06/2023 08:00	0.003291261	INDmg/m3
10/06/2023 09:00	0.003336204	INDmg/m3
10/06/2023 10:00	0.003367005	INDmg/m3
10/06/2023 11:00	0.003350186	INDmg/m3
10/06/2023 12:00	0.003340905	INDmg/m3
10/06/2023 13:00	0.003324547	INDmg/m3
10/06/2023 14:00	0.006416765	INDmg/m3
10/06/2023 15:00	0.005466375	INDmg/m3
10/06/2023 16:00	0.029591709	INDmg/m3
10/06/2023 17:00	0.005512021	INDmg/m3
10/06/2023 18:00	0.003335828	INDmg/m3
10/06/2023 19:00	0.003331697	INDmg/m3
10/06/2023 20:00	0.003311918	INDmg/m3
10/06/2023 21:00	0.003298633	INDmg/m3
10/06/2023 22:00	0.003395407	INDmg/m3
10/06/2023 23:00	0.003354259	INDmg/m3
11/06/2023 00:00	0.003350102	INDmg/m3
11/06/2023 01:00	0.00335705	INDmg/m3
11/06/2023 02:00	0.003350373	INDmg/m3
11/06/2023 03:00	0.003342403	INDmg/m3
11/06/2023 04:00	0.003312724	INDmg/m3
11/06/2023 05:00	0.00332223	INDmg/m3
11/06/2023 06:00	0.00330917	INDmg/m3
11/06/2023 07:00	0.003351332	INDmg/m3
11/06/2023 08:00	0.003357344	INDmg/m3
11/06/2023 09:00	0.003536734	INDmg/m3
11/06/2023 10:00	0.003370565	INDmg/m3
11/06/2023 11:00	0.003385449	INDmg/m3
11/06/2023 12:00	0.003489967	INDmg/m3
11/06/2023 13:00	0.003520252	INDmg/m3
11/06/2023 14:00	0.003488555	INDmg/m3
11/06/2023 15:00	0.003567299	INDmg/m3
11/06/2023 16:00	0.003359016	INDmg/m3
11/06/2023 17:00	0.003322415	INDmg/m3
11/06/2023 18:00	0.003350665	INDmg/m3
11/06/2023 19:00	0.003418568	INDmg/m3
11/06/2023 20:00	0.003424473	INDmg/m3
11/06/2023 21:00	0.003477984	INDmg/m3
11/06/2023 22:00	0.003422226	INDmg/m3

11/06/2023 23:00	0.005747477	INDmg/m3
12/06/2023 00:00	0.005527157	INDmg/m3
12/06/2023 01:00	0.003327376	INDmg/m3
12/06/2023 02:00	0.003849871	INDmg/m3
12/06/2023 03:00	0.003381896	INDmg/m3
12/06/2023 04:00	0.157968029	INDmg/m3
12/06/2023 05:00	0.003962633	INDmg/m3
12/06/2023 06:00	4.732014656	INDmg/m3
12/06/2023 07:00	1.362911105	INDmg/m3
12/06/2023 08:00	1.944104075	INDmg/m3
12/06/2023 09:00	2.05835104	INDmg/m3
12/06/2023 10:00	1.965410113	INDmg/m3
12/06/2023 11:00	1.306236386	INDmg/m3
12/06/2023 12:00	0.649716496	INDmg/m3
12/06/2023 13:00	0.746609807	INDmg/m3
12/06/2023 14:00	1.149523258	INDmg/m3
12/06/2023 15:00	1.080934286	INDmg/m3
12/06/2023 16:00	1.783548832	INDmg/m3
12/06/2023 17:00	0.854889989	INDmg/m3
12/06/2023 18:00	0.00376406	INDmg/m3
12/06/2023 19:00	0.003560191	INDmg/m3
12/06/2023 20:00	0.003447673	INDmg/m3
12/06/2023 21:00	0.003350852	INDmg/m3
12/06/2023 22:00	0.003377819	INDmg/m3
12/06/2023 23:00	0.003359845	INDmg/m3
13/06/2023 00:00	0.003351977	INDmg/m3
13/06/2023 01:00	0.003340147	INDmg/m3
13/06/2023 02:00	0.003426568	INDmg/m3
13/06/2023 03:00	0.003402614	INDmg/m3
13/06/2023 04:00	0.003655281	INDmg/m3
13/06/2023 05:00	0.003402447	INDmg/m3
13/06/2023 06:00	0.544642687	INDmg/m3
13/06/2023 07:00	0.840132177	INDmg/m3
13/06/2023 08:00	1.905687213	INDmg/m3
13/06/2023 09:00	0.95413518	INDmg/m3
13/06/2023 10:00	2.701700687	INDmg/m3
13/06/2023 11:00	1.520478606	INDmg/m3
13/06/2023 12:00	1.430684805	INDmg/m3
13/06/2023 13:00	1.224645019	INDmg/m3
13/06/2023 14:00	1.468881488	INDmg/m3
13/06/2023 15:00	1.654984713	INDmg/m3
13/06/2023 16:00	1.45335412	INDmg/m3
13/06/2023 17:00	0.35310787	INDmg/m3
13/06/2023 18:00	0.003477127	INDmg/m3
13/06/2023 19:00	0.003415745	INDmg/m3
13/06/2023 20:00	0.003391738	INDmg/m3
13/06/2023 21:00	0.003403328	INDmg/m3
13/06/2023 22:00	0.003354694	INDmg/m3
13/06/2023 23:00	0.003332432	INDmg/m3
14/06/2023 00:00	0.003310609	INDmg/m3
14/06/2023 01:00	0.003301155	INDmg/m3
14/06/2023 02:00	0.003317271	INDmg/m3
14/06/2023 03:00	0.00333681	INDmg/m3
14/06/2023 04:00	0.003320712	INDmg/m3
14/06/2023 05:00	0.003316996	INDmg/m3
14/06/2023 06:00	0.335714281	INDmg/m3

14/06/2023 07:00	1.275784373	INDmg/m3
14/06/2023 08:00	1.484461904	INDmg/m3
14/06/2023 09:00	2.636156559	INDmg/m3
14/06/2023 10:00	3.523765802	INDmg/m3
14/06/2023 11:00	3.010646343	INDmg/m3
14/06/2023 12:00	3.17090559	INDmg/m3
14/06/2023 13:00	2.811839819	INDmg/m3
14/06/2023 14:00	2.91127944	INDmg/m3
14/06/2023 15:00	1.48681283	INDmg/m3
14/06/2023 16:00	0.809066176	INDmg/m3
14/06/2023 17:00	0.003404243	INDmg/m3
14/06/2023 18:00	0.003387275	INDmg/m3
14/06/2023 19:00	0.003321344	INDmg/m3
14/06/2023 20:00	0.00330381	INDmg/m3
14/06/2023 21:00	0.003297549	INDmg/m3
14/06/2023 22:00	0.003276158	INDmg/m3
14/06/2023 23:00	0.003291029	INDmg/m3
15/06/2023 00:00	0.003320158	INDmg/m3
15/06/2023 01:00	0.003312937	INDmg/m3
15/06/2023 02:00	0.003327197	INDmg/m3
15/06/2023 03:00	0.003364757	INDmg/m3
15/06/2023 04:00	0.004426541	INDmg/m3
15/06/2023 05:00	0.003291427	INDmg/m3
15/06/2023 06:00	0.003311319	INDmg/m3
15/06/2023 07:00	0.003318096	INDmg/m3
15/06/2023 08:00	0.003426804	INDmg/m3
15/06/2023 09:00	0.003328971	INDmg/m3
15/06/2023 10:00	0.003763777	INDmg/m3
15/06/2023 11:00	0.004777227	INDmg/m3
15/06/2023 12:00	0.003730621	INDmg/m3
15/06/2023 13:00	0.003345773	INDmg/m3
15/06/2023 14:00	0.00329401	INDmg/m3
15/06/2023 15:00	0.003302694	INDmg/m3
15/06/2023 16:00	0.003272995	INDmg/m3
15/06/2023 17:00	0.003271663	INDmg/m3
15/06/2023 18:00	0.003277702	INDmg/m3
15/06/2023 19:00	0.003323154	INDmg/m3
15/06/2023 20:00	0.003455841	INDmg/m3
15/06/2023 21:00	0.003374862	INDmg/m3
15/06/2023 22:00	0.003511098	INDmg/m3
15/06/2023 23:00	0.003465016	INDmg/m3
16/06/2023 00:00	0.003589661	INDmg/m3
16/06/2023 01:00	0.003754698	INDmg/m3
16/06/2023 02:00	0.003931274	INDmg/m3
16/06/2023 03:00	0.003912127	INDmg/m3
16/06/2023 04:00	0.004104417	INDmg/m3
16/06/2023 05:00	0.003795191	INDmg/m3
16/06/2023 06:00	0.003373943	INDmg/m3
16/06/2023 07:00	0.003515048	INDmg/m3
16/06/2023 08:00	0.003450653	INDmg/m3
16/06/2023 09:00	0.003312086	INDmg/m3
16/06/2023 10:00	0.003366959	INDmg/m3
16/06/2023 11:00	0.003328511	INDmg/m3
16/06/2023 12:00	0.003499965	INDmg/m3
16/06/2023 13:00	0.003328415	INDmg/m3
16/06/2023 14:00	0.003285677	INDmg/m3

16/06/2023 15:00	0.003306721	INDmg/m3
16/06/2023 16:00	0.003299448	INDmg/m3
16/06/2023 17:00	0.003275967	INDmg/m3
16/06/2023 18:00	0.003325879	INDmg/m3
16/06/2023 19:00	0.00329717	INDmg/m3
16/06/2023 20:00	0.00343454	INDmg/m3
16/06/2023 21:00	0.003382337	INDmg/m3
16/06/2023 22:00	0.003532521	INDmg/m3
16/06/2023 23:00	0.003353084	INDmg/m3
17/06/2023 00:00	0.003695569	INDmg/m3
17/06/2023 01:00	0.003485031	INDmg/m3
17/06/2023 02:00	0.003350848	INDmg/m3
17/06/2023 03:00	0.005240007	INDmg/m3
17/06/2023 04:00	0.016260181	INDmg/m3
17/06/2023 05:00	0.005416619	INDmg/m3
17/06/2023 06:00	0.003423821	INDmg/m3
17/06/2023 07:00	0.003327941	INDmg/m3
17/06/2023 08:00	0.003312272	INDmg/m3
17/06/2023 09:00	0.00330954	INDmg/m3
17/06/2023 10:00	0.003314325	INDmg/m3
17/06/2023 11:00	0.00341964	INDmg/m3
17/06/2023 12:00	0.003328983	INDmg/m3
17/06/2023 13:00	0.003387063	INDmg/m3
17/06/2023 14:00	0.003329639	INDmg/m3
17/06/2023 15:00	0.003319662	INDmg/m3
17/06/2023 16:00	0.003374786	INDmg/m3
17/06/2023 17:00	0.003307193	INDmg/m3
17/06/2023 18:00	0.003337987	INDmg/m3
17/06/2023 19:00	0.003384424	INDmg/m3
17/06/2023 20:00	0.003468436	INDmg/m3
17/06/2023 21:00	0.00335255	INDmg/m3
17/06/2023 22:00	0.003355942	INDmg/m3
17/06/2023 23:00	0.003299313	INDmg/m3
18/06/2023 00:00	0.003280929	INDmg/m3
18/06/2023 01:00	0.003411182	INDmg/m3
18/06/2023 02:00	0.003303061	INDmg/m3
18/06/2023 03:00	0.003441878	INDmg/m3
18/06/2023 04:00	0.00339884	INDmg/m3
18/06/2023 05:00	0.003336018	INDmg/m3
18/06/2023 06:00	0.003338462	INDmg/m3
18/06/2023 07:00	0.003332733	INDmg/m3
18/06/2023 08:00	0.003418565	INDmg/m3
18/06/2023 09:00	0.003397884	INDmg/m3
18/06/2023 10:00	0.003364758	INDmg/m3
18/06/2023 11:00	0.003342786	INDmg/m3
18/06/2023 12:00	0.003305534	INDmg/m3
18/06/2023 13:00	0.003289222	INDmg/m3
18/06/2023 14:00	0.003357136	INDmg/m3
18/06/2023 15:00	0.003409709	INDmg/m3
18/06/2023 16:00	0.00332587	INDmg/m3
18/06/2023 17:00	0.003327284	INDmg/m3
18/06/2023 18:00	0.013025149	INDmg/m3
18/06/2023 19:00	0.020794639	INDmg/m3
18/06/2023 20:00	0.008551756	INDmg/m3
18/06/2023 21:00	0.003288896	INDmg/m3
18/06/2023 22:00	0.003377216	INDmg/m3

18/06/2023 23:00	0.003645017	INDmg/m3
19/06/2023 00:00	0.003306812	INDmg/m3
19/06/2023 01:00	0.0033567	INDmg/m3
19/06/2023 02:00	0.041569497	INDmg/m3
19/06/2023 03:00	0.003307093	INDmg/m3
19/06/2023 04:00	0.003314322	INDmg/m3
19/06/2023 05:00	0.003316673	INDmg/m3
19/06/2023 06:00	6.3249259	INDmg/m3
19/06/2023 07:00	2.035524368	INDmg/m3
19/06/2023 08:00	2.534600496	INDmg/m3
19/06/2023 09:00	1.710005283	INDmg/m3
19/06/2023 10:00	1.779466748	INDmg/m3
19/06/2023 11:00	0.915573061	INDmg/m3
19/06/2023 12:00	1.189386845	INDmg/m3
19/06/2023 13:00	1.139953852	INDmg/m3
19/06/2023 14:00	1.480758786	INDmg/m3
19/06/2023 15:00	1.134601831	INDmg/m3
19/06/2023 16:00	1.56388998	INDmg/m3
19/06/2023 17:00	0.681656718	INDmg/m3
19/06/2023 18:00	0.003504387	INDmg/m3
19/06/2023 19:00	0.003401218	INDmg/m3
19/06/2023 20:00	0.003394185	INDmg/m3
19/06/2023 21:00	0.003329576	INDmg/m3
19/06/2023 22:00	0.003439036	INDmg/m3
19/06/2023 23:00	0.003328419	INDmg/m3
20/06/2023 00:00	0.00334081	INDmg/m3
20/06/2023 01:00	0.003309866	INDmg/m3
20/06/2023 02:00	0.013964042	INDmg/m3
20/06/2023 03:00	0.099098504	INDmg/m3
20/06/2023 04:00	0.039054334	INDmg/m3
20/06/2023 05:00	0.007102241	INDmg/m3
20/06/2023 06:00	0.390469015	INDmg/m3
20/06/2023 07:00	2.634279966	INDmg/m3
20/06/2023 08:00	2.762480259	INDmg/m3
20/06/2023 09:00	1.790950179	INDmg/m3
20/06/2023 10:00	1.598218322	INDmg/m3
20/06/2023 11:00	0.889581978	INDmg/m3
20/06/2023 12:00	1.47093606	INDmg/m3
20/06/2023 13:00	1.518353462	INDmg/m3
20/06/2023 14:00	1.318808913	INDmg/m3
20/06/2023 15:00	0.860227883	INDmg/m3
20/06/2023 16:00	0.758871377	INDmg/m3
20/06/2023 17:00	0.163983971	INDmg/m3
20/06/2023 18:00	0.004540707	INDmg/m3
20/06/2023 19:00	0.446886718	INDmg/m3
20/06/2023 20:00	0.204375476	INDmg/m3
20/06/2023 21:00	0.003467443	INDmg/m3
20/06/2023 22:00	0.003414391	INDmg/m3
20/06/2023 23:00	0.003456017	INDmg/m3
21/06/2023 00:00	0.224893406	INDmg/m3
21/06/2023 01:00	0.003409717	INDmg/m3
21/06/2023 02:00	0.003585155	INDmg/m3
21/06/2023 03:00	0.003559015	INDmg/m3
21/06/2023 04:00	0.003338746	INDmg/m3
21/06/2023 05:00	0.00335423	INDmg/m3
21/06/2023 06:00	0.273770034	INDmg/m3

21/06/2023 07:00	0.628243029	INDmg/m3
21/06/2023 08:00	1.591445804	INDmg/m3
21/06/2023 09:00	1.747844696	INDmg/m3
21/06/2023 10:00	2.176611423	INDmg/m3
21/06/2023 11:00	1.318461657	INDmg/m3
21/06/2023 12:00	2.147682428	INDmg/m3
21/06/2023 13:00	3.264181376	INDmg/m3
21/06/2023 14:00	1.833210826	INDmg/m3
21/06/2023 15:00	1.159751654	INDmg/m3
21/06/2023 16:00	1.382664323	INDmg/m3
21/06/2023 17:00	0.718596101	INDmg/m3
21/06/2023 18:00	0.003454644	INDmg/m3
21/06/2023 19:00	0.003393717	INDmg/m3
21/06/2023 20:00	0.003402331	INDmg/m3
21/06/2023 21:00	0.003402504	INDmg/m3
21/06/2023 22:00	0.003393607	INDmg/m3
21/06/2023 23:00	0.003368061	INDmg/m3
22/06/2023 00:00	0.003337798	INDmg/m3
22/06/2023 01:00	0.003336668	INDmg/m3
22/06/2023 02:00	0.003371584	INDmg/m3
22/06/2023 03:00	0.003318639	INDmg/m3
22/06/2023 04:00	0.0033272	INDmg/m3
22/06/2023 05:00	0.003303709	INDmg/m3
22/06/2023 06:00	0.003305589	INDmg/m3
22/06/2023 07:00	0.003357813	INDmg/m3
22/06/2023 08:00	0.0033725	INDmg/m3
22/06/2023 09:00	0.003358074	INDmg/m3
22/06/2023 10:00	0.003350008	INDmg/m3
22/06/2023 11:00	0.003396244	INDmg/m3
22/06/2023 12:00	0.003350576	INDmg/m3
22/06/2023 13:00	0.434299231	INDmg/m3
22/06/2023 14:00	0.580373526	INDmg/m3
22/06/2023 15:00	0.425145179	INDmg/m3
22/06/2023 16:00	0.18749088	INDmg/m3
22/06/2023 17:00	0.003434579	INDmg/m3
22/06/2023 18:00	0.003418562	INDmg/m3
22/06/2023 19:00	0.003393366	INDmg/m3
22/06/2023 20:00	0.003455388	INDmg/m3
22/06/2023 21:00	0.003383568	INDmg/m3
22/06/2023 22:00	0.003372149	INDmg/m3
22/06/2023 23:00	0.003359294	INDmg/m3
23/06/2023 00:00	0.00336698	INDmg/m3
23/06/2023 01:00	0.00333461	INDmg/m3
23/06/2023 02:00	0.003341275	INDmg/m3
23/06/2023 03:00	0.003406728	INDmg/m3
23/06/2023 04:00	0.003465488	INDmg/m3
23/06/2023 05:00	0.004017745	INDmg/m3
23/06/2023 06:00	0.003331799	INDmg/m3
23/06/2023 07:00	0.003345229	INDmg/m3
23/06/2023 08:00	0.003371127	INDmg/m3
23/06/2023 09:00	0.003359497	INDmg/m3
23/06/2023 10:00	0.212166309	INDmg/m3
23/06/2023 11:00	0.292900532	INDmg/m3
23/06/2023 12:00	0.421825141	INDmg/m3
23/06/2023 13:00	0.395375043	INDmg/m3
23/06/2023 14:00	0.378404886	INDmg/m3

23/06/2023 15:00	0.290421307	INDmg/m3
23/06/2023 16:00	0.569575727	INDmg/m3
23/06/2023 17:00	0.194485858	INDmg/m3
23/06/2023 18:00	0.003759762	INDmg/m3
23/06/2023 19:00	0.003643811	INDmg/m3
23/06/2023 20:00	0.003585893	INDmg/m3
23/06/2023 21:00	0.003578768	INDmg/m3
23/06/2023 22:00	0.003649917	INDmg/m3
23/06/2023 23:00	0.003481381	INDmg/m3
24/06/2023 00:00	0.003553213	INDmg/m3
24/06/2023 01:00	0.00344385	INDmg/m3
24/06/2023 02:00	0.004376025	INDmg/m3
24/06/2023 03:00	0.003932966	INDmg/m3
24/06/2023 04:00	0.003470959	INDmg/m3
24/06/2023 05:00	0.003481795	INDmg/m3
24/06/2023 06:00	0.003557446	INDmg/m3
24/06/2023 07:00	0.003455925	INDmg/m3
24/06/2023 08:00	0.003516597	INDmg/m3
24/06/2023 09:00	0.00349574	INDmg/m3
24/06/2023 10:00	0.003491648	INDmg/m3
24/06/2023 11:00	0.003510247	INDmg/m3
24/06/2023 12:00	0.003481941	INDmg/m3
24/06/2023 13:00	0.003495889	INDmg/m3
24/06/2023 14:00	0.003535928	INDmg/m3
24/06/2023 15:00	0.003481797	INDmg/m3
24/06/2023 16:00	0.003457564	INDmg/m3
24/06/2023 17:00	0.003534044	INDmg/m3
24/06/2023 18:00	0.003525058	INDmg/m3
24/06/2023 19:00	0.003470529	INDmg/m3
24/06/2023 20:00	0.003453926	INDmg/m3
24/06/2023 21:00	0.003450084	INDmg/m3
24/06/2023 22:00	0.003430672	INDmg/m3
24/06/2023 23:00	0.003418489	INDmg/m3
25/06/2023 00:00	0.00348081	INDmg/m3
25/06/2023 01:00	0.00342464	INDmg/m3
25/06/2023 02:00	0.003480955	INDmg/m3
25/06/2023 03:00	0.003455076	INDmg/m3
25/06/2023 04:00	0.003444224	INDmg/m3
25/06/2023 05:00	0.003449266	INDmg/m3
25/06/2023 06:00	0.003442913	INDmg/m3
25/06/2023 07:00	0.00345111	INDmg/m3
25/06/2023 08:00	0.003461074	INDmg/m3
25/06/2023 09:00	0.003488541	INDmg/m3
25/06/2023 10:00	0.003479221	INDmg/m3
25/06/2023 11:00	0.00347766	INDmg/m3
25/06/2023 12:00	0.003996875	INDmg/m3
25/06/2023 13:00	0.003439912	INDmg/m3
25/06/2023 14:00	0.003451803	INDmg/m3
25/06/2023 15:00	0.003532237	INDmg/m3
25/06/2023 16:00	0.003524477	INDmg/m3
25/06/2023 17:00	0.003516594	INDmg/m3
25/06/2023 18:00	0.003509137	INDmg/m3
25/06/2023 19:00	0.003473046	INDmg/m3
25/06/2023 20:00	0.003481779	INDmg/m3
25/06/2023 21:00	0.003469867	INDmg/m3
25/06/2023 22:00	0.003451289	INDmg/m3

25/06/2023 23:00	0.003447799	INDmg/m3
26/06/2023 00:00	0.003470129	INDmg/m3
26/06/2023 01:00	0.00344347	INDmg/m3
26/06/2023 02:00	0.003422975	INDmg/m3
26/06/2023 03:00	0.003436715	INDmg/m3
26/06/2023 04:00	0.003439347	INDmg/m3
26/06/2023 05:00	0.003434369	INDmg/m3
26/06/2023 06:00	0.808280408	INDmg/m3
26/06/2023 07:00	0.672506273	INDmg/m3
26/06/2023 08:00	1.715108275	INDmg/m3
26/06/2023 09:00	1.597494006	INDmg/m3
26/06/2023 10:00	1.419410586	INDmg/m3
26/06/2023 11:00	1.039272785	INDmg/m3
26/06/2023 12:00	1.293201923	INDmg/m3
26/06/2023 13:00	1.558876634	INDmg/m3
26/06/2023 14:00	1.549650788	INDmg/m3
26/06/2023 15:00	1.4681319	INDmg/m3
26/06/2023 16:00	1.288670897	INDmg/m3
26/06/2023 17:00	0.003633579	INDmg/m3
26/06/2023 18:00	0.003581575	INDmg/m3
26/06/2023 19:00	0.003500819	INDmg/m3
26/06/2023 20:00	0.003529827	INDmg/m3
26/06/2023 21:00	0.003512647	INDmg/m3
26/06/2023 22:00	0.003487554	INDmg/m3
26/06/2023 23:00	0.003440339	INDmg/m3
27/06/2023 00:00	0.003442504	INDmg/m3
27/06/2023 01:00	0.003435828	INDmg/m3
27/06/2023 02:00	0.003452213	INDmg/m3
27/06/2023 03:00	0.003417287	INDmg/m3
27/06/2023 04:00	0.003434778	INDmg/m3
27/06/2023 05:00	0.003444596	INDmg/m3
27/06/2023 06:00	0.003478739	INDmg/m3
27/06/2023 07:00	0.485445201	INDmg/m3
27/06/2023 08:00	0.795558214	INDmg/m3
27/06/2023 09:00	0.416866332	INDmg/m3
27/06/2023 10:00	0.004399409	INDmg/m3
27/06/2023 11:00	0.003639496	INDmg/m3
27/06/2023 12:00	0.0035329	INDmg/m3
27/06/2023 13:00	0.00354384	INDmg/m3
27/06/2023 14:00	0.003560106	INDmg/m3
27/06/2023 15:00	0.003536052	INDmg/m3
27/06/2023 16:00	0.003503636	INDmg/m3
27/06/2023 17:00	0.003527857	INDmg/m3
27/06/2023 18:00	0.003551086	INDmg/m3
27/06/2023 19:00	0.003546609	INDmg/m3
27/06/2023 20:00	0.003572694	INDmg/m3
27/06/2023 21:00	0.01257908	INDmg/m3
27/06/2023 22:00	0.003618356	INDmg/m3
27/06/2023 23:00	0.003574908	INDmg/m3
28/06/2023 00:00	0.003720402	INDmg/m3
28/06/2023 01:00	0.003602681	INDmg/m3
28/06/2023 02:00	0.003914985	INDmg/m3
28/06/2023 03:00	0.004122507	INDmg/m3
28/06/2023 04:00	0.003994346	INDmg/m3
28/06/2023 05:00	0.003652275	INDmg/m3
28/06/2023 06:00	0.543903708	INDmg/m3

28/06/2023 07:00	0.497019917	INDmg/m3
28/06/2023 08:00	1.315886378	INDmg/m3
28/06/2023 09:00	0.691496134	INDmg/m3
28/06/2023 10:00	0.552494884	INDmg/m3
28/06/2023 11:00	0.589554071	INDmg/m3
28/06/2023 12:00	1.192066073	INDmg/m3
28/06/2023 13:00	1.088193774	INDmg/m3
28/06/2023 14:00	0.839502215	INDmg/m3
28/06/2023 15:00	0.689751148	INDmg/m3
28/06/2023 16:00	1.035259843	INDmg/m3
28/06/2023 17:00	0.003760681	INDmg/m3
28/06/2023 18:00	0.00358979	INDmg/m3
28/06/2023 19:00	0.003645433	INDmg/m3
28/06/2023 20:00	0.003627088	INDmg/m3
28/06/2023 21:00	0.00357857	INDmg/m3
28/06/2023 22:00	0.003616187	INDmg/m3
28/06/2023 23:00	0.003613552	INDmg/m3
29/06/2023 00:00	0.003573779	INDmg/m3
29/06/2023 01:00	0.003599981	INDmg/m3
29/06/2023 02:00	0.003601331	INDmg/m3
29/06/2023 03:00	0.003572209	INDmg/m3
29/06/2023 04:00	0.003590288	INDmg/m3
29/06/2023 05:00	0.003583805	INDmg/m3
29/06/2023 06:00	0.751750767	INDmg/m3
29/06/2023 07:00	1.030820012	INDmg/m3
29/06/2023 08:00	1.64046514	INDmg/m3
29/06/2023 09:00	1.296575546	INDmg/m3
29/06/2023 10:00	0.863849223	INDmg/m3
29/06/2023 11:00	0.495209336	INDmg/m3
29/06/2023 12:00	0.497478873	INDmg/m3
29/06/2023 13:00	0.407671988	INDmg/m3
29/06/2023 14:00	0.291560858	INDmg/m3
29/06/2023 15:00	0.215541855	INDmg/m3
29/06/2023 16:00	0.003912969	INDmg/m3
29/06/2023 17:00	0.003638288	INDmg/m3
29/06/2023 18:00	0.003637528	INDmg/m3
29/06/2023 19:00	0.003641693	INDmg/m3
29/06/2023 20:00	0.003567826	INDmg/m3
29/06/2023 21:00	0.003523083	INDmg/m3
29/06/2023 22:00	0.003545147	INDmg/m3
29/06/2023 23:00	0.003530098	INDmg/m3
30/06/2023 00:00	0.003523089	INDmg/m3
30/06/2023 01:00	0.003482795	INDmg/m3
30/06/2023 02:00	0.003516592	INDmg/m3
30/06/2023 03:00	0.00416397	INDmg/m3
30/06/2023 04:00	0.003541619	INDmg/m3
30/06/2023 05:00	0.003649471	INDmg/m3
30/06/2023 06:00	0.010738157	INDmg/m3
30/06/2023 07:00	0.005270726	INDmg/m3
30/06/2023 08:00	0.007080449	INDmg/m3
30/06/2023 09:00	0.003708885	INDmg/m3
30/06/2023 10:00	0.003642693	INDmg/m3
30/06/2023 11:00	0.003875044	INDmg/m3
30/06/2023 12:00	0.003961418	INDmg/m3
30/06/2023 13:00	0.00363942	INDmg/m3
30/06/2023 14:00	0.00357668	INDmg/m3

30/06/2023 15:00	0.004132013	INDmg/m3
30/06/2023 16:00	0.007044846	INDmg/m3
30/06/2023 17:00	0.008924467	INDmg/m3
30/06/2023 18:00	0.003974682	INDmg/m3
30/06/2023 19:00	0.008362723	INDmg/m3
30/06/2023 20:00	0.00371403	INDmg/m3
30/06/2023 21:00	0.003693246	INDmg/m3
30/06/2023 22:00	0.003732519	INDmg/m3
30/06/2023 23:00	0.003652093	INDmg/m3
01/07/2023 00:00	0.003556191	INDmg/m3
01/07/2023 01:00	0.003586227	INDmg/m3
01/07/2023 02:00	0.003624978	INDmg/m3
01/07/2023 03:00	0.003611575	INDmg/m3
01/07/2023 04:00	0.003577894	INDmg/m3
01/07/2023 05:00	0.00358115	INDmg/m3
01/07/2023 06:00	0.003549811	INDmg/m3
01/07/2023 07:00	0.003601389	INDmg/m3
01/07/2023 08:00	0.003601669	INDmg/m3
01/07/2023 09:00	0.003631463	INDmg/m3
01/07/2023 10:00	0.003622591	INDmg/m3
01/07/2023 11:00	0.00365083	INDmg/m3
01/07/2023 12:00	0.003644028	INDmg/m3
01/07/2023 13:00	0.003714067	INDmg/m3
01/07/2023 14:00	0.0037227	INDmg/m3
01/07/2023 15:00	0.003712777	INDmg/m3
01/07/2023 16:00	0.003743364	INDmg/m3
01/07/2023 17:00	0.00369945	INDmg/m3
01/07/2023 18:00	0.003585214	INDmg/m3
01/07/2023 19:00	0.003598009	INDmg/m3
01/07/2023 20:00	0.003678485	INDmg/m3
01/07/2023 21:00	0.003571721	INDmg/m3
01/07/2023 22:00	0.0035398	INDmg/m3
01/07/2023 23:00	0.003542641	INDmg/m3
02/07/2023 00:00	0.00359631	INDmg/m3
02/07/2023 01:00	0.003522358	INDmg/m3
02/07/2023 02:00	0.00354082	INDmg/m3
02/07/2023 03:00	0.003521945	INDmg/m3
02/07/2023 04:00	0.0035556	INDmg/m3
02/07/2023 05:00	0.003548832	INDmg/m3
02/07/2023 06:00	0.003532646	INDmg/m3
02/07/2023 07:00	0.003563713	INDmg/m3
02/07/2023 08:00	0.003553061	INDmg/m3
02/07/2023 09:00	0.003540128	INDmg/m3
02/07/2023 10:00	0.003545946	INDmg/m3
02/07/2023 11:00	0.0036324	INDmg/m3
02/07/2023 12:00	0.003698401	INDmg/m3
02/07/2023 13:00	0.003649954	INDmg/m3
02/07/2023 14:00	0.003616886	INDmg/m3
02/07/2023 15:00	0.003607132	INDmg/m3
02/07/2023 16:00	0.003608546	INDmg/m3
02/07/2023 17:00	0.003589723	INDmg/m3
02/07/2023 18:00	0.003580264	INDmg/m3
02/07/2023 19:00	0.003522904	INDmg/m3
02/07/2023 20:00	0.003545331	INDmg/m3
02/07/2023 21:00	0.003536593	INDmg/m3
02/07/2023 22:00	0.003526335	INDmg/m3

02/07/2023 23:00	0.003524895	INDmg/m3
03/07/2023 00:00	0.0035398	INDmg/m3
03/07/2023 01:00	0.003517013	INDmg/m3
03/07/2023 02:00	0.003528623	INDmg/m3
03/07/2023 03:00	0.003519825	INDmg/m3
03/07/2023 04:00	0.003537478	INDmg/m3
03/07/2023 05:00	0.003543902	INDmg/m3
03/07/2023 06:00	0.548468292	INDmg/m3
03/07/2023 07:00	0.384306312	INDmg/m3
03/07/2023 08:00	1.088904023	INDmg/m3
03/07/2023 09:00	1.396718025	INDmg/m3
03/07/2023 10:00	1.643815994	INDmg/m3
03/07/2023 11:00	1.228188992	INDmg/m3
03/07/2023 12:00	1.707324266	INDmg/m3
03/07/2023 13:00	2.230481625	INDmg/m3
03/07/2023 14:00	2.65422821	INDmg/m3
03/07/2023 15:00	1.876836419	INDmg/m3
03/07/2023 16:00	1.299539804	INDmg/m3
03/07/2023 17:00	0.00712562	INDmg/m3
03/07/2023 18:00	0.003726898	INDmg/m3
03/07/2023 19:00	0.00359519	INDmg/m3
03/07/2023 20:00	0.003634479	INDmg/m3
03/07/2023 21:00	0.003622482	INDmg/m3
03/07/2023 22:00	0.003589446	INDmg/m3
03/07/2023 23:00	0.003545174	INDmg/m3
04/07/2023 00:00	0.006187638	INDmg/m3
04/07/2023 01:00	0.008165073	INDmg/m3
04/07/2023 02:00	0.010270168	INDmg/m3
04/07/2023 03:00	0.005106851	INDmg/m3
04/07/2023 04:00	0.003512097	INDmg/m3
04/07/2023 05:00	0.010723681	INDmg/m3
04/07/2023 06:00	0.369979233	INDmg/m3
04/07/2023 07:00	1.319254518	INDmg/m3
04/07/2023 08:00	2.041421413	INDmg/m3
04/07/2023 09:00	1.587790132	INDmg/m3
04/07/2023 10:00	1.856333137	INDmg/m3
04/07/2023 11:00	1.35447681	INDmg/m3
04/07/2023 12:00	1.546666026	INDmg/m3
04/07/2023 13:00	1.646482706	INDmg/m3
04/07/2023 14:00	1.953365207	INDmg/m3
04/07/2023 15:00	1.387112975	INDmg/m3
04/07/2023 16:00	1.138142824	INDmg/m3
04/07/2023 17:00	0.005319171	INDmg/m3
04/07/2023 18:00	0.004213968	INDmg/m3
04/07/2023 19:00	0.003513074	INDmg/m3
04/07/2023 20:00	0.00353954	INDmg/m3
04/07/2023 21:00	0.003546277	INDmg/m3
04/07/2023 22:00	0.003517574	INDmg/m3
04/07/2023 23:00	0.00353801	INDmg/m3
05/07/2023 00:00	0.003504054	INDmg/m3
05/07/2023 01:00	0.003508566	INDmg/m3
05/07/2023 02:00	0.003520975	INDmg/m3
05/07/2023 03:00	0.003916276	INDmg/m3
05/07/2023 04:00	0.047459923	INDmg/m3
05/07/2023 05:00	0.003515459	INDmg/m3
05/07/2023 06:00	0.003518149	INDmg/m3

05/07/2023 07:00	0.003508843	INDmg/m3
05/07/2023 08:00	0.003623068	INDmg/m3
05/07/2023 09:00	0.003577074	INDmg/m3
05/07/2023 10:00	0.003653783	INDmg/m3
05/07/2023 11:00	0.003579535	INDmg/m3
05/07/2023 12:00	0.003620826	INDmg/m3
05/07/2023 13:00	0.003587351	INDmg/m3
05/07/2023 14:00	0.003545973	INDmg/m3
05/07/2023 15:00	0.003549395	INDmg/m3
05/07/2023 16:00	0.003559937	INDmg/m3
05/07/2023 17:00	0.003572372	INDmg/m3
05/07/2023 18:00	0.003549936	INDmg/m3
05/07/2023 19:00	0.003558129	INDmg/m3
05/07/2023 20:00	0.003511965	INDmg/m3
05/07/2023 21:00	0.003548015	INDmg/m3
05/07/2023 22:00	0.003579658	INDmg/m3
05/07/2023 23:00	0.003524347	INDmg/m3
06/07/2023 00:00	0.003520853	INDmg/m3
06/07/2023 01:00	0.003535275	INDmg/m3
06/07/2023 02:00	0.003570805	INDmg/m3
06/07/2023 03:00	0.003539155	INDmg/m3
06/07/2023 04:00	0.003534816	INDmg/m3
06/07/2023 05:00	0.004084087	INDmg/m3
06/07/2023 06:00	0.426916003	INDmg/m3
06/07/2023 07:00	1.016912699	INDmg/m3
06/07/2023 08:00	1.735912919	INDmg/m3
06/07/2023 09:00	1.752056122	INDmg/m3
06/07/2023 10:00	1.999987483	INDmg/m3
06/07/2023 11:00	1.263636947	INDmg/m3
06/07/2023 12:00	1.383527517	INDmg/m3
06/07/2023 13:00	1.570565462	INDmg/m3
06/07/2023 14:00	2.310232878	INDmg/m3
06/07/2023 15:00	1.731726646	INDmg/m3
06/07/2023 16:00	2.044840574	INDmg/m3
06/07/2023 17:00	0.04231618	INDmg/m3
06/07/2023 18:00	0.003549017	INDmg/m3
06/07/2023 19:00	0.00352929	INDmg/m3
06/07/2023 20:00	0.003494056	INDmg/m3
06/07/2023 21:00	0.003515177	INDmg/m3
06/07/2023 22:00	0.003529289	INDmg/m3
06/07/2023 23:00	0.003501238	INDmg/m3
07/07/2023 00:00	0.003554063	INDmg/m3
07/07/2023 01:00	0.003521666	INDmg/m3
07/07/2023 02:00	0.003509129	INDmg/m3
07/07/2023 03:00	0.003537269	INDmg/m3
07/07/2023 04:00	0.003553526	INDmg/m3
07/07/2023 05:00	0.003556164	INDmg/m3
07/07/2023 06:00	0.003571409	INDmg/m3
07/07/2023 07:00	0.003525609	INDmg/m3
07/07/2023 08:00	0.003537723	INDmg/m3
07/07/2023 09:00	0.003541538	INDmg/m3
07/07/2023 10:00	0.003616905	INDmg/m3
07/07/2023 11:00	0.003556001	INDmg/m3
07/07/2023 12:00	0.003592311	INDmg/m3
07/07/2023 13:00	0.003630123	INDmg/m3
07/07/2023 14:00	0.003541405	INDmg/m3

07/07/2023 15:00	0.003568716	INDmg/m3
07/07/2023 16:00	0.003558002	INDmg/m3
07/07/2023 17:00	0.003551495	INDmg/m3
07/07/2023 18:00	0.003552871	INDmg/m3
07/07/2023 19:00	0.003557283	INDmg/m3
07/07/2023 20:00	0.003502654	INDmg/m3
07/07/2023 21:00	0.003538266	INDmg/m3
07/07/2023 22:00	0.003555751	INDmg/m3
07/07/2023 23:00	0.003527333	INDmg/m3
08/07/2023 00:00	0.003525207	INDmg/m3
08/07/2023 01:00	0.003515628	INDmg/m3
08/07/2023 02:00	0.003518825	INDmg/m3
08/07/2023 03:00	0.003530701	INDmg/m3
08/07/2023 04:00	0.003530113	INDmg/m3
08/07/2023 05:00	0.003510957	INDmg/m3
08/07/2023 06:00	0.003534343	INDmg/m3
08/07/2023 07:00	0.006649396	INDmg/m3
08/07/2023 08:00	0.106161959	INDmg/m3
08/07/2023 09:00	0.00803569	INDmg/m3
08/07/2023 10:00	0.003649838	INDmg/m3
08/07/2023 11:00	0.003678662	INDmg/m3
08/07/2023 12:00	0.003575153	INDmg/m3
08/07/2023 13:00	0.003558448	INDmg/m3
08/07/2023 14:00	0.003557193	INDmg/m3
08/07/2023 15:00	0.003553089	INDmg/m3
08/07/2023 16:00	0.003557586	INDmg/m3
08/07/2023 17:00	0.003868849	INDmg/m3
08/07/2023 18:00	0.003605894	INDmg/m3
08/07/2023 19:00	0.003502814	INDmg/m3
08/07/2023 20:00	0.003557518	INDmg/m3
08/07/2023 21:00	0.003526119	INDmg/m3
08/07/2023 22:00	0.003619558	INDmg/m3
08/07/2023 23:00	0.003640008	INDmg/m3
09/07/2023 00:00	0.003570624	INDmg/m3
09/07/2023 01:00	0.003560713	INDmg/m3
09/07/2023 02:00	0.003558618	INDmg/m3
09/07/2023 03:00	0.003556129	INDmg/m3
09/07/2023 04:00	0.003628348	INDmg/m3
09/07/2023 05:00	0.003579041	INDmg/m3
09/07/2023 06:00	0.003532843	INDmg/m3
09/07/2023 07:00	0.003611546	INDmg/m3
09/07/2023 08:00	0.00356505	INDmg/m3
09/07/2023 09:00	0.003540648	INDmg/m3
09/07/2023 10:00	0.003591959	INDmg/m3
09/07/2023 11:00	0.003599748	INDmg/m3
09/07/2023 12:00	0.003585465	INDmg/m3
09/07/2023 13:00	1.532015443	INDmg/m3
09/07/2023 14:00	1.309165955	INDmg/m3
09/07/2023 15:00	0.003572624	INDmg/m3
09/07/2023 16:00	0.003604578	INDmg/m3
09/07/2023 17:00	0.003610508	INDmg/m3
09/07/2023 18:00	0.003578028	INDmg/m3
09/07/2023 19:00	0.003589801	INDmg/m3
09/07/2023 20:00	0.003562961	INDmg/m3
09/07/2023 21:00	0.003528292	INDmg/m3
09/07/2023 22:00	0.003592113	INDmg/m3

09/07/2023 23:00	0.003699742	INDmg/m3
10/07/2023 00:00	0.004115688	INDmg/m3
10/07/2023 01:00	0.003891091	INDmg/m3
10/07/2023 02:00	0.003591236	INDmg/m3
10/07/2023 03:00	0.003570674	INDmg/m3
10/07/2023 04:00	0.0035618	INDmg/m3
10/07/2023 05:00	0.003562364	INDmg/m3
10/07/2023 06:00	2.284398317	INDmg/m3
10/07/2023 07:00	1.582651496	INDmg/m3
10/07/2023 08:00	2.126603127	INDmg/m3
10/07/2023 09:00	2.301918983	INDmg/m3
10/07/2023 10:00	2.186259985	INDmg/m3
10/07/2023 11:00	1.642113805	INDmg/m3
10/07/2023 12:00	2.284772396	INDmg/m3
10/07/2023 13:00	1.271278977	INDmg/m3
10/07/2023 14:00	2.156495094	INDmg/m3
10/07/2023 15:00	1.982202053	INDmg/m3
10/07/2023 16:00	2.249886274	INDmg/m3
10/07/2023 17:00	0.946478426	INDmg/m3
10/07/2023 18:00	0.003682586	INDmg/m3
10/07/2023 19:00	0.003950774	INDmg/m3
10/07/2023 20:00	0.047075007	INDmg/m3
10/07/2023 21:00	0.204063445	INDmg/m3
10/07/2023 22:00	0.251702189	INDmg/m3
10/07/2023 23:00	0.007135077	INDmg/m3
11/07/2023 00:00	0.00458341	INDmg/m3
11/07/2023 01:00	0.003641652	INDmg/m3
11/07/2023 02:00	0.003686285	INDmg/m3
11/07/2023 03:00	0.007139421	INDmg/m3
11/07/2023 04:00	0.007389139	INDmg/m3
11/07/2023 05:00	0.005515031	INDmg/m3
11/07/2023 06:00	0.0036529	INDmg/m3
11/07/2023 07:00	0.004612811	INDmg/m3
11/07/2023 08:00	0.007487707	INDmg/m3
11/07/2023 09:00	0.026645059	INDmg/m3
11/07/2023 10:00	0.00379628	INDmg/m3
11/07/2023 11:00	0.003721178	INDmg/m3
11/07/2023 12:00	0.011543406	INDmg/m3
11/07/2023 13:00	0.003768038	INDmg/m3
11/07/2023 14:00	0.003646514	INDmg/m3
11/07/2023 15:00	0.004026416	INDmg/m3
11/07/2023 16:00	0.003662667	INDmg/m3
11/07/2023 17:00	0.003665598	INDmg/m3
11/07/2023 18:00	0.003670344	INDmg/m3
11/07/2023 19:00	0.003674996	INDmg/m3
11/07/2023 20:00	0.00363525	INDmg/m3
11/07/2023 21:00	0.003606006	INDmg/m3
11/07/2023 22:00	0.003627746	INDmg/m3
11/07/2023 23:00	0.003643508	INDmg/m3
12/07/2023 00:00	0.003627144	INDmg/m3
12/07/2023 01:00	0.00363205	INDmg/m3
12/07/2023 02:00	0.003608335	INDmg/m3
12/07/2023 03:00	0.003639789	INDmg/m3
12/07/2023 04:00	0.003601964	INDmg/m3
12/07/2023 05:00	0.003663136	INDmg/m3
12/07/2023 06:00	0.476817667	INDmg/m3

12/07/2023 07:00	1.475407124	INDmg/m3
12/07/2023 08:00	1.921997309	INDmg/m3
12/07/2023 09:00	1.807460427	INDmg/m3
12/07/2023 10:00	2.114498615	INDmg/m3
12/07/2023 11:00	1.600355029	INDmg/m3
12/07/2023 12:00	1.590305209	INDmg/m3
12/07/2023 13:00	1.06836617	INDmg/m3
12/07/2023 14:00	2.874982595	INDmg/m3
12/07/2023 15:00	1.381666303	INDmg/m3
12/07/2023 16:00	2.142780781	INDmg/m3
12/07/2023 17:00	0.254232466	INDmg/m3
12/07/2023 18:00	0.003891183	INDmg/m3
12/07/2023 19:00	0.003817258	INDmg/m3
12/07/2023 20:00	0.003859043	INDmg/m3
12/07/2023 21:00	0.003741671	INDmg/m3
12/07/2023 22:00	0.003617456	INDmg/m3
12/07/2023 23:00	0.003677631	INDmg/m3
13/07/2023 00:00	0.003759512	INDmg/m3
13/07/2023 01:00	0.086397015	INDmg/m3
13/07/2023 02:00	0.003588946	INDmg/m3
13/07/2023 03:00	0.003620216	INDmg/m3
13/07/2023 04:00	0.003616586	INDmg/m3
13/07/2023 05:00	0.003601741	INDmg/m3
13/07/2023 06:00	0.003620244	INDmg/m3
13/07/2023 07:00	0.003596668	INDmg/m3
13/07/2023 08:00	0.003636936	INDmg/m3
13/07/2023 09:00	0.003632763	INDmg/m3
13/07/2023 10:00	0.00361672	INDmg/m3
13/07/2023 11:00	0.003676601	INDmg/m3
13/07/2023 12:00	0.003697365	INDmg/m3
13/07/2023 13:00	0.003676239	INDmg/m3
13/07/2023 14:00	0.003698224	INDmg/m3
13/07/2023 15:00	0.003636495	INDmg/m3
13/07/2023 16:00	0.003597755	INDmg/m3
13/07/2023 17:00	0.003574363	INDmg/m3
13/07/2023 18:00	0.00363593	INDmg/m3
13/07/2023 19:00	0.003566041	INDmg/m3
13/07/2023 20:00	0.003591957	INDmg/m3
13/07/2023 21:00	0.030542273	INDmg/m3
13/07/2023 22:00	0.003637712	INDmg/m3
13/07/2023 23:00	0.003677648	INDmg/m3
14/07/2023 00:00	0.004636033	INDmg/m3
14/07/2023 01:00	0.003603923	INDmg/m3
14/07/2023 02:00	0.003624556	INDmg/m3
14/07/2023 03:00	0.022539644	INDmg/m3
14/07/2023 04:00	0.398609847	INDmg/m3
14/07/2023 05:00	0.270346105	INDmg/m3
14/07/2023 06:00	0.063321166	INDmg/m3
14/07/2023 07:00	0.340368003	INDmg/m3
14/07/2023 08:00	0.161866486	INDmg/m3
14/07/2023 09:00	0.043723829	INDmg/m3
14/07/2023 10:00	0.015541263	INDmg/m3
14/07/2023 11:00	0.036248218	INDmg/m3
14/07/2023 12:00	0.389580846	INDmg/m3
14/07/2023 13:00	0.108573966	INDmg/m3
14/07/2023 14:00	0.032021884	INDmg/m3

14/07/2023 15:00	0.009924452	INDmg/m3
14/07/2023 16:00	0.003757037	INDmg/m3
14/07/2023 17:00	0.003720781	INDmg/m3
14/07/2023 18:00	0.003703055	INDmg/m3
14/07/2023 19:00	0.003817497	INDmg/m3
14/07/2023 20:00	0.005710331	INDmg/m3
14/07/2023 21:00	0.003717413	INDmg/m3
14/07/2023 22:00	0.003912011	INDmg/m3
14/07/2023 23:00	0.083362572	INDmg/m3
15/07/2023 00:00	0.004062543	INDmg/m3
15/07/2023 01:00	0.003637008	INDmg/m3
15/07/2023 02:00	0.003648799	INDmg/m3
15/07/2023 03:00	0.003690297	INDmg/m3
15/07/2023 04:00	0.00404086	INDmg/m3
15/07/2023 05:00	0.003667494	INDmg/m3
15/07/2023 06:00	0.428715199	INDmg/m3
15/07/2023 07:00	0.003987338	INDmg/m3
15/07/2023 08:00	0.0036721	INDmg/m3
15/07/2023 09:00	0.003968739	INDmg/m3
15/07/2023 10:00	0.103278272	INDmg/m3
15/07/2023 11:00	0.072862044	INDmg/m3
15/07/2023 12:00	0.026624264	INDmg/m3
15/07/2023 13:00	0.00372582	INDmg/m3
15/07/2023 14:00	0.004070136	INDmg/m3
15/07/2023 15:00	0.087444857	INDmg/m3
15/07/2023 16:00	0.012775914	INDmg/m3
15/07/2023 17:00	0.167724431	INDmg/m3
15/07/2023 18:00	0.015052418	INDmg/m3
15/07/2023 19:00	0.00375774	INDmg/m3
15/07/2023 20:00	0.003753155	INDmg/m3
15/07/2023 21:00	0.003703422	INDmg/m3
15/07/2023 22:00	0.003734413	INDmg/m3
15/07/2023 23:00	0.003713024	INDmg/m3
16/07/2023 00:00	0.003736858	INDmg/m3
16/07/2023 01:00	0.003993799	INDmg/m3
16/07/2023 02:00	0.00375041	INDmg/m3
16/07/2023 03:00	0.005945206	INDmg/m3
16/07/2023 04:00	0.005523774	INDmg/m3
16/07/2023 05:00	0.004615737	INDmg/m3
16/07/2023 06:00	0.00370114	INDmg/m3
16/07/2023 07:00	0.004502658	INDmg/m3
16/07/2023 08:00	0.033412457	INDmg/m3
16/07/2023 09:00	0.107007086	INDmg/m3
16/07/2023 10:00	0.00504325	INDmg/m3
16/07/2023 11:00	0.003764215	INDmg/m3
16/07/2023 12:00	0.003777044	INDmg/m3
16/07/2023 13:00	0.003771101	INDmg/m3
16/07/2023 14:00	0.003780307	INDmg/m3
16/07/2023 15:00	0.003684044	INDmg/m3
16/07/2023 16:00	0.003700631	INDmg/m3
16/07/2023 17:00	0.0036966	INDmg/m3
16/07/2023 18:00	0.003731312	INDmg/m3
16/07/2023 19:00	0.003677543	INDmg/m3
16/07/2023 20:00	0.011353035	INDmg/m3
16/07/2023 21:00	0.003728005	INDmg/m3
16/07/2023 22:00	0.004114441	INDmg/m3

16/07/2023 23:00	1.250088096	INDmg/m3
17/07/2023 00:00	0.00453204	INDmg/m3
17/07/2023 01:00	0.003624731	INDmg/m3
17/07/2023 02:00	0.003863298	INDmg/m3
17/07/2023 03:00	0.003662705	INDmg/m3
17/07/2023 04:00	0.00418544	INDmg/m3
17/07/2023 05:00	0.003636708	INDmg/m3
17/07/2023 06:00	0.003676809	INDmg/m3
17/07/2023 07:00	0.003633498	INDmg/m3
17/07/2023 08:00	0.0036816	INDmg/m3
17/07/2023 09:00	0.003669276	INDmg/m3
17/07/2023 10:00	0.003907899	INDmg/m3
17/07/2023 11:00	0.003812938	INDmg/m3
17/07/2023 12:00	0.00547506	INDmg/m3
17/07/2023 13:00	0.003617449	INDmg/m3
17/07/2023 14:00	0.003685595	INDmg/m3
17/07/2023 15:00	0.003616082	INDmg/m3
17/07/2023 16:00	0.003634524	INDmg/m3
17/07/2023 17:00	0.003650301	INDmg/m3
17/07/2023 18:00	0.003610869	INDmg/m3
17/07/2023 19:00	0.003650517	INDmg/m3
17/07/2023 20:00	0.003648315	INDmg/m3
17/07/2023 21:00	0.003588824	INDmg/m3
17/07/2023 22:00	0.003596212	INDmg/m3
17/07/2023 23:00	0.003633046	INDmg/m3
18/07/2023 00:00	0.003593387	INDmg/m3
18/07/2023 01:00	0.0036265	INDmg/m3
18/07/2023 02:00	0.003656408	INDmg/m3
18/07/2023 03:00	0.003723013	INDmg/m3
18/07/2023 04:00	0.006070945	INDmg/m3
18/07/2023 05:00	0.003795089	INDmg/m3
18/07/2023 06:00	0.833083749	INDmg/m3
18/07/2023 07:00	0.608182967	INDmg/m3
18/07/2023 08:00	0.003687593	INDmg/m3
18/07/2023 09:00	0.003730332	INDmg/m3
18/07/2023 10:00	0.004340386	INDmg/m3
18/07/2023 11:00	0.009368382	INDmg/m3
18/07/2023 12:00	0.259751171	INDmg/m3
18/07/2023 13:00	0.01539724	INDmg/m3
18/07/2023 14:00	0.0039758	INDmg/m3
18/07/2023 15:00	0.005939443	INDmg/m3
18/07/2023 16:00	0.018166419	INDmg/m3
18/07/2023 17:00	0.017800575	INDmg/m3
18/07/2023 18:00	0.037566826	INDmg/m3
18/07/2023 19:00	0.003865394	INDmg/m3
18/07/2023 20:00	0.012776009	INDmg/m3
18/07/2023 21:00	0.004424892	INDmg/m3
18/07/2023 22:00	0.003629451	INDmg/m3
18/07/2023 23:00	0.006576509	INDmg/m3
19/07/2023 00:00	0.003851064	INDmg/m3
19/07/2023 01:00	0.003656032	INDmg/m3
19/07/2023 02:00	0.003632203	INDmg/m3
19/07/2023 03:00	0.00364346	INDmg/m3
19/07/2023 04:00	0.003641912	INDmg/m3
19/07/2023 05:00	0.003662704	INDmg/m3
19/07/2023 06:00	0.003646381	INDmg/m3

19/07/2023 07:00	0.003663551	INDmg/m3
19/07/2023 08:00	0.003662235	INDmg/m3
19/07/2023 09:00	0.003671163	INDmg/m3
19/07/2023 10:00	0.003672664	INDmg/m3
19/07/2023 11:00	0.003848828	INDmg/m3
19/07/2023 12:00	0.003704494	INDmg/m3
19/07/2023 13:00	0.00367923	INDmg/m3
19/07/2023 14:00	0.003645333	INDmg/m3
19/07/2023 15:00	0.003680632	INDmg/m3
19/07/2023 16:00	0.003680354	INDmg/m3
19/07/2023 17:00	0.003633781	INDmg/m3
19/07/2023 18:00	0.003633265	INDmg/m3
19/07/2023 19:00	0.00358495	INDmg/m3
19/07/2023 20:00	0.00360409	INDmg/m3
19/07/2023 21:00	0.00361092	INDmg/m3
19/07/2023 22:00	0.003634178	INDmg/m3
19/07/2023 23:00	0.003604431	INDmg/m3
20/07/2023 00:00	0.003556039	INDmg/m3
20/07/2023 01:00	0.003592596	INDmg/m3
20/07/2023 02:00	0.003601331	INDmg/m3
20/07/2023 03:00	0.003593662	INDmg/m3
20/07/2023 04:00	0.003585845	INDmg/m3
20/07/2023 05:00	0.004107167	INDmg/m3
20/07/2023 06:00	0.642210722	INDmg/m3
20/07/2023 07:00	1.066108346	INDmg/m3
20/07/2023 08:00	1.872725368	INDmg/m3
20/07/2023 09:00	1.938730717	INDmg/m3
20/07/2023 10:00	2.553527117	INDmg/m3
20/07/2023 11:00	1.710312366	INDmg/m3
20/07/2023 12:00	1.621455193	INDmg/m3
20/07/2023 13:00	1.988735199	INDmg/m3
20/07/2023 14:00	2.521779537	INDmg/m3
20/07/2023 15:00	2.277998447	INDmg/m3
20/07/2023 16:00	1.820179939	INDmg/m3
20/07/2023 17:00	1.009518981	INDmg/m3
20/07/2023 18:00	0.003629841	INDmg/m3
20/07/2023 19:00	0.003593042	INDmg/m3
20/07/2023 20:00	0.003595762	INDmg/m3
20/07/2023 21:00	0.003564029	INDmg/m3
20/07/2023 22:00	0.003522388	INDmg/m3
20/07/2023 23:00	0.003514487	INDmg/m3
21/07/2023 00:00	0.003514337	INDmg/m3
21/07/2023 01:00	0.003503499	INDmg/m3
21/07/2023 02:00	0.003532355	INDmg/m3
21/07/2023 03:00	0.00352687	INDmg/m3
21/07/2023 04:00	0.003541384	INDmg/m3
21/07/2023 05:00	0.003536165	INDmg/m3
21/07/2023 06:00	0.003526719	INDmg/m3
21/07/2023 07:00	0.003515456	INDmg/m3
21/07/2023 08:00	0.003572048	INDmg/m3
21/07/2023 09:00	0.003624594	INDmg/m3
21/07/2023 10:00	0.003554337	INDmg/m3
21/07/2023 11:00	0.003558916	INDmg/m3
21/07/2023 12:00	0.003588994	INDmg/m3
21/07/2023 13:00	0.003556663	INDmg/m3
21/07/2023 14:00	0.003645831	INDmg/m3

21/07/2023 15:00	0.003573012	INDmg/m3
21/07/2023 16:00	0.003540305	INDmg/m3
21/07/2023 17:00	0.003579414	INDmg/m3
21/07/2023 18:00	0.003542102	INDmg/m3
21/07/2023 19:00	0.00356039	INDmg/m3
21/07/2023 20:00	0.003536744	INDmg/m3
21/07/2023 21:00	0.003532818	INDmg/m3
21/07/2023 22:00	0.017946109	INDmg/m3
21/07/2023 23:00	0.003888962	INDmg/m3
22/07/2023 00:00	0.003552837	INDmg/m3
22/07/2023 01:00	0.003506175	INDmg/m3
22/07/2023 02:00	0.014780042	INDmg/m3
22/07/2023 03:00	0.0057817	INDmg/m3
22/07/2023 04:00	0.003837228	INDmg/m3
22/07/2023 05:00	0.003892866	INDmg/m3
22/07/2023 06:00	0.004409428	INDmg/m3
22/07/2023 07:00	0.01481334	INDmg/m3
22/07/2023 08:00	0.043217909	INDmg/m3
22/07/2023 09:00	0.04187404	INDmg/m3
22/07/2023 10:00	0.024480358	INDmg/m3
22/07/2023 11:00	0.007720482	INDmg/m3
22/07/2023 12:00	0.021123737	INDmg/m3
22/07/2023 13:00	0.007208232	INDmg/m3
22/07/2023 14:00	0.00431205	INDmg/m3
22/07/2023 15:00	0.005017575	INDmg/m3
22/07/2023 16:00	0.013567791	INDmg/m3
22/07/2023 17:00	0.006560343	INDmg/m3
22/07/2023 18:00	0.033818714	INDmg/m3
22/07/2023 19:00	0.082249545	INDmg/m3
22/07/2023 20:00	0.03588549	INDmg/m3
22/07/2023 21:00	0.00691175	INDmg/m3
22/07/2023 22:00	0.004979542	INDmg/m3
22/07/2023 23:00	0.004100068	INDmg/m3
23/07/2023 00:00	0.003863892	INDmg/m3
23/07/2023 01:00	0.003824031	INDmg/m3
23/07/2023 02:00	0.003784157	INDmg/m3
23/07/2023 03:00	0.00366138	INDmg/m3
23/07/2023 04:00	0.003818842	INDmg/m3
23/07/2023 05:00	0.00369804	INDmg/m3
23/07/2023 06:00	0.003720437	INDmg/m3
23/07/2023 07:00	0.004208949	INDmg/m3
23/07/2023 08:00	0.003737658	INDmg/m3
23/07/2023 09:00	0.003806461	INDmg/m3
23/07/2023 10:00	0.003789844	INDmg/m3
23/07/2023 11:00	0.004090989	INDmg/m3
23/07/2023 12:00	0.003863781	INDmg/m3
23/07/2023 13:00	0.003811169	INDmg/m3
23/07/2023 14:00	0.003696497	INDmg/m3
23/07/2023 15:00	0.003731383	INDmg/m3
23/07/2023 16:00	0.003697477	INDmg/m3
23/07/2023 17:00	0.005871147	INDmg/m3
23/07/2023 18:00	0.003707023	INDmg/m3
23/07/2023 19:00	0.00366825	INDmg/m3
23/07/2023 20:00	0.003667966	INDmg/m3
23/07/2023 21:00	0.003678301	INDmg/m3
23/07/2023 22:00	0.003674914	INDmg/m3

23/07/2023 23:00	0.019538632	INDmg/m3
24/07/2023 00:00	0.003655757	INDmg/m3
24/07/2023 01:00	0.003676041	INDmg/m3
24/07/2023 02:00	0.00446189	INDmg/m3
24/07/2023 03:00	0.00490078	INDmg/m3
24/07/2023 04:00	0.014444362	INDmg/m3
24/07/2023 05:00	1.136878014	INDmg/m3
24/07/2023 06:00	3.022572994	INDmg/m3
24/07/2023 07:00	0.005426656	INDmg/m3
24/07/2023 08:00	0.003685902	INDmg/m3
24/07/2023 09:00	0.003665617	INDmg/m3
24/07/2023 10:00	0.003669564	INDmg/m3
24/07/2023 11:00	0.003668712	INDmg/m3
24/07/2023 12:00	0.003665148	INDmg/m3
24/07/2023 13:00	0.003643354	INDmg/m3
24/07/2023 14:00	0.003669559	INDmg/m3
24/07/2023 15:00	0.003689172	INDmg/m3
24/07/2023 16:00	0.00367003	INDmg/m3
24/07/2023 17:00	0.003648463	INDmg/m3
24/07/2023 18:00	0.003742657	INDmg/m3
24/07/2023 19:00	0.003617852	INDmg/m3
24/07/2023 20:00	0.003621486	INDmg/m3
24/07/2023 21:00	0.003589442	INDmg/m3
24/07/2023 22:00	0.003598856	INDmg/m3
24/07/2023 23:00	0.003580217	INDmg/m3
25/07/2023 00:00	0.00367594	INDmg/m3
25/07/2023 01:00	0.00363491	INDmg/m3
25/07/2023 02:00	0.003560856	INDmg/m3
25/07/2023 03:00	0.003581761	INDmg/m3
25/07/2023 04:00	0.003625048	INDmg/m3
25/07/2023 05:00	0.003745842	INDmg/m3
25/07/2023 06:00	0.475334108	INDmg/m3
25/07/2023 07:00	0.728833914	INDmg/m3
25/07/2023 08:00	1.671361089	INDmg/m3
25/07/2023 09:00	2.389476776	INDmg/m3
25/07/2023 10:00	2.706191778	INDmg/m3
25/07/2023 11:00	1.766357899	INDmg/m3
25/07/2023 12:00	1.99529171	INDmg/m3
25/07/2023 13:00	2.190346003	INDmg/m3
25/07/2023 14:00	2.416687012	INDmg/m3
25/07/2023 15:00	1.627552629	INDmg/m3
25/07/2023 16:00	1.80412364	INDmg/m3
25/07/2023 17:00	0.841113329	INDmg/m3
25/07/2023 18:00	0.003633915	INDmg/m3
25/07/2023 19:00	0.003627235	INDmg/m3
25/07/2023 20:00	0.003552991	INDmg/m3
25/07/2023 21:00	0.003562234	INDmg/m3
25/07/2023 22:00	0.00353607	INDmg/m3
25/07/2023 23:00	0.003537349	INDmg/m3
26/07/2023 00:00	0.003554253	INDmg/m3
26/07/2023 01:00	0.003521266	INDmg/m3
26/07/2023 02:00	0.003529717	INDmg/m3
26/07/2023 03:00	0.003551119	INDmg/m3
26/07/2023 04:00	0.003540953	INDmg/m3
26/07/2023 05:00	0.003520553	INDmg/m3
26/07/2023 06:00	0.27867642	INDmg/m3

26/07/2023 07:00	1.06286478	INDmg/m3
26/07/2023 08:00	2.630479336	INDmg/m3
26/07/2023 09:00	1.97845304	INDmg/m3
26/07/2023 10:00	1.325854301	INDmg/m3
26/07/2023 11:00	1.228043675	INDmg/m3
26/07/2023 12:00	0.901219904	INDmg/m3
26/07/2023 13:00	0.961353183	INDmg/m3
26/07/2023 14:00	1.682159066	INDmg/m3
26/07/2023 15:00	0.99154675	INDmg/m3
26/07/2023 16:00	1.463613749	INDmg/m3
26/07/2023 17:00	0.060039524	INDmg/m3
26/07/2023 18:00	0.01293969	INDmg/m3
26/07/2023 19:00	0.013382218	INDmg/m3
26/07/2023 20:00	1.324129701	INDmg/m3
26/07/2023 21:00	0.080905393	INDmg/m3
26/07/2023 22:00	0.67908442	INDmg/m3
26/07/2023 23:00	0.009845281	INDmg/m3
27/07/2023 00:00	0.005764085	INDmg/m3
27/07/2023 01:00	0.005591344	INDmg/m3
27/07/2023 02:00	0.006382658	INDmg/m3
27/07/2023 03:00	0.003978025	INDmg/m3
27/07/2023 04:00	0.004304529	INDmg/m3
27/07/2023 05:00	0.003869294	INDmg/m3
27/07/2023 06:00	0.003793389	INDmg/m3
27/07/2023 07:00	0.003687974	INDmg/m3
27/07/2023 08:00	0.004995034	INDmg/m3
27/07/2023 09:00	0.004421092	INDmg/m3
27/07/2023 10:00	0.003850055	INDmg/m3
27/07/2023 11:00	0.180441529	INDmg/m3
27/07/2023 12:00	2.60550642	INDmg/m3
27/07/2023 13:00	0.532104552	INDmg/m3
27/07/2023 14:00	0.635547101	INDmg/m3
27/07/2023 15:00	0.847492397	INDmg/m3
27/07/2023 16:00	0.003768289	INDmg/m3
27/07/2023 17:00	0.003757386	INDmg/m3
27/07/2023 18:00	0.003720262	INDmg/m3
27/07/2023 19:00	0.003745835	INDmg/m3
27/07/2023 20:00	0.003918878	INDmg/m3
27/07/2023 21:00	0.003823612	INDmg/m3
27/07/2023 22:00	0.00379677	INDmg/m3
27/07/2023 23:00	0.003905577	INDmg/m3
28/07/2023 00:00	0.004020568	INDmg/m3
28/07/2023 01:00	0.004659556	INDmg/m3
28/07/2023 02:00	0.003820607	INDmg/m3
28/07/2023 03:00	0.004704471	INDmg/m3
28/07/2023 04:00	0.003885028	INDmg/m3
28/07/2023 05:00	0.007451391	INDmg/m3
28/07/2023 06:00	0.004408687	INDmg/m3
28/07/2023 07:00	0.003733635	INDmg/m3
28/07/2023 08:00	0.003801107	INDmg/m3
28/07/2023 09:00	0.003922264	INDmg/m3
28/07/2023 10:00	0.003862767	INDmg/m3
28/07/2023 11:00	0.00389245	INDmg/m3
28/07/2023 12:00	0.007659209	INDmg/m3
28/07/2023 13:00	0.003860968	INDmg/m3
28/07/2023 14:00	0.003905063	INDmg/m3

28/07/2023 15:00	0.003748508	INDmg/m3
28/07/2023 16:00	0.004170238	INDmg/m3
28/07/2023 17:00	0.003734708	INDmg/m3
28/07/2023 18:00	0.003858878	INDmg/m3
28/07/2023 19:00	0.00372936	INDmg/m3
28/07/2023 20:00	0.004231506	INDmg/m3
28/07/2023 21:00	0.003767658	INDmg/m3
28/07/2023 22:00	0.008672623	INDmg/m3
28/07/2023 23:00	0.003715882	INDmg/m3
29/07/2023 00:00	0.004012678	INDmg/m3
29/07/2023 01:00	0.006324322	INDmg/m3
29/07/2023 02:00	0.004698138	INDmg/m3
29/07/2023 03:00	0.003780734	INDmg/m3
29/07/2023 04:00	0.031740997	INDmg/m3
29/07/2023 05:00	0.006416318	INDmg/m3
29/07/2023 06:00	0.00375239	INDmg/m3
29/07/2023 07:00	0.004056923	INDmg/m3
29/07/2023 08:00	0.00377533	INDmg/m3
29/07/2023 09:00	0.003753436	INDmg/m3
29/07/2023 10:00	0.003800832	INDmg/m3
29/07/2023 11:00	0.003830784	INDmg/m3
29/07/2023 12:00	0.005152253	INDmg/m3
29/07/2023 13:00	0.00372475	INDmg/m3
29/07/2023 14:00	0.003724774	INDmg/m3
29/07/2023 15:00	0.003728899	INDmg/m3
29/07/2023 16:00	0.003733039	INDmg/m3
29/07/2023 17:00	0.003709436	INDmg/m3
29/07/2023 18:00	0.003718253	INDmg/m3
29/07/2023 19:00	0.003929811	INDmg/m3
29/07/2023 20:00	0.004050418	INDmg/m3
29/07/2023 21:00	0.003707254	INDmg/m3
29/07/2023 22:00	0.003864775	INDmg/m3
29/07/2023 23:00	0.003930095	INDmg/m3
30/07/2023 00:00	0.003720014	INDmg/m3
30/07/2023 01:00	0.0039859	INDmg/m3
30/07/2023 02:00	0.003896866	INDmg/m3
30/07/2023 03:00	0.004007056	INDmg/m3
30/07/2023 04:00	0.003729078	INDmg/m3
30/07/2023 05:00	0.003754354	INDmg/m3
30/07/2023 06:00	0.003768706	INDmg/m3
30/07/2023 07:00	0.003841309	INDmg/m3
30/07/2023 08:00	0.003763499	INDmg/m3
30/07/2023 09:00	0.00555717	INDmg/m3
30/07/2023 10:00	0.003849721	INDmg/m3
30/07/2023 11:00	0.010663748	INDmg/m3
30/07/2023 12:00	0.016967492	INDmg/m3
30/07/2023 13:00	0.007575847	INDmg/m3
30/07/2023 14:00	0.010810822	INDmg/m3
30/07/2023 15:00	0.003795651	INDmg/m3
30/07/2023 16:00	0.042826112	INDmg/m3
30/07/2023 17:00	0.003795033	INDmg/m3
30/07/2023 18:00	0.009833323	INDmg/m3
30/07/2023 19:00	0.028133271	INDmg/m3
30/07/2023 20:00	0.006450683	INDmg/m3
30/07/2023 21:00	0.004315333	INDmg/m3
30/07/2023 22:00	0.004628824	INDmg/m3

30/07/2023 23:00	0.004980352	INDmg/m3
31/07/2023 00:00	0.00460734	INDmg/m3
31/07/2023 01:00	0.003888255	INDmg/m3
31/07/2023 02:00	0.004982929	INDmg/m3
31/07/2023 03:00	0.003851462	INDmg/m3
31/07/2023 04:00	0.003805673	INDmg/m3
31/07/2023 05:00	0.003987045	INDmg/m3
31/07/2023 06:00	0.004091533	INDmg/m3
31/07/2023 07:00	0.003842868	INDmg/m3
31/07/2023 08:00	0.003870693	INDmg/m3
31/07/2023 09:00	0.003859874	INDmg/m3
31/07/2023 10:00	0.003846012	INDmg/m3
31/07/2023 11:00	0.006392567	INDmg/m3
31/07/2023 12:00	0.007794638	INDmg/m3
31/07/2023 13:00	0.003870203	INDmg/m3
31/07/2023 14:00	0.003859542	INDmg/m3
31/07/2023 15:00	0.0038932	INDmg/m3
31/07/2023 16:00	0.003892943	INDmg/m3
31/07/2023 17:00	0.003899772	INDmg/m3
31/07/2023 18:00	0.003876436	INDmg/m3
31/07/2023 19:00	0.004103179	INDmg/m3
31/07/2023 20:00	0.003928788	INDmg/m3
31/07/2023 21:00	0.003846991	INDmg/m3
31/07/2023 22:00	0.0038399	INDmg/m3
31/07/2023 23:00	0.003841027	INDmg/m3
01/08/2023 00:00	0.003824926	INDmg/m3
01/08/2023 01:00	0.003830557	INDmg/m3
01/08/2023 02:00	0.003851991	INDmg/m3
01/08/2023 03:00	0.003846337	INDmg/m3
01/08/2023 04:00	0.003830927	INDmg/m3
01/08/2023 05:00	0.003810975	INDmg/m3
01/08/2023 06:00	0.310415238	INDmg/m3
01/08/2023 07:00	0.37215966	INDmg/m3
01/08/2023 08:00	1.043744564	INDmg/m3
01/08/2023 09:00	1.447618961	INDmg/m3
01/08/2023 10:00	2.151464939	INDmg/m3
01/08/2023 11:00	1.601979971	INDmg/m3
01/08/2023 12:00	1.269230366	INDmg/m3
01/08/2023 13:00	1.232302547	INDmg/m3
01/08/2023 14:00	1.367667794	INDmg/m3
01/08/2023 15:00	1.283199668	INDmg/m3
01/08/2023 16:00	1.402043462	INDmg/m3
01/08/2023 17:00	1.315931559	INDmg/m3
01/08/2023 18:00	0.011636139	INDmg/m3
01/08/2023 19:00	0.031560078	INDmg/m3
01/08/2023 20:00	0.010713638	INDmg/m3
01/08/2023 21:00	0.784894347	INDmg/m3
01/08/2023 22:00	0.020035617	INDmg/m3
01/08/2023 23:00	0.003713543	INDmg/m3
02/08/2023 00:00	0.019176085	INDmg/m3
02/08/2023 01:00	0.007263236	INDmg/m3
02/08/2023 02:00	0.053831361	INDmg/m3
02/08/2023 03:00	0.007002741	INDmg/m3
02/08/2023 04:00	0.006154685	INDmg/m3
02/08/2023 05:00	0.004200521	INDmg/m3
02/08/2023 06:00	0.00381599	INDmg/m3

02/08/2023 07:00	0.00379829	INDmg/m3
02/08/2023 08:00	0.016338643	INDmg/m3
02/08/2023 09:00	0.041555114	INDmg/m3
02/08/2023 10:00	0.173784852	INDmg/m3
02/08/2023 11:00	0.03550256	INDmg/m3
02/08/2023 12:00	1.467364311	INDmg/m3
02/08/2023 13:00	0.712019265	INDmg/m3
02/08/2023 14:00	0.025136376	INDmg/m3
02/08/2023 15:00	0.010516952	INDmg/m3
02/08/2023 16:00	0.009416943	INDmg/m3
02/08/2023 17:00	0.003812607	INDmg/m3
02/08/2023 18:00	0.005573415	INDmg/m3
02/08/2023 19:00	0.004238752	INDmg/m3
02/08/2023 20:00	0.003803257	INDmg/m3
02/08/2023 21:00	0.003785621	INDmg/m3
02/08/2023 22:00	0.003772157	INDmg/m3
02/08/2023 23:00	0.003767872	INDmg/m3
03/08/2023 00:00	0.00374963	INDmg/m3
03/08/2023 01:00	0.003806932	INDmg/m3
03/08/2023 02:00	0.003769224	INDmg/m3
03/08/2023 03:00	0.003773225	INDmg/m3
03/08/2023 04:00	0.003787193	INDmg/m3
03/08/2023 05:00	0.003803415	INDmg/m3
03/08/2023 06:00	0.00398366	INDmg/m3
03/08/2023 07:00	0.003809959	INDmg/m3
03/08/2023 08:00	0.003809839	INDmg/m3
03/08/2023 09:00	0.003762691	INDmg/m3
03/08/2023 10:00	0.003823571	INDmg/m3
03/08/2023 11:00	0.003812279	INDmg/m3
03/08/2023 12:00	0.003800101	INDmg/m3
03/08/2023 13:00	0.004504361	INDmg/m3
03/08/2023 14:00	0.003874291	INDmg/m3
03/08/2023 15:00	0.003771838	INDmg/m3
03/08/2023 16:00	0.003803093	INDmg/m3
03/08/2023 17:00	0.003763503	INDmg/m3
03/08/2023 18:00	0.003704346	INDmg/m3
03/08/2023 19:00	0.003712697	INDmg/m3
03/08/2023 20:00	0.003743312	INDmg/m3
03/08/2023 21:00	0.003738077	INDmg/m3
03/08/2023 22:00	0.003753015	INDmg/m3
03/08/2023 23:00	0.003726874	INDmg/m3
04/08/2023 00:00	0.003711383	INDmg/m3
04/08/2023 01:00	0.003751895	INDmg/m3
04/08/2023 02:00	0.003743722	INDmg/m3
04/08/2023 03:00	0.003739635	INDmg/m3
04/08/2023 04:00	0.003696238	INDmg/m3
04/08/2023 05:00	0.003739844	INDmg/m3
04/08/2023 06:00	0.004003674	INDmg/m3
04/08/2023 07:00	0.003687026	INDmg/m3
04/08/2023 08:00	0.003709842	INDmg/m3
04/08/2023 09:00	0.003754281	INDmg/m3
04/08/2023 10:00	0.003722696	INDmg/m3
04/08/2023 11:00	0.003745696	INDmg/m3
04/08/2023 12:00	0.003731256	INDmg/m3
04/08/2023 13:00	0.003741749	INDmg/m3
04/08/2023 14:00	0.003734581	INDmg/m3

04/08/2023 15:00	0.003698773	INDmg/m3
04/08/2023 16:00	0.003716083	INDmg/m3
04/08/2023 17:00	0.003725289	INDmg/m3
04/08/2023 18:00	0.003667307	INDmg/m3
04/08/2023 19:00	0.003742028	INDmg/m3
04/08/2023 20:00	0.003729838	INDmg/m3
04/08/2023 21:00	0.003663739	INDmg/m3
04/08/2023 22:00	0.003756746	INDmg/m3
04/08/2023 23:00	0.003772236	INDmg/m3
05/08/2023 00:00	0.003619244	INDmg/m3
05/08/2023 01:00	0.006315876	INDmg/m3
05/08/2023 02:00	0.011303827	INDmg/m3
05/08/2023 03:00	0.150582418	INDmg/m3
05/08/2023 04:00	0.14548187	INDmg/m3
05/08/2023 05:00	0.236800209	INDmg/m3
05/08/2023 06:00	0.308971941	INDmg/m3
05/08/2023 07:00	0.022585316	INDmg/m3
05/08/2023 08:00	0.018062176	INDmg/m3
05/08/2023 09:00	0.008913038	INDmg/m3
05/08/2023 10:00	0.010861815	INDmg/m3
05/08/2023 11:00	0.012520557	INDmg/m3
05/08/2023 12:00	0.016595375	INDmg/m3
05/08/2023 13:00	0.01943557	INDmg/m3
05/08/2023 14:00	0.004917204	INDmg/m3
05/08/2023 15:00	0.004905211	INDmg/m3
05/08/2023 16:00	0.004237809	INDmg/m3
05/08/2023 17:00	0.003894016	INDmg/m3
05/08/2023 18:00	0.003773292	INDmg/m3
05/08/2023 19:00	0.003718748	INDmg/m3
05/08/2023 20:00	0.003691166	INDmg/m3
05/08/2023 21:00	0.003679906	INDmg/m3
05/08/2023 22:00	0.00372528	INDmg/m3
05/08/2023 23:00	0.00373323	INDmg/m3
06/08/2023 00:00	0.003680447	INDmg/m3
06/08/2023 01:00	0.003714191	INDmg/m3
06/08/2023 02:00	0.003702399	INDmg/m3
06/08/2023 03:00	0.003695664	INDmg/m3
06/08/2023 04:00	0.003678759	INDmg/m3
06/08/2023 05:00	0.003706267	INDmg/m3
06/08/2023 06:00	0.003670875	INDmg/m3
06/08/2023 07:00	0.00386864	INDmg/m3
06/08/2023 08:00	0.004123803	INDmg/m3
06/08/2023 09:00	0.003783967	INDmg/m3
06/08/2023 10:00	0.003797186	INDmg/m3
06/08/2023 11:00	0.005721481	INDmg/m3
06/08/2023 12:00	0.003783341	INDmg/m3
06/08/2023 13:00	0.0051393	INDmg/m3
06/08/2023 14:00	0.006825886	INDmg/m3
06/08/2023 15:00	0.003683275	INDmg/m3
06/08/2023 16:00	0.003708551	INDmg/m3
06/08/2023 17:00	0.003720294	INDmg/m3
06/08/2023 18:00	0.003669655	INDmg/m3
06/08/2023 19:00	0.003749563	INDmg/m3
06/08/2023 20:00	0.003713947	INDmg/m3
06/08/2023 21:00	0.003644867	INDmg/m3
06/08/2023 22:00	0.003711411	INDmg/m3

06/08/2023 23:00	0.003650676	INDmg/m3
07/08/2023 00:00	0.00365015	INDmg/m3
07/08/2023 01:00	0.003678213	INDmg/m3
07/08/2023 02:00	0.003690678	INDmg/m3
07/08/2023 03:00	0.003614914	INDmg/m3
07/08/2023 04:00	0.003678449	INDmg/m3
07/08/2023 05:00	0.003693197	INDmg/m3
07/08/2023 06:00	0.003634935	INDmg/m3
07/08/2023 07:00	0.003697531	INDmg/m3
07/08/2023 08:00	0.003739928	INDmg/m3
07/08/2023 09:00	0.003671515	INDmg/m3
07/08/2023 10:00	0.003690442	INDmg/m3
07/08/2023 11:00	0.003689849	INDmg/m3
07/08/2023 12:00	0.003692045	INDmg/m3
07/08/2023 13:00	0.003672008	INDmg/m3
07/08/2023 14:00	0.003734477	INDmg/m3
07/08/2023 15:00	0.003768118	INDmg/m3
07/08/2023 16:00	0.003689429	INDmg/m3
07/08/2023 17:00	0.003734808	INDmg/m3
07/08/2023 18:00	0.003694959	INDmg/m3
07/08/2023 19:00	0.003621458	INDmg/m3
07/08/2023 20:00	0.003699363	INDmg/m3
07/08/2023 21:00	0.003710763	INDmg/m3
07/08/2023 22:00	0.003618492	INDmg/m3
07/08/2023 23:00	0.003947857	INDmg/m3
08/08/2023 00:00	0.003690036	INDmg/m3
08/08/2023 01:00	0.004486496	INDmg/m3
08/08/2023 02:00	0.006549309	INDmg/m3
08/08/2023 03:00	0.019623654	INDmg/m3
08/08/2023 04:00	0.006808393	INDmg/m3
08/08/2023 05:00	0.004122617	INDmg/m3
08/08/2023 06:00	0.46977511	INDmg/m3
08/08/2023 07:00	1.802654505	INDmg/m3
08/08/2023 08:00	1.506294727	INDmg/m3
08/08/2023 09:00	1.021486163	INDmg/m3
08/08/2023 10:00	1.362797976	INDmg/m3
08/08/2023 11:00	1.199867964	INDmg/m3
08/08/2023 12:00	1.465908647	INDmg/m3
08/08/2023 13:00	1.750622272	INDmg/m3
08/08/2023 14:00	1.547656298	INDmg/m3
08/08/2023 15:00	1.177048683	INDmg/m3
08/08/2023 16:00	1.355938435	INDmg/m3
08/08/2023 17:00	0.255224377	INDmg/m3
08/08/2023 18:00	0.003939434	INDmg/m3
08/08/2023 19:00	0.003902276	INDmg/m3
08/08/2023 20:00	0.003918355	INDmg/m3
08/08/2023 21:00	0.003761554	INDmg/m3
08/08/2023 22:00	0.003917136	INDmg/m3
08/08/2023 23:00	0.003751539	INDmg/m3
09/08/2023 00:00	0.003795923	INDmg/m3
09/08/2023 01:00	0.003783706	INDmg/m3
09/08/2023 02:00	0.003811079	INDmg/m3
09/08/2023 03:00	0.003778426	INDmg/m3
09/08/2023 04:00	0.003796094	INDmg/m3
09/08/2023 05:00	0.003742734	INDmg/m3
09/08/2023 06:00	0.003817791	INDmg/m3

09/08/2023 07:00	0.003775768	INDmg/m3
09/08/2023 08:00	0.003833925	INDmg/m3
09/08/2023 09:00	0.003775272	INDmg/m3
09/08/2023 10:00	0.003790973	INDmg/m3
09/08/2023 11:00	0.003831772	INDmg/m3
09/08/2023 12:00	0.003777789	INDmg/m3
09/08/2023 13:00	0.003804951	INDmg/m3
09/08/2023 14:00	0.003802632	INDmg/m3
09/08/2023 15:00	0.003752881	INDmg/m3
09/08/2023 16:00	0.003822575	INDmg/m3
09/08/2023 17:00	0.003795145	INDmg/m3
09/08/2023 18:00	0.003777385	INDmg/m3
09/08/2023 19:00	0.003781716	INDmg/m3
09/08/2023 20:00	0.003812437	INDmg/m3
09/08/2023 21:00	0.003789566	INDmg/m3
09/08/2023 22:00	0.003775767	INDmg/m3
09/08/2023 23:00	0.003777673	INDmg/m3
10/08/2023 00:00	0.003812436	INDmg/m3
10/08/2023 01:00	0.00380766	INDmg/m3
10/08/2023 02:00	0.00377933	INDmg/m3
10/08/2023 03:00	0.003769778	INDmg/m3
10/08/2023 04:00	0.003791868	INDmg/m3
10/08/2023 05:00	0.003784859	INDmg/m3
10/08/2023 06:00	0.00375612	INDmg/m3
10/08/2023 07:00	0.304201603	INDmg/m3
10/08/2023 08:00	1.360996962	INDmg/m3
10/08/2023 09:00	1.744285464	INDmg/m3
10/08/2023 10:00	2.664338827	INDmg/m3
10/08/2023 11:00	1.482477784	INDmg/m3
10/08/2023 12:00	1.6441679	INDmg/m3
10/08/2023 13:00	1.71073103	INDmg/m3
10/08/2023 14:00	2.260801792	INDmg/m3
10/08/2023 15:00	1.15854919	INDmg/m3
10/08/2023 16:00	0.00381325	INDmg/m3
10/08/2023 17:00	0.003778053	INDmg/m3
10/08/2023 18:00	0.003817679	INDmg/m3
10/08/2023 19:00	0.003821683	INDmg/m3
10/08/2023 20:00	0.003771533	INDmg/m3
10/08/2023 21:00	0.012256295	INDmg/m3
10/08/2023 22:00	0.007264884	INDmg/m3
10/08/2023 23:00	0.009886391	INDmg/m3
11/08/2023 00:00	0.008830178	INDmg/m3
11/08/2023 01:00	0.004669085	INDmg/m3
11/08/2023 02:00	0.003815431	INDmg/m3
11/08/2023 03:00	0.003799545	INDmg/m3
11/08/2023 04:00	0.003731979	INDmg/m3
11/08/2023 05:00	0.003766018	INDmg/m3
11/08/2023 06:00	0.003764715	INDmg/m3
11/08/2023 07:00	0.003808273	INDmg/m3
11/08/2023 08:00	0.003791818	INDmg/m3
11/08/2023 09:00	0.003795028	INDmg/m3
11/08/2023 10:00	0.00384079	INDmg/m3
11/08/2023 11:00	0.003791771	INDmg/m3
11/08/2023 12:00	0.003797225	INDmg/m3
11/08/2023 13:00	0.003821017	INDmg/m3
11/08/2023 14:00	0.003781989	INDmg/m3

11/08/2023 15:00	0.003777301	INDmg/m3
11/08/2023 16:00	0.003797901	INDmg/m3
11/08/2023 17:00	0.003767594	INDmg/m3
11/08/2023 18:00	0.003782517	INDmg/m3
11/08/2023 19:00	0.003755197	INDmg/m3
11/08/2023 20:00	0.003763366	INDmg/m3
11/08/2023 21:00	0.00387626	INDmg/m3
11/08/2023 22:00	0.003883593	INDmg/m3
11/08/2023 23:00	0.003769505	INDmg/m3
12/08/2023 00:00	0.003724701	INDmg/m3
12/08/2023 01:00	0.003779582	INDmg/m3
12/08/2023 02:00	0.00377896	INDmg/m3
12/08/2023 03:00	0.003793582	INDmg/m3
12/08/2023 04:00	0.003800662	INDmg/m3
12/08/2023 05:00	0.003759988	INDmg/m3
12/08/2023 06:00	0.004211922	INDmg/m3
12/08/2023 07:00	0.003897524	INDmg/m3
12/08/2023 08:00	0.003910145	INDmg/m3
12/08/2023 09:00	0.008392564	INDmg/m3
12/08/2023 10:00	0.006674137	INDmg/m3
12/08/2023 11:00	0.003791442	INDmg/m3
12/08/2023 12:00	0.003804218	INDmg/m3
12/08/2023 13:00	0.003995776	INDmg/m3
12/08/2023 14:00	0.006728106	INDmg/m3
12/08/2023 15:00	0.05433467	INDmg/m3
12/08/2023 16:00	0.004423919	INDmg/m3
12/08/2023 17:00	0.005084656	INDmg/m3
12/08/2023 18:00	0.003836701	INDmg/m3
12/08/2023 19:00	0.003778742	INDmg/m3
12/08/2023 20:00	0.005744489	INDmg/m3
12/08/2023 21:00	0.005912067	INDmg/m3
12/08/2023 22:00	0.004508931	INDmg/m3
12/08/2023 23:00	0.004689625	INDmg/m3
13/08/2023 00:00	0.003824642	INDmg/m3
13/08/2023 01:00	0.003797625	INDmg/m3
13/08/2023 02:00	0.004074926	INDmg/m3
13/08/2023 03:00	0.005095176	INDmg/m3
13/08/2023 04:00	0.003826424	INDmg/m3
13/08/2023 05:00	0.006745087	INDmg/m3
13/08/2023 06:00	0.008201684	INDmg/m3
13/08/2023 07:00	0.003866637	INDmg/m3
13/08/2023 08:00	0.003820118	INDmg/m3
13/08/2023 09:00	0.003833042	INDmg/m3
13/08/2023 10:00	0.003843519	INDmg/m3
13/08/2023 11:00	0.003899175	INDmg/m3
13/08/2023 12:00	0.003818886	INDmg/m3
13/08/2023 13:00	0.00379301	INDmg/m3
13/08/2023 14:00	0.003806972	INDmg/m3
13/08/2023 15:00	0.00380072	INDmg/m3
13/08/2023 16:00	0.003841739	INDmg/m3
13/08/2023 17:00	0.003786729	INDmg/m3
13/08/2023 18:00	0.003796498	INDmg/m3
13/08/2023 19:00	0.059956621	INDmg/m3
13/08/2023 20:00	0.003928354	INDmg/m3
13/08/2023 21:00	0.031077364	INDmg/m3
13/08/2023 22:00	0.007618753	INDmg/m3

13/08/2023 23:00	0.873880208	INDmg/m3
14/08/2023 00:00	2.147391796	INDmg/m3
14/08/2023 01:00	1.880881667	INDmg/m3
14/08/2023 02:00	0.005929701	INDmg/m3
14/08/2023 03:00	0.07436841	INDmg/m3
14/08/2023 04:00	0.654135704	INDmg/m3
14/08/2023 05:00	1.719214439	INDmg/m3
14/08/2023 06:00	0.005034136	INDmg/m3
14/08/2023 07:00	0.017558588	INDmg/m3
14/08/2023 08:00	0.003908011	INDmg/m3
14/08/2023 09:00	0.005791565	INDmg/m3
14/08/2023 10:00	0.003951805	INDmg/m3
14/08/2023 11:00	0.004028694	INDmg/m3
14/08/2023 12:00	0.004005339	INDmg/m3
14/08/2023 13:00	0.004472398	INDmg/m3
14/08/2023 14:00	0.004272897	INDmg/m3
14/08/2023 15:00	0.004347805	INDmg/m3
14/08/2023 16:00	0.004116299	INDmg/m3
14/08/2023 17:00	0.003969305	INDmg/m3
14/08/2023 18:00	0.003928662	INDmg/m3
14/08/2023 19:00	0.0039027	INDmg/m3
14/08/2023 20:00	0.003870491	INDmg/m3
14/08/2023 21:00	0.003863334	INDmg/m3
14/08/2023 22:00	0.003840592	INDmg/m3
14/08/2023 23:00	0.003826699	INDmg/m3
15/08/2023 00:00	0.003876475	INDmg/m3
15/08/2023 01:00	0.007536274	INDmg/m3
15/08/2023 02:00	0.003844971	INDmg/m3
15/08/2023 03:00	0.003842373	INDmg/m3
15/08/2023 04:00	0.003864774	INDmg/m3
15/08/2023 05:00	0.003859426	INDmg/m3
15/08/2023 06:00	0.003889502	INDmg/m3
15/08/2023 07:00	0.003889944	INDmg/m3
15/08/2023 08:00	0.003848833	INDmg/m3
15/08/2023 09:00	0.363512009	INDmg/m3
15/08/2023 10:00	1.408160925	INDmg/m3
15/08/2023 11:00	1.945763946	INDmg/m3
15/08/2023 12:00	0.470003784	INDmg/m3
15/08/2023 13:00	0.218733147	INDmg/m3
15/08/2023 14:00	0.734449089	INDmg/m3
15/08/2023 15:00	0.004831193	INDmg/m3
15/08/2023 16:00	0.004176013	INDmg/m3
15/08/2023 17:00	0.003873199	INDmg/m3
15/08/2023 18:00	0.003811698	INDmg/m3
15/08/2023 19:00	0.003838195	INDmg/m3
15/08/2023 20:00	0.003783143	INDmg/m3
15/08/2023 21:00	0.003788319	INDmg/m3
15/08/2023 22:00	0.003773733	INDmg/m3
15/08/2023 23:00	0.003763869	INDmg/m3
16/08/2023 00:00	0.003728079	INDmg/m3
16/08/2023 01:00	0.003769843	INDmg/m3
16/08/2023 02:00	0.003782871	INDmg/m3
16/08/2023 03:00	0.003750837	INDmg/m3
16/08/2023 04:00	0.003773946	INDmg/m3
16/08/2023 05:00	0.003735669	INDmg/m3
16/08/2023 06:00	0.003753227	INDmg/m3

16/08/2023 07:00	0.003807707	INDmg/m3
16/08/2023 08:00	0.003763224	INDmg/m3
16/08/2023 09:00	0.003754709	INDmg/m3
16/08/2023 10:00	0.003808319	INDmg/m3
16/08/2023 11:00	0.003760278	INDmg/m3
16/08/2023 12:00	0.00381999	INDmg/m3
16/08/2023 13:00	0.003763599	INDmg/m3
16/08/2023 14:00	0.003753013	INDmg/m3
16/08/2023 15:00	0.003766687	INDmg/m3
16/08/2023 16:00	0.003744783	INDmg/m3
16/08/2023 17:00	0.003702079	INDmg/m3
16/08/2023 18:00	0.003735913	INDmg/m3
16/08/2023 19:00	0.003778388	INDmg/m3
16/08/2023 20:00	0.003744845	INDmg/m3
16/08/2023 21:00	0.003672561	INDmg/m3
16/08/2023 22:00	0.003672177	INDmg/m3
16/08/2023 23:00	0.003733206	INDmg/m3
17/08/2023 00:00	0.003688518	INDmg/m3
17/08/2023 01:00	0.003719624	INDmg/m3
17/08/2023 02:00	0.003718578	INDmg/m3
17/08/2023 03:00	0.00370557	INDmg/m3
17/08/2023 04:00	0.00367979	INDmg/m3
17/08/2023 05:00	0.003732497	INDmg/m3
17/08/2023 06:00	0.003715002	INDmg/m3
17/08/2023 07:00	0.003698825	INDmg/m3
17/08/2023 08:00	0.003805063	INDmg/m3
17/08/2023 09:00	0.003724291	INDmg/m3
17/08/2023 10:00	0.003710575	INDmg/m3
17/08/2023 11:00	0.003736118	INDmg/m3
17/08/2023 12:00	0.003795828	INDmg/m3
17/08/2023 13:00	0.003747661	INDmg/m3
17/08/2023 14:00	0.003710526	INDmg/m3
17/08/2023 15:00	0.003710927	INDmg/m3
17/08/2023 16:00	0.003708119	INDmg/m3
17/08/2023 17:00	0.003685069	INDmg/m3
17/08/2023 18:00	0.003709812	INDmg/m3
17/08/2023 19:00	0.003673047	INDmg/m3
17/08/2023 20:00	0.003702036	INDmg/m3
17/08/2023 21:00	0.003804603	INDmg/m3
17/08/2023 22:00	0.00367913	INDmg/m3
17/08/2023 23:00	0.003784878	INDmg/m3
18/08/2023 00:00	0.003724492	INDmg/m3
18/08/2023 01:00	0.004013232	INDmg/m3
18/08/2023 02:00	0.003782488	INDmg/m3
18/08/2023 03:00	0.003722444	INDmg/m3
18/08/2023 04:00	0.00370405	INDmg/m3
18/08/2023 05:00	0.003776298	INDmg/m3
18/08/2023 06:00	0.00373844	INDmg/m3
18/08/2023 07:00	0.003834315	INDmg/m3
18/08/2023 08:00	0.003763222	INDmg/m3
18/08/2023 09:00	0.003754275	INDmg/m3
18/08/2023 10:00	0.00374372	INDmg/m3
18/08/2023 11:00	0.003708832	INDmg/m3
18/08/2023 12:00	0.003753077	INDmg/m3
18/08/2023 13:00	0.003784337	INDmg/m3
18/08/2023 14:00	0.003868193	INDmg/m3

18/08/2023 15:00	0.008659903	INDmg/m3
18/08/2023 16:00	0.102607384	INDmg/m3
18/08/2023 17:00	0.132790312	INDmg/m3
18/08/2023 18:00	0.128918812	INDmg/m3
18/08/2023 19:00	0.15169616	INDmg/m3
18/08/2023 20:00	0.151364908	INDmg/m3
18/08/2023 21:00	0.20027186	INDmg/m3
18/08/2023 22:00	0.225394219	INDmg/m3
18/08/2023 23:00	0.00400762	INDmg/m3
19/08/2023 00:00	0.003828618	INDmg/m3
19/08/2023 01:00	0.003851105	INDmg/m3
19/08/2023 02:00	0.003911468	INDmg/m3
19/08/2023 03:00	0.003876053	INDmg/m3
19/08/2023 04:00	0.003893171	INDmg/m3
19/08/2023 05:00	0.003884088	INDmg/m3
19/08/2023 06:00	0.003892725	INDmg/m3
19/08/2023 07:00	0.004601848	INDmg/m3
19/08/2023 08:00	0.008228731	INDmg/m3
19/08/2023 09:00	0.004127938	INDmg/m3
19/08/2023 10:00	0.003860237	INDmg/m3
19/08/2023 11:00	0.003909495	INDmg/m3
19/08/2023 12:00	0.003909539	INDmg/m3
19/08/2023 13:00	0.003912669	INDmg/m3
19/08/2023 14:00	0.003919793	INDmg/m3
19/08/2023 15:00	0.003893452	INDmg/m3
19/08/2023 16:00	0.003836331	INDmg/m3
19/08/2023 17:00	0.003835858	INDmg/m3
19/08/2023 18:00	0.003831025	INDmg/m3
19/08/2023 19:00	0.003826041	INDmg/m3
19/08/2023 20:00	0.003808052	INDmg/m3
19/08/2023 21:00	0.003812713	INDmg/m3
19/08/2023 22:00	0.003820196	INDmg/m3
19/08/2023 23:00	0.003812665	INDmg/m3
20/08/2023 00:00	0.00386265	INDmg/m3
20/08/2023 01:00	0.003891731	INDmg/m3
20/08/2023 02:00	0.003853954	INDmg/m3
20/08/2023 03:00	0.003863693	INDmg/m3
20/08/2023 04:00	0.003808093	INDmg/m3
20/08/2023 05:00	0.003867601	INDmg/m3
20/08/2023 06:00	0.003844653	INDmg/m3
20/08/2023 07:00	0.003809853	INDmg/m3
20/08/2023 08:00	0.003786645	INDmg/m3
20/08/2023 09:00	0.003818527	INDmg/m3
20/08/2023 10:00	0.003817099	INDmg/m3
20/08/2023 11:00	0.003857169	INDmg/m3
20/08/2023 12:00	0.003842249	INDmg/m3
20/08/2023 13:00	0.003819472	INDmg/m3
20/08/2023 14:00	0.003790193	INDmg/m3
20/08/2023 15:00	0.003788882	INDmg/m3
20/08/2023 16:00	0.003842945	INDmg/m3
20/08/2023 17:00	0.003814585	INDmg/m3
20/08/2023 18:00	0.003800496	INDmg/m3
20/08/2023 19:00	0.003779179	INDmg/m3
20/08/2023 20:00	0.003838669	INDmg/m3
20/08/2023 21:00	0.003951843	INDmg/m3
20/08/2023 22:00	0.003874322	INDmg/m3

20/08/2023 23:00	0.003899825	INDmg/m3
21/08/2023 00:00	0.003884288	INDmg/m3
21/08/2023 01:00	0.003887256	INDmg/m3
21/08/2023 02:00	0.003862798	INDmg/m3
21/08/2023 03:00	0.003960239	INDmg/m3
21/08/2023 04:00	0.003778637	INDmg/m3
21/08/2023 05:00	0.003819859	INDmg/m3
21/08/2023 06:00	0.77056241	INDmg/m3
21/08/2023 07:00	1.326983809	INDmg/m3
21/08/2023 08:00	2.34869504	INDmg/m3
21/08/2023 09:00	2.181660891	INDmg/m3
21/08/2023 10:00	1.910793304	INDmg/m3
21/08/2023 11:00	1.394385338	INDmg/m3
21/08/2023 12:00	0.556952655	INDmg/m3
21/08/2023 13:00	0.003824638	INDmg/m3
21/08/2023 14:00	0.003845574	INDmg/m3
21/08/2023 15:00	0.003796329	INDmg/m3
21/08/2023 16:00	0.003802131	INDmg/m3
21/08/2023 17:00	0.003800947	INDmg/m3
21/08/2023 18:00	0.003839422	INDmg/m3
21/08/2023 19:00	0.003850436	INDmg/m3
21/08/2023 20:00	0.00393304	INDmg/m3
21/08/2023 21:00	0.004048172	INDmg/m3
21/08/2023 22:00	0.004413476	INDmg/m3
21/08/2023 23:00	0.004592548	INDmg/m3
22/08/2023 00:00	0.004054411	INDmg/m3
22/08/2023 01:00	0.003829287	INDmg/m3
22/08/2023 02:00	0.003934423	INDmg/m3
22/08/2023 03:00	0.004291781	INDmg/m3
22/08/2023 04:00	0.003873377	INDmg/m3
22/08/2023 05:00	0.003930582	INDmg/m3
22/08/2023 06:00	0.13627474	INDmg/m3
22/08/2023 07:00	0.479308099	INDmg/m3
22/08/2023 08:00	1.075643063	INDmg/m3
22/08/2023 09:00	1.354223371	INDmg/m3
22/08/2023 10:00	1.99802506	INDmg/m3
22/08/2023 11:00	1.307568908	INDmg/m3
22/08/2023 12:00	1.165594339	INDmg/m3
22/08/2023 13:00	1.537752271	INDmg/m3
22/08/2023 14:00	2.121391296	INDmg/m3
22/08/2023 15:00	1.799014807	INDmg/m3
22/08/2023 16:00	0.985409617	INDmg/m3
22/08/2023 17:00	0.004118339	INDmg/m3
22/08/2023 18:00	0.00388315	INDmg/m3
22/08/2023 19:00	0.003916122	INDmg/m3
22/08/2023 20:00	0.003908799	INDmg/m3
22/08/2023 21:00	0.003815426	INDmg/m3
22/08/2023 22:00	0.003974922	INDmg/m3
22/08/2023 23:00	0.003819938	INDmg/m3
23/08/2023 00:00	0.003780491	INDmg/m3
23/08/2023 01:00	0.003811356	INDmg/m3
23/08/2023 02:00	0.003974074	INDmg/m3
23/08/2023 03:00	0.00389201	INDmg/m3
23/08/2023 04:00	0.003964793	INDmg/m3
23/08/2023 05:00	0.003773034	INDmg/m3
23/08/2023 06:00	0.003785743	INDmg/m3

23/08/2023 07:00	0.004043943	INDmg/m3
23/08/2023 08:00	0.005287279	INDmg/m3
23/08/2023 09:00	0.004045409	INDmg/m3
23/08/2023 10:00	0.00381323	INDmg/m3
23/08/2023 11:00	0.003751962	INDmg/m3
23/08/2023 12:00	0.003910435	INDmg/m3
23/08/2023 13:00	0.004028202	INDmg/m3
23/08/2023 14:00	0.003896685	INDmg/m3
23/08/2023 15:00	0.003944818	INDmg/m3
23/08/2023 16:00	0.003867041	INDmg/m3
23/08/2023 17:00	0.003790691	INDmg/m3
23/08/2023 18:00	0.00372708	INDmg/m3
23/08/2023 19:00	0.004884458	INDmg/m3
23/08/2023 20:00	0.003734582	INDmg/m3
23/08/2023 21:00	0.003737034	INDmg/m3
23/08/2023 22:00	0.00370787	INDmg/m3
23/08/2023 23:00	0.00373436	INDmg/m3
24/08/2023 00:00	0.003778232	INDmg/m3
24/08/2023 01:00	0.003796731	INDmg/m3
24/08/2023 02:00	0.003739628	INDmg/m3
24/08/2023 03:00	0.003691637	INDmg/m3
24/08/2023 04:00	0.00371	INDmg/m3
24/08/2023 05:00	0.003717252	INDmg/m3
24/08/2023 06:00	0.003690302	INDmg/m3
24/08/2023 07:00	0.003728211	INDmg/m3
24/08/2023 08:00	0.003705864	INDmg/m3
24/08/2023 09:00	0.00372229	INDmg/m3
24/08/2023 10:00	0.003841355	INDmg/m3
24/08/2023 11:00	0.003779838	INDmg/m3
24/08/2023 12:00	0.003748931	INDmg/m3
24/08/2023 13:00	0.003683203	INDmg/m3
24/08/2023 14:00	0.004129531	INDmg/m3
24/08/2023 15:00	0.0037028	INDmg/m3
24/08/2023 16:00	0.003755417	INDmg/m3
24/08/2023 17:00	0.003699258	INDmg/m3
24/08/2023 18:00	0.003686267	INDmg/m3
24/08/2023 19:00	0.003687313	INDmg/m3
24/08/2023 20:00	0.003677536	INDmg/m3
24/08/2023 21:00	0.003668433	INDmg/m3
24/08/2023 22:00	0.003688636	INDmg/m3
24/08/2023 23:00	0.003682991	INDmg/m3
25/08/2023 00:00	0.003692919	INDmg/m3
25/08/2023 01:00	0.003704362	INDmg/m3
25/08/2023 02:00	0.003732104	INDmg/m3
25/08/2023 03:00	0.003688983	INDmg/m3
25/08/2023 04:00	0.003706715	INDmg/m3
25/08/2023 05:00	0.003689741	INDmg/m3
25/08/2023 06:00	0.003684953	INDmg/m3
25/08/2023 07:00	0.00368807	INDmg/m3
25/08/2023 08:00	0.003669461	INDmg/m3
25/08/2023 09:00	0.006037371	INDmg/m3
25/08/2023 10:00	0.004636648	INDmg/m3
25/08/2023 11:00	0.003741386	INDmg/m3
25/08/2023 12:00	0.00372823	INDmg/m3
25/08/2023 13:00	0.868651569	INDmg/m3
25/08/2023 14:00	0.060616158	INDmg/m3

25/08/2023 15:00	0.004194614	INDmg/m3
25/08/2023 16:00	0.003850419	INDmg/m3
25/08/2023 17:00	0.003800151	INDmg/m3
25/08/2023 18:00	0.139408678	INDmg/m3
25/08/2023 19:00	0.003742021	INDmg/m3
25/08/2023 20:00	0.003669372	INDmg/m3
25/08/2023 21:00	0.003702831	INDmg/m3
25/08/2023 22:00	0.003705454	INDmg/m3
25/08/2023 23:00	0.003708438	INDmg/m3
26/08/2023 00:00	0.006192323	INDmg/m3
26/08/2023 01:00	2.052367449	INDmg/m3
26/08/2023 02:00	0.020511083	INDmg/m3
26/08/2023 03:00	0.003723367	INDmg/m3
26/08/2023 04:00	0.003712988	INDmg/m3
26/08/2023 05:00	0.003676231	INDmg/m3
26/08/2023 06:00	0.00371568	INDmg/m3
26/08/2023 07:00	0.003712134	INDmg/m3
26/08/2023 08:00	0.010377906	INDmg/m3
26/08/2023 09:00	0.004606165	INDmg/m3
26/08/2023 10:00	0.003776417	INDmg/m3
26/08/2023 11:00	0.12529628	INDmg/m3
26/08/2023 12:00	1.099804044	INDmg/m3
26/08/2023 13:00	0.018621204	INDmg/m3
26/08/2023 14:00	0.630389392	INDmg/m3
26/08/2023 15:00	0.097168691	INDmg/m3
26/08/2023 16:00	0.01759845	INDmg/m3
26/08/2023 17:00	0.041271459	INDmg/m3
26/08/2023 18:00	0.006189513	INDmg/m3
26/08/2023 19:00	0.00370497	INDmg/m3
26/08/2023 20:00	0.003750545	INDmg/m3
26/08/2023 21:00	0.003691594	INDmg/m3
26/08/2023 22:00	0.003701394	INDmg/m3
26/08/2023 23:00	0.003697701	INDmg/m3
27/08/2023 00:00	0.006613252	INDmg/m3
27/08/2023 01:00	0.0071087	INDmg/m3
27/08/2023 02:00	0.003711611	INDmg/m3
27/08/2023 03:00	0.003709791	INDmg/m3
27/08/2023 04:00	0.00382186	INDmg/m3
27/08/2023 05:00	0.003969803	INDmg/m3
27/08/2023 06:00	0.003713504	INDmg/m3
27/08/2023 07:00	0.00372357	INDmg/m3
27/08/2023 08:00	0.003733657	INDmg/m3
27/08/2023 09:00	0.003723829	INDmg/m3
27/08/2023 10:00	0.003765908	INDmg/m3
27/08/2023 11:00	0.003749843	INDmg/m3
27/08/2023 12:00	0.003807649	INDmg/m3
27/08/2023 13:00	0.003775047	INDmg/m3
27/08/2023 14:00	0.003738594	INDmg/m3
27/08/2023 15:00	0.008532635	INDmg/m3
27/08/2023 16:00	0.003715873	INDmg/m3
27/08/2023 17:00	0.003723294	INDmg/m3
27/08/2023 18:00	0.004095397	INDmg/m3
27/08/2023 19:00	0.003732743	INDmg/m3
27/08/2023 20:00	0.003721756	INDmg/m3
27/08/2023 21:00	0.003703758	INDmg/m3
27/08/2023 22:00	0.004052354	INDmg/m3

27/08/2023 23:00	0.003818951	INDmg/m3
28/08/2023 00:00	0.003749286	INDmg/m3
28/08/2023 01:00	0.003741114	INDmg/m3
28/08/2023 02:00	0.003737463	INDmg/m3
28/08/2023 03:00	0.004012953	INDmg/m3
28/08/2023 04:00	0.003795712	INDmg/m3
28/08/2023 05:00	0.003788897	INDmg/m3
28/08/2023 06:00	0.556643009	INDmg/m3
28/08/2023 07:00	2.188270092	INDmg/m3
28/08/2023 08:00	1.894431472	INDmg/m3
28/08/2023 09:00	2.420433283	INDmg/m3
28/08/2023 10:00	3.701262474	INDmg/m3
28/08/2023 11:00	2.15899539	INDmg/m3
28/08/2023 12:00	2.152681112	INDmg/m3
28/08/2023 13:00	2.311476469	INDmg/m3
28/08/2023 14:00	2.667114496	INDmg/m3
28/08/2023 15:00	2.330490351	INDmg/m3
28/08/2023 16:00	1.54513979	INDmg/m3
28/08/2023 17:00	0.005782607	INDmg/m3
28/08/2023 18:00	0.003745063	INDmg/m3
28/08/2023 19:00	0.003689385	INDmg/m3
28/08/2023 20:00	0.003750907	INDmg/m3
28/08/2023 21:00	0.003713058	INDmg/m3
28/08/2023 22:00	0.005856804	INDmg/m3
28/08/2023 23:00	0.003687999	INDmg/m3
29/08/2023 00:00	0.003701954	INDmg/m3
29/08/2023 01:00	0.003694068	INDmg/m3
29/08/2023 02:00	0.003679514	INDmg/m3
29/08/2023 03:00	0.003686109	INDmg/m3
29/08/2023 04:00	0.003684684	INDmg/m3
29/08/2023 05:00	0.003687802	INDmg/m3
29/08/2023 06:00	0.003700349	INDmg/m3
29/08/2023 07:00	0.003688258	INDmg/m3
29/08/2023 08:00	0.003791596	INDmg/m3
29/08/2023 09:00	0.003775007	INDmg/m3
29/08/2023 10:00	0.0069798	INDmg/m3
29/08/2023 11:00	0.00610425	INDmg/m3
29/08/2023 12:00	0.003840565	INDmg/m3
29/08/2023 13:00	1.198150754	INDmg/m3
29/08/2023 14:00	0.005220369	INDmg/m3
29/08/2023 15:00	0.004702703	INDmg/m3
29/08/2023 16:00	0.003755204	INDmg/m3
29/08/2023 17:00	0.003725342	INDmg/m3
29/08/2023 18:00	0.003750201	INDmg/m3
29/08/2023 19:00	0.003735637	INDmg/m3
29/08/2023 20:00	0.003738654	INDmg/m3
29/08/2023 21:00	0.003730975	INDmg/m3
29/08/2023 22:00	0.003758508	INDmg/m3
29/08/2023 23:00	0.00371491	INDmg/m3
30/08/2023 00:00	0.003783149	INDmg/m3
30/08/2023 01:00	0.00376133	INDmg/m3
30/08/2023 02:00	0.003700242	INDmg/m3
30/08/2023 03:00	0.003749281	INDmg/m3
30/08/2023 04:00	0.003822113	INDmg/m3
30/08/2023 05:00	0.003788737	INDmg/m3
30/08/2023 06:00	0.005336387	INDmg/m3

30/08/2023 07:00	0.003768416	INDmg/m3
30/08/2023 08:00	0.003716527	INDmg/m3
30/08/2023 09:00	0.003759564	INDmg/m3
30/08/2023 10:00	0.003715516	INDmg/m3
30/08/2023 11:00	0.003804718	INDmg/m3
30/08/2023 12:00	0.003854361	INDmg/m3
30/08/2023 13:00	0.003767358	INDmg/m3
30/08/2023 14:00	0.003721883	INDmg/m3
30/08/2023 15:00	0.00376108	INDmg/m3
30/08/2023 16:00	0.003866923	INDmg/m3
30/08/2023 17:00	0.003677166	INDmg/m3
30/08/2023 18:00	0.00378497	INDmg/m3
30/08/2023 19:00	0.003723287	INDmg/m3
30/08/2023 20:00	0.003661314	INDmg/m3
30/08/2023 21:00	0.003698726	INDmg/m3
30/08/2023 22:00	0.00371674	INDmg/m3
30/08/2023 23:00	0.003672514	INDmg/m3
31/08/2023 00:00	0.003733544	INDmg/m3
31/08/2023 01:00	0.003724711	INDmg/m3
31/08/2023 02:00	0.003682029	INDmg/m3
31/08/2023 03:00	0.003753829	INDmg/m3
31/08/2023 04:00	0.007736727	INDmg/m3
31/08/2023 05:00	0.080518462	INDmg/m3
31/08/2023 06:00	0.113127075	INDmg/m3
31/08/2023 07:00	0.132942349	INDmg/m3
31/08/2023 08:00	0.009820611	INDmg/m3
31/08/2023 09:00	0.004032149	INDmg/m3
31/08/2023 10:00	0.003884962	INDmg/m3
31/08/2023 11:00	0.003696222	INDmg/m3
31/08/2023 12:00	0.004371475	INDmg/m3
31/08/2023 13:00	0.004196743	INDmg/m3
31/08/2023 14:00	0.003857336	INDmg/m3
31/08/2023 15:00	0.003706131	INDmg/m3
31/08/2023 16:00	0.004059654	INDmg/m3
31/08/2023 17:00	0.004122783	INDmg/m3
31/08/2023 18:00	0.004657293	INDmg/m3
31/08/2023 19:00	0.0042804	INDmg/m3
31/08/2023 20:00	0.003764907	INDmg/m3
31/08/2023 21:00	0.003761582	INDmg/m3
31/08/2023 22:00	0.00380004	INDmg/m3
31/08/2023 23:00	0.003956101	INDmg/m3
01/09/2023 00:00	0.003828086	INDmg/m3
01/09/2023 01:00	0.004309928	INDmg/m3
01/09/2023 02:00	0.003917838	INDmg/m3
01/09/2023 03:00	0.003833365	INDmg/m3
01/09/2023 04:00	0.003830443	INDmg/m3
01/09/2023 05:00	0.003915986	INDmg/m3
01/09/2023 06:00	0.037307259	INDmg/m3
01/09/2023 07:00	0.004416735	INDmg/m3
01/09/2023 08:00	0.004150616	INDmg/m3
01/09/2023 09:00	0.004453228	INDmg/m3
01/09/2023 10:00	0.004073332	INDmg/m3
01/09/2023 11:00	0.003927108	INDmg/m3
01/09/2023 12:00	0.004001126	INDmg/m3
01/09/2023 13:00	0.003830209	INDmg/m3
01/09/2023 14:00	0.003814148	INDmg/m3

01/09/2023 15:00	0.00384219	INDmg/m3
01/09/2023 16:00	0.00386996	INDmg/m3
01/09/2023 17:00	0.003792965	INDmg/m3
01/09/2023 18:00	0.003760323	INDmg/m3
01/09/2023 19:00	0.003821001	INDmg/m3
01/09/2023 20:00	0.003808763	INDmg/m3
01/09/2023 21:00	0.003776504	INDmg/m3
01/09/2023 22:00	0.003725992	INDmg/m3
01/09/2023 23:00	0.003740417	INDmg/m3
02/09/2023 00:00	0.003761027	INDmg/m3
02/09/2023 01:00	0.003768109	INDmg/m3
02/09/2023 02:00	0.003863475	INDmg/m3
02/09/2023 03:00	0.003811429	INDmg/m3
02/09/2023 04:00	0.00376919	INDmg/m3
02/09/2023 05:00	0.003773449	INDmg/m3
02/09/2023 06:00	0.003823031	INDmg/m3
02/09/2023 07:00	0.003827217	INDmg/m3
02/09/2023 08:00	0.003783999	INDmg/m3
02/09/2023 09:00	0.003824548	INDmg/m3
02/09/2023 10:00	0.003926757	INDmg/m3
02/09/2023 11:00	0.004163619	INDmg/m3
02/09/2023 12:00	0.003936081	INDmg/m3
02/09/2023 13:00	0.003832386	INDmg/m3
02/09/2023 14:00	0.003706455	INDmg/m3
02/09/2023 15:00	0.00380799	INDmg/m3
02/09/2023 16:00	0.003784816	INDmg/m3
02/09/2023 17:00	0.00374359	INDmg/m3
02/09/2023 18:00	0.003736099	INDmg/m3
02/09/2023 19:00	0.003704206	INDmg/m3
02/09/2023 20:00	0.003708153	INDmg/m3
02/09/2023 21:00	0.003704974	INDmg/m3
02/09/2023 22:00	0.003720983	INDmg/m3
02/09/2023 23:00	0.003719221	INDmg/m3
03/09/2023 00:00	0.00373858	INDmg/m3
03/09/2023 01:00	0.003713863	INDmg/m3
03/09/2023 02:00	0.003725421	INDmg/m3
03/09/2023 03:00	0.0037798	INDmg/m3
03/09/2023 04:00	0.003757302	INDmg/m3
03/09/2023 05:00	0.003717446	INDmg/m3
03/09/2023 06:00	0.003733903	INDmg/m3
03/09/2023 07:00	0.003725572	INDmg/m3
03/09/2023 08:00	0.004324866	INDmg/m3
03/09/2023 09:00	0.004035193	INDmg/m3
03/09/2023 10:00	0.003808162	INDmg/m3
03/09/2023 11:00	0.003924712	INDmg/m3
03/09/2023 12:00	0.003930079	INDmg/m3
03/09/2023 13:00	0.003797679	INDmg/m3
03/09/2023 14:00	0.003767879	INDmg/m3
03/09/2023 15:00	0.003823213	INDmg/m3
03/09/2023 16:00	0.00392286	INDmg/m3
03/09/2023 17:00	0.003822176	INDmg/m3
03/09/2023 18:00	0.003819888	INDmg/m3
03/09/2023 19:00	0.003716209	INDmg/m3
03/09/2023 20:00	0.003663643	INDmg/m3
03/09/2023 21:00	0.003739479	INDmg/m3
03/09/2023 22:00	0.003685338	INDmg/m3

03/09/2023 23:00	0.003714667	INDmg/m3
04/09/2023 00:00	0.003707098	INDmg/m3
04/09/2023 01:00	0.003722322	INDmg/m3
04/09/2023 02:00	0.003746742	INDmg/m3
04/09/2023 03:00	0.003666749	INDmg/m3
04/09/2023 04:00	0.003727545	INDmg/m3
04/09/2023 05:00	0.003749982	INDmg/m3
04/09/2023 06:00	0.003719624	INDmg/m3
04/09/2023 07:00	1.966323614	INDmg/m3
04/09/2023 08:00	1.95034194	INDmg/m3
04/09/2023 09:00	2.616736889	INDmg/m3
04/09/2023 10:00	2.801253319	INDmg/m3
04/09/2023 11:00	1.900578856	INDmg/m3
04/09/2023 12:00	1.654556036	INDmg/m3
04/09/2023 13:00	2.441306591	INDmg/m3
04/09/2023 14:00	0.22430189	INDmg/m3
04/09/2023 15:00	1.740025759	INDmg/m3
04/09/2023 16:00	2.309087753	INDmg/m3
04/09/2023 17:00	0.004724107	INDmg/m3
04/09/2023 18:00	0.003751187	INDmg/m3
04/09/2023 19:00	0.003659979	INDmg/m3
04/09/2023 20:00	0.003722114	INDmg/m3
04/09/2023 21:00	0.003706862	INDmg/m3
04/09/2023 22:00	0.00374422	INDmg/m3
04/09/2023 23:00	0.003679224	INDmg/m3
05/09/2023 00:00	0.00370863	INDmg/m3
05/09/2023 01:00	0.003650229	INDmg/m3
05/09/2023 02:00	0.003681767	INDmg/m3
05/09/2023 03:00	0.003664576	INDmg/m3
05/09/2023 04:00	0.003649172	INDmg/m3
05/09/2023 05:00	0.003671252	INDmg/m3
05/09/2023 06:00	0.103302471	INDmg/m3
05/09/2023 07:00	1.109401584	INDmg/m3
05/09/2023 08:00	1.649936438	INDmg/m3
05/09/2023 09:00	1.812860608	INDmg/m3
05/09/2023 10:00	1.701648355	INDmg/m3
05/09/2023 11:00	1.209239483	INDmg/m3
05/09/2023 12:00	0.994020641	INDmg/m3
05/09/2023 13:00	0.746484935	INDmg/m3
05/09/2023 14:00	1.038336873	INDmg/m3
05/09/2023 15:00	0.921742618	INDmg/m3
05/09/2023 16:00	0.594587505	INDmg/m3
05/09/2023 17:00	0.004027621	INDmg/m3
05/09/2023 18:00	0.004004794	INDmg/m3
05/09/2023 19:00	0.00365566	INDmg/m3
05/09/2023 20:00	0.003715073	INDmg/m3
05/09/2023 21:00	0.003925623	INDmg/m3
05/09/2023 22:00	0.003662041	INDmg/m3
05/09/2023 23:00	0.003686265	INDmg/m3
06/09/2023 00:00	0.003729761	INDmg/m3
06/09/2023 01:00	0.003725495	INDmg/m3
06/09/2023 02:00	0.003687499	INDmg/m3
06/09/2023 03:00	0.003706301	INDmg/m3
06/09/2023 04:00	0.003626387	INDmg/m3
06/09/2023 05:00	0.003743372	INDmg/m3
06/09/2023 06:00	0.225165009	INDmg/m3

06/09/2023 07:00	1.019169211	INDmg/m3
06/09/2023 08:00	1.325043321	INDmg/m3
06/09/2023 09:00	1.803919196	INDmg/m3
06/09/2023 10:00	1.92399478	INDmg/m3
06/09/2023 11:00	1.33011055	INDmg/m3
06/09/2023 12:00	1.265508652	INDmg/m3
06/09/2023 13:00	1.421630263	INDmg/m3
06/09/2023 14:00	1.319667101	INDmg/m3
06/09/2023 15:00	0.780199826	INDmg/m3
06/09/2023 16:00	1.248982906	INDmg/m3
06/09/2023 17:00	0.004385354	INDmg/m3
06/09/2023 18:00	0.003977721	INDmg/m3
06/09/2023 19:00	0.003679224	INDmg/m3
06/09/2023 20:00	0.003678585	INDmg/m3
06/09/2023 21:00	0.003665427	INDmg/m3
06/09/2023 22:00	0.003662326	INDmg/m3
06/09/2023 23:00	0.003678484	INDmg/m3
07/09/2023 00:00	0.00374203	INDmg/m3
07/09/2023 01:00	0.003673316	INDmg/m3
07/09/2023 02:00	0.003708887	INDmg/m3
07/09/2023 03:00	0.003739547	INDmg/m3
07/09/2023 04:00	0.003671818	INDmg/m3
07/09/2023 05:00	0.003694015	INDmg/m3
07/09/2023 06:00	0.10727305	INDmg/m3
07/09/2023 07:00	1.272594929	INDmg/m3
07/09/2023 08:00	0.811737061	INDmg/m3
07/09/2023 09:00	1.041129708	INDmg/m3
07/09/2023 10:00	1.328860879	INDmg/m3
07/09/2023 11:00	1.814271927	INDmg/m3
07/09/2023 12:00	2.100428104	INDmg/m3
07/09/2023 13:00	2.095751047	INDmg/m3
07/09/2023 14:00	1.598586798	INDmg/m3
07/09/2023 15:00	1.996077776	INDmg/m3
07/09/2023 16:00	1.804694653	INDmg/m3
07/09/2023 17:00	0.003970163	INDmg/m3
07/09/2023 18:00	0.003814692	INDmg/m3
07/09/2023 19:00	0.003706135	INDmg/m3
07/09/2023 20:00	0.003758932	INDmg/m3
07/09/2023 21:00	0.003732945	INDmg/m3
07/09/2023 22:00	0.003673215	INDmg/m3
07/09/2023 23:00	0.003677264	INDmg/m3
08/09/2023 00:00	0.003677631	INDmg/m3
08/09/2023 01:00	0.003726182	INDmg/m3
08/09/2023 02:00	0.003647303	INDmg/m3
08/09/2023 03:00	0.003733923	INDmg/m3
08/09/2023 04:00	0.003694431	INDmg/m3
08/09/2023 05:00	0.003644491	INDmg/m3
08/09/2023 06:00	0.003746894	INDmg/m3
08/09/2023 07:00	0.003664865	INDmg/m3
08/09/2023 08:00	0.003749494	INDmg/m3
08/09/2023 09:00	0.003681295	INDmg/m3
08/09/2023 10:00	0.003666373	INDmg/m3
08/09/2023 11:00	0.00369494	INDmg/m3
08/09/2023 12:00	0.003685797	INDmg/m3
08/09/2023 13:00	0.003747807	INDmg/m3
08/09/2023 14:00	0.003813	INDmg/m3

08/09/2023 15:00	0.003756681	INDmg/m3
08/09/2023 16:00	0.00373484	INDmg/m3
08/09/2023 17:00	0.003662988	INDmg/m3
08/09/2023 18:00	0.003726874	INDmg/m3
08/09/2023 19:00	0.003699503	INDmg/m3
08/09/2023 20:00	0.003807162	INDmg/m3
08/09/2023 21:00	0.003802303	INDmg/m3
08/09/2023 22:00	0.003762173	INDmg/m3
08/09/2023 23:00	0.003677072	INDmg/m3
09/09/2023 00:00	0.003740816	INDmg/m3
09/09/2023 01:00	0.003732188	INDmg/m3
09/09/2023 02:00	0.003697386	INDmg/m3
09/09/2023 03:00	0.003769069	INDmg/m3
09/09/2023 04:00	0.003736958	INDmg/m3
09/09/2023 05:00	0.003843414	INDmg/m3
09/09/2023 06:00	0.003777332	INDmg/m3
09/09/2023 07:00	0.003851906	INDmg/m3
09/09/2023 08:00	0.003722773	INDmg/m3
09/09/2023 09:00	0.003836283	INDmg/m3
09/09/2023 10:00	0.00387863	INDmg/m3
09/09/2023 11:00	0.003728569	INDmg/m3
09/09/2023 12:00	0.003988983	INDmg/m3
09/09/2023 13:00	0.003799371	INDmg/m3
09/09/2023 14:00	0.003909716	INDmg/m3
09/09/2023 15:00	0.003836749	INDmg/m3
09/09/2023 16:00	0.003721556	INDmg/m3
09/09/2023 17:00	0.003730126	INDmg/m3
09/09/2023 18:00	0.003667213	INDmg/m3
09/09/2023 19:00	0.003656227	INDmg/m3
09/09/2023 20:00	0.003684391	INDmg/m3
09/09/2023 21:00	0.003735982	INDmg/m3
09/09/2023 22:00	0.003747304	INDmg/m3
09/09/2023 23:00	0.003738793	INDmg/m3
10/09/2023 00:00	0.003724288	INDmg/m3
10/09/2023 01:00	0.003754419	INDmg/m3
10/09/2023 02:00	0.003704414	INDmg/m3
10/09/2023 03:00	0.003714554	INDmg/m3
10/09/2023 04:00	0.00370744	INDmg/m3
10/09/2023 05:00	0.00866435	INDmg/m3
10/09/2023 06:00	0.003755346	INDmg/m3
10/09/2023 07:00	0.003701057	INDmg/m3
10/09/2023 08:00	0.003696777	INDmg/m3
10/09/2023 09:00	0.013690889	INDmg/m3
10/09/2023 10:00	0.006518904	INDmg/m3
10/09/2023 11:00	0.004857008	INDmg/m3
10/09/2023 12:00	0.446323067	INDmg/m3
10/09/2023 13:00	0.007238229	INDmg/m3
10/09/2023 14:00	0.003703174	INDmg/m3
10/09/2023 15:00	0.003768177	INDmg/m3
10/09/2023 16:00	0.003771475	INDmg/m3
10/09/2023 17:00	0.003741956	INDmg/m3
10/09/2023 18:00	0.036299344	INDmg/m3
10/09/2023 19:00	0.003758301	INDmg/m3
10/09/2023 20:00	0.003757456	INDmg/m3
10/09/2023 21:00	0.003776983	INDmg/m3
10/09/2023 22:00	0.003765906	INDmg/m3

10/09/2023 23:00	0.00372127	INDmg/m3
11/09/2023 00:00	0.003719985	INDmg/m3
11/09/2023 01:00	0.003716162	INDmg/m3
11/09/2023 02:00	0.003736414	INDmg/m3
11/09/2023 03:00	0.003734634	INDmg/m3
11/09/2023 04:00	0.00373613	INDmg/m3
11/09/2023 05:00	0.003846339	INDmg/m3
11/09/2023 06:00	0.569927871	INDmg/m3
11/09/2023 07:00	2.554380655	INDmg/m3
11/09/2023 08:00	1.868045568	INDmg/m3
11/09/2023 09:00	1.224204779	INDmg/m3
11/09/2023 10:00	1.505436659	INDmg/m3
11/09/2023 11:00	1.287798285	INDmg/m3
11/09/2023 12:00	1.44980824	INDmg/m3
11/09/2023 13:00	1.842354417	INDmg/m3
11/09/2023 14:00	2.503011703	INDmg/m3
11/09/2023 15:00	1.833125949	INDmg/m3
11/09/2023 16:00	2.053248644	INDmg/m3
11/09/2023 17:00	0.850272238	INDmg/m3
11/09/2023 18:00	0.017543588	INDmg/m3
11/09/2023 19:00	0.004076347	INDmg/m3
11/09/2023 20:00	0.003747035	INDmg/m3
11/09/2023 21:00	0.003698684	INDmg/m3
11/09/2023 22:00	0.003707804	INDmg/m3
11/09/2023 23:00	0.003803988	INDmg/m3
12/09/2023 00:00	0.003733661	INDmg/m3
12/09/2023 01:00	0.003719779	INDmg/m3
12/09/2023 02:00	0.004088657	INDmg/m3
12/09/2023 03:00	0.015245908	INDmg/m3
12/09/2023 04:00	0.053612333	INDmg/m3
12/09/2023 05:00	0.103258878	INDmg/m3
12/09/2023 06:00	0.344518036	INDmg/m3
12/09/2023 07:00	1.457582712	INDmg/m3
12/09/2023 08:00	1.608893156	INDmg/m3
12/09/2023 09:00	2.102872372	INDmg/m3
12/09/2023 10:00	2.644711971	INDmg/m3
12/09/2023 11:00	2.123632193	INDmg/m3
12/09/2023 12:00	1.387168288	INDmg/m3
12/09/2023 13:00	1.669052482	INDmg/m3
12/09/2023 14:00	2.67362237	INDmg/m3
12/09/2023 15:00	1.882736206	INDmg/m3
12/09/2023 16:00	1.756051183	INDmg/m3
12/09/2023 17:00	1.114138722	INDmg/m3
12/09/2023 18:00	0.009311637	INDmg/m3
12/09/2023 19:00	0.006801222	INDmg/m3
12/09/2023 20:00	0.003682331	INDmg/m3
12/09/2023 21:00	0.003644611	INDmg/m3
12/09/2023 22:00	0.003692293	INDmg/m3
12/09/2023 23:00	0.00371681	INDmg/m3
13/09/2023 00:00	0.003654151	INDmg/m3
13/09/2023 01:00	0.003691753	INDmg/m3
13/09/2023 02:00	0.003698231	INDmg/m3
13/09/2023 03:00	0.003644889	INDmg/m3
13/09/2023 04:00	0.003665149	INDmg/m3
13/09/2023 05:00	0.00364185	INDmg/m3
13/09/2023 06:00	0.343038589	INDmg/m3

13/09/2023 07:00	1.605671644	INDmg/m3
13/09/2023 08:00	1.713407397	INDmg/m3
13/09/2023 09:00	2.256742239	INDmg/m3
13/09/2023 10:00	2.222685575	INDmg/m3
13/09/2023 11:00	1.868849635	INDmg/m3
13/09/2023 12:00	1.387835503	INDmg/m3
13/09/2023 13:00	1.528981566	INDmg/m3
13/09/2023 14:00	2.2216537	INDmg/m3
13/09/2023 15:00	1.936363339	INDmg/m3
13/09/2023 16:00	1.466034055	INDmg/m3
13/09/2023 17:00	1.13126564	INDmg/m3
13/09/2023 18:00	0.010290447	INDmg/m3
13/09/2023 19:00	0.008880964	INDmg/m3
13/09/2023 20:00	0.007858371	INDmg/m3
13/09/2023 21:00	0.004096691	INDmg/m3
13/09/2023 22:00	0.003720756	INDmg/m3
13/09/2023 23:00	0.003664497	INDmg/m3
14/09/2023 00:00	0.003629421	INDmg/m3
14/09/2023 01:00	0.003639624	INDmg/m3
14/09/2023 02:00	0.003629203	INDmg/m3
14/09/2023 03:00	0.003646004	INDmg/m3
14/09/2023 04:00	0.0036454	INDmg/m3
14/09/2023 05:00	0.003644202	INDmg/m3
14/09/2023 06:00	0.003705455	INDmg/m3
14/09/2023 07:00	0.003839338	INDmg/m3
14/09/2023 08:00	0.00368151	INDmg/m3
14/09/2023 09:00	0.00506445	INDmg/m3
14/09/2023 10:00	0.003826989	INDmg/m3
14/09/2023 11:00	0.003947625	INDmg/m3
14/09/2023 12:00	0.003951228	INDmg/m3
14/09/2023 13:00	0.003808036	INDmg/m3
14/09/2023 14:00	0.00392248	INDmg/m3
14/09/2023 15:00	0.003708318	INDmg/m3
14/09/2023 16:00	0.010779131	INDmg/m3
14/09/2023 17:00	0.00789531	INDmg/m3
14/09/2023 18:00	0.00388954	INDmg/m3
14/09/2023 19:00	0.003701677	INDmg/m3
14/09/2023 20:00	0.003795705	INDmg/m3
14/09/2023 21:00	0.00376252	INDmg/m3
14/09/2023 22:00	0.003743221	INDmg/m3
14/09/2023 23:00	0.003769631	INDmg/m3
15/09/2023 00:00	0.003719145	INDmg/m3
15/09/2023 01:00	0.003728122	INDmg/m3
15/09/2023 02:00	0.003770664	INDmg/m3
15/09/2023 03:00	0.003862123	INDmg/m3
15/09/2023 04:00	0.003708884	INDmg/m3
15/09/2023 05:00	0.003739084	INDmg/m3
15/09/2023 06:00	0.003747477	INDmg/m3
15/09/2023 07:00	0.00371463	INDmg/m3
15/09/2023 08:00	0.003701314	INDmg/m3
15/09/2023 09:00	0.003758602	INDmg/m3
15/09/2023 10:00	0.003706711	INDmg/m3
15/09/2023 11:00	0.003727562	INDmg/m3
15/09/2023 12:00	0.003777321	INDmg/m3
15/09/2023 13:00	0.003672972	INDmg/m3
15/09/2023 14:00	0.003721656	INDmg/m3

15/09/2023 15:00	0.003674036	INDmg/m3
15/09/2023 16:00	0.003691575	INDmg/m3
15/09/2023 17:00	0.003675809	INDmg/m3
15/09/2023 18:00	0.003701508	INDmg/m3
15/09/2023 19:00	0.003676879	INDmg/m3
15/09/2023 20:00	0.003708148	INDmg/m3
15/09/2023 21:00	0.003697714	INDmg/m3
15/09/2023 22:00	0.003662042	INDmg/m3
15/09/2023 23:00	0.003658605	INDmg/m3
16/09/2023 00:00	0.003694816	INDmg/m3
16/09/2023 01:00	0.003627014	INDmg/m3
16/09/2023 02:00	0.00368149	INDmg/m3
16/09/2023 03:00	0.003687514	INDmg/m3
16/09/2023 04:00	0.003649476	INDmg/m3
16/09/2023 05:00	0.003681095	INDmg/m3
16/09/2023 06:00	0.004887192	INDmg/m3
16/09/2023 07:00	0.016232755	INDmg/m3
16/09/2023 08:00	0.046611376	INDmg/m3
16/09/2023 09:00	0.008321113	INDmg/m3
16/09/2023 10:00	0.004140763	INDmg/m3
16/09/2023 11:00	0.00502637	INDmg/m3
16/09/2023 12:00	0.003868579	INDmg/m3
16/09/2023 13:00	0.003662535	INDmg/m3
16/09/2023 14:00	0.004584705	INDmg/m3
16/09/2023 15:00	0.020060124	INDmg/m3
16/09/2023 16:00	0.01031656	INDmg/m3
16/09/2023 17:00	0.003996453	INDmg/m3
16/09/2023 18:00	0.004284373	INDmg/m3
16/09/2023 19:00	0.015194258	INDmg/m3
16/09/2023 20:00	0.057243936	INDmg/m3
16/09/2023 21:00	0.014104504	INDmg/m3
16/09/2023 22:00	0.073158816	INDmg/m3
16/09/2023 23:00	0.032371022	INDmg/m3
17/09/2023 00:00	0.00525147	INDmg/m3
17/09/2023 01:00	0.073136918	INDmg/m3
17/09/2023 02:00	0.006094326	INDmg/m3
17/09/2023 03:00	0.004559994	INDmg/m3
17/09/2023 04:00	0.064142339	INDmg/m3
17/09/2023 05:00	0.08243385	INDmg/m3
17/09/2023 06:00	0.003911143	INDmg/m3
17/09/2023 07:00	0.317479581	INDmg/m3
17/09/2023 08:00	0.137166694	INDmg/m3
17/09/2023 09:00	0.003736346	INDmg/m3
17/09/2023 10:00	0.230681166	INDmg/m3
17/09/2023 11:00	1.146868467	INDmg/m3
17/09/2023 12:00	1.587618589	INDmg/m3
17/09/2023 13:00	0.651904941	INDmg/m3
17/09/2023 14:00	0.380828768	INDmg/m3
17/09/2023 15:00	0.394358337	INDmg/m3
17/09/2023 16:00	0.004185114	INDmg/m3
17/09/2023 17:00	0.00443485	INDmg/m3
17/09/2023 18:00	0.003865956	INDmg/m3
17/09/2023 19:00	0.003881022	INDmg/m3
17/09/2023 20:00	0.005049051	INDmg/m3
17/09/2023 21:00	0.024889454	INDmg/m3
17/09/2023 22:00	0.003976494	INDmg/m3

17/09/2023 23:00	0.003957793	INDmg/m3
18/09/2023 00:00	0.003923569	INDmg/m3
18/09/2023 01:00	0.003998801	INDmg/m3
18/09/2023 02:00	0.003939539	INDmg/m3
18/09/2023 03:00	0.003937348	INDmg/m3
18/09/2023 04:00	0.003917123	INDmg/m3
18/09/2023 05:00	0.003938667	INDmg/m3
18/09/2023 06:00	0.343116283	INDmg/m3
18/09/2023 07:00	2.043211699	INDmg/m3
18/09/2023 08:00	1.785697579	INDmg/m3
18/09/2023 09:00	1.519442081	INDmg/m3
18/09/2023 10:00	1.70813036	INDmg/m3
18/09/2023 11:00	1.059727788	INDmg/m3
18/09/2023 12:00	1.348593235	INDmg/m3
18/09/2023 13:00	1.233323455	INDmg/m3
18/09/2023 14:00	1.532390356	INDmg/m3
18/09/2023 15:00	1.267389297	INDmg/m3
18/09/2023 16:00	1.228113294	INDmg/m3
18/09/2023 17:00	0.913048804	INDmg/m3
18/09/2023 18:00	0.037197065	INDmg/m3
18/09/2023 19:00	0.030941723	INDmg/m3
18/09/2023 20:00	0.004313173	INDmg/m3
18/09/2023 21:00	0.003757357	INDmg/m3
18/09/2023 22:00	0.003736202	INDmg/m3
18/09/2023 23:00	0.003741983	INDmg/m3
19/09/2023 00:00	0.003779987	INDmg/m3
19/09/2023 01:00	0.00388114	INDmg/m3
19/09/2023 02:00	0.003720951	INDmg/m3
19/09/2023 03:00	0.003749231	INDmg/m3
19/09/2023 04:00	0.003750336	INDmg/m3
19/09/2023 05:00	0.003751652	INDmg/m3
19/09/2023 06:00	0.010132865	INDmg/m3
19/09/2023 07:00	0.006715065	INDmg/m3
19/09/2023 08:00	0.010807639	INDmg/m3
19/09/2023 09:00	0.01139818	INDmg/m3
19/09/2023 10:00	0.01313719	INDmg/m3
19/09/2023 11:00	0.013578231	INDmg/m3
19/09/2023 12:00	0.003934762	INDmg/m3
19/09/2023 13:00	0.003867009	INDmg/m3
19/09/2023 14:00	0.004428444	INDmg/m3
19/09/2023 15:00	0.004084009	INDmg/m3
19/09/2023 16:00	0.003847231	INDmg/m3
19/09/2023 17:00	0.003854857	INDmg/m3
19/09/2023 18:00	0.004013763	INDmg/m3
19/09/2023 19:00	0.003999979	INDmg/m3
19/09/2023 20:00	0.00395252	INDmg/m3
19/09/2023 21:00	0.003910078	INDmg/m3
19/09/2023 22:00	0.004284564	INDmg/m3
19/09/2023 23:00	0.004499277	INDmg/m3
20/09/2023 00:00	0.003897021	INDmg/m3
20/09/2023 01:00	0.005314375	INDmg/m3
20/09/2023 02:00	0.004254384	INDmg/m3
20/09/2023 03:00	0.003909034	INDmg/m3
20/09/2023 04:00	0.008590586	INDmg/m3
20/09/2023 05:00	0.004371688	INDmg/m3
20/09/2023 06:00	0.374640495	INDmg/m3

20/09/2023 07:00	0.770165384	INDmg/m3
20/09/2023 08:00	1.364364624	INDmg/m3
20/09/2023 09:00	1.472617149	INDmg/m3
20/09/2023 10:00	1.486649156	INDmg/m3
20/09/2023 11:00	0.928420365	INDmg/m3
20/09/2023 12:00	1.117585897	INDmg/m3
20/09/2023 13:00	1.737931848	INDmg/m3
20/09/2023 14:00	1.706773043	INDmg/m3
20/09/2023 15:00	1.213555336	INDmg/m3
20/09/2023 16:00	1.370504141	INDmg/m3
20/09/2023 17:00	0.118317701	INDmg/m3
20/09/2023 18:00	0.004663055	INDmg/m3
20/09/2023 19:00	0.003884568	INDmg/m3
20/09/2023 20:00	0.003847913	INDmg/m3
20/09/2023 21:00	0.003801453	INDmg/m3
20/09/2023 22:00	0.003783991	INDmg/m3
20/09/2023 23:00	0.003788659	INDmg/m3
21/09/2023 00:00	0.033849526	INDmg/m3
21/09/2023 01:00	0.003966206	INDmg/m3
21/09/2023 02:00	0.003824261	INDmg/m3
21/09/2023 03:00	0.013485898	INDmg/m3
21/09/2023 04:00	0.004335992	INDmg/m3
21/09/2023 05:00	0.032534074	INDmg/m3
21/09/2023 06:00	0.124753825	INDmg/m3
21/09/2023 07:00	0.744980514	INDmg/m3
21/09/2023 08:00	1.306374669	INDmg/m3
21/09/2023 09:00	1.622223616	INDmg/m3
21/09/2023 10:00	1.837306738	INDmg/m3
21/09/2023 11:00	1.54595089	INDmg/m3
21/09/2023 12:00	1.674114823	INDmg/m3
21/09/2023 13:00	1.833861709	INDmg/m3
21/09/2023 14:00	1.21608305	INDmg/m3
21/09/2023 15:00	0.350239515	INDmg/m3
21/09/2023 16:00	0.706284165	INDmg/m3
21/09/2023 17:00	0.003830411	INDmg/m3
21/09/2023 18:00	0.003806579	INDmg/m3
21/09/2023 19:00	0.003835914	INDmg/m3
21/09/2023 20:00	0.003738859	INDmg/m3
21/09/2023 21:00	0.003746959	INDmg/m3
21/09/2023 22:00	0.003759	INDmg/m3
21/09/2023 23:00	0.003728798	INDmg/m3
22/09/2023 00:00	0.003779301	INDmg/m3
22/09/2023 01:00	0.003730844	INDmg/m3
22/09/2023 02:00	0.003755396	INDmg/m3
22/09/2023 03:00	0.003756526	INDmg/m3
22/09/2023 04:00	0.003774976	INDmg/m3
22/09/2023 05:00	0.003809053	INDmg/m3
22/09/2023 06:00	0.003729129	INDmg/m3
22/09/2023 07:00	0.003747737	INDmg/m3
22/09/2023 08:00	0.003755609	INDmg/m3
22/09/2023 09:00	0.003805731	INDmg/m3
22/09/2023 10:00	0.003841121	INDmg/m3
22/09/2023 11:00	0.003840512	INDmg/m3
22/09/2023 12:00	0.003844039	INDmg/m3
22/09/2023 13:00	0.003882918	INDmg/m3
22/09/2023 14:00	0.710939825	INDmg/m3

22/09/2023 15:00	0.231132627	INDmg/m3
22/09/2023 16:00	0.069943979	INDmg/m3
22/09/2023 17:00	0.003724161	INDmg/m3
22/09/2023 18:00	0.036598783	INDmg/m3
22/09/2023 19:00	0.003675668	INDmg/m3
22/09/2023 20:00	0.003739348	INDmg/m3
22/09/2023 21:00	0.003688047	INDmg/m3
22/09/2023 22:00	0.003761319	INDmg/m3
22/09/2023 23:00	0.003731817	INDmg/m3
23/09/2023 00:00	0.00367172	INDmg/m3
23/09/2023 01:00	0.003731332	INDmg/m3
23/09/2023 02:00	0.003707111	INDmg/m3
23/09/2023 03:00	0.003696884	INDmg/m3
23/09/2023 04:00	0.003723759	INDmg/m3
23/09/2023 05:00	0.003741815	INDmg/m3
23/09/2023 06:00	0.003698235	INDmg/m3
23/09/2023 07:00	0.003712857	INDmg/m3
23/09/2023 08:00	0.003740845	INDmg/m3
23/09/2023 09:00	0.003800103	INDmg/m3
23/09/2023 10:00	0.003797121	INDmg/m3
23/09/2023 11:00	0.003767594	INDmg/m3
23/09/2023 12:00	0.003787598	INDmg/m3
23/09/2023 13:00	0.003729642	INDmg/m3
23/09/2023 14:00	0.003678389	INDmg/m3
23/09/2023 15:00	0.003754358	INDmg/m3
23/09/2023 16:00	0.003661304	INDmg/m3
23/09/2023 17:00	0.003729637	INDmg/m3
23/09/2023 18:00	0.003685244	INDmg/m3
23/09/2023 19:00	0.00366016	INDmg/m3
23/09/2023 20:00	0.003755694	INDmg/m3
23/09/2023 21:00	0.006361263	INDmg/m3
23/09/2023 22:00	0.035624821	INDmg/m3
23/09/2023 23:00	0.064083956	INDmg/m3
24/09/2023 00:00	0.2105432	INDmg/m3
24/09/2023 01:00	0.004942118	INDmg/m3
24/09/2023 02:00	0.003919688	INDmg/m3
24/09/2023 03:00	0.004350693	INDmg/m3
24/09/2023 04:00	0.003747459	INDmg/m3
24/09/2023 05:00	0.003735984	INDmg/m3
24/09/2023 06:00	0.005293063	INDmg/m3
24/09/2023 07:00	0.004027036	INDmg/m3
24/09/2023 08:00	0.003831348	INDmg/m3
24/09/2023 09:00	0.004125547	INDmg/m3
24/09/2023 10:00	0.003804049	INDmg/m3
24/09/2023 11:00	0.003928102	INDmg/m3
24/09/2023 12:00	0.003860827	INDmg/m3
24/09/2023 13:00	0.003878301	INDmg/m3
24/09/2023 14:00	0.003879882	INDmg/m3
24/09/2023 15:00	0.003873761	INDmg/m3
24/09/2023 16:00	0.003870022	INDmg/m3
24/09/2023 17:00	0.003877246	INDmg/m3
24/09/2023 18:00	0.00386136	INDmg/m3
24/09/2023 19:00	0.128761798	INDmg/m3
24/09/2023 20:00	0.004714652	INDmg/m3
24/09/2023 21:00	0.004019142	INDmg/m3
24/09/2023 22:00	0.006147565	INDmg/m3

24/09/2023 23:00	0.003858419	INDmg/m3
25/09/2023 00:00	0.00386861	INDmg/m3
25/09/2023 01:00	0.003893233	INDmg/m3
25/09/2023 02:00	0.003845256	INDmg/m3
25/09/2023 03:00	0.003893956	INDmg/m3
25/09/2023 04:00	0.003883865	INDmg/m3
25/09/2023 05:00	0.003876926	INDmg/m3
25/09/2023 06:00	0.003897545	INDmg/m3
25/09/2023 07:00	0.003904812	INDmg/m3
25/09/2023 08:00	0.003893264	INDmg/m3
25/09/2023 09:00	0.003877768	INDmg/m3
25/09/2023 10:00	0.003854683	INDmg/m3
25/09/2023 11:00	0.003912714	INDmg/m3
25/09/2023 12:00	0.003867284	INDmg/m3
25/09/2023 13:00	0.003873835	INDmg/m3
25/09/2023 14:00	0.003853629	INDmg/m3
25/09/2023 15:00	0.003955762	INDmg/m3
25/09/2023 16:00	0.00383591	INDmg/m3
25/09/2023 17:00	0.003799421	INDmg/m3
25/09/2023 18:00	0.003819267	INDmg/m3
25/09/2023 19:00	0.003833463	INDmg/m3
25/09/2023 20:00	0.045406114	INDmg/m3
25/09/2023 21:00	0.00399211	INDmg/m3
25/09/2023 22:00	0.00383013	INDmg/m3
25/09/2023 23:00	0.003821451	INDmg/m3
26/09/2023 00:00	0.003793225	INDmg/m3
26/09/2023 01:00	0.003795374	INDmg/m3
26/09/2023 02:00	0.003792027	INDmg/m3
26/09/2023 03:00	0.003801232	INDmg/m3
26/09/2023 04:00	0.003816969	INDmg/m3
26/09/2023 05:00	0.003810469	INDmg/m3
26/09/2023 06:00	0.003909112	INDmg/m3
26/09/2023 07:00	0.003813795	INDmg/m3
26/09/2023 08:00	0.003835714	INDmg/m3
26/09/2023 09:00	0.003864703	INDmg/m3
26/09/2023 10:00	0.004857423	INDmg/m3
26/09/2023 11:00	0.005362972	INDmg/m3
26/09/2023 12:00	0.004229757	INDmg/m3
26/09/2023 13:00	0.003933522	INDmg/m3
26/09/2023 14:00	0.003970149	INDmg/m3
26/09/2023 15:00	0.003900363	INDmg/m3
26/09/2023 16:00	0.003853755	INDmg/m3
26/09/2023 17:00	0.003848115	INDmg/m3
26/09/2023 18:00	0.003825948	INDmg/m3
26/09/2023 19:00	0.003843509	INDmg/m3
26/09/2023 20:00	0.003783406	INDmg/m3
26/09/2023 21:00	0.003833092	INDmg/m3
26/09/2023 22:00	0.003774844	INDmg/m3
26/09/2023 23:00	0.003852909	INDmg/m3
27/09/2023 00:00	0.003854319	INDmg/m3
27/09/2023 01:00	0.003882393	INDmg/m3
27/09/2023 02:00	0.003828487	INDmg/m3
27/09/2023 03:00	0.00381676	INDmg/m3
27/09/2023 04:00	0.003802579	INDmg/m3
27/09/2023 05:00	0.003825669	INDmg/m3
27/09/2023 06:00	0.003826421	INDmg/m3

27/09/2023 07:00	0.003823809	INDmg/m3
27/09/2023 08:00	0.003822524	INDmg/m3
27/09/2023 09:00	0.004110161	INDmg/m3
27/09/2023 10:00	0.003902186	INDmg/m3
27/09/2023 11:00	0.003817683	INDmg/m3
27/09/2023 12:00	0.003858508	INDmg/m3
27/09/2023 13:00	0.003971236	INDmg/m3
27/09/2023 14:00	0.003875066	INDmg/m3
27/09/2023 15:00	0.005105102	INDmg/m3
27/09/2023 16:00	0.431723058	INDmg/m3
27/09/2023 17:00	0.003948711	INDmg/m3
27/09/2023 18:00	0.003892699	INDmg/m3
27/09/2023 19:00	0.004085101	INDmg/m3
27/09/2023 20:00	0.014365328	INDmg/m3
27/09/2023 21:00	0.004015216	INDmg/m3
27/09/2023 22:00	0.00412077	INDmg/m3
27/09/2023 23:00	0.003956871	INDmg/m3
28/09/2023 00:00	0.003878306	INDmg/m3
28/09/2023 01:00	0.003886466	INDmg/m3
28/09/2023 02:00	0.004516476	INDmg/m3
28/09/2023 03:00	0.003863652	INDmg/m3
28/09/2023 04:00	0.003832897	INDmg/m3
28/09/2023 05:00	0.003838768	INDmg/m3
28/09/2023 06:00	0.003826474	INDmg/m3
28/09/2023 07:00	0.003826654	INDmg/m3
28/09/2023 08:00	0.003872349	INDmg/m3
28/09/2023 09:00	0.003831589	INDmg/m3
28/09/2023 10:00	0.003809225	INDmg/m3
28/09/2023 11:00	0.003841079	INDmg/m3
28/09/2023 12:00	0.003820176	INDmg/m3
28/09/2023 13:00	0.003848153	INDmg/m3
28/09/2023 14:00	0.003820425	INDmg/m3
28/09/2023 15:00	0.003862681	INDmg/m3
28/09/2023 16:00	0.00454443	INDmg/m3
28/09/2023 17:00	0.004014656	INDmg/m3
28/09/2023 18:00	0.003848811	INDmg/m3
28/09/2023 19:00	0.004178823	INDmg/m3
28/09/2023 20:00	0.09499149	INDmg/m3
28/09/2023 21:00	0.129594713	INDmg/m3
28/09/2023 22:00	0.004475357	INDmg/m3
28/09/2023 23:00	0.020573607	INDmg/m3
29/09/2023 00:00	0.006953612	INDmg/m3
29/09/2023 01:00	0.00731191	INDmg/m3
29/09/2023 02:00	0.003927277	INDmg/m3
29/09/2023 03:00	0.003894582	INDmg/m3
29/09/2023 04:00	0.003906445	INDmg/m3
29/09/2023 05:00	0.003926472	INDmg/m3
29/09/2023 06:00	0.003870339	INDmg/m3
29/09/2023 07:00	0.003820269	INDmg/m3
29/09/2023 08:00	0.004107565	INDmg/m3
29/09/2023 09:00	0.025594315	INDmg/m3
29/09/2023 10:00	0.033426903	INDmg/m3
29/09/2023 11:00	0.004089836	INDmg/m3
29/09/2023 12:00	0.004169001	INDmg/m3
29/09/2023 13:00	0.004140615	INDmg/m3
29/09/2023 14:00	0.003880801	INDmg/m3

29/09/2023 15:00	0.00392262	INDmg/m3
29/09/2023 16:00	0.00381661	INDmg/m3
29/09/2023 17:00	0.003815038	INDmg/m3
29/09/2023 18:00	0.003779202	INDmg/m3
29/09/2023 19:00	0.003756622	INDmg/m3
29/09/2023 20:00	0.003788508	INDmg/m3
29/09/2023 21:00	0.003769277	INDmg/m3
29/09/2023 22:00	0.003757251	INDmg/m3
29/09/2023 23:00	0.003762804	INDmg/m3
30/09/2023 00:00	0.003767231	INDmg/m3
30/09/2023 01:00	0.003773986	INDmg/m3
30/09/2023 02:00	0.004095768	INDmg/m3
30/09/2023 03:00	0.003815195	INDmg/m3
30/09/2023 04:00	0.003833427	INDmg/m3
30/09/2023 05:00	0.00379802	INDmg/m3
30/09/2023 06:00	0.003855847	INDmg/m3
30/09/2023 07:00	0.003867562	INDmg/m3
30/09/2023 08:00	0.004027856	INDmg/m3
30/09/2023 09:00	0.003855732	INDmg/m3
30/09/2023 10:00	0.003945719	INDmg/m3
30/09/2023 11:00	0.003848122	INDmg/m3
30/09/2023 12:00	0.003820838	INDmg/m3
30/09/2023 13:00	0.003806411	INDmg/m3
30/09/2023 14:00	0.003806019	INDmg/m3
30/09/2023 15:00	0.004373529	INDmg/m3
30/09/2023 16:00	0.003831495	INDmg/m3
30/09/2023 17:00	0.003842766	INDmg/m3
30/09/2023 18:00	0.003871933	INDmg/m3
30/09/2023 19:00	0.004193396	INDmg/m3
30/09/2023 20:00	0.003854078	INDmg/m3
30/09/2023 21:00	0.003832435	INDmg/m3
30/09/2023 22:00	0.003927922	INDmg/m3
30/09/2023 23:00	0.003898808	INDmg/m3

Quarter - Annual

File Name

Annual Summary Oct
2022 to Sept 2023