

Notice of request for more information

Environmental Permitting (England and Wales)
Regulations 2016

Notice requiring further information

To: Mr Brian Stewart

Langrove House

Langrove Village

Gower

Swansea

SA3 2EB

Application number: PAN-005072

Natural Resources Wales, in exercise of its powers under paragraph 4 of Part 1 of Schedule 5 of the above Regulations, requires you to provide the information detailed in the attached schedule. The information is required in order to determine your application for a permit, dated 22nd March 2019. The information requested should be sent to the following address by 9th July 2019.

Information should be sent to:

Wales Permitting Centre
Natural Resources Wales
Cambria House
29 Newport Road
Cardiff
CF24 0TP

Name	Date
Katrin Raynor-Evans	8th May 2019

Authorised on behalf of Natural Resources Wales

Ffôn/Tel 03000 654 427

Ebost/Email Katrin.raynor-evans@cyfoethnaturiolcymru.gov.uk
Katrin.raynor-evans@naturalresourceswales.gov.uk

Canolfan Trwyddedu Cymru (Caerdydd), Cyfoeth Naturiol Cymru, Tŷ Cambria, 29 Heol Casnewydd, Caerdydd. CF24 0TP

Wales Permitting Centre (Cardiff), Natural Resources Wales, Cambria House, 29 Newport Road, Cardiff. CF24 0TP

Gwefan/Website www.cyfoethnaturiolcymru.gov.uk
www.naturalresourceswales.gov.uk

Croesewir gohebiaeth yn y Gymraeg a'r Saesneg
Correspondence welcomed in Welsh and English

Schedule

Following consultation with the Geoscience team, the application to vary permit BD0026901 has raised concerns with regard to the risk to the groundwater environment due to the volume of the discharge and the sensitivity of the receiving environment.

Please submit the following:

To demonstrate that pollution of groundwater will not occur at this location we require you to carry out and submit your own groundwater risk assessment. This should be undertaken in accordance with the Environment Agency's Horizontal guidance H1 - Annex J 4 which can be found here:

<https://www.gov.uk/guidance/infiltration-systems-groundwater-risk-assessments>

