

Permit Number: EPR/DP3733BK

Operator: Newport City Council

Facility: Docksway Landfill Area 2

Form Number: Particulate1 / 01/01/16

Reporting of particulates for the period from 01/01/2023 to 30/06/2023

Emission Point	Substance / Parameter	Emission		Reference Period	Result <sup>[1]</sup>	Test Method <sup>[2]</sup>	Sample Date and Times <sup>[3]</sup>	Uncertainty <sup>[4]</sup>
		Limit Value						
Asbestos Cell	Particulate Matter (PM <sub>10</sub> )	40µ/m <sup>3</sup> (Annual) 50µ/m <sup>3</sup> (24 hour)		24 hours	Highest reading 25µg/m <sup>3</sup>	As per M17	24 <sup>th</sup> April 2023 (11:27am) - 25 <sup>th</sup> April 2023 (11:27am)	√
	Deposited Particulate Matter	200mg/m-2 day-1			Highest reading 35.6mg/m-2 day-1		24 <sup>th</sup> April 2023 – 22 <sup>nd</sup> May 2023	√
	Asbestos Fibres	0.001 asbestos fibres/mL			Highest reading 0.001		18 <sup>th</sup> April 2023	√

[1] The result given is the maximum value (or the minimum value in the case of a limit that is expressed as a minimum) obtained during the reporting period, expressed in the same terms as the emission limit value. Where the emission limit value is expressed as a range, the result is given as the 'minimum – maximum' measured values.

[2] Where an internationally recognised standard test method is used the reference number is given. Where another method that has been formally agreed with Natural Resources Wales is used, then the appropriate identifier is given. In other cases the principal technique is stated, for example gas chromatography.

[3] For non-continuous measurements the date and time of the sample that produced the result is given. For continuous measurements the percentage of the process operating time covered by the result is given.

[4] The uncertainty associated with the quoted result at the 95% confidence interval, unless otherwise stated.

Signed ...L. Embrey.....  
(Authorised to sign as representative of Operator)

Date...03/07/2023.....