

Location	Spacing (m)	Amperage (mA)	Cycles	Resistivity	Error (%)	Self potential (mV)
RA02	1	0.5	4	22.46 Ω	0	59.77
RA02	1	1	4	214.4m Ω	0.1	
RA02	1	2	4	22.46 Ω	0	
RA02	1	5	4	22.41 Ω	0	
RA02	2	0.5	4	33.21 Ω	22	55.50
RA02	2	1	4	5.482 Ω	9	
RA02	2	2	4	-1.302 Ω	13.3	
RA02	2	5	4	407.6 m Ω	13.2	
RA02	2	0.5	6	425.9 m Ω	8.9	
RA02	2	1	6	Gain error	-	
RA02	2	1	8	Gain error	-	
RA02	2	1	10	Gain error	-	
RA02	2	1	2	3.14 Ω	10.7	
RA02	2	2	2	Gain error	-	
RA02	2	0.5	2	10.29 Ω	26.1	
RA02	2	0.5	4	-2.947 m Ω	22	
RA02	2	0.5	6	371.1 m Ω	2	
RA02	4	0.5	4	4.96 Ω	0.6	-24.80
RA02	4	1	4	-130.1 m Ω	18.4	
RA02	4	0.5	6	4.96 Ω	0.2	
RA02	4	0.5	8	4.745 Ω	0.1	
RA02	8	0.5	4	4.765 Ω	0.2	392.50
RA02	8	1	4	-37.35 m Ω	29.3	
RA02	8	0.5	6	4.745 Ω	0.2	
RA02	8	0.5	8	4.93 Ω	0	
RA02	16	0.5	4	1.403 Ω	0.1	343.20
RA02	16	1	4	-23.22 m Ω	22.2	
RA02	16	0.5	6	1.433 Ω	1.2	
RA02	16	0.5	8	-356.4 m Ω	0.3	
RA02	16	2	8	373.5 m Ω	0.2	
RA02	16	5	4	369.5 m Ω	0.3	
RA02	16	10	4	369.5 m Ω	0	
RA02	32	0.5	4	-340.50 m Ω	0.9	207.90
RA02	32	1	4	-29.98 m Ω	20.4	
RA02	32	0.5	6	32.2 Ω	2.7	
RA02	32	0.5	8	1.423 Ω	0	
RA02	50	0.5	4	164.5 m Ω	5	-65.46
RA02	50	0.5	6	1.11 Ω	6.8	
RA02	50	0.5	8	480.8 m Ω	9.1	
RA02	50	1	4	Gain error	-	
RA02	50	2	4	-329.3 m Ω	47.7	
RA02	50	10	4	384.5 m Ω	0.9	
RA02	50	20	4	509.2 m Ω	2.5	

RA02	50	10	6	602.7 mΩ	3.2	
RA02	50	10	8	568.2 mΩ	1	
RA02	50	10	10	551.9 mΩ	0.7	
RA01	1	0.5	4	-42.1 mΩ	21.3	136.30
RA01	1	0.5	6	-7.35 mΩ	15.3	
RA01	1	1	6	-3.958 mΩ	8.4	
RA01	1	2	6	213 mΩ	14.5	
RA01	1	5	6	-333.4 mΩ	6.2	
RA01	1	5	8	-869.3 mΩ	7.4	
RA01	1	10	8	-347.6 mΩ	1.4	
RA01	1	20	8	-341.5 mΩ	1.4	
RA01	1	20	10	-345.6 mΩ	0.5	
RA01	1	50	10	-338.4 mΩ	0	
RA01	2	0.5	4	9.341 Ω	0.4	223.10
RA01	2	0.5	6	9.43 Ω	0.2	
RA01	2	0.5	8	9.41 Ω	0	
RA01	4	0.5	4	-7.17 mΩ	23.4	107.00
RA01	4	0.5	6	-337.4 mΩ	10.3	
RA01	4	0.5	8	-419.8 mΩ	4.1	
RA01	4	0.5	10	-545.8 mΩ	0.7	
RA01	4	0.5	12	-652.5 mΩ	1.7	
RA01	4	1	4	Gain error	-	
RA01	4	1	6	-3.53 Ω	13.1	
RA01	4	1	8	-1.645 Ω	12.3	
RA01	4	5	8	110.7 mΩ	13	
RA01	4	54	8	-91.07 mΩ	0.4	
RA01	8	0.5	4	-31.09 Ω	23.1	102.60
RA01	8	0.5	6	-47.85 Ω	16.7	
RA01	8	0.5	8	-281.5 mΩ	15.7	
RA01	8	1	8	-2.625 Ω	9.5	
RA01	8	2	8	114.8 mΩ	1.1	
RA01	8	2	10	-247.0 mΩ	0.6	
RA01	16	0.5	4	-28.87 mΩ	20.3	98.60
RA01	16	0.5	6	-5.815 Ω	14	
RA01	16	0.5	8	-435.1 mΩ	12.6	
RA01	16	1	8	-2.796 Ω	8.5	
RA01	16	2	8	723.9 mΩ	2.2	
RA01	16	2	10	-663.7 mΩ	2	
RA01	16	5	4	-535.6 mΩ	6.6	
RA01	16	5	6	-476.5 mΩ	0.3	
RA01	32	0.5	4	-44.52 Ω	20.4	101.20
RA01	32	0.5	6	-7.592 Ω	15.3	
RA01	32	1	6	-3.17 Ω	9	
RA01	32	2	6	190.8 mΩ	19	
RA01	32	2	8	-197.2 mΩ	12.4	
RA01	32	2	12	-287.7 mΩ	0.5	
RA01	32	2	14	-938.2 mΩ	4.4	

RA01	32	2	10	-200.2 mΩ	8	109.70
RA01	32	5	10	-297.8 mΩ	0.9	
RA01	50	0.5	4	-42.71 Ω	20.1	
RA01	50	0.5	6	-8.239 Ω	15.5	
RA01	50	1	6	-3.14 Ω	9.7	
RA01	50	2	6	689.5 mΩ	6.1	
RA01	50	5	6	-365.9 mΩ	2.7	
RA01	50	5	8	-406.6 mΩ	0.4	
RA01	50	5	10	-404.5 mΩ	0.1	
RA01	50	5	12	-432.0 mΩ	0.1	