

## Compliance Assessment Report CAR\_NRW0042233

**Permit being assessed:** BW2300701

For: CSO BACH Y GWREIDDYN FARM PONTLLIW, held by DWR CYMRU CYFYNGEDIG  
At: Nr Bachygwreiddyw Farm, Penllergaer, Swansea, SA4 9EP.

**Type of assessment carried out:** Unknown, Reason: Incident Response (Incident number: 2305308).

On 02/08/2023.

Parts of permit assessed: Permitted Activities and Operating Techniques

**NRW Lead Officer:** Sarah Bennett.

**Report sent to:** CARS@dwrwymru.com, CARS Mailbox, on 05/12/2023.

### 1. Summary of our findings (full details in section 4)

Part of permitted activity assessed (criteria)	Assessment result	Permit condition
WQ-B1 - Operations - Permitted activities	C3 Minor	2.1.1 The only activity authorised by the permit is the activity specified in schedule 1 table S1.1.
WQ-B3 - Operations - Operating techniques	C3 Minor	2.3.1 For the discharge specified in table S3.3: (a) The discharge shall only occur when and only for as long as either: (i) the flow passed forward is equal to or greater than the overflow setting indicated due to rainfall and/or snow melt or (ii) the hydraulic capacity of the sewer network downstream of the combined sewer overflow is reached due to rainfall and/or snow melt and the level of storm sewage in the sewer at the combined sewer overflow is greater than the weir level of the overflow

Part of permitted activity assessed (criteria)	Assessment result	Permit condition
		structure which is specified as an overflow setting in table S3.3.

Result types are explained in more detail in the 'Important Information' section below.

## 2. What action is required?

Criteria	Action needed	Complete by
WQ-B1	Take steps to minimise any future similar non-compliances.	Already completed
WQ-B3	Take steps to minimise any future similar non-compliances.	Already completed

Action criteria codes are listed in the 'Important information' section below.

## 3. What will happen next?

Any non-compliance we have identified and recorded on this form is an offence. It can result in criminal prosecution and/or suspension or revocation of your permit.

### **At this time, we do not intend to take any further action.**

This statement does not stop us from taking additional enforcement action if further relevant information comes to light or offences continue.

## 4. Details of our assessment

On the 8 July 2023 NRW notified you of a report we had received of Bach Y Gwreiddyn Farm CSO discharging for consecutive days in dry weather. You investigated this report on the same day and found the CSO to be discharging due to a restriction in the sewer. The restriction was initially thought to be caused by wipes, rag and fats but a CCTV survey also found a large piece of tarmac in the continuation sewer. The blockage was cleared on the same day and the discharge stopped.

Whilst I appreciate that the discharge was primarily caused by an object which should not be in the sewer, the discharge that occurred is in breach the following Permit Conditions.

Condition 2.1.1 which specifies that the only activity authorised by the permit is a discharge of storm sewage via the point of discharge and;

Condition 2.3.1 which specifies that the discharge shall only occur when and only for as long as either:

(i) the flow passed forward is equal to or greater than the overflow setting indicated due to rainfall and/or snow melt or

(ii) the hydraulic capacity of the sewer network downstream of the combined sewer overflow is reached due to rainfall and/or snow melt and the level of storm sewage in the sewer at the combined sewer overflow is greater than the weir level of the overflow structure which is specified as an overflow setting in table S3.3.

I have recorded the discharge as a non-compliance with the permit.

This breach is in contravention of Regulation 38 (2) of the Environmental Permitting (England and Wales) Regulations 2016 which states that it is an offence for a person to fail to comply with or to contravene an environmental permit condition.

Please take any Advice and Guidance given in this CAR as formal.

My understanding is that, in addition to the actions carried out to stop the discharge, you have also done some de-silting of the sewer and root cut some of the upstream network.

One of the concerning issues with this discharge is that the alarms were not responded to appropriately. Had your response been quicker the volume of sewage discharged to the Afon Lliw could have been reduced. It is likely that this happened because it is not unusual for this CSO to discharge for prolonged periods of time due to hydraulic overload (as reported in the SOAF Investigation Summary 26/10/2023).

My understanding is that you have addressed this issue by increasing the spill level alarm from 3 to 4 and the chamber level rising alarm from 1 to 3.

There are no actions with this compliance report as you have already carried out work needed to minimise the occurrence of a similar non-compliance.

Thank you.

End

If you have any queries about this report, or to discuss completion of any actions, please contact the NRW Officer named above.

## Important information

### Legal status of this report

Your permit is issued to you under the Environmental Permitting Regulations. You have a responsibility to comply with the conditions of your permit and prevent pollution/harm to the environment. You must also ensure that you comply with any other relevant legislation that may apply to your site's operations.

This report explains the findings of our assessment and any action you are required to take. We categorise non-compliance using our guidance for assessing non-compliance at regulated sites.

When we find potential non-compliance/s we will normally give you advice on how to maintain compliance.

To correct non-compliance, we may:

- require you to take specific actions
- issue a notice
- review the conditions of your permit.

Any advice and guidance we give will be without prejudice to any other enforcement response that we consider may be required.

### Assessment results and non-compliance categories (used in section 1):

Assessment result	Description
Assessed (A)	Assessed or assessed in part, no evidence of non-compliance found
Action only (X)	Action only relating to the activity assessment
Ongoing (O)	Ongoing non-compliance, not scored

Non-compliance category	Description
C1 Major	Potential to have a major, serious, persistent and/or extensive impact or effect on the environment, people and/or property
C2 Significant	Potential to have a significant impact or effect on the environment, people and/or property
C3 Minor	Potential to have a minor or minimal impact or effect on the environment, people and/or property
C4 No environmental impact	Non-compliance at a regulated site that cannot foreseeably have any impact on the environment, people and/or property

### If your assessment result in Section 1 is suspended, what does this mean?

In line with our guidance, we may suspend non-compliance for up to six months to allow time for remedial action to be taken. These will be re-instated if the action is not completed.

**Full list of water quality action criteria (used in section 1 and 2):****WQ A: Management**

- WQ-A1 General management

**WQ B: Operations**

- WQ-B1 Permitted activities
- WQ-B2 The site
- WQ-B3 Operating techniques
- WQ-B4 Improvement programme
- WQ-B5 Pre-operational conditions

**WQ C: Emissions and monitoring**

- WQ-C1 Emissions to water
- WQ-C2 Emissions to land
- WQ-C3 Emissions of substances not controlled by emission limits
- WQ-C4 Installation of monitoring boreholes

**WQ D: Information**

- WQ-D1 Records
- WQ-D2 Reporting
- WQ-D3 Notifications

**Enforcement response**

Any permit condition non-compliance is an offence and we may take legal action against you. Action we take can include prosecution, serving a notice on you and/or suspension or revocation of your permit. See our Enforcement and Sanctions Guidance for further information.

**Data protection notice**

You should make sure that anyone named in this report knows that the information it contains will be processed by Natural Resources Wales to fulfil its regulatory and monitoring functions and to maintain the relevant public register(s).

We may also use and/or disclose the report in connection with:

- offering or providing you with our literature or services relating to environmental matters
- consulting with the public, public bodies and other organisations (e.g. Health and Safety Executive, local authorities) on environmental issues
- carrying out statistical analysis, research and development on environmental issues
- providing public register information to enquirers
- investigating possible breaches of environmental law
- assessing customer service satisfaction and improving our service
- Freedom of Information Act or Environmental Information Regulations requests.

We may also pass it on to our agents or representatives to do these things on our behalf.

**Disclosure of information – this report will be available to view on-line**

If you think this report contains commercially confidential information that should not be placed on our public register, you must contact your local Natural Resources Wales office within **fifteen working days** of receiving this report, using the contact details in the accompanying email or letter. You must give a full explanation of why it should not be

added to our public register, including specifying which information is commercially confidential. We will assess your request and respond to you within 20 working days to let you know if we agree to your request.

**What do I do if I disagree with the report or have a complaint?**

If you disagree with this compliance assessment report, you should contact the lead officer without delay to discuss your concerns.

If you are unable to resolve the issue with the lead officer or their line manager you should contact our Customer Contact team on 0300 065 3000 (Monday to Friday 08:00 – 18:00), or email [enquiries@naturalresourceswales.gov.uk](mailto:enquiries@naturalresourceswales.gov.uk) for details of how to raise your dispute further through our Complaints and Commendations procedure.

If you are dissatisfied with our response, you can contact the Public Services Ombudsman for Wales by phone on 0300 7900203 or by email at [ask@ombudsman.wales](mailto:ask@ombudsman.wales)

**Welsh Language Standards**

We are committed to establishing Natural Resources Wales as a naturally bilingual organisation. We will provide compliance reports in your preferred language.