

This form will report compliance with your permit as determined by an NRW officer

Site	St Mellons EPR/BJ69681Y	Permit Ref	BJ69681Y		
Operator/Permit holder	IQE Silicon Compounds Ltd				
Regime	Installations				
Date of assessment	07/08/2019	Time in	N/A	Out	N/A
Assessment type	Check Monitoring/Sampling				
Parts of the permit assessed	Annual returns				
Lead officer's name	Willey, David				
Accompanied by					
Recipient's name/position	Andrew Petterson/ HSE Engineer	Date issued	07/08/2019		

Section 1 – Compliance Assessment Summary

This is based on the requirements of the permit under the Environmental Permitting Regulations or the licence under the Water Resources Act 1991 as amended by the Water Act 2003. A detailed explanation is captured in "Compliance Assessment Report Detail" (Section 2) and any actions you may need to take are given in the "Action(s)" (section 4). This summary details where we believe any non-compliance with the permit has occurred, the relevant condition and how the non-compliance has been categorised using our Compliance Classification Scheme (CCS). CCS Scores can be consolidated or suspended where appropriate, to reflect the impact of some non-compliances more accurately. For more details of our CCS scheme, contact your local office.

Permit conditions and compliance summary	CCS Category	Condition(s) breached
<p>KEY: See Section 5 for breach categories, suspended scores will be indicated as such. A = Assessed or assessed in part (no evidence of non-compliance), X = Action only, O = Ongoing non-compliance, not scored.</p>		

Number of breaches recorded	0	Total compliance score (see section 5 for scoring scheme)	0
------------------------------------	----------	---	---

If the Number of breaches recorded is greater than zero, please see Section 3 for our proposed enforcement response

Section 2 – Compliance Assessment Report Detail

This section contains a report of our findings and will usually include information on:

- The part(s) of the permit that were assessed (eg. Maintenance, training, combustion plant, etc)
- Where the type of assessment was 'Data Review' details of the report/results triggering the assessment
- Any non-compliances identified
- Any non-compliances with directly applicable legislation
- Details of any multiple non-compliances
- Information on the compliance score accrued inc.
- Details of advice given
- Any other areas of concern
- Any actions requested
- Any examples of good practice
- A reference to photos taken

CAR Form reflecting the 2018 monitoring returns

Actions from the previous CAR Form issued on 13th February 2018

ACTION: Site to provide details of the updated maintenance checks as well as ensuring the accident management plan, planned preventative maintenance, fugitive emissions plan and the EMS are updated. The requirements of the Regulation (EU) No.517/2014 on fluorinated greenhouse gases and repealing Regulation (EC) No 842/2006 should be taken into consideration, specifically Chapter II Containment. *Completed.*

There have been fugitive emissions from the Petra chiller that was replaced in September 2017 with a Daikin EWAD600D. The maintenance checks have been updated to include a routine service agreement with a certified gas company with inspections carried out on a quarterly basis. A 'Daikin on Site' system has been installed that is a cloud based system monitoring key parameters as well as the performance of the chiller. There are associated alarms that trigger an e-mail to management if parameters deviate from control limits. To date this has triggered an alarm and allowed a repair within 2 days.

The associated AMP has been updated in line with these changes as well as a new document EMOP-2-07 for Environmental Communication.

Returns for 2018

The following returns below have been received by NRW:

- 2 x six monthly as required by Form A1 - No comments;
- 2 x six monthly as required by Form S1 – No comments;
- Annual as required by Form A2 – No comments;
- Annual as required by Form E1 – 2018 showed an overall increase in energy usage on site with an associated increase in emissions to air.

In line with the requirements of permit condition 4.1.3 there is a requirement for annual improvement targets that have been reported including:

- 18.1 for a 5% reduction in raw materials that was not achieved;
- 18.2 for efficient energy usage where replacement LED lightning will be completed in 2019;
- 18.3 for climate change levy agreement reporting 10.29MWh per m2 against a target of 5.55MWh per m2. This is an improvement from 2017 submission of 21.71MWh per m2.

END

EPR Compliance Assessment Report

**Report ID:
CAR_NRW0035541**

This form will report compliance with your permit as determined by an NRW officer

Site	St Mellons EPR/BJ69681Y	Permit Ref	BJ69681Y
Operator/Permit holder	IQE Silicon Compounds Ltd	Date	07/08/2019

Section 3 – Enforcement Response

You must take immediate action to rectify any non-compliance and prevent repetition. Non-compliance with your permit conditions constitutes an offence and can result in criminal prosecutions and/or suspension or revocation of a permit. Please read the detailed assessment in Section 2 and the steps you need to take in Section 4 below.

Section 4 – Action(s)

This section summarises the actions identified during the assessment along with the timescales for when they will need to be completed.

Criteria Ref.	CCS Category	Action required/advised	Due Date
See Section 1 above			

Section 5 – Compliance notes for the Operator

To ensure you correct actual or potential non-compliance we may

- Advise on corrective actions verbally or in writing
- Require you to take specific actions verbally or in writing
- Issue a notice
- Require you to review your procedures or management system
- Change some of the conditions of your permit
- Decide to undertake a full review of your permit

Any breach of a permit condition is an offence and we may take legal action against you

- We will normally provide advice and guidance to assist you to come back into compliance either after an offence is committed or where we consider that an offence is likely to be committed. This is without prejudice to any other enforcement response that we consider may be required.
- Enforcement action can include the issue of a formal caution, prosecution, the service of a notice and/or suspension or revocation of the permit.

See our Enforcement and Civil Sanctions guidance for further information

This report does not relieve the site operator of the responsibility to

- Ensure you comply with the conditions of the permit at all times and prevent pollution of the environment
- Ensure you comply with other legislative provisions which may apply

Non-compliance scores and categories

CCS category	Description	Score
C1	A non-compliance that could have a major environmental effect	60
C2	A non-compliance which could have a significant environmental effect	31
C3	A non-compliance which could have a minor environmental effect	4
C4	A non-compliance which has no potential environmental effect	0.1

Operational Risk Appraisal (Opra) - Compliance assessment findings may affect your Opra score and/or your charges. This score influences the resource we use to assess permit compliance.

Section 6 – General information

Data protection notice

The information on this form will be processed by the Natural Resources Wales (NRW) to fulfil its regulatory and monitoring functions and to maintain the relevant public register(s). The NRW may also use and/or disclose it in connection with:

- Offering/providing you with its literature/services relating to environmental matters
- Consulting with the public, public bodies and other organisations (eg. Health and Safety Executive, local authorities) on environmental issues
- Carrying out statistical analysis, research and development on environmental issues
- Providing public register information to enquirers
- Investigating possible breaches of environmental law
- Assessing customer service satisfaction and improving its service
- Freedom of Information Act/Environmental Regulations request

The NRW may pass it on to its agents/representatives to do these things on its behalf. You should ensure that any persons named on this form are informed of the contents of this data protection notice.

Disclosure of information

The NRW will provide a copy of this report to the public register(s). However, if you consider that any information contained in this report should not be released to the public register(s) on the grounds of commercial confidentiality, you must write to your local area office within fifteen working days of receipt of this form indicating which information it concerns and why it should not be released, giving your reasons in full.

Customer charter

What can I do if I disagree with this compliance assessment report?

If you are unable to resolve the issue with your site officer, you should firstly discuss the matter with officer's line managers using the informal appeals procedure. If you wish to raise your dispute further through our official Complaints and Commendations procedure, phone our general enquiry number 0300 065 3000 (Mon to Fri 08.00 – 18.00) and ask for the Customer Contact team or send an email to enquiries@naturalresourceswales.gov.uk. If you are still dissatisfied you can make a complaint to the Public Services Ombudsman for Wales. For advice on how to complain to the Ombudsman phone their helpline on 0845 607 0987.

Welsh Language

If you would like this form in Welsh please contact your Regulatory Officer.