

CONSENT NO.	CG0368001
-------------	-----------



ASiantaeth YR
AMGYLCHEDD
ENVIRONMENT
AGENCY


WATER RESOURCES ACT 1991

SECTION 88 - SCHEDULE 10

(AS AMENDED BY THE ENVIRONMENT ACT 1995)

CONSENT TO DISCHARGE

TO: Urdd Gobaith Cymru
Gwersyll Glanllyn
Bala
Gwynedd
LL23 7ST



CG0368001_2006_03_02

The ENVIRONMENT AGENCY ("The Agency") in pursuance of its powers under the Water Resources Act 1991 **HEREBY CONSENTS** to the making of a discharge OF **SEWAGE EFFLUENT**, as follows:

Biologically Treated Sewage Effluent

FROM: Sewage Treatment Plant serving Urdd Gobaith Cymru

AT: Gwersyll Glanllyn, Bala, Gwynedd.

TO: Llyn Tegid

SUBJECT TO the conditions set out in the following schedule(s):

Biologically Treated Sewage Effluent

Schedule No. CG0368001 01

Subject to the provisions of Paragraphs 7 and 8 of Schedule 10 of the Water Resources Act 1991, no notice shall be served by the Agency, altering this consent, without the agreement in writing of the consent holder, during a period of 4 years from the date this consent takes effect.

This consent is issued and takes effect on the 13th day of July 1998

Signed
Team Leader - Water Quality Consents



CONSENT NO.	CG0368001
SCHEDULE NO.	CG0368001 01
DATE ISSUED	13th July 1998



ASiantaeth Yr
AMGYLCHEDD
ENVIRONMENT
AGENCY

CONDITIONS OF CONSENT TO DISCHARGE

Biologically Treated Sewage Effluent ("the Discharge")

FROM: Sewage Treatment Plant serving Urdd Gobaith Cymru, Gwersyll Glanllyn, Bala, Gwynedd.

1. (a) The Discharge shall not contain any poisonous, noxious or polluting matter or solid waste matter.
- (b) Provided that the Discharge hereby consented is made in accordance with the following conditions of this consent, such discharge shall not be taken to be in breach of condition (a) above by reason of containing substances or having properties identified in and controlled by these conditions.

NATURE

2. The Discharge shall consist solely of biologically treated sewage effluent from the sewage treatment plant serving Urdd Gobaith Cymru, Gwersyll Glanllyn, Bala, Gwynedd.

LOCATION

3. The Discharge shall be made in the manner and at the place specified as:
 - (a) discharging via a 150 millimetre pipe;
 - (b) discharging to Llyn Tegid;
 - (c) at National Grid Reference SH 8880 3185;
 - (d) shown marked 'Discharge Point' on Plan CG0368001 attached as Annex 1.

SAMPLING POINTS

4. The outlet to the watercourse shall be constructed and maintained so that a representative sample of the Discharge may be obtained at National Grid Reference SH 8880 3185 as shown marked 'Discharge Point' on Plan CG0368001.



CONSENT NO.	CG0368001
SCHEDULE NO.	CG0368001 01



ASiantaeth YR
AMGYLCHEDD
ENVIRONMENT
AGENCY

VOLUME

5. The volume of the Discharge shall not exceed 24 cubic metres per day.
6. The rate of discharge shall not exceed 1.2 litres per second.

FLOW MEASUREMENT

7. Flow measurement structure(s) shall be provided and maintained to enable the instantaneous flow rate and daily volume of the Discharge to be measured or determined as required.

COMPOSITION


8. The Discharge shall not contain more than:
 - (i) 20 milligrammes per litre of biochemical oxygen demand (measured after 5 days at 20°C with nitrification suppressed by the addition of allyl-thiourea);
 - (ii) 30 milligrammes per litre of suspended solids (measured after drying at 105°C).
 - (iii) 2 milligrammes per litre of total phosphate.
9. As far as is reasonably practicable, the works shall be operated so as to prevent:
 - (a) any matter being present in the Discharge, other than matter specifically covered by numerical conditions in this consent, to such an extent as to cause the receiving waters, or any waters of which the receiving waters are a tributary, to be poisonous or injurious to fish in those waters, or to the spawning grounds, spawn or food of fish in those waters, or otherwise cause damage to the ecology of those waters; and
 - (b) the Discharge from having any other adverse environmental impact.





ANNEX I

Plan, CG0368001



AWDURDOD AFONYDD CENEDLAETHOL DEDDF ADNODDAU DŴR 1991

Cais am ganiatâd i ollwng
Atodiad 10



NRA

Cyfeiriad Rhanbarthol/Ardal:	<i>Ar gyfer y Swyddfa'n Unig</i>
	<i>Cyf. Dosb/Ardal:</i>
	Rhif Cais CG0368001
	Dyddiad Derbyn: 31/4/96
Ffi a Dderbyniwyd: £609.82	

Rhaid i bob ymgeisydd llenwi'r brif ffurflen a hwyrach y bydd angen llenwi atodiad ar wahân os bydd hynny'n gynnwys. Byddwch drwy'r ffurflen a darllenwch y nodiadau'n ofalus cyn ei llenwi. Bydd eiddoedd gyhoeddus wrth brosesu'r cais os llenwch yr adranau priodol i gyd yn llawn ac yn gywir a rhoi'r planiau angenrheidiol. Os bydd gennych gwestiynau am y ffurflen, byddwch cystal â chysylltu â'r sawl sydd wedi'i enwi yn y nodiadau.

1 CYFEIRIAD Y SAFLE

1.1 Cyfeiriad neu ddisgrifiad digonol arall o'r tir neu'r adeilad y mae'r cais hwn yn cynhyrchio ato.

URDD GOBAITH CYMRU GWERSYLL GALLANGLYN BALA GWYNEDD	
--	--

Cod Post LL23 7ST.

2 MANYLION AM YR HYN SYDD I'W OLLWNG

2.1 Nodwch natur yr hyn sydd i'w ollwng (gweler nodyn i a ii) - Marciwch un blwch neu ragor yn ôl yr angen:

- Elifant Carthion - 5 metr ciwbig y dydd neu lai ☐
- Elifant Carthion - mwy na 5 metr ciwbig y dydd (llenwch atodiad 1) ☒
- Elifant Carthion mewn storm neu argyfwng (llenwch atodiad 2) ☐
- Dŵr Oeri ☐
- Elifant Masnach (gan gynnwys traenio safle) (llenwch atodiad 3) ☐
- Eraill (rhowch fanylion) ☐

--

2.2 Nodwch yr uchafswm y bwriedir ei ollwng mewn unrhyw un diwrnod.
Nodwch yn fyr sut y cyfrifwyd y ffigur hwn (gweler nodyn ii).

24 m³/dydd

200 personau - 120 L/person.

- 2.3 a) Nodwch y dull gollwng a fwriedir - marciwch yn yr angen:-
(ar gyfer 1, 2 a 3 rhowch y maint isod)

- | | | | | | |
|------------|-------------------------------------|--------------|--------------------------|---------------------------------|--------------------------|
| 1. Piben | <input checked="" type="checkbox"/> | 4. Twll Dwfn | <input type="checkbox"/> | 7. System Ddyfrhau Danddaearol | <input type="checkbox"/> |
| 2. Sianel | <input type="checkbox"/> | 5. Ffynnon | <input type="checkbox"/> | 8. Cyfuniad o 6 a 7 | <input type="checkbox"/> |
| 3. Cwlfert | <input type="checkbox"/> | 6. Man Suddo | <input type="checkbox"/> | 9. Arall (rhowch fanylion isod) | <input type="checkbox"/> |

- b) Cyfeiriad(au) Grid Cenedlaethol y man(nau) gollwng (gweler nodyn iii):

S H / 8 8 8 0 / 3 1 8 5 (Nodwch ar y planiau sydd wedi eu hangau)

- 2.4 a) Bydd yr Awdurdod fel rheol yn gofyn am ddarpariaeth ddigonol ar gyfer cymryd samplau o'r hyn a olyngir mewn ffordd ddiogel a chyfleus ar unrhyw adeg. Nodwch pa dduil a fwriedir - marciwch yn ôl yr angen **A⁴EWELER Y PLAN**:

Yn y man gollwng ☐ Mewn twll daear neu siambr samplu ☒

Arall (rhowch fanylion)

- b) Cyfeiriad(au) Grid Cenedlaethol y man(nau) samplu (os yw'n wahanol i 2.3 b) uchod)

 / /

- c) Pa gyfleusterau a ddarperir i fesur y llif (gweler nodyn v)? Rhowch fanylion.

PLÂT CORED

- 2.5 Math o Waith/Weithfeydd Trin i'w defnyddio (nodwch y gwneuthuriad a'r model) - marciwch yn ôl yr angen:-

Tanc Septig ☐

Pecyn Gwaith Trin Carthion ☒

Arall ☐

- 2.6 a) Ar ba ddyddiad y bwriadwch ddechrau gollwng?

PRESENOL
/ /

- b) Os oes angen caniatâd am gyfnod penodol yn unig, rhowch y dyddiadau o:

/ /

i:

/ /

- c) Os na fydd y gollwng yn barhaus, rhowch fanylion am y cyfnod/amgylchiadau pan fydd yn digwydd.

- 2.7 a) A oes unrhyw ganiatadau eisoes yn bod i ollwng o'r adeilad (gweler nodyn vi)? ☒ O/N

Os oes, rhowch y rhifau cyfeirnod. (Dylech roi unrhyw wybodaeth bellach yn adran 5.2)

- b) A oes unrhyw berson wedi cael Rhybudd Gwahardd mewn cysylltiad â'r safle hwn? ☒ O/N

Os oes, rhowch y rhif cyfeirnod.

P300645

3 MANYLION AM Y SAFLE

- 3.1 Rhowch enw'r Awdurdod Cynllunio perthnasol.

Parc Cenedlaethol Eryri, Penrhyndeudraeth

3.2 Rhewch fanylion am yr adeilad - marciwch yn ôl yr angen:-

- | | | | |
|---|-------------------------------------|--------------------------------------|--------------------------|
| 1. Anedd Sengl | <input type="checkbox"/> | 6. Fferm Bysgod | <input type="checkbox"/> |
| 2. Nifer o Anheddau | <input checked="" type="checkbox"/> | 7. Gwaith Mineralau | <input type="checkbox"/> |
| 3. Adeilad Masnachol (<i>rhewch fanylion</i>) | <input type="checkbox"/> | 8. GTC Gwasanaethau Dŵr ccc | <input type="checkbox"/> |
| 4. Man Parcio Cerbydau | <input type="checkbox"/> | 9. Cyflenwad Dŵr | <input type="checkbox"/> |
| 5. Adeilad Diwydiannol | <input type="checkbox"/> | 10. Arall (<i>rhewch fanylion</i>) | <input type="checkbox"/> |

3.3. Nodwch ffynhonnell y cyflenwad dŵr - marciwch yn ôl yr angen:-

- | | | | |
|--|-------------------------------------|-----------------------------|--------------------------|
| 1. Ffynnon | <input type="checkbox"/> | 5. Afon (<i>enwch hi</i>) | <input type="checkbox"/> |
| 2. Twll Dwfn | <input type="checkbox"/> | 6. Aber (<i>enwch hi</i>) | <input type="checkbox"/> |
| 3. Anweddu (<i>e.e. glaw neu eira</i>) | <input type="checkbox"/> | 7. Dŵr Arfordir | <input type="checkbox"/> |
| 4. Prif Gyflenwad (<i>rhewch enw'r cwmni cyflenwi dŵr</i>) | <input checked="" type="checkbox"/> | | |

DŵR CYMRU

4. MANYLION AM YR AMGYLCHEDD DDERBYN

4.1 Cyfrwng derbyn - marciwch y categori(au) y bwriedir gollwng iddo/iddynt:-

- | | | | |
|--|-------------------------------------|---|--------------------------|
| 1. Dŵr Aber (afon neu nant gyda llanw) | <input type="checkbox"/> | 5. I Mewn i Dir | <input type="checkbox"/> |
| 2. Afon neu Nant (<i>heb Lanw</i>) | <input type="checkbox"/> | 6. Ar Dir | <input type="checkbox"/> |
| 3. Camlas | <input type="checkbox"/> | 7. Yn Uniongyrchol i Ddŵr Tîr | <input type="checkbox"/> |
| 4. Llyn neu Bwll | <input checked="" type="checkbox"/> | 8. Dŵr Arfordir (<i>gweler nodyn</i>) | <input type="checkbox"/> |

Rhewch enw'r dŵr derbyn os gwyddoch:

Llyn Tegid

4.2 Yn achos Systemau Dyfrhau Tanddaearol, Mannau Suddo neu Dyllau Dwfn:-

- (a) A oes unrhyw ran o'r system o fewn 5 metr i ffin yr adeilad? ☐ O/N
- (b) A oes unrhyw ran o'r system o fewn 10 metr i gwrs dŵr? ☐ O/N
- (c) A oes unrhyw ran o'r system o fewn 50 metr i dwll dwfn neu ffynnon? ☐ O/N

(d) Ar gyfer ffynhonnau a thyllau dwfn, rhewch y maint mewn metrau

m³

(e) Ar gyfer systemau dyfrhau tanddaearol, pyllau suddo, ffynhonnau a thyllau dwfn, rhewch y dyfnder isaf mewn metrau.

m³

(f) Ar gyfer Tyllau Dwfn, rhewch fanylion y leinin mewn metrau:

(i) Dyfnder y leinin

m³

(ii) Dyfnder y leinin gyda thyllaum

m³

(iii) Dyfnder y leinin heb dyllau

m³

(g) Rhaid gwneud prawf hidlo yn unol â Safon Brydeinig BS6297:1983.

A yw'r canlyniadau wedi eu rhoi?

Y/N

4.3 A oes carthffos dŵr budr ar gael y gellid rhyddhau iddi (gweler nodyn viii)?

O/N

Os oes, rhewch y rhesymau pam nad yw'n ymarferol cysylltu wrthi (e.e. pellter, llif, etc.)

5. MANYLION AM YR YMGEISYDD A GWYBODAETH ARALL

5.1 (Gweler nodyn ix)

<p>(a) Enw llawn a chyfeiriad post</p> <p>URDD GOBAITH CYMRU</p> <p>* GWERSYLL GLANALYN</p> <p>* LANUWCHALYN</p> <p>* BAKA, GWYNEDD</p> <p>Cod Post: LL23 7ST</p> <p>Rhif Teleffon Dydd: 01678 540607</p>	<p>(b) Asiant (os o gwbl) - Enw yr ymgeisydd llawn a chyfeiriad post</p> <p>* PENSTAR P.T.S. LTD.</p> <p>* RHOSHIL</p> <p>* ABERTEIFI</p> <p>* DYFED</p> <p>Cod Post: SA43 2TX</p> <p>Enw Cyswllt a Rhif Teleffon Rhif dydd:</p> <p>01239 841458</p>
<p>Cofrestru'r Cwmni (os yw'n addas)</p>	

5.2 A oes unrhyw ffactorau eraill i'w cynryd i ystyriaeth? Ewch ymlaen ar ddalen ar wahân os bydd angen.

DIM

DATGANIAD

Yr wyf fi/ydym ni:

- Yn gwneud cais o dan y Ddeddf Adnoddau Dŵr 1991 am ganiatâd i ollwng, fel y disgrifir yn y Cais hwn. Mae'r "Cais Hwn" yn golygu'r tudalen hwn, a phob tudalen arall yn y ffurflen hon ac unrhyw atodiadau iddi, y plan(iau) sydd wedi eu cysylltu, unrhyw ddalennau eraill sydd wedi eu cysylltu, ac unrhyw wybodaeth ysgrifenedig arall a ddarperir i gefnogi'r cais.
- yn amgáu'r ffi angenrheidiol i wneud cais, yn daladwy i'r Awdurdod Afonydd Cenedlaethol (gweler nodyn x).
- yn amgáu 3 chopi o'r plan(iau) a'r mapiau lleoliad a'r holl wybodaeth berthnasol wedi ei marcio'n glir (gweler nodyn xi).
- yn bwriadu talu'r costau hysbysebu angenrheidiol (gweler costau xii).
- yn cadarnhau bod y cais i'r Ysgrifennydd Gwladol am ryddhau o gyhoeddusrwydd a/neu gofnod yn y gofistr wedi/heb ei wneud/i'w wneud/nad yw i'w wneud* (gweler nodyn xiii).
- yn cadarnhau y byddaf/byddwn* yn rhoi gwybod i'r Awdurdod Afonydd Cenedlaethol am unrhyw newidiadau yn y wybodaeth yn y cais hwn a allai fod yn berthnasol i barhad y caniatâd.
- yn cadarnhau bod/y bydd* y wybodaeth a roddwyd yn y cais hwn ac unrhyw gwestiynau a fydd gan yr Awdurdod Afonydd Cenedlaethol amdani yn wir hyd eithaf fy ngwybodaeth/ein gwybodaeth* a'm/a'n* cred ac na wn/wyddom* am unrhyw ffactorau na gwybodaeth arall a allai effeithio ar roi caniatâd, nac amodau y gellid eu gosod arno (gweler nodyn xiv).
- yn cadarnhau y byddaf/byddwn* yn talu unrhyw daliadau blynyddol dyledus os rhoir caniatâd BYDDAF/NA FYDDAF*. Os na, dywedwch pwy fydd yn gwneud hynny drwy lenwi adran 5.3 isod (gweler nodyn xv). (Dilewch yn ôl yr angen).

LLOFNODWYD: AP. Oubell ENW MEWN LLYTHRENNAU BRAS: A. P. WINTERBOTTOM

AR RAN: PENSTAR P.T.S. LTD (ASIA NT) DYDDIEDIG: 20/3/96

5.3 Rhowch yr enw llawn a'r chyfeiriad y dylid anfon biliau ato os yw'n wahanol i'r uchod:

URDD GOBAITH CYMRU, GWERSYLL GLANALYN

LANUWCHALYN, BAKA, GWYNEDD

Cod Post: LL23 7ST Rhif Teleffon Dydd: 01678 540607

DYCHWELWCH Y FFURFLEN I'R CYFEIRIAD AR Y DDALLEN FLAEN

ATODIAD 1

ELIFIANT CARTHION O FWY NA 5 METR CIWBIG Y DYDD

Llenwch yr atodiad hwn os ydych yn bwriadu gollwng mwy na 5 metr ciwbic y dydd o elifiant carthion (os bydd yr elifiant yn cynnwys elfen fasnach, dylech lenwi atodiad 3 hefyd).

Ar gyfer y Swyddfa'n
Unig
Rhif Cais



1. Enw'r Safle.

URDD GORATH CYMRU
GWERSYLL GLANLLYN
BARA / GWYNEDD.

2. Rhowch fanylion am fath a nifer yr unedau trin y bwriadwch eu defnyddio.

UNED CLEARWATER BIOSPIRAL

3. Cyfaint, cyfraddau a gosodiadau llifo. (Rhowch y cyfaint mewn metrau ciwbic y dydd neu litrau yr eiliad fel y dangosir isod)

- a) Llif uchaf i'r driniaeth iawn.
(gweler nodiadau ar gyfer poblogaeth gyfatebol)
b) Llif gollwng mewn Tywydd Sych
c) Llif Dyddiol ar Gyfartaledd
d) Cyfradd Ollwng uchaf

24 m³/d

24 m³/d

1.2 m³/d

1.1 l/e

4. A fydd darpariaeth ar gyfer gollwng mewn storm/argyfwng?
Os bydd, llenwch atodiad 2.

B/N

5. a) A fydd unrhyw gadw llygad gennych chi?
Os bydd, rhwch fanylion

B/N

SAMPLAU A LLAW GAN YR ASIANT.

- b) A fydd offer samplu awtomatig yn cael ei ddarparu?
Os bydd, rhwch fanylion am y math a'r lleoliad (dangoswch ar y plan)

B/N

6. a) Nodwch uchafswm y boblogaeth a gaiff ei gwasanacthio gan y gwaith trin.

200

- b) Rhewch resymau dros unrhyw amrywiadau yn y boblogaeth, e.e. man gwyliau, man hyfforddi, diwydiant tymhorol, etc. a rhewch fanylion am y cyfnodau/adegau dan sylw.

CANOLFAN HAMDDEN A HYFFORDDI
YR IEUEWCTID

- c) Nodwch y math o ddalgylch/safle a wasanaethir, e.e. preswyl, man gwyliau, diwydiannol, etc.

MAN GWYLIAU

7. A fydd cytundeb cynnal a chadw'n cael ei drefnu i reoli'r gwaith carthion? (gweler nod y b) Os bydd, rhewch fanylion.

(B/N)

CYTUNDER BRYNNYDDOL

8. A yw'r elifiant yn cynnwys elfen fasnach? Os ydyw, llenwch atodiad 3.

(Y/N)

Nodiadau (gweler hefyd y nodiadau gyda'r brif ffurflen):

- a) Ar gyfer gweithfeydd carthion mawr, rhaid cynnwys manylion llawn am gynllun y gwaith, llif tywydd sych a llwyth BOD, ynghyd â gwybodaeth am bopeth sy'n cael ei ollwng o'r gwaith, er mwyn prosesu'r cais. Fel rheol bydd angen cadw llygad ar y llif gyda defnyddiau felly, a dylid darparu manylion am leoliad a math y cofnodwyr llif.
- b) Mae'r Awdurdod yn gofyn i un corff neu gwmni fod yn gyfrifol am yr hyn sy'n cael ei ollwng ac am unrhyw filiau o dan y Cynllun Taliadau am Ollwng. Lle bydd nifer o anheddau gyda gwahanol berchnogion wedi eu cysylltu wrth yr un system, dylid sefydlu cwmni rheoli.

Adran Tai a Gwarchod y Cyhoedd
Housing and Public Protection Department

Cyfarwyddwr / Director · D P Lewis



Gofynnwch am / Ask for: S. N. Brock
Llinell uniongyrchol / Direct line: 01341 424365

Ein cyf / Our ref: SNB/CAW

Eich cyf / Your ref:

4ydd Mehefin 1996

Miss B. Wilcock
Swyddog Caniatâd
Asiantaeth yr Amgylchedd
Rivers House
Parc Busnes Llaneirwg
Llaneirwg
CAERDYDD
CF3 0LT

Annwyl Fadam,

DEDDF ADNODDAU DWR 1991
CAIS AM GANIATÂD I RYDDHAU YNG NGWERSYLL GLANLLYN,
LLANUWCHLLYN, Y BALA
CAIS RHIF: CG680001- 00368001

Ymhellach i'ch llythyr o'r 7fed Mai rwyf yn bryderus am y cais hwn oherwydd y broblem gyda'r algae glas-wyrdd a ddigwyddodd yn Llyn Tegid y llynedd, ac mae'n ymddangos y gallai ddigwydd eto eleni.

Deallaf fod yr asiantaeth yn cynnal astudiaeth eleni er mwyn asesu y rhesymau dros y cnwd algae, a fydd heb os yn ystyried mewnbwn maetholion i'r llyn. Hyd nes bod yr astudiaeth yma wedi ei chwblhau fe fyddai yn annoeth caniatáu rhyddhau carthion ychwanegol wedi eu trin i'r llyn, oni bai wrth gwrs bod y driniaeth i safon uchel iawn.

Os yw statws y llyn yn newid o oligotrophic i menotrophic, neu hyd yn oed eutrophic, yna rwyf yn tybio y byddwch yn dymuno defnyddio yr egwyddor rhagofal. Fe fyddai cynydau pellach o algae glas-wyrdd yn arbennig o niweidiol i ddelwedd Llyn Tegid, y diwydiant twristiaeth a'r busnesau campau dwr sydd o amgylch neu ger y llyn.

Yr eiddoch yn gywir

RHEOLWR ARDAL (IECHYD YR AMGYLCHEDD)



ENVIRONMENT AGENCY

ANNEXE 1

SEWAGE EFFLUENT GREATER THAN 5 CUBIC METRES PER DAY

Please complete this annexe if you are proposing to discharge more than 5 cubic metres per day of sewage effluent (if the effluent is to contain a trade component Annexe 3 should also be completed).

Official Use Only
Application No.

1. Site Name.

Udd Gobaith Cymru
Bala

2. Please detail the type and number of treatment units you are proposing to use.

one Clearwater Biospiral

3. Volume, rates and overflow settings. (Please give volumes in cubic metres per day or litres per second as indicated below)

a) Maximum flow to full treatment.

24 m³/d

(see note (ii) in main guidance notes for population equivalents).

b) Dry weather flow of discharge(s).

24 m³/d

c) Average daily flow.

12 m³/d

d) Maximum rate of discharge(s)

1.11 l/s

4. Will there be provisions for storm/emergency discharges?

☒ Y ☐ N

If yes, please complete Annexe 2.

5. a) Will any self monitoring take place?

☒ Y ☐ N

If yes, please give details.

NO

b) Will automatic sampling equipment be provided?

☒ Y ☐ N

If yes, please give details of type and location (please indicate on plan).

6. a) Please state the maximum population served by the treatment works.

200

- b) Please give reasons for any variations in population eg. holiday resort, training area, seasonal industry etc. and detail the periods/times involved.

Yacht recreational and boating centre.

- c) Please state type of catchment/site being served eg. residential, resort, industrial etc.

Holiday resort

7. Will a maintenance agreement be set up to manage the sewage works? (see note b)
If yes, please give details.

Y/N

Yearly contract

8. Does the effluent contain a trade component?
If yes, please complete appropriate section on Annexe 3 for authorised discharges of trade effluent to the sewerage system.

Y/N

Notes (see also the notes attached to the main form):

- a) For significant sewage treatment plants full details of the plant design, dry weather flow and Biochemical Oxygen Demand load, along with information on all discharges from the works must be included in order for the application to be processed. Flow monitoring will normally be required for such discharges and details of siting and type of flow recorders should be provided.
- b) The Agency require a single body or company to be responsible for the discharge and any bills raised under the Charges for Discharges Scheme. Where multiple dwellings under different ownership are connected to the same system a management company should be set up.

5 DETAILS OF APPLICANT AND OTHER INFORMATION

5.1 (See general notes and note ix)

(a) Full name and postal address of applicant. This should be the person who will become the consent holder should consent be issued.

*

Udd Gobaith Cymru

*

Gwersyll Giarlwyn

*

Harrochwyn

*

Bala

*

LL23 7ST

Post Code:

Daytime Telephone Number: 01678 540607

Company Registration Number (if appropriate):

(b) Agent (if any) - Full name and postal address.

*

Perotus PTS Ltd

*

Rhosmull

*

Abercifi

*

Dyffed

*

Post Code: SA43 2TX

Contact Name and Daytime Telephone Number: 01239 841 458

5.2

Please give full name and address to which bills should be sent if different to that given above:

*

*

*

*

*

*

*

Post Code:

Daytime Telephone Number:

5.3 Are there any other factors to be taken into account? Please continue on a separate sheet if necessary.

None

3.3 Please indicate source of the water supply - tick as appropriate:-

- | | | | |
|--|--------------------------|---|--------------------------|
| 1. Well | <input type="checkbox"/> | 5. River (please give name below) | <input type="checkbox"/> |
| 2. Borehole | <input type="checkbox"/> | 6. Estuary (please give name below) | <input type="checkbox"/> |
| 3. Precipitation (eg. rain or snow) | <input type="checkbox"/> | 7. Coastal Water (please give name below) | <input type="checkbox"/> |
| 4. Mains (please state water supply company) | <input type="checkbox"/> | | |

Dur Cymru

4 DETAILS OF RECEIVING ENVIRONMENT

4.1 Receiving Medium - tick the category(s) to which the proposed discharge(s) is(are) to be made:-

- | | | | |
|--|--------------------------|---------------------------------|--------------------------|
| 1. Estuarial Water (tidal river or stream) | <input type="checkbox"/> | 5. Into Land | <input type="checkbox"/> |
| 2. River or Stream (non-tidal) | <input type="checkbox"/> | 6. Onto Land | <input type="checkbox"/> |
| 3. Canal | <input type="checkbox"/> | 7. Directly into Groundwater | <input type="checkbox"/> |
| 4. Lake, Loch or Pond | <input type="checkbox"/> | 8. Coastal Water (see note vii) | <input type="checkbox"/> |

State name of receiving water if known:

Llyn Tegid

4.2 In the case of sub-irrigation systems, soakaways or boreholes:-

- (a) Is any part of the system within 5 metres of the boundary of the premises? ☐ Y/N
- (b) Is any part of the system within 10 metres of a watercourse? ☐ Y/N
- (c) Is any part of the system within 50 metres of a borehole or spring? ☐ Y/N
- (d) For wells and boreholes state dimension(s) in metres. m
- (e) For sub-irrigation systems, soakaway pits, wells and boreholes, state maximum depth in metres. m
- (f) For boreholes, state details of lining in metres:
- (i) Depth of lining m
- (ii) Depth of perforated lining m
- (iii) Depth of unperforated lining m
- (g) A percolation test must be carried out in accordance with British Standard BS6297:1983.
Have the results been provided? ☐ Y/N

4.3 Is there a foul sewer available to which the discharge(s) could be made (see note viii)? ☐ Y/N
If yes, please give the reasons it is not practical to connect to it (eg. distance, flow etc.).



ENVIRONMENT
AGENCY

WATER RESOURCES ACT 1991 (schedule 10)

(as amended by the Environment Act 1995)

Application for new consent/variation to an existing consent* to discharge

(* delete as appropriate)

Regional/Area Address:	<i>Official Use Only</i> <i>Dist/Area Ref:</i> <i>Application No.</i> <i>Date Received:</i> <i>Fee Received:</i>
-------------------------------	--

Each applicant must complete the main form and may need to complete a separate annexe if appropriate. Please look through the form and read the notes carefully before you complete it. Processing of your application will be aided by full and accurate completion of all the relevant sections and provision of the necessary plans. If you have any queries regarding the form please contact the person given in the notes.

NOTE:

All information contained within this application will be made available on the public register unless there is a request to withhold any of it. Any such request should provide a full justification stating why the information needs to be withheld (see note xiii).

1 SITE ADDRESS

1.1 Address or other sufficient description of land or premises to which this application applies.

--

Post Code:

--

2 DETAILS OF DISCHARGE(S)

2.1 State the nature of the discharge(s) (see note i and ii) - tick one or more boxes as appropriate:-

Sewage Effluent - volume of 5 cubic metres per day or less ☐

Sewage Effluent - volume greater than 5 cubic metres per day (complete annexe 1) ☒

Sewage Effluent discharged under storm or emergency conditions (complete annexe 2) ☐

Cooling Water (complete annexe 3) ☐

Trade Effluent (including site drainage) (complete annexe 3) ☐

Others (please specify) ☐

2.2 Please state the maximum quantity it is proposed to discharge in any one day 24 m³/day
Briefly state how this figure was calculated (see note ii).

200 x 120 l person

2.3 a) Indicate proposed means of discharge - tick as appropriate and show on plan:-
(for 1, 2 & 3 please state dimensions below)

1. Pipe ☒

4. Borehole ☐

7. Sub-Irrigation System ☐

2. Channel ☐

5. Well ☐

8. Combination of 6. & 7. ☐

3. Culvert ☐

6. Soakaway ☐

9. Other (please specify below) ☐

b) National Grid Reference(s) of point(s) of discharge (see note iii).

54 / 9880 / 3185 (please indicate on accompanying plans)

2.4 a) The Agency will normally require adequate provision for the taking of samples of the discharge in a safe and convenient manner at any time. Please indicate the means proposed (see note iv) - tick as appropriate and show on plan:-

At the outlet ☐

At a manhole or sampling chamber ☒

Other (please specify)

b) National Grid Reference(s) of sampling point(s). (If different from 2.3 b) above)

/ / (please indicate on accompanying plans)

c) What flow measurement facilities will be provided (see note v)?

Please give details.

weir plane

2.5 a) Type of Treatment Plant(s) to be used (please specify make and model) - tick as appropriate:-

Septic Tank ☐

Package Sewage Treatment Works ☒

Other ☐

b) Will the treatment process involve the use of any chemicals (eg ferric salts, polyelectrolytes) ☐ Y/N
If yes please give details.

2.6 a) On what date do you anticipate the discharge will commence?

PRESENTLY
/ /

b) If you require the consent for a limited time period please give dates; from:

/ /

to:

/ /

c) If the discharge is not continuous please detail the period/circumstances when it will occur.

2.7 a) Are there any existing consents for discharge from the premises (see note vi)? ☐ Y/N

If yes, please give the reference numbers (Any further information should be given in section 5.3).

b) Has any person had a Prohibition Notice served on them in respect of this site? ☐ Y/N

If yes, please give the reference number.

P300645

3 SITE DETAILS

3.1 Please give the name of the relevant Planning Authority.

Eryri National Park

3.2 Please give details of the premises - tick as appropriate:-

1. Single Dwelling ☐

2. Multiple Dwellings ☒

3. Industrial Premises ☐

4. Vehicle Parking Area ☐

5. Commercial Premises (please specify) ☐

6. Fish Farm ☐

7. Mineral Workings ☐

8. Water Services plc STW ☐

9. Water Supply ☐

10. Other (please specify) ☐

DECLARATION

I/We:

- 1. apply under the Water Resources Act 1991 (as amended by the Environment Act 1995) for consent to discharge, as described in this Application. "This Application" means this page, all the other pages of this form and any attached annexes, the attached plan(s), any other sheets attached, and any other written information supplied to support the application.
- 2. enclose the required application fee, payable to the Environment Agency (see note x).
- 3. enclose 3 copies of the plan(s) and location maps with all relevant information clearly marked (see note xi).
- 4. will pay required advertising costs (see note xii).
- 5. confirm that I/we* will notify the Environment Agency of any changes in the information in this application which might be material to the continuation of the consent.
- 6. confirm that the information given in this application and any questions which the Environment Agency may have about it is/will* be true to the best of my/our* knowledge, information and belief and am/are* not aware of any other facts or information which might affect the granting of a consent, or conditions which might be put on it (see note xiii).
- 7. confirm that I/we* will pay any annual charges due should a consent be granted YES/NO*. If no please indicate who will by completing section 5.2 above (see note xiv).

(* Delete as appropriate)

SIGNED: PRINT NAME:

ON BEHALF OF:..... DATED:

CONFIDENTIALITY

I/we apply for commercial confidentiality and enclose a full written justification (see note xv).

SIGNED: DATED:

PLEASE RETURN THIS FORM TO THE ADDRESS GIVEN ON THE FRONT PAGE