

Compliance Assessment Report CAR_NRW0043075

Permit being assessed: VP3935AT.

For: Tir John Landfill, **held by:** Enovert South Ltd

At: Wern Fawr Road, Off Fabian Way, Port Tenant, SWANSEA, West Glamorgan, SA1 8LN.

Type of assessment: Report/Data Review,

Reason: Other.

On: 31/12/2023.

Parts of permit assessed: Q4 monitoring returns.

NRW Lead Officer: Daniel Packer.

Report sent to: Lance Jones, Area Operations Manager, on 22/03/2024.

1. Summary of our findings (full details in section 4)

Part of permitted activity assessed (compliance criteria)	Assessment result	Permit condition
IR3A - Emissions and monitoring - Emissions to water, air or land	C3 Minor	3.1.2 The limits given in schedule 3 shall not be exceeded.
IR4A - Information - Records	Action only (X)	
IR2I - Operations - Leachate levels (only applicable to landfill)	C3 Minor	2.8.1 The limits for the level of leachate listed in schedule 3 table S3.1 shall not be exceeded
IR3A - Emissions and monitoring - Emissions to water, air or land	C3 Minor	permit conditions 3.1.2 and 3.1.5

Result types are explained in more detail in the 'Important Information' section below.

Total non-compliances recorded	Total non-compliance score
3	12

How we use the non-compliance score to calculate your annual fee is explained in the 'Important Information' section below.

2. What action is required?

Criteria	Action needed	Complete by
IR3A	Review GDW18 to identify why the Ammoniacal-N (mg/l) level is high. Identify remedial action required to reduce this to withing permitted levels.	01/03/2024
IR4A	Operator to review Cis-1,2-Dichloroethene testing to ensure test limits reach levels outlined within the permit.	01/03/2024
IR2I	Submit report detailing source of blockages and plan to reduce leachate levels.	01/03/2024
IR3A	Review the limit of detection the laboratory can reach using accredited analytical methods. Ensuring the limit of detection can meet the permit requirements.	01/03/2024

Compliance criteria codes are listed in the 'Important information' section below.

3. What will happen next?

Any non-compliance we have identified and recorded on this form is an offence. It can result in criminal prosecution and/or suspension or revocation of your permit.

At this time, we do not intend to take any further action.

This statement does not stop us from taking additional enforcement action if further relevant information comes to light or offences continue.

4. Details of our assessment

This Compliance Assessment Report (CAR) is an assessment of the 2023 Q4 reporting submission required by the permit of the operator, Enovert Limited - Tir John Landfill.

The Q4 monitoring returns has been submitted to NRW in full inside the reporting window as required by condition 4.2.3 of the permit. This represents a compliance with the environmental permit under permit condition 4.2.

Surface Water

From a review of the information submitted, surface water monitoring was undertaken, and the results were compliant with the stipulated emission limit required by permit condition 3 Emissions and monitoring.

Ground Water

From a review of the information submitted, ground water monitoring was undertaken. GDW18 shows elevated levels of Ammoniacal-N (mg/l) with a reported reading of 18 mg/l. This is significantly over the permitted level of 5 mg/l. This represents a non-compliant with the stipulated emission limit required by permit condition 3 Emissions and monitoring.

A category 3 (C3) non-compliance score has been applied against permit condition 3.1.2 and 3.1.5 Table S3.5 and consolidated for the quarter for GDW18.

ACTION - Review GDW18 to identify why the Ammoniacal-N (mg/l) level is high. Identify

remedial action required to reduce this to within permitted levels.

The Cis-1,2-Dichloroethene levels, is being reported as all showing <3 ug/l. However, the limit set within the permit is 1 ug/l.

ACTION - Review the limit of detection the laboratory can reach using accredited analytical methods. Ensuring the limit of detection can meet the permit requirements.

Emissions to Air

From a review of the information submitted, engine gas, compound and flaring monitoring was undertaken, and the results for Nox (mg/m³), CO (mg/m³) and VOC were compliant with the stipulated emission limit required by permit condition 3 Emissions and monitoring.

Leachate

From a review of the information submitted, Leachate level monitoring was undertaken, and the results were non-compliant with the stipulated emission limit required by permit condition 3 Emissions and monitoring. A C3 score has been applied for this quarter against permit conditions 3.1.2 and 3.1.5 and TableS3.5.

ACTION - Review leachate levels to identify source of blockages and increased leachate levels above permitted levels. Where necessary the Operator must review the sampling, testing and reporting methods currently undertaken and where appropriate, modify to ensure that leachate levels are improving.

Schedule 5 notification

Leachate Levels

The operator submitted to NRW on 20 December 2023 a Schedule 5 notification in line with the environmental permit for leachate levels recorded above the permitted limit. A consolidated C3 score has been applied for the quarter.

Leachate levels were exceeded at the following locations:

Sample Point,	Date,	Leachate Head (m)
TIR HWM11,	30/11/2023,	1.68
TIR HWM12,	30/11/2023,	1.75
LEW09b,	17/11/2023,	16.12 (Blockage in well)
LEW13a,	17/11/2023,	1.38
LEW16,	17/11/2023,	2.84
LEW20,	17/11/2023,	1.16
LEW21,	17/11/2023,	2.11
LEW23,	17/11/2023,	2.57
LEW24,	17/11/2023,	3.86
LEW25,	17/11/2023,	5.62
LEW26,	17/11/2023,	1.29
LEW27,	17/11/2023,	1.19
LEW28,	17/11/2023,	1.26

LEW32, 17/11/2023, 2.92

Water Levels

The operator submitted to NRW on 20 December 2023 a Schedule 5 notification in line with the environmental permit for Ammoniacal-N levels and Ortho Phosphate levels recorded above the permitted limit. A consolidated C3 score has been applied for Ammoniacal-N levels in respect of the Schedule 5 submission for this quarter against permit conditions 3.1.2 and 3.1.5 (groundwater) TableS3.5.

Ammoniacal-N levels were exceeded at the following locations:

ID,	Date,	Result,	Limit
GDW05,	18/10/2023,	26,	25
GDW18,	18/10/2023,	18,	5

Ortho Phosphate levels were exceeded at the following locations:

ID,	Date,	Result,	Limit
GDW04,	18/10/2023,	<0.062,	0.05
GDW05,	18/10/2023,	0.52,	0.05
GDW06,	18/10/2023,	0.16,	0.05
GDW07,	18/10/2023,	0.42,	0.05
GDW08,	18/10/2023,	0.15,	0.05
GDW18,	18/10/2023,	0.077,	0.05

Several wells are showing above permitted levels at the same result. Ortho Phosphate is being reported as showing <0.062. However, the limit set within the permit is 0.05. A C3 score has been applied in respect of the Schedule 5 submission for this quarter against permit conditions 3.1.2 and 3.1.5 (groundwater)

GDW09,	18/10/2023,	<0.062,	0.05
GDW10,	18/10/2023,	<0.062,	0.05
GDW11,	18/10/2023,	<0.062,	0.05
GDW12,	18/10/2023,	<0.062,	0.05
GDW14R,	18/10/2023,	<0.062,	0.05
GDW15R,	18/10/2023,	<0.062,	0.05
GDW16,	18/10/2023,	<0.062,	0.05
GDW17,	18/10/2023,	<0.062,	0.05

ACTION - Review the limit of detection the laboratory can reach using accredited analytical methods. Ensuring the limit of detection can meet the permit requirements.

If you have any queries about this report, or to discuss completion of any actions, please contact the NRW Officer named above.

Important information

Legal status of this report

Your permit is issued to you under the Environmental Permitting Regulations. You have a responsibility to comply with the conditions of your permit and prevent pollution/harm of the environment. You must also ensure that you comply with any other relevant legislation that may apply to your site's operations.

This report explains the findings of our assessment and any action you are required to take. We categorise non-compliance using our guidance for assessing non-compliance at regulated sites.

When we find potential non-compliance/s we will normally give you advice on how to maintain compliance.

To correct non-compliance, we may:

- require you to take specific actions
- issue a notice
- review the conditions of your permit.

Any advice and guidance we give will be without prejudice to any other enforcement response that we consider may be required.

Assessment results and non-compliance categories (used in section 1):

Assessment result	Description
Assessed (A)	Assessed or assessed in part, no evidence of non-compliance found
Action only (X)	Action only relating to the activity assessment
Ongoing (O)	Ongoing non-compliance, not scored

Non-compliance category	Description	Score
C1 Major	Potential to have a major, serious, persistent and/or extensive impact or effect on the environment, people and/or property	60
C2 Significant	Potential to have a significant impact or effect on the environment, people and/or property	31
C3 Minor	Potential to have a minor or minimal impact or effect on the environment, people and/or property	4
C4 No environmental impact	Non-compliance at a regulated site that cannot foreseeably have any impact on the environment, people and/or property	0.1

How we use assessment scores

The number and severity of non-compliances recorded in a year will affect your annual subsistence fee the following year. A non-compliance factor is added to your site's Operator

Performance Risk Appraisal (OPRA) score when we calculate your fee to reflect the additional resource we use to assess permit compliance.

If your assessment result in Section 1 is suspended, what does this mean?

In line with our guidance, we may suspend scores for up to six months to allow time for remedial action to be taken. Suspended scores will be re-instated if the action is not completed.

Full list of Industry compliance criteria (used in section 1 and 2):

1. Management

- IR1A – General management
- IR1B – Finance (only applicable to Landfill)
- IR1C – Energy efficiency
- IR1D - Efficient use of raw materials
- IR1E - Avoidance, recovery and disposal of wastes produced by the activities
- IR1F - Multiple operator installations

2. Operations

- IR2A – Permitted activities
- IR2B – The site
- IR2C – Operating techniques
- IR2D – Technical requirements
- IR2E – Improvement programme
- IR2F – Pre-operational conditions
- IR2G – Landfill engineering (only applicable to Landfill)
- IR2H – Waste acceptance (only applicable to Landfill)
- IR2I – Leachate levels (only applicable to Landfill)
- IR2J – Closure and aftercare (only applicable to Landfill)
- IR2K – Landfill gas management (only applicable to Landfill)

3. Emission and Monitoring

- IR3A – Emissions to water, air or land
- IR3B – Emissions of substances not controlled by emission limits
- IR3C – Odour
- IR3D – Noise and vibration
- IR3E – Monitoring
- IR3F – Pests
- IR3G – Air quality management plans
- IR3H – Monitoring for the purposes of the Industrial Emissions Directive (this heading includes Large Combustion Plants)
- IR3I – Fire

4. Information

- IR4A – Records
- IR4B – Reporting
- IR4C – Notification

Enforcement response

Any non-compliance with a permit condition is an offence and we may take legal action against you. Action we take can include prosecution, serving a notice on you and/or

suspension or revocation of your permit. See our Enforcement and Sanctions Guidance for further information.

Data protection notice

You should make sure that anyone named in this report knows that the information it contains will be processed by Natural Resources Wales to fulfil its regulatory and monitoring functions and to maintain the relevant public register(s).

We may also use and/or disclose the report in connection with:

- offering or providing you with our literature or services relating to environmental matters
- consulting with the public, public bodies and other organisations (e.g. Health and Safety Executive, local authorities) on environmental issues
- carrying out statistical analysis, research and development on environmental issues
- providing public register information to enquirers
- investigating possible breaches of environmental law
- assessing customer service satisfaction and improving our service
- Freedom of Information Act or Environmental Information Regulations requests.

We may also pass it on to our agents or representatives to do these things on our behalf.

Disclosure of information – this report will be available to view on-line

If you think this report contains commercially confidential information that should not be placed on our public register, you must contact your local Natural Resources Wales office within **fifteen working days** of receiving this report, using the contact details in the accompanying email or letter. You must give a full explanation of why it should not be added to our public register, including specifying which information is commercially confidential. We will assess your request and respond to you within twenty working days to let you know if we agree to your request.

What do I do if I disagree with the report or have a complaint?

If you disagree with this compliance assessment report, you should contact the lead officer without delay to discuss your concerns.

If you are unable to resolve the issue with the lead officer or their line manager you should contact our Customer Contact team on 0300 065 3000 (Monday to Friday 08:00 to 18:00), or email enquiries@naturalresourceswales.gov.uk for details of how to raise your dispute further through our Complaints and Commendations procedure.

If you are dissatisfied with our response, you can contact the Public Services Ombudsman for Wales by phone on 0300 7900203 or by email at ask@ombudsman.wales

Welsh Language Standards

We are committed to establishing Natural Resources Wales as a naturally bilingual organisation. We will provide compliance reports in your preferred language.