

Permit Number: KP3195FW

Operator: Sims Group UK Limited

Facility: Refrigerator Plant, Northside, South Dock

Form Number: Air1 /17/08/2022

Reporting of emissions to air for the period from 01/12/2023 to 31/12/2023

Emission Point	Substance / Parameter	Emission		Reference Period	Result ^[1]	Test Method ^[2]	Sample Date and Times ^[3]	Uncertainty ^[4]
		Limit Value						
Combined emission FP1 & FP2	CFC	10mg/m ³		Average value of three consecutive measurements of at least 30 minutes each	<10mg/m ³	GCMS	04/12/2023 11:00	
Combined emission FP1 & FP2	Total volatile organic compounds (including HCFCs, HFCs and HCs)	15mg/m ³		Average value of three consecutive measurements of at least 30 minutes each	<10mg/m ³	SC1	04/12/2023 11:00	

[1] The result given is the maximum value (or the minimum value in the case of a limit that is expressed as a minimum) obtained during the reporting period, expressed in the same terms as the emission limit value. Where the emission limit value is expressed as a range, the result is given as the 'minimum – maximum' measured values.

[2] Where an internationally recognised standard test method is used the reference number is given. Where another method that has been formally agreed with Natural Resources Wales is used, then the appropriate identifier is given. In other cases the principal technique is stated, for example gas chromatography.

[3] For non-continuous measurements the date and time of the sample that produced the result is given. For continuous measurements the percentage of the process operating time covered by the result is given.

[4] The uncertainty associated with the quoted result at the 95% confidence interval, unless otherwise stated.

Signed W Tayloor
(Authorised to sign as representative of Operator)

Date 01/02/2024

Permit Number: KP3195FW

Operator: Sims Group UK Limited

Facility: Refrigerator Plant, Northside, South Dock

Form Number: Air1 /17/08/2022

Reporting of emissions to air for the period from 01/01/2024 to 31/01/2024

Emission Point	Substance / Parameter	Emission		Reference Period	Result ^[1]	Test Method ^[2]	Sample Date and Times ^[3]	Uncertainty ^[4]
		Limit Value						
Combined emission FP1 & FP2	CFC	10mg/m ³		Average value of three consecutive measurements of at least 30 minutes each	<10mg/m ³	GCMS	03/01/2024 11:30	
Combined emission FP1 & FP2	Total volatile organic compounds (including HCFCs, HFCs and HCs)	15mg/m ³		Average value of three consecutive measurements of at least 30 minutes each	15mg/m ³	SC1	03/01/2024 11:30	

[1] The result given is the maximum value (or the minimum value in the case of a limit that is expressed as a minimum) obtained during the reporting period, expressed in the same terms as the emission limit value. Where the emission limit value is expressed as a range, the result is given as the 'minimum – maximum' measured values.

[2] Where an internationally recognised standard test method is used the reference number is given. Where another method that has been formally agreed with Natural Resources Wales is used, then the appropriate identifier is given. In other cases the principal technique is stated, for example gas chromatography.

[3] For non-continuous measurements the date and time of the sample that produced the result is given. For continuous measurements the percentage of the process operating time covered by the result is given.

[4] The uncertainty associated with the quoted result at the 95% confidence interval, unless otherwise stated.

Signed W Taylor
(Authorised to sign as representative of Operator)

Date 01/02/2024