

Compliance Assessment Report CAR_NRW0044973

Permit being assessed: CG0087501

For: LLANLLYFNI CAERNARFON STW, held by DWR CYMRU CYFYNGEDIG
At: LLANLLYFNI CAERNARFON STW, CAERNARFON STW, UNKNOWN, UNKNOWN,
UNKNOWN.

Type of assessment carried out: Site Inspection, Reason: Routine.

On 01/08/2024, between 10:00 and 11:00.

Parts of permit assessed: Whole permit

NRW Lead Officer: Euryrn Roberts, accompanied by: James Raymond.

Report sent to: CARS mailbox, CARS mailbox, on 14/08/2024.

1. Summary of our findings (full details in section 4)

Part of permitted activity assessed (criteria)	Assessment result	Permit condition
WQ-B2 - Water Quality - Operations - The site	Action only (X)	
WQ-B2 - Water Quality - Operations - The site	Action only (X)	
WQ-B2 - Water Quality - Operations - The site	Action only (X)	
WQ-B2 - Water Quality - Operations - The site	Action only (X)	

Result types are explained in more detail in the 'Important Information' section below.

2. What action is required?

Criteria	Action needed	Complete by
WQ-B2	Please provide an update regarding work to stop the leak at the inlet	30/09/2024
WQ-B2	Please provide an update / timescales regarding bringing the mechanical screen back into use	30/09/2024
WQ-B2	Grass growth on filter beds needs clearing	30/09/2024
WQ-B2	Please deal with the seepage to ground at the dosing chamber	30/09/2024

Action criteria codes are listed in the 'Important information' section below.

3. What will happen next?

Any non-compliance we have identified and recorded on this form is an offence. It can result in criminal prosecution and/or suspension or revocation of your permit.

At this time, we do not intend to take any further action.

This statement does not stop us from taking additional enforcement action if further relevant information comes to light or offences continue.

4. Details of our assessment

The sewage works was visited on the 1st of August 2024 as part of NRW's planned regulatory compliance work.

Upon inspection four issues were noted as follows:

Firstly, it was seen that there temporary pumps at the inlet chamber to deal with a leak at the chamber. It was explained that remedial work to deal with this leak was planned for the following day. A second larger temporary pump was located nearby. It was explained that this was there to provide overpumping whilst a repair was attempted. A photograph of the location is attached for information, (photo ref: P8010391).

Please provide an update regarding this repair.

Secondly, it was seen that there were tomato plants growing out of the end of the mechanical screen, indicating that the screen wasn't in use. (See attached photo P8010392). When queried about this, it was explained that the gear box on the screen had gone and that an Opnot was in place regarding this. It was also explained that there was a long lead in time for delivery of parts.

Please provide an update regarding this repair, or timescales for getting the work done.

Thirdly, it was seen that there was a growth of grass on some of the filter beds that needed clearing - to ensure that water drains down through the media in an effective manner in wetter weather. It's understood that this is an ongoing process, but needs more attention. (See attached photo P8010395).

Please remove the grass from the filter beds.

Fourthly, it was seen that there was a crack and evidence of some seepage of sewage to ground from the right hand dosing chamber (as you look downhill). This may have been worse during higher flows. (See attached photo P8010397).

Please deal with this seepage.

Thank you for your co-operation.

If you have any queries about this report, or to discuss completion of any actions, please contact the NRW Officer named above.

Important information

Legal status of this report

Your permit is issued to you under the Environmental Permitting Regulations. You have a responsibility to comply with the conditions of your permit and prevent pollution/harm to the environment. You must also ensure that you comply with any other relevant legislation that may apply to your site's operations.

This report explains the findings of our assessment and any action you are required to take. We categorise non-compliance using our guidance for assessing non-compliance at regulated sites.

When we find potential non-compliance/s we will normally give you advice on how to maintain compliance.

To correct non-compliance, we may:

- require you to take specific actions
- issue a notice
- review the conditions of your permit.

Any advice and guidance we give will be without prejudice to any other enforcement response that we consider may be required.

Assessment results and non-compliance categories (used in section 1):

Assessment result	Description
Assessed (A)	Assessed or assessed in part, no evidence of non-compliance found
Action only (X)	Action only relating to the activity assessment
Ongoing (O)	Ongoing non-compliance, not scored

Non-compliance category	Description
C1 Major	Potential to have a major, serious, persistent and/or extensive impact or effect on the environment, people and/or property
C2 Significant	Potential to have a significant impact or effect on the environment, people and/or property
C3 Minor	Potential to have a minor or minimal impact or effect on the environment, people and/or property
C4 No environmental impact	Non-compliance at a regulated site that cannot foreseeably have any impact on the environment, people and/or property

If your assessment result in Section 1 is suspended, what does this mean?

In line with our guidance, we may suspend non-compliance for up to six months to allow time for remedial action to be taken. These will be re-instated if the action is not completed.

Full list of water quality action criteria (used in section 1 and 2):**WQ A: Management**

- WQ-A1 General management

WQ B: Operations

- WQ-B1 Permitted activities
- WQ-B2 The site
- WQ-B3 Operating techniques
- WQ-B4 Improvement programme
- WQ-B5 Pre-operational conditions

WQ C: Emissions and monitoring

- WQ-C1 Emissions to water
- WQ-C2 Emissions to land
- WQ-C3 Emissions of substances not controlled by emission limits
- WQ-C4 Installation of monitoring boreholes

WQ D: Information

- WQ-D1 Records
- WQ-D2 Reporting
- WQ-D3 Notifications

Enforcement response

Any permit condition non-compliance is an offence and we may take legal action against you. Action we take can include prosecution, serving a notice on you and/or suspension or revocation of your permit. See our Enforcement and Sanctions Guidance for further information.

Data protection notice

You should make sure that anyone named in this report knows that the information it contains will be processed by Natural Resources Wales to fulfil its regulatory and monitoring functions and to maintain the relevant public register(s).

We may also use and/or disclose the report in connection with:

- offering or providing you with our literature or services relating to environmental matters
- consulting with the public, public bodies and other organisations (e.g. Health and Safety Executive, local authorities) on environmental issues
- carrying out statistical analysis, research and development on environmental issues
- providing public register information to enquirers
- investigating possible breaches of environmental law
- assessing customer service satisfaction and improving our service
- Freedom of Information Act or Environmental Information Regulations requests.

We may also pass it on to our agents or representatives to do these things on our behalf.

Disclosure of information – this report will be available to view on-line

If you think this report contains commercially confidential information that should not be placed on our public register, you must contact your local Natural Resources Wales office within **fifteen working days** of receiving this report, using the contact details in the accompanying email or letter. You must give a full explanation of why it should not be

added to our public register, including specifying which information is commercially confidential. We will assess your request and respond to you within 20 working days to let you know if we agree to your request.

What do I do if I disagree with the report or have a complaint?

If you disagree with this compliance assessment report, you should contact the lead officer without delay to discuss your concerns.

If you are unable to resolve the issue with the lead officer or their line manager you should contact our Customer Contact team on 0300 065 3000 (Monday to Friday 08:00 – 18:00), or email enquiries@naturalresourceswales.gov.uk for details of how to raise your dispute further through our Complaints and Commendations procedure.

If you are dissatisfied with our response, you can contact the Public Services Ombudsman for Wales by phone on 0300 7900203 or by email at ask@ombudsman.wales

Welsh Language Standards

We are committed to establishing Natural Resources Wales as a naturally bilingual organisation. We will provide compliance reports in your preferred language.