

Apply for a band 1 marine licence

Is the estimated cost of your marine works project over £1 million?

Select
No

Will the work last longer than 12 months?

Select
No

Who should we contact about this application?

This form must be completed by someone who has authority to act on behalf of the applicant.	
We will contact you if we have any questions about this application.	
First name	IAN
Last name	MEYRICK
Address line 1	OVE ARUP & PARTNERS LIMITED
Address line 2 (optional)	4 PIERHEAD STREET
Town or city	CARDIFF
County (optional)	-
Postcode	CF10 4QP
Email	ian.meyrick@arup.com
Phone number	02920 266 668
Your relationship to the applicant, for example 'consultant'	CONSULTANT

Tell us about the applicant

Is the applicant:
a company

Is the company registered with Companies House?

Select

Yes

Tell us the registered company details

The address must be the one recorded with Companies House (opens in a new tab)

Company name	ALUN GRIFFITHS (CONTRACTORS) LTD
Company registration number	1493003
Date of registration	23/04/1980
Address line 1	WATERWAYS HOUSE, MERTHYR ROAD
Address line 2 (optional)	LLANFOIST
Town or city	ABERGAVENNY
County (optional)	-
Postcode	NP7 9PE
Email	iwan.pritchard@alungriffiths.co.uk
Phone number	07966387813

Have you had pre-application advice from us about this work?

Select

No

Tell us about the work

What is the project title?

MENAI SHELLFISH, GLANDWR ROAD

Briefly describe what you want to do

THE WORKS DESCRIBED BELOW WERE DUE TO BE CARRIED OUT BY ALUN GRIFFITHS (CONTRACTORS) LTD UNDER LICENCE CML2421. HOWEVER TIME DELAYS HAVE MEANT CML2421 HAS EXPIRED AND A NEW BAND 1 MARINE LICENCE IS TO BE SOUGHT FROM NRW. NO CHANGE TO THE ACTIVITIES PREVIOUSLY LICENCED ARE PROPOSED.

THE MANHOLE AND DOWNSTREAM PIPE LOCATED ON THE FORESHORE ADJACENT TO GLANDŴR ROAD, BANGOR, LL57 1AD (NGR SH 58530 73020, SEE APPENDIX A – LOCATION PLAN), HAS A HISTORY OF SALTWATER INFILTRATION AS ITS SITS BELOW THE MEAN HIGH WATER SPRINGS. THE PROPOSED WORKS INVOLVE REMOVAL/FILLING IN THE MANHOLE CHAMBER (ALLOWING FOR A PASS THROUGH PIPE) AND RELINE 20M OF DOWNSTREAM PIPE.

THE 20M OF EXISTING PIPE WILL RELINED USING UV CURED-IN-PLACE-PIPE LINING (CIPP) METHODS. ACCESS WILL BE GAINED FROM THE MANHOLE LOCATED IN THE HIGHWAY 20M SOUTH OF THE FORESHORE MANHOLE. NO INTRUSIVE WORKS OR VEHICLE ACCESS TO THE FORESHORE WILL BE REQUIRED FOR THIS STAGE OF THE WORKS. SEE APPENDIX B – PROPOSED WORKS PLAN VIEW, AND APPENDIX C, SECTION 3 – LINING EXISTING 450 SEWER BETWEEN MH 5001 AND MH 5902, OF THE ATTACHED DRAFT METHOD STATEMENT FOR MORE DETAIL.

THE FORESHORE MANHOLE REMOVAL / FILLING WILL COMPRISE OF EXCAVATING DOWN AND REMOVING THE METAL MANHOLE COVER AND TOP BRICKWORK LAYERS DOWN TO THE CONCRETE CHAMBER. THE TWO ENDS EXISTING PIPEWORK WILL BE CONNECTED TO PASS THROUGH THE CHAMBER. THE CHAMBER WILL THEN BE FILLED WITH MARINE GRADE CONCRETE AND COVERED/REINSTATED TO BLEND INTO THE FORESHORE. THESE WORKS WOULD REQUIRE A SMALL 5 TONNE EXCAVATOR AND DUMPER, WHICH WILL USE AN EXISTING ACCESS ON TO THE FORESHORE. SEE APPENDIX B – PROPOSED WORKS PLAN VIEW, AND APPENDIX C, SECTION 3 - FILL AND ABANDON MH 5001, OF THE ATTACHED DRAFT METHOD STATEMENT FOR MORE DETAIL.

When do you want the licence to start?

Band 1 licences are typically issued for one year, subject to consultation.

Make sure the date you provide is on or before the day you want to start carrying out the work.

Licence start date 01/12/2024

Tell us about your coordinates

We need to understand exactly where the work will happen through the coordinates you give us.

If you need to give us more than 10 coordinates, you must upload them in an Excel spreadsheet.

You can also upload a Shapefile if you have one.

[Check how to give us coordinates \(opens in a new tab\).](#)

Do you want to tell us about more than 10 coordinates?

No

Give your coordinates

Make sure:

the coordinates are in this format: Lat 52.1234 Long -4.1234 your coordinates are correct and help define the extent of the works

	Latitude	Longitude
1.	53.235141	-4.1211009
2.	53.235199	-4.1208640
3.	53.235392	-4.1211582
4.	53.235263	-4.1213017
5.	53.235211	-4.1211793
6.	-	-
7.	-	-
8.	-	-
9.	-	-

Upload your map

Your map must be scaled so we can see a detailed view of the area where you will be carrying out your activity.

Include a north arrow so that we can correctly identify the orientation of the map.

Check how to create a map (opens in a new tab)

- File: Appendix A - Marine Licence Location.pdf - [Download](#)

Tell us if you need to upload a method statement

You will need to upload a method statement if you are doing any of these things:

Working in or near a sensitive site Drilling boreholes or vibrocores Replacing piles Beach management Are you doing one or more of these things?

Yes

Upload your method statement

Check what you need to include in your method statement (opens in a new tab).

If your method statement does not cover all the necessary points, we will not be able to approve your licence application.

- File: Appendix C - Draft Method Statement.pdf - [Download](#)
- File: Appendix H - Menai Shellfish HRA.pdf - [Download](#)

What materials will you deposit as part of your work?

Select all that apply

Concrete

How will you deliver materials to the site?

Select

Vehicle

Tell us about the route you will use to deliver materials to the site

We need to know how you will transport material from the site car park or compound to the location of the work.

Describe the delivery route

ACCESS TO THE FORESHORE WILL BE VIA THE EXISTING SMALL SLIPWAY FROM GLANDWR ROAD (LAT:53.235274, LONG: -4.1212123). THE PROPOSED WORKS WILL TAKE PLACE APPROXIMATELY 10 METRES NORTH EAST OF THE SLIPWAY.

Which materials will you remove as part of your work?

Tick all that apply

Concrete

Iron/steel

Other (please provide a description of materials):

1NO. STEEL MANHOLE COVER, 200KG BRICK WORK, 1500KG CONCRETE MANHOLE COVER SLAB

Upload any construction plans and sectional drawings

For beach replenishment, show:

the quantity, particle size and source of material to be deposited deposit location

- File: Appendix B - Proposed works plan view.pdf - [Download](#)

Upload your correspondence with the Maritime and Coastguard Agency

We need confirmation from the Maritime and Coastguard Agency that your work will not pose a risk to others

- File: Appendix E - MCG and Trinity House consultation response.pdf - [Download](#)

Upload your correspondence with Trinity House

We need confirmation from Trinity House that your work will not pose a risk to others

- File: Appendix E - MCG and Trinity House consultation response.pdf - [Download](#)

Did you consult with archaeological consultees?

If you are doing any kind of removal (such as boreholes or sediment sampling) or beach management, you must consult with the Royal Commission on the Ancient and Historical Monuments of Wales (RCAHMW) and your local archaeological trust (opens in a new tab).

Yes

Upload your correspondence with the Royal Commission on the Ancient and Historical Monuments of Wales

We need to see that the RCAHMW are satisfied that your work will not have a negative impact on any archaeological features

- File: Appendix F - Correspondence with Archaeological Trust.pdf - [Download](#)

Upload your correspondence with your local archaeological trust

We need to see that the local archaeological trust is satisfied that your work will not have a negative impact on any archaeological features

- File: Appendix F - Correspondence with Archaeological Trust.pdf - [Download](#)

Do you want to upload correspondence with other consultees?

Check the list of possible consultees (opens in a new tab)

Select

Yes

Upload your correspondence with other consultees

You can upload up to ten documents of 50MB each.

Select 'Choose file' each time

- File: CML2421 Decision Document.pdf - [Download](#)
- File: CML2421 Marine Licence Cover Letter.pdf - [Download](#)
- File: CML2421 Marine Licence.pdf - [Download](#)
- File: Applicant Authorisation.pdf - [Download](#)
- File: Appendix D - NRW Previous Comms.pdf - [Download](#)

Does the applicant have statutory powers to consent any aspect of the work?

Such as coast protection authority, dredging powers, statutory undertakers

No

Do you want to claim public register confidentiality?

We normally put all the information in your application on a public register, unless we approve of your reasons for withholding all or part of it

No

Paying for your application

Your licence application for a band 1 activity costs £600.

You need to pay as soon as you have submitted your application. We will return any applications we receive without payment.

How will you pay for your application?

Phone

Create a payment reference

Make a note of your reference as you will need to use it when you pay.

Your reference must:

begin with 'PRCAPP' be followed by the first five letters of the applicant name end with any three digits

PRCAPPALUNG002

How we collect your personal data

We will process the information provided by you in line with the data protection legislation.

For more information on how we manage, store and use your data, check our privacy notice (opens in a new tab).

I have read and understood this information

Declaration

The person who completes this form should be the one who signs it.

This person must have the authority to sign the form on behalf of the holder. They could be a director or a company secretary.

It is an offence under the Marine and Coastal Access Act 2009, under which this application is made, to fail to disclose information or to provide false or misleading information. This could invalidate any licence granted.

I declare that to the best of my knowledge and belief that the information given in this application form and supporting documentation is true.

Full name Ian Meyrick

Position in company Environmental Consultant

Date

01/11/2024

Get a copy of your application and submit

Enter your email address to get a copy of your application

ian.meyrick@arup.com