

Compliance Assessment Report CAR_NRW0044486

Permit being assessed: CG0318801

For: CAPEL CURIG WTW CAPEL CURIG, held by DWR CYMRU CYFYNGEDIG

At: CAPEL CURIG WTW, CAPEL CURIG, CONWY, WALES, .

Type of assessment carried out: Check Monitoring/Sampling, Reason: Other.
On 30/05/2024.

Parts of permit assessed: 3.1.2

NRW Lead Officer: Nathan Owen.

Report sent to: CARS Mailbox, CARS Mailbox , on 11/11/2024.

1. Summary of our findings (full details in section 4)

Part of permitted activity assessed (criteria)	Assessment result	Permit condition
WQ-C1 - Water Quality - Emissions and monitoring - Emissions to water	C4 No impact	3.1.2

Result types are explained in more detail in the 'Important Information' section below.

2. What action is required?

Criteria	Action needed	Complete by
WQ-C1	Identify reasons for TAC exceedance	31/07/2024

Action criteria codes are listed in the 'Important information' section below.

3. What will happen next?

Any non-compliance we have identified and recorded on this form is an offence. It can result in criminal prosecution and/or suspension or revocation of your permit.

At this time, we do not intend to take any further action.

This statement does not stop us from taking additional enforcement action if further relevant information comes to light or offences continue.

4. Details of our assessment

Given the updated information NRW have received regarding turbidity we are sending an edited version of CAR_NRW0044486.

Turbidity is an optical measurement of the water and does not identify individual substances. The test should be used to give a field measure of the suspended solids content of the final effluent prior to the chlorine test being carried out.

The turbidity test used by DCWW is a specially calibrated plastic tube with a black cross at the bottom. The test requires water to be poured out of the tube until the black cross at the

bottom can be seen. At this point, a measurement can be read off the scale on the outside of the tube in NTU.

The interpretation of the standard x tube measurements used at the time of these samples can be considered subjective, so any measurement below 30NTU supplied as evidence in the report "OSM Chlorine Associated with Turbidity ≥ 20 NTU" is rejected and the associated chlorine result should stand. 30NTU is a point in the turbidity measurement that would utilise the lower half of the x tube and gives more confidence to the probability that the turbidity was greater than 20NTU and was more likely to have had an adverse impact on the chlorine measurement at the time.

Sample dates -

28/05/24

Capel Curig WTW wash water

Turbidity Result NTU 50

Chlorine Result mg/l 0.16

Consent Limit mg/l 0.05

Therefore, we agree to remove the 28/05/24 result from our systems and require catch-up measurements to be taken before the end of the year.

Improvements are required in how turbidity is measured to support the chlorine measurements in future. NRW have been informed that new turbidity test kits are being rolled out. Details of these kits and when they were/are to be implemented should be supplied by 11/11/2024.

Re issued on the 10/06/2024 with the correct permit condition.

On the 30/05/2024, NRW were notified of a Total Available Chlorine exceedance from the Capel Curig WTW (CG0318801), the sample was taken on the 28/05/2024.

The permit for the asset states that the TAC should not exceed 0.05 mg/l Max, the reading reported showed a TAC level 0.16 mg/l. Based on conditions stated within the permit, this result is classed as a Max Limit Failure.

Image 1, Sample chart

SPT NO	SAMPLE POINT	SAMPLE DATE/TIME	LAB REF NO	PC	Result Val	Result Qual
8037	CAPEL CURIG WTW WASH WATER	28/May/24 14:01	7966067	SM	0.16	
8037	CAPEL CURIG WTW WASH WATER	01/Mar/24 11:22	7879584	SM	No Flow	
8037	CAPEL CURIG WTW WASH WATER	04/Jan/24 10:43	7826843	SM	0.05	<
8037	CAPEL CURIG WTW WASH WATER	22/Nov/23 09:25	7785363	SM	0.05	<
8037	CAPEL CURIG WTW WASH WATER	12/Sep/23 11:02	7714542	SM	No Flow	
8037	CAPEL CURIG WTW WASH WATER	11/Jul/23 11:15	7649328	SM	0.05	<

NRW are requesting that DCWW carry out an investigation to ascertain the reasons for the max limit failure at the WTW.

If you have any queries about this report, or to discuss completion of any actions, please contact the NRW Officer named above.

Important information

Legal status of this report

Your permit is issued to you under the Environmental Permitting Regulations. You have a responsibility to comply with the conditions of your permit and prevent pollution/harm to the environment. You must also ensure that you comply with any other relevant legislation that may apply to your site's operations.

This report explains the findings of our assessment and any action you are required to take. We categorise non-compliance using our guidance for assessing non-compliance at regulated sites.

When we find potential non-compliance/s we will normally give you advice on how to maintain compliance.

To correct non-compliance, we may:

- require you to take specific actions
- issue a notice
- review the conditions of your permit.

Any advice and guidance we give will be without prejudice to any other enforcement response that we consider may be required.

Assessment results and non-compliance categories (used in section 1):

Assessment result	Description
Assessed (A)	Assessed or assessed in part, no evidence of non-compliance found
Action only (X)	Action only relating to the activity assessment
Ongoing (O)	Ongoing non-compliance, not scored

Non-compliance category	Description
C1 Major	Potential to have a major, serious, persistent and/or extensive impact or effect on the environment, people and/or property
C2 Significant	Potential to have a significant impact or effect on the environment, people and/or property
C3 Minor	Potential to have a minor or minimal impact or effect on the environment, people and/or property
C4 No environmental impact	Non-compliance at a regulated site that cannot foreseeably have any impact on the environment, people and/or property

If your assessment result in Section 1 is suspended, what does this mean?

In line with our guidance, we may suspend non-compliance for up to six months to allow time for remedial action to be taken. These will be re-instated if the action is not completed.

Full list of water quality action criteria (used in section 1 and 2):**WQ A: Management**

- WQ-A1 General management

WQ B: Operations

- WQ-B1 Permitted activities
- WQ-B2 The site
- WQ-B3 Operating techniques
- WQ-B4 Improvement programme
- WQ-B5 Pre-operational conditions

WQ C: Emissions and monitoring

- WQ-C1 Emissions to water
- WQ-C2 Emissions to land
- WQ-C3 Emissions of substances not controlled by emission limits
- WQ-C4 Installation of monitoring boreholes

WQ D: Information

- WQ-D1 Records
- WQ-D2 Reporting
- WQ-D3 Notifications

Enforcement response

Any permit condition non-compliance is an offence and we may take legal action against you. Action we take can include prosecution, serving a notice on you and/or suspension or revocation of your permit. See our Enforcement and Sanctions Guidance for further information.

Data protection notice

You should make sure that anyone named in this report knows that the information it contains will be processed by Natural Resources Wales to fulfil its regulatory and monitoring functions and to maintain the relevant public register(s).

We may also use and/or disclose the report in connection with:

- offering or providing you with our literature or services relating to environmental matters
- consulting with the public, public bodies and other organisations (e.g. Health and Safety Executive, local authorities) on environmental issues
- carrying out statistical analysis, research and development on environmental issues
- providing public register information to enquirers
- investigating possible breaches of environmental law
- assessing customer service satisfaction and improving our service
- Freedom of Information Act or Environmental Information Regulations requests.

We may also pass it on to our agents or representatives to do these things on our behalf.

Disclosure of information – this report will be available to view on-line

If you think this report contains commercially confidential information that should not be placed on our public register, you must contact your local Natural Resources Wales office within **fifteen working days** of receiving this report, using the contact details in the accompanying email or letter. You must give a full explanation of why it should not be

added to our public register, including specifying which information is commercially confidential. We will assess your request and respond to you within 20 working days to let you know if we agree to your request.

What do I do if I disagree with the report or have a complaint?

If you disagree with this compliance assessment report, you should contact the lead officer without delay to discuss your concerns.

If you are unable to resolve the issue with the lead officer or their line manager you should contact our Customer Contact team on 0300 065 3000 (Monday to Friday 08:00 – 18:00), or email enquiries@naturalresourceswales.gov.uk for details of how to raise your dispute further through our Complaints and Commendations procedure.

If you are dissatisfied with our response, you can contact the Public Services Ombudsman for Wales by phone on 0300 7900203 or by email at ask@ombudsman.wales

Welsh Language Standards

We are committed to establishing Natural Resources Wales as a naturally bilingual organisation. We will provide compliance reports in your preferred language.