

Permit Number: WP3931SD Operator: Kennametal UK Ltd

Installation: Newport Ceramics Form Number: Air1 / 06/08/2007

Reporting of emissions to air for the period from 01/01/2023 to 31/12/2023

Emission Point	Substance / Parameter	Emission Limit Value	Reference Period	Result ^[1]	Test Method ^[2]	Sample Date and Times ^[3]	Uncertainty ^[4]
A1 [Point A1 on site plan in Schedule 2]	Particulate matter	25mg/m ³	Spot sample	6.5	BS EN 13284:1	08/03/23 09:45 - 10:45	1.12
A1 [Point A1 on site plan in Schedule 2]	Ammonia	30mg/m ³	Spot sample	151	BS EN 14791	11/12/23 10:50 - 11:50	18.1
A1 [Point A1 on site plan in Schedule 2]	Total Cyanide	-	Spot sample	8.2	US EPA OTM 29	11/12/23 12:05 – 13:05	0.99
A1 [Point A1 on site plan in Schedule 2]	Oxides of nitrogen	100mg/m ³	Spot sample	84	BS EN 14792:2017	27/06/23 13:05-14:05	2.3
A1 [Point A1 on site plan in Schedule 2]	Sulphur dioxide	20mg/m ³	Spot sample	12.2	AM-PD CEN/TS 17021:2017	07/03/23 09:51 - 10:51	2.3
A1 [Point A1 on site plan in Schedule 2]	Carbon monoxide	200mg/m ³	Spot sample	98.5	BS EN 15058:2017	11/09/23 10:50 - 11:50	1.4
A2 [Point A2 on site plan in schedule 2]	Particulate matter	25mg/m ³	Spot sample	Emission point not in use	BS EN 13284:1	Emission point not in use	Emission point not in use
A3 [Point A3 on site plan in schedule 2]	Particulate matter	5mg/m ³	Spot sample	3.17	BS EN 13284:1	07/03/23 08:40 – 09:40	1.07
A6 [Point A6 on site plan in Schedule 2]	Particulate matter	25mg/m ³	Spot sample	11.1	BS EN 13284:1	12/09/23 14:05-15:05	2.9
A7 [Point A7 on site plan in schedule 2]	Particulate matter	5mg/m ³	Spot sample	3.4	BS EN 13284:1	28/06/23 08:40 - 09:40	1.1

Emission Point	Substance / Parameter	Emission Limit Value	Reference Period	Result ^[1]	Test Method ^[2]	Sample Date and Times ^[3]	Uncertainty ^[4]
A8 [Point A8 on site plan in schedule 2]	Particulate matter	25mg/m ³	Spot sample	12.5	BS EN 13284:1	07/03/23 10:18 - 11:18	0.89
A8 [Point A8 on site plan in schedule 2]	Ammonia	30mg/m ³	Spot sample	1.96	BS EN 14791	12/09/23 11:42-12:42	0.32
A8 [Point A8 on site plan in schedule 2]	Total Cyanide	-	Spot sample	0.11	US EPA OTM 29	12/09/23 10:12-11:12	0.03
A8 [Point A8 on site plan in schedule 2]	Oxides of nitrogen	100mg/m ³	Spot sample	3.06	BS EN 14792:2017	12/09/23 10:10-11:10	6.2
A8 [Point A8 on site plan in schedule 2]	Sulphur dioxide	20mg/m ³	Spot sample	12.7	AM-PD CEN/TS 17021:2017	07/03/23 10:18-11:18	2.1
A8 [Point A8 on site plan in schedule 2]	Carbon monoxide	100mg/m ³	Spot sample	82	BS EN 15058:2017	27/06/23 09:02-10:02	2.4

[1] The result given is the maximum value (or the minimum value in the case of a limit that is expressed as a minimum) obtained during the reporting period, expressed in the same terms as the emission limit value. Where the emission limit value is expressed as a range, the result is given as the 'minimum – maximum' measured values.

[2] Where an internationally recognised standard test method is used the reference number is given. Where another method that has been formally agreed with the Agency is used, then the appropriate identifier is given. In other cases the principal technique is stated, e.g. gas chromatography.

[3] For non-continuous measurements the date and time of the sample that produced the result is given. For continuous measurements the percentage of the process operating time covered by the result is given.

[4] The uncertainty associated with the quoted result at the 95% confidence interval, unless otherwise stated.

Signed .. 
(Authorised to sign as representative of Operator)

Date... 31/1/24

Permit Number: WP3931SD Operator: Kennametal UK Ltd
 Installation: Newport Ceramics Form Number: Energy1

Reporting of Energy Usage for the year 2023


Energy Source	Energy Usage		Specific Usage (MWh/unit output)
	Quantity	Primary Energy (MWh)	
Electricity *	5445 MWh	13068	26.45 MWh/tonne product
Natural Gas	0 tonnes	n/a	n/a
TOTAL	5445 MWh	13068 MWh	26.45 MWh/tonne product

* Conversion factor for delivered electricity to primary energy = 2.4

Operator's comments:

The specific energy usage has been calculated based on powder production and hot pressing. Although powder production and hot pressing are responsible for the majority of the electricity consumed on site, this is a slight over-estimate as some of the electricity used on site is used in the production of other products.

The specific energy usage is less than last year. Note that this figure will be affected to some degree by changes in the quantities produced of each product. Some products require more energy to produce than others.

Signed 
 (Authorised to sign as representative of Operator)

Date 31/1/24

Permit Number: WP3931SD Operator: Kennametal UK Ltd
Installation: Newport Ceramics Form Number: Performance1

Reporting of other performance indicators for the period 01/01/2023 to 31/12/2023

Parameter	Units
Water usage 1601/205.9	m3/tonne product 7.78
Energy usage 5445/205.9	MWh/tonne product 26.45
Effluent released 1440/205.9	M3/tonne product 6.99

Operator's comments :

Effluent released calculated as 90% of total incoming water (mains)

Signed 
(Authorised to sign as representative of Operator)

Date 31/1/24

Permit Number: WP3931SD Operator: Kennametal Manufacturing UK Ltd
Installation: Newport Ceramics Form Number: WaterUsage1

Reporting of Water Usage for the year 2023

Water Source	Usage (m ³ /year)	Specific Usage (m ³ /unit output)
Mains water	1601 m ³	7.78 m ³ /tonne of product

Operator's comments :

Signed: 
(authorised to sign as representative of Operator)

Date: 31/1/24