

Schedule 5 - Notification

These pages outline the information that the operator must provide.

Units of measurement used in information supplied under Part A and B requirements shall be appropriate to the circumstances of the emission. Where appropriate, a comparison should be made of actual emissions and authorised emission limits.

If any information is considered commercially confidential, it should be separated from non-confidential information, supplied on a separate sheet and accompanied by an application for commercial confidentiality under the provisions of the EP Regulations.

Part A

Permit Number	LP3030XA
Name of operator	Viridor Trident Park Limited
Location of Facility	Trident Park, Cardiff
Time and date of the detection	23 Feb 2024 03:50h

(a) Notification requirements for any activity that gives rise to an incident or accident which significantly affects or may significantly affect the environment

To be notified within 24 hours of detection

Date and time of the event	
Reference or description of the location of the event	
Description of where any release into the environment took place	
Substances(s) potentially released	
Best estimate of the quantity or rate of release of substances	
Measures taken, or intended to be taken, to stop any emission	
Description of the failure or accident.	

(b) Notification requirements for the breach of a permit condition

To be notified within 24 hours of detection unless otherwise specified below



Emission point reference/ source	A2
Parameter(s)	CO
Limit	150mg/m3 95% of all 10 minute averages in any 24 hour period
Measured value and uncertainty	238mg/m3
Date and time of monitoring	23 Feb 2024 03:40 to 03:49h
Measures taken, or intended to be taken, to stop the emission	Line 2 taken off waste

Time periods for notification following detection of a breach of a limit	
Parameter	Notification period

(c) In the event of a breach of permit condition which poses an immediate danger to human health or threatens to cause an immediate significant adverse effect on the environment:	
To be notified within 24 hours of detection	
Description of where the effect on the environment was detected	
Substances(s) detected	
Concentrations of substances detected	
Date of monitoring/sampling	

Part B - to be submitted as soon as practicable

Any more accurate information on the matters for notification under Part A.	No further information.
Measures taken, or intended to be taken, to prevent a recurrence of the incident	Boiler brought back on line. Continuation of waste inspections to attempt to identify suppliers of gas canisters. Ongoing discussion with local authorities on collection of canisters from parks and other recreational spaces.
Measures taken, or intended to be taken, to rectify, limit or prevent any pollution of the environment which has been or may be caused by the emission	Procedure followed for CO emissions ending in Line 2 being taken off waste.
The dates of any unauthorised emissions from the facility in the preceding 24 months.	10_7_2022 27_7_2022 29_7_2022 11_1_2023 21_2_2023 18_9_2023

Name*	
Post	Plant Manager
Signature	
Date	5 March 2024

* authorised to sign on behalf of the operator